# AMERICAN ARTISAN

WARM AIR HEATING . AIR CONDITIONING SHEET METAL CONTRACTING

3 13 3 8 L

SHOW NUMBER

STABLISHED 8 8 0

> JANUARY 1 0 3 8



## KEEP YOURSELF IN FRONT WITH LAMNECK PREFABRICATED DUCT

A dealer is known by the type of air conditioning unit he handles. In no less measure does his reputation depend on the kind of duct he installs.

It must be in keeping with the quality and advanced development represented by the unit itself. It must embody modern principles of design and perfected workmanship that insure maximum efficiency, dependability, and style.

Lamneck Prefabricated Duct, Series 600, is as far advanced over the hand-fabricated product as the modern air conditioning unit is over the furnace of the more or less gay 'nineties. Not only is it neat, attractive, rigid, and substantial, but it is so simple and flexible that it makes installation cost surprisingly less than with hand-fabricated duct.

To the progressive dealer, the use of Lamneck Prefabricated Duct, Series 600, represents sound, present-day merchandising practice, free from the guesswork, worry, and doubtful profits of hand-fabrication. It keeps him in front of the present day parade of progress in the air conditioning field—a real representative of the latest and best that the industry produces.



This attractive label, affixed to each individual piece of Series 600, Lamneck Prefabricated Duct and Fittings, represents another outstanding feature of Lamneck Service. It serves to identify a Lamneck product with all that the name stands for in demonstrated quality, efficiency, and economy. It also simplifies storing, handling, and installing, because the label bears the size and description of each piece, enabling you instantly to select the exact Lamneck pieces required, without measuring or checking. Lamneck furnishes every service required to make your work as a dealer easy and profitable.



We'll meet you at the Lamneck Exhibit, Space 260, International Heating & Ventilating Exposition, Grand Central Palace, New York City, January 24 to 28, 1938.

LAMNECK PRODUCTS, INC.
414 DUBLIN AVENUE . COLUMBUS, OHIO

PREFABRICATED DUCT AND FITTINGS FOR FORCED AIR AND AIR CONDITIONING SYSTEMS

# Everything

FOR WINTER AIR

About the only shopping done by many sheet metal, heating and air conditioning men is for gifts at holiday time. Instead of searching here, there and everywhere to find the best materials for a job, they look to Osborn for them. After all, that is a valuable part of our service to the trade.

Take heating and winter air conditioning materials and equipment for example. The adjoining list shows only a part of the many items we carry. It takes time ... and lots of it... to select the leading make in each of these lines ... time which is well spent when you serve thousands of steady customers.

Would you like to save the bother and expense of shopping for materials? The Osborn salesman, who calls regularly in your city, can help you. So can the Osborn No. 37 Stock List. Both are at your service for the asking.

FLAT SHEETS
(all metals and gauges)
FURNACES, CAST IRON
FURNACES, STEEL
(coal, gas or oil)
BLOWERS AND FANS
FILTERS, AIR
AUTOMATIC REGULATORS

AND CONTROLS
HUMIDIFIERS, AUTOMATIC
STOKERS

FURNACE PIPE & FITTINGS (air conditioning) (gravity)

REGISTERS
(air conditioning)
(gravity)

(gravity)
COLD AIR FACES
DAMPERS, CHECK
DAMPERS, HOT AIR
DAMPER REGULATORS
FURNACE COILS
FURNACE CEMENT
INSULATION
ASBESTOS PAPER
PASTE FLOUR
ASBESTOS MILLBOARD
FURNACE CHAIN
FURNACE PULLEYS
FURNACE BRUSHES

ALL TYPES OF HAND,
BENCH AND POWER
TOOLS AND MACHINERY

VACUUM CLEANERS

RIVETS AND BOLTS

SHEET METAL SCREWS

SBORNG

BUFFALO · CLEVELAND · DETROIT

Metals and Metal Products

A DEPENDABLE SOURCE OF SUPPLY FOR 79 YEARS

#### In This Issue

T is with much regret that we torego, in this January issue, American Artisan's annual survey of business. Despite a thorough canvass of conditions, production or sales figures which will stand up under final tabulation are not now available.

The outstanding architectural sheet metal contract of 1937, we believe, is the enormous copper roof on the Agricultural Center of Louisiana State University. The engineer who handled this job explains on page 44 how 140,000 pounds of copper were formed and

So much interest is developing in heating codes and licensing that a survey of the country was made in 1937. Every possible code was obtained and from these codes the important provisions were tabulated as shown on page 48.

Most interesting—and highly instructive, too—are the profit and loss records of Philadelphia shops explained by B. F. John and Fred U. Ritter on page 54. Compare your operations with a shop of your size and see if you did better or worse.

And J. G. Dingle brings to a climax his series with an article on page 58 explaining and showing the actual journals and ledgers required to do bookkeeping according to 1938's requirements.

Once again we present a preview of the air conditioning show in New York City, January 24-28. Also the program of the N. W. A. H. & A. C. Assn., the same place and date, and list the products to be exhibited, by whom and where. See the special section, page 65.

Most pleased, we are, to begin publication on page 109 of a series of articles by G. A. Voorhees who suggests a new Precalculated Engineering method to save your time. Space does not permit explanation, but every reader will want to study this method.

On page 116 we lay the ghost of condensation in walls. Read the article by L. V. Teesdale. And to round out humidification, we publish the first of a series to cover basic data by Professor L. G. Miller on page 120. The author is, we think, one of the country's best qualified authorities on this touchy subject.

With engineering becoming a matter of care with details you will want to know how much friction there is in an elbow, an angle, a box, etc. S. Konzo, with data gathered from many sources, gives a complete tabulation of fitting frictions on page 122.

And to add something to the controversy over relative merits of furnace vs. attic ventilating fans, G. B. Helmrich, on page 132, supplies complete records for summer cooling in several Detroit houses.

#### AMERICAN ARTISAN

With which is merged

FURNACES SHEET METALS

AND

Warm-Air Heating

Covering All Activities in

Gravity Warm Air Heating Sheet Metal Contracting Forced Warm Air Heating

Ventilating Air Conditioning

J. D. Wilder, Editor

A. A. Kennedy, Assistant Editor

Brewster S. Beach, Consulting Editor

Vol. 107, No. 1

January, 1938

Founded 1880

#### CONTENTS -

1937—What Was the Record?	41
1000/ 7	14
City and a second	47
M 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18
	52
Profit and Loss Records of Philadelphia Shops	54
Mark 1180 1 11 1 10 11 1	58
	61
	35
American Artisan's 1938 Directory of Warm Air Heat- ing, Residential Air Conditioning and Sheet Metal	
Products	91
Index to Advertisers	<b>3</b> 2

#### THE AIR CONDITIONING SECTION

Precalculated Engineering	109
A House Heated by Floor Plenums	. 113
Condensation of Moisture in Walls and Attics	. 116
What Is This Thing Called Humidity?	. 120
Friction Pressure Loss Through Duct Fittings	. 122
A Combination System	129
Cooling Power of Furnace and Attic Fans	. 132
Small Motors for Residential Air Conditioning	136
Neubecker—Short Cut Transition Offset	144
Fort Wayne's Experience with Licensing	149

Member of Audit Bureau of Circulations-Member Associated Business Papers, Inc. Member of Audit Bureau of Circulations—Member Associated Business Papers, Inc.

Published monthly by Keeney Publishing Company, 6 North Michigan Ave., Chicago.

Branch Offices—In New York, Room 1950, Grand Central Terminal Building, Murray Hill
2-8293; In Cleveland, 2128 Rossmoor Road, Cleveland Heights, Yellowstone 1540; In Los
Angeles, J. H. Tinkham, 1406 S. Grand Ave., Richmond 6191. Copyright 1937 by Keeney
Publishing Company—F. P. Keeney, President; W. J. Osborn, Vice President; R. Payne
Wettstein, Secretary; Chas. E. Price, Treasurer, Advertising staff: Wallace J. Osborn,
R. Payne Wettstein, Robert A. Jack, J. H. Tinkham, L. A. Doyle.

Yearly Subscription Price—U. S. and possessions, Canada, Mexico, South America, Central
America, \$2.00; Foreign, \$4.00. Single copies, U. S. and possessions, \$.25. Back numbers, \$50.

January, 1937. Directory issue, \$1.00 per copy. Entered as second-class matter, July 29, 1932,
at the post office at Chicago, Illinois, under the act of March 3, 1879.

More than 8,000 Copies of this Issue are being distributed



Close-up view showing interior of Monel maple syrup cooking and storage kettles. There are four kettles (shown below) all Monellined, 48" dia. x 36" high.

This tough, corrosion-resistant metal is preferred for many kinds of food processing equipment.

YEVER pass up a Cannery or Food Processing Plant. As you'll see by these photographs, not one but many places exist where tanks, chutes, hoods, tables, bins, hoppers, utensils, etc., need replacing and new ones added. These jobs are profitable, and will often come your way-if you only suggest Monel.\* For this reason:

Monel, as you know, is strong, tough, corrosion resistant, and therefore long-lived-economical to use. But your smart Food Plant or Cannery executive demands something more. He demands a metal that not only resists the corrosive effects of food products-but which does not contaminate his product.

Right there is your opportunity: For Monel, long famed for protecting pure foods, is extensively used for food processing, handling and packaging equipment of all kinds. Monel, furthermore, is advertised in leading Food Industry publications month after month the year 'round. So your prospects know Monel. Before you
Go Hungry for
JOBS

(Below) Monel receiving tanks, three in all, 40" x 40" x 96" are set below the floor level. The removable trays are also made of Monel.

(Below, inset) View showing corner of the experimental filtration labora-tory. Holding tanks, draw-off tank and filter trays are all of Monel.

You've merely to suggest it in sheet metal form for such additional applications as tanks, pails, vats, trays and other utensils.

Next time you're near a Food Plant or Cannery, don't pass it by -step inside. Suggest to the superintendent additional uses for Monel that haven't occurred to him. Write for further information, and for complete working instructions. Address:

THE INTERNATIONAL NICKEL COMPANY, INC. 67 WALL STREET

NEW YORK, N. Y.

\*Monel is a registered trade-mark applied to an alloy containing approximately two-thirds Nickel and one-third copper. This alloy is mined, smelted, refined, rolled and marketed solely by International Nickel.








Exterior plant view of The Maple Sugar Producers of Quebec, Plessisville, Quebec, Canada. Equipped with Monel storage tanks, processing tanks, filters, utensils, etc.




A nice job for any sheet metal worker-four Monel-lined cooking and storage kettles 48" dia, x 36" with Monel heating coils and floats.


## HEC Air Conditioning Grilles and Registers from The QUALITY Line



NO. 85 DESIGN



NO. 90 DESIGN



NO. 84 DESIGN


SHOWN at the left are three of the eight distinctive grille designs included in the H & C line; all available in a choice of six installation frames. If you are not thoroughly acquainted with these grilles and registers and the ideal way they fit into every installation requirement, by all means, inspect them thoroughly at your Jobbers' or write for samples. They're carefully engineered to give maximum results under all conditions; pleasing in appearance and built to the high standards that have always identified H & C as the Quality line.

No. 37 A.C. Air Conditioning Catalog sent on request.



#### Sponge Rubber Gasket Now Standard Without Extra Charge

By preventing all air leakage, discoloration of walls is eliminated.



#### 3-Piece Frame Assures Ideal Installation

Forms a solid foundation for Register—stackhead is held securely in place, eliminating possibility of interference with valve — plaster lock prevents plaster breaking away from frame—face overlaps frame 1/4", concealing joint between plaster and frame—sponge rubber gasket prevents streaking.

HART & COOLEY MANUFACTURING CO.

Warm air Registers (IEC) air Conditioning Grilles Damper Regulator Sets (Dampers, Chain, Pulleys

61 W. KINZIE STREET, CHICAGO, ILLINOIS ENGINEERING OFFICE AND FACTORY - HOLLAND - MICH- e

d

n

3.

e

S

t.

α

α-

ıl

nth er

en



#### Certification Assures Workability & Prime Quality

Ryerson Certified Steels represent the highest quality obtainable in each class and type of material. Stocks include more than 25 different kinds of sheets and all other steel products used by the sheet metal worker.

Ryerson sheets are all prime quality, accurate to gauge and size and selected for finish, flatness, and workability. They are all kept in

Deep Drawing

heated air conditioned warehouses to preserve their inherent qualities.

Ryerson bands, angles, channels, etc. are also uniform high quality steels. When you need good steel, order from the nearest Ryerson plant. Immediate Shipment is assured.

Joseph T. Ryerson & Son, Inc. Plants at: Chicago, Milwaukee, St. Louis, Cincinnati, Detroit, Cleveland, Buffalo, Boston, Philadelphia, Jersey City

#### tified RYERSON SHEETS INCLUDE: TEEL5 Allegheny Stainless Galvanized Stretcher Levelled Panel and Sign **Uniform Blue** Blue Annes Vitreous Enameling Copper Alloy Galvannealed Heavy Hot Rolled Wellsville Polished Corrugated

IN 1938

LOSS WITH

WARM AIR



FOR OIL — Sunbeam Air Conditioner, Series No. 200, available with or without gun-type oil burner. Also available is the Series No. 700 with integral rotary wall flame oil burner completely assembled at factory. Capacities range from 50,000 to 331,000 BTU at register.

FOR COAL — Sunbeam Air Conditioner, Series No. 80, with steel heating element. Also available are 3 other types including Series "S" designed for stoker-firing exclusively. Capacities range from 76,000 to 222,000 BTU at register.

6 REASONS WHY
NORE HEATING CONTRACTORS
SELL SUNBEAM
HAN ANY OTHER MAKE



#### THE MOST COMPLETE LINE

8 series of air conditioners and 4 furnace series (both cast-iron and steel) — 126 types and sizes — enable you to supply the right type and capacity for each customer... no matter how large or small his house... whether he uses coal, oil or gas... whether he desires a de luxe or economically priced unit.



#### LOW PRICES

Prices on Sunbeam Units meet any competitive bidding... and still contain a greater profit margin for you. Dollar for dollar no competitor can match the many additional features you can offer prospects with your Sunbeam Line.

THE FOX FURNACE COMPANY

ELYRIA, OHIO, a Division of American Radiator and Standard Sanitary Corporation

SUN from pipe from

Sur sibl You is f


Wan

fact tied sell

SUN

rafit

# AIR FURNACES AND CONDITIONING UNITS



SUNBEAM CAST-IRON FURNACE — 7 sizes from 18" to 30" diameter fire pots — pipe and pipeless styles. Has one-piece radiator, slip-on fronts, duplex grates, one-piece base, and machine-molded castings of uniform strength.

SUNBEAM STEEL FURNACE—Series No. 500—Riveted and welded for long life and leak-proof construction...a quality furnace at a low price. Also available is the unexcelled Series No. 8000 steel furnace. Sizes range from 20" to 34".

FOR GAS — Sunbeam Air Conditioner, Series D, with cast-iron heating element—all valves, wiring and piping concealed. Also available is the low priced Series "M", with steel heating elements, and Series "O" gravity furnace.



t-iron

y the

r how

or gas

unit.

g . . .

ar for

atures


#### EASY FINANCE PLAN

Sunbeam's easy payment plan makes possible many extra sales for Sunbeam dealers. You get your money as soon as the job is finished. Customer can spread payments over a long period of ting:—with installments as low as \$10.00 pc, month.



#### CONVENIENT STOCKS

Warehouse stocks in 150 key cities offer immediate delivery on all furnaces. There is no waiting for shipments from a distant factory... no need for your money to be tied up in any slow moving sizes when you sell the Sunbeam Line.





#### NATIONAL ADVERTISING

Millions of Sunbeam advertisements scheduled in influential magazines will tell your Sunbeam story to hundreds and thousands of home owners and buyers right in your own home town. Be ready to profit from these Sunbeam-sold prospects.



#### SUNBEAM'S 50 YEARS OF HEATING EXPERIENCE

Sunbeam's half-century leadership in research and the manufacture of warm air heating equipment guarantees time proved construction...less service troubles... greater net profits to thousands of successful dealers selling Sunbeam.

- ☐ Show me why I should carry the Sunbeam Line in 1938.
- ☐ Please give me details on the Sunbeam Air Conditioning Engineering Schools to be held near my city.

Name\_\_\_\_\_Address\_\_\_\_\_


City\_\_\_\_State\_\_

AA-1-38

#### DON'T MISS THE Sunbeam Schools

In approximately 100 different cities Sunbeam jobbers will conduct air conditioning engineering schools with Fox Furnace experts co-operating. Schools will be in session during the winter and early spring months of 1938. Return the coupon below for information on the school in or near your city.

YOUR FIRST MOVE
IS TO SEND FOR THE
Complete SUNBEA
STORY FOR 19




#### Efficient...positive...adaptable...durable and moderately priced

In the construction of the Coca-Cola Syrup Factory at Kearny, N. J., 7000 pounds of Anaconda Through-Wall Flashing\* were used for the 12" walls. This type of flashing was selected because of its unique design. An integral dam throughout its entire length gives thorough drainage in the desired direction. A series of zigzag corrugations of the same height as the dam prevents lateral movement in any direction.


Anaconda Through-Wall Flashing is easily locked endwise, simply by nesting one or two corrugations. Made of 16-ounce Anaconda Copper, either plain or lead coated, these flashings are available in 5' or 8' lengths in a range of standard and special widths, and with various selvages. Publication C-28 describes and illustrates Anaconda Through-Wall Flashing in detail. A copy will be mailed on request.

One-piece inside and outside corner flashings are now available for both 8"and 12" walls. They are so designed that the corrugations will interlock with those of adjoining straight flashings, thus providing the same thorough flashing at the corners as on the wall.
\*Pat. No. 1,906,674



38111





# FOR

# A Complete RANGE OF PRICES AND SIZES

If you are the leading dealer in your community—or are going to be you need the MEYER-WEIR Lines. You have a reputation to maintain. MEYER-WEIR equip. ment will never let you down!

MEYER-WEIR dealers are in an enviable position. They can "gustom-fit" any heating installation whether it's for coal, oil or gas whether it's an elaborate air conditioning installation or a simple competitive heating job. For every need there's MEYER WEIR quality equipment that's proven in performance—that has a long and enviable record of Customer Satisfaction. In addition, MEYER. WEIR dealers get full factory cooperation and protection.

MEYER pioneered steel furnace construction. The WEIR RIVET. ED & WELDED Steel furnace

has over half a century of specialized, practical experience behind it. And remember - "There is no substitute for Experience". The Meyer reputation in the heat. ing industry is your guarantee of heating and air conditioning equip. ment which is matchless in quality, in modern design and styling, in efficient performance.

1938 offers a big opportunity for heating and air conditioning sales. No matter what line you handle, you are sure to get some business BUT with MEYER. WEIR, you can have the "lion's share" in your community. The MEYER.WEIR proposition

means PROFITS for you. Get the facts. Send the coupon.

4XHIBITED AT THE


"Who Makes It Makes a Difference" THE MEYER FURNACE COMPANY

WEIR AND MEYER STEEL FURNACES
Domestic Air Conditioning Appliances
PEORIA.ILLINOIS





# COAL-OIL-GAS



600 Series WEIR Air Conditioner



A Series WEIR Furnace



Q Series WEIR hir Conditions



WEIR
Cylindrical
Radiator Furnace




WEIR Wood Furnace





A Series WEIR Oil-Fired Air Conditioner



R Series WEIR Oil-Fired Air Conditioner



K Series WEIR Oil-Fired Air Conditioner






MEYER Gas-Fired Air Conditioner



E Series MEYER Gas-Fired Air Conditioner



C Series MEYER Gas Furnace



D Series MEYER Gas Furnace



MEYER "Blo-Aire"

#### MAIL THIS COUPON Today

(Fill in or clip this coupon to your letterhead)

THE MEYER FURNACE CO. PEORIA, ILLINOIS

Please send complete facts about MEYER-WEIR Heating Equipment and Dealer Proposition.

#### SYPHON-AIR Ventilators

INSURE BETTER VENTILATION

(and make you more money)




- Air-velocity is more important than size in determining the efficiency of a ventilator or a ventilating system—and "SYPHON-AIR" ventilators insure increased air-velocity by "sucking" or "syphoning" the air or gases out of the space below.
- Wind, blowing in at the back and out at the front of these improved ventilators does the job (the illustrations show how) and that means you do a better job—and your customers are better satisfied.
- Correctly designed for frictionless flow of air; made of Armco ingot iron and rotating on a rustless bronze ball bearing, it will give years of efficient service without attention.
- Have one on your floor so you can SHOW prospects how much better it is.

AND YOU CAN PROFIT FROM

Radiator Shields and Enclosures, too!

We have a complete line—including this most-efficient humidifying unit. Sell this merchandise to homes that are seeking better air and cleaner walls—and better appearance!



"Everything for the Installation of Warm Air and Air-Conditioning Jobs." Our Catalogue No. 50 is free on request.

F. MEYER & BRO. CO. PEORIA, ILLINOIS

# Workability!



TWO of the greatest virtues of stainless steel are its high mechanical strength and its tendency to harden under cold work. Yet when stainless steel was still new, these two properties caused some people to conclude that this useful metal was workable only with great difficulty by standard shop practice.

Today, workability is no longer a problem to those who know stainless

steel. Through a better knowledge of the nature of the metal — through practice in skillful fabricating techniques—and finally through the development of special modifications for special purposes (free-machining, free-spinning, etc.), it is today entirely practical to work stainless steel by every artifice of the metal worker, extrusion alone excepted.

There is no other metal offering

anywhere near the high physical properties of stainless steel nor its high corrosion-resistance which can approach this workability.

Don't let any problem in workability keep your product from enjoying the selling advantages of stainless steel. Ask us for a new illustrated circular on the fabrication of stainless steel or for specific recommendations on your specific problem.

#### U·S·S STAINLESS STEEL

AMERICAN STEEL & WIRE COMPANY, Cleveland, Chicago, and New York
CARNEGIE-ILLINOIS STEEL CORPORATION, Pittsburgh and Chicago
NATIONAL TUBE COMPANY, Pittsburgh

Columbia Steel Company, San Francisco, Pacific Coast Distributors 'United States Steel Products Company, New York, Export Distributors

UNITED STATES STEEL

## "BEAUTY IS ONLY SKIN DEEP"

However, we do not stop with outside appearance—NU-TREND Furnace Enclosures are beautiful, to be sure—Plus all the essentials of good construction and interior design.

#### **NU-TREND ENCLOSURES**

Exclusive Colors

Leveling Device

Practically Boltless

Precision Made



Round Corners

Aluminum FINISH Interiors

Exclusive Design

Quickly Assembled

NU-TREND Cabinets especially designed for your equipment—in your own select and exclusive color combinations—will cut sales resistance "to the bone"—Just drop us a line and complete particulars will be sent promptly.

Manufactured by
METAL PRODUCTS DIVISION

COLUMBUS HEATING & VENTILATING CO.

# Correct Design in Ventilators Essential Today


Swartwout BOTARY BALL BEARING VENTULATOR Ventilator Efficiency and Capacity depends upon correctness of design. The Swartwout Rotary (the original rotary ventilator) delivers greater capacity because it is basically correct in design. Its overall diameter is approximately same as throat opening. Compare this with other types of round ventilators. Use the Swartwout Rotary for real economy and satisfaction.


The Swartwout AirJector is the Swartwout Rotary with a high efficiency fan installed in the base.

Discharge is always with the wind—thus securing greater capacity with less power. Write for bulletin.

THE SWARTWOUT COMPANY

18615 Euclid Ave., Cleveland, Ohio





## YOU CAN GO TO TOWN WITH THIS REVOLUTIONARY


MUELLER OF FURNACE Years Ahead of the Industry

Matchless! Revolutionary in design and performance. Sets new standard of efficiency and reduces fuel cost. Air passes over heating surface not once, but three times. Compact simplicity of design secures instant heat — eliminates parasitic losses, slow response and temperature override. The pressure atomizing type Mueller oil burner constantly secures a 13% plus CO<sub>2</sub> flue gas analysis, smooth operation and clean, odorless fire . . . on the job.

> To Be Announced Soon ... A Startling New Mueller Oil-Fired Air Conditioning Furnace for Smaller Homes and the Volume Market

Try to match this Amazing gas Furnace Outmodes All Gas Furnaces Now in Existence

Mueller Gas Era Furnaces, with the sensational patented Heatspeeder sections, bring quicker comfort, lower fuel costs and longer service - sends warmed air into the house 6 to 8 times faster than furnaces with old-style heating units. Handsome, dependable, fully automatic. Learn why, during the past 8 years, the Mueller Gas Era has outsold every other gas furnace. See it—or write for full details—today!



THE

L. J. MUELLER FURNACE COMPANY, 2010 W. Oklahoma Ave., Milwaukee, Wis.

MUELLER

# That FOR 38

MUELLER STARTLES INDUSTRY WITH GREAT YEAR IMPROVEMENTS IN DESIGN STYLE • PERFORMANCE • ECONOMY • MERCHANDISING OF GAS, OIL, COAL fired equipment and fan-filter units!



Here is the aristocrat of warm air units for coal. A complete, compact unit which delivers clean, filtered warm air to every room. Due to flexibility of casing design, which provides interchangeable panels, fan-filtered unit may be placed at either side or back. When fan is to be at back, radiator is swung to the right or left to provide flue outlet at either side.



Replaceable filters of ample area . . . uniform air distribution . . . quiet operation . . . no metal-to-metal contact . . . adjustable fan sheave. Insures even, clean, healthful heat.



DUS

DN;

SERIES
"A"
GAS
BOILER

Smartly styled, modern, compact. Features of design include ... insulated cabinet ... low standby losses ... smooth, narrow flue travel ... gas-tight cast iron sections ... adaptable to steam, hot water or vapor heating ... sizes for all needs. Completely automatic.

THERE ARE MANY OTHER ITEMS IN THE BIG MUELLER LINE



Heats, filters, humidifies, and circulates the air. Heat transfer is by the famous Mueller HEAT-


SPEEDER sections. Easily installed ... readily moved ... need not be permanent. Ideal for stores, shops, showrooms, basementless homes, etc. Quiet, no stratification, no cold floors.

Visit the Mueller Display in Booths
32 and 33 at the International Heating
and Ventilating Exposition.
See Mueller's 1938 array of the latest in
Heating and Air Conditioning Equipment
for all types of fuel

MILWAUKEE



GRILLES and REGISTERS



Philadelphia used to be two days from New York. Now steel makes it in two hours.......You can live in healthful suburbs yet work in the city, because your steel automobile makes minutes out of miles .... You can do business with the nation and the world -- instead of only a few neighbors -- because of steel machinery and transport. Because it constantly conquers distance and discomforts, steel makes America the most compact and progressive continent in the world.

Because steel is so definitely part of our modern life, we take it too much for granted. Do you realize that there are not scores, not hundreds but thousands of kinds of steel? Each has a certain purpose or product for which it is best suited. Here at Youngstown, when we receive an order for steel -- no matter how small nor how routine the use -- we will not begin that order until we are certain we have exactly the right steel for the purpose.

#### THE YOUNGSTOWN SHEET AND TUBE COMPANY





Sheets - Plates - Pipe and Tubular Products - Conduit - Tin Plate - Bars Rods Wire - Nails - Unions - Tie Plates and Spikes



# The New AMERICAN SELLS FASTER • MAKES YOU MORE MONEY

- for Griswold original one piece steel spindle and handle with new hump-design goes straight through pipe and plate before piercing opposite side... A twist of the wrist locks it tight.
- 2 Griswold high tension spring and nickel ferrules con't come off ... takes the "dam" out of damper installation.
- 3 Griswold reversible plate of highest grade cast iron unaffected by heat... New design permits insertion of spindle from either end.

Sign and return coupon below for size, packing and price details.

#### AMERICAN.

THE LEADER in damper design for more than half a century now shows more usable improvements than ever before . . . . Here's the damper that stove and furnace men everywhere are demanding...Why? . . . Because these new exclusive features make it easier to sell, easier to install, more profitable than any damper you could recommend. Note the improvements that have been made in this old standby . . . . The added quality which makes for greater satisfaction all around long after the price is forgotten. You know that it pays to sell and install the best.

THE GRISWOLD MFG. CO.

THE GRISWOLD MFG. CO., ERIE, PA.
Please send full details on Griswold New
American Dampers to—
Your Name
Address
City\_\_\_\_\_\_State\_\_\_\_\_


My Jobber-




NEW AMERICAN
The Original Steel Spindle
REVERSIBLE DAMPER

# WATERLOO

## Cich Conditioning REGISTERS




FH-100-Adjustable Venetian Type Flat Register for walls.



FHG-0-45-Venetian Type Flat Return Intake.



FH-205—Venetian Type Adjustable Register for baseboards.



FHD-1-45-Venetian Type Baseboard Return

## NOW IN MATCHED SETS

A BIG, NEW sales advantage for heating and air conditioning dealers—Waterloo now offers a 4-way line of perfectly matched registers for every need. Wall and baseboard registers, baseboard and flat return intakes are now available in matched-design sets. Dealers can now offer custom designing in standard price ranges. — Home owners and builders will be quick to accept this new Waterloo feature. Waterloo dealers are due for another year of record-breaking sales and profits!

#### MORE FEATURES

Other advantages that make Waterloo Air Conditioning Registers the outstanding value for 1938 are—the slanted louvres that reflect light and color, conceal the ducts—complete adjustable control of air-flow (90-degree range)—positive locking mechanism — tested capacities.

#### WRITE TODAY

—for the new Waterloo Register Catalog, containing all the new matched designs, charts and installation data. No obligation.

#### WATERLOO REGISTER CO.

Waterloo, Iowa

Seattle, Wash.

In New York—Air Conditioning Utilities, Inc., 8 West 40th St. In Los Angeles—California-Waterloo Register Co., 824 Clanton St.

# EPALL FOR ALL HEATING UNITS


BRAUER REPAIR OF PARTS OF PART

No matter how small, how large, how old, or how new, REPAIR PARTS for all heating appliances can be secured from BRAUER, and at the RIGHT PRICE.

We are also Distributors for Filters, Blowers, Controls, Furnace Cements, in fact for all heating supplies and accessories.

Just send your order to BRAUER.

A. G. BRAUER SUPPLY CO.
316 North Third St. St. Louis, Mo.



# A QUICK DIGEST OF ARMCO SHEET METALS FOR YOUR EVERY PURPOSE

Whatever your sheet metal requirements may be, Armco can help you. Here you have access to a complete line of iron and steel sheets—a grade for every conceivable purpose. Call the Armco distributor salesman. Ask him to explain how you can profit more with these many useful metals.

#### GALVANIZED ARMCO INGOT IRON

A highly refined iron developed by Armco. Noted for its easy-working qualities. The galvanized coating is full weight, tightly adherent, bright and attractive. Backed by 21 years of consistent national advertising assuring strong resale value. Use this durable metal for duct work, ventilators, roof drainage systems or wherever corrosive conditions are present.

#### ARMCO PAINTGRIP

A special galvanized sheet for painting upon installation. No acid etching or weathering. Definitely retards peeling or flaking of paint. Ideal for ducts, gutters, downspouts and all exposed sheet metal work. Customers appreciate the immediate beauty of paint together with the full protection of galvanizing.

#### ARMCO STAINLESS STEELS

A correct grade for every purpose. Can readily be sheared, punched, deep drawn, welded, riveted or soldered. Popular uses of Armco Stainless include decorative trim, sinks, drain boards, door sills, kick plates and many others where sanitation, attractiveness or quick cleaning is desirable.

#### ARMCO INGOT IRON HOT ROLLED

Produced on Armco-invented continuous mills. True to size and gage and have a clean smooth surface obtained only by this perfected process. Welds densely and evenly and can be easily formed into smokestacks, fan blades, fuel oil tanks, heating elements and other equipment.

#### ARMCO H. T.-50

A low-alloy high tensile sheet steel possessing great strength such as may be required in formed structural members. Armco H.T.-50 has four to six times the atmospheric corrosion resistance of ordinary steel.

Visit the Armco booth, number 69, at the Fifth International Heating and Ventilating Exposition, Grand Central Palace, New York City. January 24-28, 1938. Here you will see interesting exhibits of the metals we've briefly described and acquire much useful information on their application.

\*The new Armco Research Laboratories are the largest and most complete in the flat-rolled steel industry and staffed by men who have made many notable contributions to the development of iron and steel sheets. They are always ready to assist you on special sheet metal problems.

The American Rolling Mill Company, Executive Offices: 50 Curtis Street, Middletown, Ohio.

ARMCO SHEET METALS



## PICK ANY ONE...

#### Every Parker-Kalon TYPE "A" Sheet Metal Screw is Good!

Put an imitation alongside a genuine Sheet Metal Screw and you might be fooled into believing the imitation to be "Just as Good." Both have hardened threads. They "look" alike under casual inspection.

However, "Just as Good" is found to end with appearance. Thousands of concerns have found that USE proves the difference between genuine Sheet "tal Screws, made only by Parker-Kalon, and the imitation. It leaves no doubt as to which screw actually saves time and labor . . . which one merely looks as though it will do the work and cut costs.

Genuine Sheet Metal Screws effect savings and make better fastenings, not because of their "looks" or hardened threads, but because of the way they are

made and what they are made of. They always go in easily and quickly , . . always form a perfect, strong-holding thread . . . always draw up tight without breaking. It is that perfect action which gives uniformly satisfactory results and cuts costs.

#### How to tell Genuine Sheet Metal Screws


MADE BY PARKER-KALON, originators of the Sheet Metal Screw and possessors of unique equipment, specially developed to make these Screws.

THEY HOLD... because the threads run full diameter right up to the head. THEY GO IN EASILY... because the threads are (1) designed with an expert knowledge of the work they must perform (2) held to a high degree of accuracy and uniformity. THREADS DON'T STRIP... HEADS DON'T TWIST OFF... because they are made from high grade steel wire of special analysis and are scientifically hardened by a process developed from over 20 years' experience in the manufacture of Self-tapping Screws.

PARKER-KALON CORP. 200 Varick Street, New York, N.Y.

# PARKER-KALON HARDENED TO SELF-TAPPING Sheet Metal Screws







## THE CHEVIRON COMPLETE LINE OF STEEL FURNACES ARE Designed AND Priced FOR THE VOLUME MARKET

The Cheviron line is a complete line whether the furnace is coal, oil or gas we have a size and a style for your needs.

The coal fired furnaces are heavy steel, riveted and welded, available in both round and square casing for either gravity or winter air conditioning heat.

The Gas or Oil Fired Series are rugged, all-steel welded and designed to operate with equal efficiency burning either fuel.

Each Cheviron furnace sold is backed by one of the largest manufacturers of steel furnaces in the world. Only such engineering and manufacturing facilities as these can give you. America's finest furnaces at America's most popular prices.

#### GAS OR OIL FIRED SERIES

No gas or oil fired furnace made is more efficient with either fuel than the Cheviron Gas or Oil Series. Ideal because you have only one style to handle.

Made in five sizes—from 125,000 BTU output to 300,000. Can be purchased with or without either burner and controls. Beautifully finished in ripple



MICHIGAN TANK & FURNACE CORP.

A101 Prairie Ave.

Setroit, Mich. Ave. Detroit, Mich.

Gentlemen:
Please send complete information and prices on the

MAIL THIS TODAY

RP.

Y.


up

vs

tal ped up

are ust ity. cial ped ing

# BEAD CHAIN



No. 20 No. 13 No. 10 No. 6
BEAD BEAD BEAD BEAD
CHAIN CHAIN CHAIN

Illustrations Actual Size Samples on Request

Size No.	Dia, of Bear in Inches	d Approx. Tensile Strength in pounds
6	.125	25-30
10	.187	45-50
13	.250	85-100
20	.375	175-200

#### MATERIALS

Brass, Bronze, Gilding Metal, Nickel Silver, Aluminum; Chromium, Nickel, Gold and Silver Plate. Standard attachments as shown, or made to customers' specifications. The non-kinking and swiveling characteristics of BEAD CHAIN\* make it advantageous for use in regulator adjustments.

BEAD CHAIN\* adds but little to the cost of any heating or ventilating unit and greatly improves the appearance and operation of the finished job.

BEAD CHAIN\* is adapted to sprockets that have been designed for the automatic regulation of dampers and ventilators, that work smoothly and efficiently.

BEAD CHAIN\* may be had in bulk and cut lengths, with couplings and attachments, or in assemblies to meet the specifications of the manufacturer.

BEAD CHAIN\* engineering service is prepared to co-operate fully with manufacturers in the design of assemblies where the use of chain is necessary or desirable.

#### **DETACHABLE PENDANTS**



NON-DETACHABLE PENDANTS

#### COUPLINGS





#### CHAIN AND CORD COUPLING (Actual size)


This coupling, No. 10-V, makes a firm detachable connection between BEAD CHAIN and Venetian blind or sash cord. It is easily applied. For No. 10 BEAD CHAIN only.

\*Trade Mark Reg. U. S. Pat. Off.



Trade Mark Reg. U. S. Pat. Off.

THE BEAD CHAIN MANUFACTURING CO. BRIDGEPORT CONNECTICUT



STANDARD MACHINES CO. Duplicating Machines Division

EVERETT, MASSACHUSETTS
September 16, 1937

Mr. R. C. Anderson Welding Engineering Sales Corporation 140 Federal Street Boston, Massachusetts

Dear Mr. Anderson:

You have asked how the new Mutator is doing on our job of fabricating the sear and cam assembly used on our standard new process duplicator. There is no doubt that that helped us improve the quality of this particular part considerably. At the same time it has helped us make a cost reduction of over 55% in the manufacture of this assembly — a figure which is even more than accordinally expected. At this rate, the savings will have been accordinated the welder in six months.

Our operators seem to like the welder fine and we are inclined to believe you are right in claiming that light-gauge metal will find this welder a real money

D. P. Koover PRODUCTION MANAGER

THIS is not an unusual case. Hundreds of alert, progressive manufacturers are using this low-current arc welder for light-gauge fabrication and repair work; and like

this user, they are getting better results at lowered costs.

You may not manufacture duplicating machines, but you may have sufficient light-gauge work to warrant the use of one or more of these small welders. The G-E Mutator can help to produce superior results and greater profits on any job requiring welding current of 15 to 90 amperes.



Standard New Process Duplicator

If your fabrication or repair work involves any considerable amount of light-gauge welding, it will pay you to get further information. Just call the nearest G-E arc-welding distributor or G-E sales office, or fill in the coupon and return it to us.

> To give you the right welding equipment, General Electric manufactures the most complete line of arc welders in the world.



General Electric Dept. 6C-201, Schenectady, N. Y. Please send me Bulletin GEA-2447C, describing the G-E Mutator.

Can I use the G-E Mutator successfully on my work? (Attach description of work.)

NAME. FIRM

> STREET. CITY

STATE ..... 140-76

\*\*\*\*\*\*\*\*\*\*\*

GENERAL (%) ELECTRIC

## WE HAVE EVERYTH





































#### NORCO PRODUCTS:

DISTRIBUTORS OF

Asbestos Paper and Cement Ash Pans Ash Pit Doors Blowers Boiler Repairs Boiler Cleaning Compounds Boiler Grates Bonnets Broiler Pans-All sizes Brushes Casing Collars Cast Furnaces Cement C-I-C Enamel Cleaner Circulators Chain Chimney Cleanouts Chimney Tops Clinker Tongs Cook Stoves Copper Furnace Coils Dampers Doughnut Stoves Draft Adjusters Draft Regulators Elbows Fans Filters Fireclay Fireplace Dampers Fireplace Equipment Fireplace Grates

Furnaces - (Norco Cast Steel, or Air Conditioning Unit) Furnace Check Dampers Furnace Cleaners Furnace Pipe & Fittings (Angles, Elbows, Galvanized Tees) Furnace Pokers Furnace Regulator Accessories Furnace Repairs Furnace Slicer Bars Furnace Tees Gas Burners Gas Cocks Gas Ranges Gas Range Repairs Grilles Heat Controls Hot Water Coils Hot Plates Hot Water Thermometers Humidifiers Industrial Gas Burners Kitchen Heaters Kreuter Pliers Laundry Stoves Mica Non-Con-Dux Asbestos Products Norco Furnaces (Cast, Steel & Air Conditioning Unit) Oil Circulators Oil Stoves Oil Stove Repairs

Quadrants Registers & Register Faces Repairs for all Makes of Furnaces & Boilers Shovels Snips Soot Destroyers Springs and Clips Spring Handles Stove Boards Steel Furnaces Stove Cleaner Stove Knobs Stove Lid Lifters Stovepipe Collars Stovepipe Dampers Stovepipe Elbows (Corrugated and Adjustable) Stovepipe

Stovepipe Tees Stovepipe Wire Stove Pokers Stove Polish Stove Putty Stove Repairs Stove Shakers Stove Urns Tank Heaters Tees Tinners Red & Gray Tinners Snips Tin Fittings Thermometers Turpentine Ventilators (Accurate) Water Pan Fillers Wire Drop Handles









Porcelain Door Handles

Furnace Vacuum Cleaners

Paints

Manufacturers of Stove, Furnace and Boiler Repairs 662 WEST ROOSEVELT ROAD, CHICAGO, ILL.





Fittings

Float Valves

Flue Brushes

Floor Registers

Furnace Brushes

Forced Air Fittings

Flue Scrapers Flue Stoppers







Wicks





#### Why Sheet Metal Men Use

# NIAGARA MACHINES and TOOLS For Better Work and Better Profits

No. 164
UNIVERSAL ROTARY
COMBINATION MACHINE
with Interchangeable Rolls for
burring, turning, wiring, crimping and beading.

NIACARA

Nº 152F

tion, accurate work, ability to handle the new stainless and other alloys,--you get them ALL with the complete Niagara line. There is the right size and type of machine to save time and material on every job.

Easy, smooth, quick opera-

SQUARING SHEARS
Easy Foot Operation. Cutting
lengths up to 10 feet. Capacities
up to 16 Gage.

Write for catalogs on the complete Niagara line.

ELECTRIC COMBINATION MACHINE for fast production.

SLIP ROLL FORMERS

BAR FOLDERS



POWER SQUARING SHEARS

MACHANDA SOLVER SOLVER AS OLD A SOLVER AS OLD

# Selling Stoker-Ola Is Such A Logical Thing To Do!

You sell and install furnaces . . . furnaces require fuel . . . coal is the most common fuel . . . stokerfiring is the most convenient, economical and efficient way of firing ... room temperatures are automatically maintained . . . furnace performance is most satisfying . . . customers are gratified . . . and you have made an EXTRA profit on the STOKER-OLA installation.

## Selling Stoker-Ola Is Such A Logical Thing To Do! Its Price Is \$19950 Completely installed with controls.

QUALITY: Americans want things made right. IN STOKER-OLA your customers get (I) Westinghouse motor. (2) Heavy cast-steel screw. (3) Ball Bearing-for long life. (4) Extra large streamlined steel hopper. (5) Minneapolis-Honeywell controls. (6) THREE-year quarantee-our PROOF of real quality.

No Gears More Years

- - and more profits! "Service Costs" don't wipe out the profits you hope for, when you install STOKER-OLA. We have ample letters from present distributors to prove it!

If you are seeking a dealership or distributorship in the fastest-growing business in America today, wire us at once — and get the stoker your competitors will wish they had.

SIMPLICITY: STOKER-OLA is absolutely gearless! Only TWO major working parts! Coal feed settings unlimited. Stoker-Ola's gearless simplicity is the marvel of the industry's outstanding engineers. It means delighted customers for you-and trouble-free service for them!



Advance Appliance Co., Inc. Peoria, Illinois

> Send Us Your Franchise Details (Sign name and address below.)



# Anthracite Industries Laboratory RENDERS A MOST IMPORTANT SERVICE TO THE HEATING TRADES

The work being conducted by Anthracite Industries Research Laboratories is of immediate and genuine value to the heating contractor. The Laboratories are constantly testing Anthracite equipment submitted by manufacturers. Out of this close cooperation suggestions often come that result in improved design and efficiency of the equipment. When equipment passes the rigid standards of the Laboratories it is awarded the Anthracite Industries Seal of Approval. This seal is now on 104 pieces of modern Anthracite equipment, produced by 71 manufacturers. The Seal is a symbol of quality and efficiency of the equipment that bears it. That is why the Anthracite Industries Laboratories Seal is fast becoming a big factor in equipment sales. It makes your selling easier. Your customers have greater confidence in their purchase. If you wish to know more about the work of Anthracite Industries Laboratories, write for descriptive folder. Better still, visit the Laboratories—at Primos, Pa.



This Seal of Approval appears on Anthracite equipment only after it has passed the most rigid tests in the heating field.

ANTHRACITE INDUSTRIES INC., CHRYSLER BUILDING, NEW YORK

# Selling Stoker-Ola Is Such A Logical Thing To Do!

You sell and install furnaces ... furnaces require fuel ... coal is the most common fuel ... stoker-firing is the most convenient, economical and efficient way of firing ... room temperatures are automatically maintained ... furnace performance is most satisfying ... customers are gratified ... and you have made an EXTRA profit on the STOKER-OLA installation.

# Selling Stoker-Ola Is Such A Logical Thing To Do! Its Price Is \$199<sup>50</sup> Completely installed with controls.

QUALITY: Americans want things made right. IN STOKER-OLA your customers get (1) Westinghouse motor. (2) Heavy cast-steel screw. (3) Ball Bearing—for long life. (4) Extra large streamlined steel hopper. (5) Minneapolis-Honeywell controls. (6) THREE-year guarantee—our PROOF of real quality.


#### No Gears More Years

- and more profits! "Service Costs" don't wipe out the profits you hope for, when you install STOKER-OLA. We have ample letters from present distributors to prove it!

If you are seeking a dealership or distributorship in the fastest-growing business in America today, wire us at once — and get the stoker your competitors will wish they had.

SIMPLICITY: STOKER-OLA is absolutely gearless! Only TWO major working parts! Coal feed settings unlimited. Stoker-Ola's gearless simplicity is the marvel of the industry's outstanding engineers. It means delighted customers for you—and trouble-free service for them!





# Anthracite Industries Laboratory RENDERS A MOST IMPORTANT SERVICE TO THE HEATING TRADES

The work being conducted by Anthracite Industries Research Laboratories is of immediate and genuine value to the heating contractor. The Laboratories are constantly testing Anthracite equipment submitted by manufacturers. Out of this close cooperation suggestions often come that result in improved design and efficiency of the equipment. When equipment passes the rigid standards of the Laboratories it is awarded the Anthracite Industries Seal of Approval. This seal is now on 104 pieces of modern Anthracite equipment, produced by 71 manufacturers. The Seal is a symbol of quality and efficiency of the equipment that bears it. That is why the Anthracite Industries Laboratories Seal is fast becoming a big factor in equipment sales. It makes your selling easier. Your customers have greater confidence in their purchase. If you wish to know more about the work of Anthracite Industries Laboratories, write for descriptive folder. Better still, visit the Laboratories—at Primos, Pa.



This Seal of Approval appears on Anthracite equipment only after it has passed the most rigid tests in the heating field.

ANTHRACITE INDUSTRIES INC., CHRYSLER BUILDING, NEW YORK

# A WORD ABOUT WISE IS SUFFICIENT

ENERALLY speaking, that's entirely true. However, if you come to one of those hard-to-sell prospects who wants more details on why the WISE Master Model A is the best buy in the gravity heating field, just show him the NEW ONE PIECE SELF CLEANING RADIATOR that provides a larger combustion chamber and more prime heating surface ... and which will not fill up with soot and dirt ... the NEW ASHPIT AND LOWER FRONT, all in one piece to eliminate joints, and make installations easier . . . the ONE PIECE CELLULAR FIRE-POT, proved by university tests to be at least nine per cent more efficient than the solid type . . . the PERMANENT DOMESTIC HOT SUPPLY, worth the price of the furnace alone when he wants a quick morning shave (available at slight extra cost) . . . the ONE-PIECE SQUARE BASE AND ENAMELED SQUARE CASING FOR AIR CONDITIONING USE that will fit in right up to snuff with any decorated basement.


You'll get many a replacement job this season . . . and be sure you protect the customer and the job by specifying and installing a MASTER Model A Wise Furnace.



GRAVITY UNIT

Complete winter air conditioning is now available with the new Wise line of air conditioning furnaces. These furnaces may be had for either coal or gas and with either cast iron or steel heating elements.

Air conditioning is the magic phrase in the heating field and wide awake heating men will cash in on it. Air conditioning plants are gaining wide acceptance from the public and a golden harvest awaits contractors who push the sale of Wise air conditioning furnaces. Write us today for particulars on this up-to-the-minute line. You'll get the chance to step out in front of your competitors and cash in on those early spring and summer replacement jobs.



WISEAIR CONDITIONING UNIT

WISE FURNACE COMPANY

AKRON

+ 0 +

OHIO



### **HUSSEY FABRICATED PRODUCTS FOR SHEET METAL CONTRACTORS**

In addition to quality Sheets and Rolls, you will find Hussey Copper Service 100 per cent complete including Conductor Pipe... Eaves Trough... Shingles... Nails... Elbows... Rivets—all made to the traditional Hussey standard of quality. Write today for the Hussey Catalog—a valuable handbook of information that is complete and up-to-date.

No matter where you are located . . . no matter what you may require in copper ... whether it be quality copper sheets or prefabricated forms . . . the HUSSEY organization with its nationwide network of sales offices and warehouses, can serve you super-

SEVEN strategically located HUSSEY Warehouses with full stocks of quality copper sheets and roofing material is your guarantee of a dependable, ready source of supply . . . 13 HUSSEY Sales Offices, located from coast to coast assure prompt dispatch of your order as well as expert counsel on copper roofing material problems when required.

Check over the HUSSEY map of service and supply shown above—get in touch with your nearest HUSSEY office and let us demonstrate the highly geared, streamlined service behind HUSSEY Copper and Brass Service.

A Division of Copper Range Co. ROLLING MILLS AND GENERAL OFFICES: PITTSBURGH, PA.

Warehouses in the Principal Cities

Copper HISSEY Brass

### WISS TINNERS SNIPS

#### **BEST BY ACTUAL TEST**

PRECISION GROUND-ACCURATELY TEMPERED-FACTORY TESTED "HIGH-POWER" SNIPS WILL CUT ALLOY METALS

#### WISS SCROLL-PIVOTER SNIP

Cuts circles, scrolls, and squares as easily as a straight line.

Here's a sensational new snip, the exclusive features of which cannot be appreciated until you have actually cut with it. No other formcutting snip will do a quicker or better job— in fact, the pivoting principle of this new



9X

12 in.

Dull Gray Nickel

nrichles it to cut intricate shapes with an incredible ease that no other snip can equal. It will cut ordinary galvanized sheets up to 18-gauge, and Monel Metal sheets of average thickness. Now furnished with one blade serrated unless otherwise ordered.

#### REGULAR PATTERN TINNERS' SNIPS

Inlaid Crucible Steel Blades Gun Metal Finish Handles



"High Power" Snips Marked

Number	Full Length		Length of Cut		Number		Full Length		Length of Cur	
13	7	in.	2	in.	*	9	121/2	in.	3	in.
12	8	in.	2	in.	*	8	133/4	in.	31/2	in.
11	91/2	in.	21/4	in.	*	7	141/2	in.	4	in.
*10	111/2	in.	21/2	in.	*	61/2	153/4	in.	41/2	in.

#### COMBINATION PATTERN TINNERS' SNIPS

Inlaid Crucible Steel Blades Will cut circles as well as straight lines



Number	Full Length	Length of Cu
*100	111/2 in.	21/2 in.
* 19	121/2 in.	3 in.
* 18	131/2 in.	31/2 in.
* 17	141/2 in.	4 in.

#### CURVED BLADE PATTERN TINNERS' SNIPS

Inlaid Crucible Steel Blades



Number	Full Length	Length of Cut	Number	Full Length	Length of Cut	
11 C.B.	91/2 in.	21/4 in.	8 C.B.	133/4 in.	$3\frac{1}{2}$ in.	
10 C.B.	11½ in.	2½ in.	7 C.B. 61/2 C.B.	14½ in. 15¾ in.	4 in.	

#### "NU-GRIP" SNIPS

With or Without Springs

WONDERFUL CUTTERS

EASIER TO USE

Length

of Cut 21/2 in. 21/2 in.



#### COMBINATION PATTERN

For Curved, Irregular and Straight Work

This Combination or Scroll Nu-Grip Snip with spring will cut curves, circles and irregular work faster, neater and easier than any other snip of its type. For use on templates, fixtures and metal pattern work. Furnished in two sizes.

Number 11 C-8	Length 8 in.
U C-8 U C-91/2	91/2 in.
STATE OF THE PARTY	1
-010	

#### REGULAR PATTERN - For Straight Work

The Straight pattern Nu-Grip Snip, equipped with spring, is the finest and fastest tool of its size for straight cutting on metal much easier to operate. Furnished in two sizes.

Number

U-7 U-8 <sup>1</sup> / <sub>2</sub>	7 in. 8½ in.
TOP	

#### NEW BULLDOG SNIP FOR HEAVY DUTY

Precision Ground, Inlaid Crucible Steel Blades Short Powerful Jaws and Long Handles Give Wonderful Leverage

Made in Two Lengths

Length Name o/a 17 in. \*Bulldog \*Bulldog



#### LIGHT METAL SNIPS No. J-7 With Curved or Straight Blades

This handy Snip is the best known and most universally popular type used for light metal work, by electricians, tinsmiths, plumbers, jewelers, dental workers and wherever light metal templates or patterns are required to be cut.

It is light—strong—easily handled—made of fine tool steel, accurately tempered, and is ideal for all-purpose light work. It is a surprisingly powerful cutter.

Number Length Cut 11/4 in.

J. WISS & SONS CO., NEWARK, N. J.





In 1915 Independent broke tradition and changed the whole course of register construction with the introduction of "Fabrikated." Independent scored again in developing and perfecting Adjustable Directed Air Flow Registers and Grilles with "Fabrikated" construction. Every year improvements and refinements in construction and design are constantly being added, to the end that Independent "Fabrikated" Registers and Grilles continue to lead in efficiency, appearance, strength and rigidity.



### EVERY GRILLE BAR IS SET INDIVIDUALLY

Every grille bar can be adjusted individually, either before or after installing, to produce any desired deflection of air flow.

THE INDEPENDENT REGISTER CO.

3741 EAST 93rd STREET

CLEVELAND, OHIO

sis tem

prin

Su

m

qu

su

co cu vit

# IT'S EASY to Drill in Tough Stainless Steel with **DRILLS!** SKILSAW ELL

SKILSAW "SLOW-SPEED" ¼-in.
 Drills are used for fast drilling of structural braces in fountain and fixture manufacturing.



Toughest drilling jobs become quick and easy with SKILSAW'S new "SLOW-SPEED" Drills . . . they almost punch holes in Monel, Alleghany and stainless steels . . . they're ideal for fast drilling in ALL sheet metals! Powerful motors maintain spindle speed whether loads are light or heavy-twist drills last longer because they're not sharpened as often. Try SKILSAW "SLOW.SPEED" Drills on your toughest jobs . . . and you'll never want any other kind.

See your supply distributor and write for our new catalog.

SKILSAW, INC., Dept. A, 3320 Elston Avenue, Chicago 214 E. 40th St., New York • 52 Brookline Ave., Boston • 1429 Spring Garden, Philadelphia • 1253 S. Flower St., Los Angeles • 2065 Webster St., Oakland



Equipped with a hole-saw, SKILSAW "SLOW-SPEED" Drills cut round outlets, up to 41/4 in. diameter, in square or circular tanks, ducts, etc.



BELT SANDERS . DISC SANDERS . SAWS . DRILLS



# MORE THAN A FINE PAINTING SURFACE

material for jobs that are to be painted, lacsurface is free from the spangles and the surface condition which makes galvanized sheets difficult to paint. But it has other features equally vital to an enduring finish.

Superior Galvannealed is accepted as the ideal severe forming. Its heat-treated zinc coating is so fully alloyed with the steel that it does not quered or enameled. Its heat-treated, matte-like fracture or flake in forming, thus guarding against rust undermining the finish.

Moreover, Superior Galvannealed brand carries prestige in many industries as does no other coated steel sheet. Let it help bring you jobs, reduce Superior Galvannealed is highly amenable to their cost, and assure their permanent satisfaction.

THE SUPERIOR SHEET STEEL COMPANY

Division of Continental Steel Corp., U. S. A. CANTON, OHIO

SUPERIOR GALVANIZED steel sheets of special-analysis open hearth steel are correctly tempered for shop work and evenly coated with zinc by the SUPERIOR process.



0 PEN HEARTH S

"Super-Metal' Special Coated

Pickled, Deoxidized



Many sheet metal contractors have been so well pleased with the working qualities of Toncan Iron that they have taken time to write and tell us how well it cuts, bends, punches, welds, etc.

Thus, Toncan Iron works well in two ways. First, for the contractor because it is softer than mild steel, exceedingly ductile and can be formed into any sheet metal commodity. Second, for the customer because it resists rust and corrosion better than any ferrous material in its price class - thereby lasting longer and saving money. Cold-working in the shop has no material effect on its high rust-resistance.

Why not take advantage of the superior working qualities and rust-resistance of this modern sheet metal also the Republic advertising which carries the story of Toncan Iron to industry every month? Stock and use Toncan Iron - in black, galvanized or galvannealed finish. Write for complete detailed information.

GENERAL OFFICES . . . CLEVELAND, OHIO

REPUBLIC STEEL



Volume 107

Number

### 1937—What Was the Record?

1937—FOR business in general and the warm air heating and metal working industry in particular—was a year of mixed trends. The year began with all activities progressing at a high level (in many cases above the boom period of 1929); in our own field heating contractors in many areas carried work over from 1936; there was an encouraging volume of new and remodeling construction under contract and a great deal of work in contemplation. All activities of the field felt this press of work ahead and, accordingly, held high hopes for a 1937 even better than 1936.

The break came in most parts of the country during October; in some areas a few weeks later; in some areas a gradual slackening appeared a few weeks earlier. During October and November new work in many activities stopped abruptly—so abruptly, in fact, that the situation was graphically described by one contractor—"just like drawing a curtain." Although work let to contract fell off, reports from all parts of the country continued to indicate that a huge volume of work was "still being figured," many contractors reporting that they were figuring more jobs than ever before.

#### What Caused the Break?

Little can be added, now, as to just what caused the break—already hundreds of thousands of words have been published and hundreds of reasons why offered. The advocates of these "reasons why" range from the highest economist to the "man on the street" and their reasons from fourth dimension economics to plain loss of employment. It must be sufficient, then, for the purpose of this review to say simply that the first nine months of 1937 were encouragingly ahead of 1936, but the last three months discouragingly behind. As for the totals of the two years, however, 1937 seems to win out.

This business "recession" directly affects this annual review. Whereas in former years manufacturers were able to say with confidence that their

production for the year would be so many units, this year such reports are not available. In answer to our questionnaire on production most manufacturers declared themselves unable to make any accurate forecast. "We cannot report until after the end of the year," was the usual reply.

In view of this situation it is necessary to postpone American Artisan's annual review of business, so far as actual production figures are concerned, until later in the year.

#### Galvanized Sheets

There are, nevertheless, a number of interesting sidelights to 1937 as a business year in our industry. For example, production of sheets and sheet metal of all types. It is not unlikely that 1937 saw the production and conversion to jobs of a greater tonnage of galvanized iron than any year in mill history. This use of galvanized iron can be traced directly to use in air conditioning. By money volume, according to the Air Conditioning Manufacturers' Association, the installed cost of equipment sold by members was 85 millions of dollars for 1937 as compared to just under 50 millions in 1936. This sum does not include accessory equipment, nor sheet metal labor.

Since there exists a fairly definite relationship between cooling tonnage and metal work (including sheet metal labor) it seems logical that this 70 per cent increase in equipment is paralleled by a somewhat similar increase in amount of galvanized iron and sheet metal labor. Some engineers formerly contended that air conditioning could not be counted as wholly new business since a great deal of air conditioning merely replaces former ventilation contracts, but observation seems to indicate that commercial air conditioning is not replacing straight ventilation, but is going into heretofore untouched markets. At the same time, industrial ventilation and public building ventilation (such as school houses) continues to conform to existing ventilating laws and is widening in application.

The only overlap, so far as we can judge, comes from places of public gathering such as theaters and here air conditioning, rather than ventilation, has been commonly accepted for a number of years.

#### Fabrication of Duct Work

From the big metal contractor's standpoint it is of some interest—but probably not news—that industrial ventilation and commercial air conditioning has now become the backbone of the sheet metal shop. The fabrication of skylights, metal windows, cornices, under current and recent business conditions, has become a minor activity by comparison or been completely discontinued and has been replaced by fabrication of duct work.

About the only former activities which have held their pace and in many shops increased in volume, are the fabrication of sheet metal equipment and industrial blow piping. Such items as kitchen and restaurant equipment have, under the impetus of new metals, established wide, new markets and a great many shops now consider such work a substantial part of their yearly volume.

Architectural metal work in 1937 continued at low ebb. A few public or semi-public buildings were roofed with metal or adorned with metal work, but by and large, architectural metal jobs of outstanding character were negligible in number or size in 1937.



All activities associated with new house construction suffered during the last several months of 1937. During the last part of 1936 a number of forecasters visualized a 1937 program of more than 400,000 homes of all sizes. These "guesses" were based upon the need for homes, scarcity of houses for rent, better income, shortage of dwelling units of all types in many parts of the country and more flexible financing methods. These guesses may have overlooked such factors as the tendency of many families to follow employment from area to area; the still debatable decline in ambition to own a home; and the basic inability of many families to gather sufficient money to make any down payment or carry any monthly payments, no matter how low.

In any event American Builder magazine, using figures from the Bureau of Labor Statistics, says this—

In 1937 permits were issued and houses were assumably built to the number of 289,000. This includes houses erected in towns where permits are not required. About 82,000 homes were built in

towns under 2,500 population and for rural families not living on farms. About 30,000 homes were built on farms.

Corresponding figures for 1936 were—267,000, 77,000, 27,000 respectively.

The same publication believes that in 1938 there should be an increase in number of homes built of between 10 and 20 per cent above 1937.

In this connection, there is the question of what percentage of this nation-wide construction ordinarily is warm air heated. For conditions prior to January, 1935, the projected Real Property Inventory shows that 39.4 per cent of all homes were heated by warm air, 6.4 per cent by hot water, 7.9 per cent with steam or vapor, 46.2 per cent with stoves or other types of non central appliances.

No similar report has been made for years after 1934, but American Artisan last summer made a



survey in a city where every heating system installed is known and recorded and brought to light that—

Of existing installations in 1934, 58 per cent were warm air; 63 per cent of the total heating sales in 1936 and 66 per cent of the total in the first seven months of 1937 were warm air. Further, the trend to forced warm air is equally marked. Forced air was 26 per cent of the total of all warm air systems in 1936; and 37 per cent in the first seven months of 1937.

With these figures of a typical city in mind, it is probable that of all homes constructed in 1937 warm air was used to heat a great majority having central heating systems and the trend is upward. No matter what the final figures for 1937 may be, it is certain that warm air heating will predominate.

#### Furnace Sales

From scattered reports available—and it should be remembered that these figures are in no way average or definite—it seems that production of furnaces in 1937 should be somewhere around 15 to 20 per cent above 1936, whose figure was 350,000. Whether dealers are going into 1938 with larger stocks of furnaces on hand is not known. Neither are stocks on hand of manufacturers known.

Checks made among contractors during 1937 showed that during the first seven months, sales of furnaces by dealers were running from 10 to 25 per cent ahead of 1936.

More complete returns came from the manufac-

turers of fans and blowers. In this group (including all large manufacturers) the highest increase reported for housed units was 147 per cent above 1936. The lowest increase was 30 per cent. The highest increase for assemblies was 324 per cent and the lowest increase 45 per cent. The highest increase in propeller types was 300 per cent and the lowest increase 22 per cent.

#### Fans and Blowers

No fan or blower manufacturer reported any decrease in production. This report substantiates the typical city survey discussed earlier—that forced warm air is increasing in acceptance. Just how the total number of gravity furnaces installed will compare with total number of gravity units for years previously cannot be determined. It may be that both gravity and forced air installations are increasing annually in number at the expense of other types of heating.

#### **Humidifiers**

Data are not available on number of humidifiers manufactured in 1937. From reports received there was an average increase of 35 per cent among manufacturers reporting an increase and an average decrease of 19 per cent among manufacturers reporting decreases. Again it should be emphasized that these reports are sketchy and do not include several of the largest producers. With all the emphasis being placed upon the need for humidification it is probable that more systems contained provision for automatic humidification, under control, than any year previously.

We should like to add something to the question of popularity of steel vs. cast iron. However, no figures are available. Any authentic data would have to be compiled from actual figures by units, submitted by all manufacturers and such figures are not obtainable. Among producers reporting increases in total production, the average increase in cast iron units was 81 per cent and for steel 85 per cent. Without actual unit productions, however, these percentages are only indications.

d

r

n

37

g d.

e,

ld rto 00. er

37 es to

ic-

#### Automatic Firing

That there is a trend toward automatic firing—gas, oil, stokers—is common knowledge. The government reports increases in oil burner-furnace

units of 62 per cent for the first nine months over the same period a year ago. Among the reports received from furnace producers a larger percentage of units were shipped with oil burners than in 1936 and a larger percentage of furnaces designed especially for oil burning but shipped without burners was also reported.

#### Gas Furnaces


No data are available covering increases or decreases in total sales of gas furnaces. Some manufacturers who formerly made a considerable number of gas furnaces reported a drop in sales. Other manufacturers reported increases. Several communities where large sales of gas furnaces formerly were reported now show decreases, but to offset this drop, new areas are swinging to gas due to more advantageous gas rates or to changes in types of houses. This change in house types is of some interest in that some areas now show owner preference for houses without basements where compact gas furnaces placed in closets are being adopted.

#### Stokers and Stoker Furnaces

Specific data are not yet available on stoker furnaces. For the first time American Artisan includes in its 1938 listings of products, names of manufacturers making a furnace especially designed for stoker application and sold without or with a stoker. That stoker sales have increased tremendously is shown by reports from the U. S. Bureau of Census for 108 manufacturers. These reports show an increase in sales of all sizes and types of 27.4 per cent for the first ten months over 1936 and 131 per cent over the first ten months of 1935. For the first ten months of 1937, sales of domestic size stokers ran 86 per cent of total sales of all sizes. In terms of units domestic stokers ran over 93,000 units for 1937 as compared with 63,000 units in 1936

A number of furnace manufacturers who prior to this year used standard types of furnaces for stoker application, this year announced furnaces designed strictly for stoker application. Changes in construction included addition of clinker ventibules, changes in size of combustion chamber and alterations in prime heating surface. From reports received it seems as though the next year or two will see many additional strictly stoker furnaces introduced.





1—This illustration is reproduced from a retouched photograph. Actually, every line of the hips, monitor and roof panels is as sharp and straight as instruments can make it. The roof is 373 feet long, 220 feet wide and 106 feet from gutter to monitor base.

## 1937's Largest Copper Roof

By W. J. Weitkam Engineer, Holzer Sheet Metal Works, Inc.

In Baton Rouge, Louisiana, is located Louisiana State University, one of the most progressive and rapidly growing universities in the United States. The present Governor of Louisiana, Hon. R. W. Leche, like former Governor Huey P. Long, devotes a great deal of time to the requirements of this institution, because he feels that providing the proper facilities for the young manhood and womanhood of Louisiana will better fit them for the various fields in life that they may choose to follow.

Among the recent improvements to this splendid college provided by Governor Leche, is the new "Agricultural Center", a magnificent structure of steel, tile and stucco, measuring 373 ft. long by 220 ft. wide, with a total height from the performing floor to the top of the monitor of 92 ft.

The architects, in preparing their plans for this structure, decided that for the purpose of economy in maintenance, and to insure the pleasing effect desired the use of copper for the roof and other general sheet metal work would best meet their requirements.

The contract for the sheet metal work was awarded to the Holzer Sheet Metal Works, Inc., of New Orleans, Louisiana. This firm is one of the oldest sheet metal firms in the South, having been engaged in the sheet metal and roofing business for

the past sixty-six years, organizing in 1871. Its present officers are sons of the organizer. R. J. Holzer is the President, and J. E. V. Holzer, is Secretary and Treasurer.

The roof, as can be noted, has on each end a complete circle which projects upward to the monitor in graceful curved lines. The remaining sections of the building, which are the front and back, or South and West Elevation, are composed of five straight sections, which also project to the monitor in the same graceful manner, thereby creating an elliptical shaped section, with the roof curved upward to the base of the monitor.

The area of this roof was of such a magnitude that without special care in planning, it would not have been possible to use copper, because of the usual exansion and contraction which would normally occur. It was also required that the proper provision for expansion and contraction be provided in the main walls and floor of the building. There was therefore provided in the vertical or exterior walls of the building, at the beginning of each curved section, copper expansion joints as noted in Fig. 1, Plan View, and Fig. 2, Elevation, and Fig. 3, Section. The copper joints were made of 24 oz. lead-coated copper so as to eliminate the possibility of any discoloration of the wall sections.

There was also provided at the top of each ex-

r

n

le

ot

ie

er ed


re

or

ch

in 3, z. ty

X-




2—This group of details illustrates the attention to expansion and contraction in the copper and in the building proper. As explained in the text, several innovations were employed to insure against failure from the metal moving. This care was essential because of the tremendous size of the metal surface.


pansion joint on the cast stone cap of the parapet, a lead-coated copper cap caulked into a reglet provided in the cast stone. To further protect this joint, a 1/8 inch by 4 inch sheet lead section was placed between the two stones that abut the expansion strip. This is provided so the expansion joint would not be fractured.

Fig. 3 shows the shape of the gutter and the method used in securing the gutter to the stone capping on the parapet wall. Especial care was taken in this work; details of the application of this work were submitted to the Copper and Brass Research Association for their comments and suggestion, and the following system of application was used:—

First, there was installed in the reglet of the stone a separate strip of copper which was caulked for 34 of the depth of the reglet with lead wool, and the remainder with caulking compound. This piece of copper was then single locked to the cap that covered the flat top of the wood blocking of the gutter. The vertical side of the gutter was then singlelocked to the above cap and then folded over, providing a loose lock joint. The section of gutter that formed the bottom was provided with a filler piece, double locked to provide a definite space in which expansion and contraction could take place. The gutter continued upward on the slope noted and was locked by a 34 inch loose lock joint to the main roof section. No nails were used at any point in the gutter.

Cross section S-S., in Fig. 3, indicates the expansion joints that were installed, as shown in Fig. 4. There were twenty-eight of these joints used in the entire gutter; the total length of gutter is 980 feet. 20-ounce copper was used for all work in the gutter. All drainage was concealed, using cast iron pipe with special outlets as shown in Fig. 5 and had special strainers as noted.





As mentioned, the building is provided with four definite points of expansion. Each such expansion joint continues across the roof and a section showing how this was accomplished is shown in Fig. 3, noted as R.R., and in Fig. 6, section through rib on roof at building expansion joint.


As noted in Fig. 6, this rib is 24 inches wide and was covered with No. 16 oz. copper in sections 35 inches long, each sheet being locked to the flashing on one side and to the roofing on the other, and cleated to the wood decking on top. No nails were used anywhere, excepting through the cleats. For the purpose of symmetry, the roof was divided into equal spaces and additional ribs of the same design were provided. These ribs are pronounced, as can be noted. Each rib is 106 feet from the valley to the base of the monitor. These ribs continue up the vertical surface of the monitor and complete the graceful lines as noted on the roof. This can be seen in Fig. 7.

From the ground the distinct lateral lines, which were especially designed as noted in Fig. 8 are plainly visible. These lateral offsets create between the ribs individual roofs with areas approximately 26 feet by 26 feet. Counting these panels, the entire roof surface is divided into a total of ninety independent roofs in both curved sections, and fifty independent roofs in the straight section, or a total of 140 roofs measuring approximately 26 by 26 feet.

It will therefore be seen that all requirements have been provided to care for expansion and contraction.

In Fig. 7 are also shown metal louvres that are

(Continued on Page 176)



### 1938 Heating Ordinances

WITH increasing interest in codes governing the design and installation of gravity and forced air warm air heating, codes now in force in cities may be of interest.

From questionnaires sent to known cities having codes, the following tabulation has been prepared. Undoubtedly there are other codes not presentedwe shall be glad, in that event, to receive data.

The tabulation emphasizes the fact that many building codes contain provisions for fire safety; but, generally, such provisions are inadequate or are based upon regulations now obsolete. As a general rule it might be pointed out that these fire safety measures cover chimney construction, the protection of smoke and heat pipes adjacent to woodwork, installation of stacks but might, in the

			(	CHIMNEY CO	ONSTRUCTIO	ON	FIR	FIRE PROTECTION			MATERIA	LS
State	City	General Building Code and Date of Last Revision	Chimneys, Heighth	Chimney Construction	Openings Into Lined Flues	Framing at Chimneys	Woodwork Near or Over Furnace	Smoke Pipes Thru Wood Construction	Woodwork Near or Over Smoke Pipes	Materials of Warm Air Pipes	Insulation of Warm Air Pipes	Wall Stacks, Material and Insulation
Washington	Seattle	Yes, 1937. Furnace Code 1926	4	1 sq. in. for each 1½ sq in. smoke pipe area. Chimneys over 400 sq. in. to have tile 2 ft. below, 6 ft. above smoke pipe. 78 sq. in. min. flue area		Covered	32 plus 2" cove	40a, 40b	50a, 50b	I.C. tin or G.I., 26 ga up	ble materia closer than 3' within 10 ft	pipe need not be
Oregon	Portland	Yes, 1935	Flues less than 150 sq. in. to be 2 ft. above flat, 3 ft. above ridge. Flues over 150 sq. in. to be 8 ft. above roof	covered by table of sizes	20	Covered	30 If gas heat distance reduced ½. If thermostatically controlled distance reduced ½. Casing top sand covered, 1"	long, must have 1" in- combustible cover		90 lb. bright tin or G.I. 28 ga. up. All pipe joints to be stripped with asbestos paper 2½" wide		90 lb, bright tin or G.I. covered with 1 layer I( lb. asbestos pa paper. Double stacks optional no paper needed
Colorado	Denver	Yes	_	— No	Data —		Denver Code Sa	ys: "Warm	Air Ducts an	d Appurtenan	ces shall be de	signed and insta
Alabama	Anniston	Yes, 1928	2	10		Covered	_	Thimble 12" larger in dia. than pipe, or 9" of masonry		Not specified	Pipes closer to wood than 6" to be cov- with ½" cor- rugated as- bestos	Not covered
Ohio	Dayton	Yes	Covered in B	uilding Code.	(No Data)	-	All warm air sys	tems designed	and installed	in accordance	with Standar	d Code
Kentucky	Louisville	Yes	2	If single brick must be lined throughout	20	Covered	All warm air sys	tems designed	and installed	in accordance 100 lb. tin	with Standar	rd Code
Ohio	Cincinnati	Yes	Covered in B	uilding Code.	(No Data)	_	Gravity warm a	ir systems to	"follow" Stan	dard Code. N	o data on enfo	rcement
Indiana	Indianapolis	Yes	Covered in B	uilding Code.	(No Data)	-	Practically Stan	dard Code inc	orporated in	building ordi	nance	_
Ohio	Akron	Yes	Covered in B	uilding Code	or Standard	Code	Gravity warm a	ir systems go	verned by Sta	ndard Code	-	-
Florida	Tampa	Yes	No data	Covered in Bldg, Code	No data	Covered in Bldg. Code	No data	No data	No data		or protected by plaster or	Stacks to be 5 ft. from furnace and double pipe or covered with 2 corrugated asbestos

<sup>1-</sup>Chimney must extend 4 ft. above roof or 2 ft. above nearby roof.

<sup>2—</sup>Chimney must extend 3 ft. above roof or 2 ft. above nearby roof. 3—Chimney must extend 5 ft. above flat roof or 2 ft. above ridge. 4—Chimney must extend 3 ft. above flat roof; 2 ft. above ridge; must

be as high as any roof within 12 ft. or 2 ft. higher than any roof within 5 ft.

A-Although no ordinance is in force, forced air installations must meet requirements of "Mechanical Warm Air Furnace Heating Systems in Residences," 3rd Edition.

<sup>10—</sup>Chimneys having areas more than 260 sq. in. to be  $8\frac{1}{2}$  in.; must be lined with terra cotta or fire clay for entire height; must have 4 in. of masonry between flues.

<sup>20—</sup>All lined chimneys must have approved thimble, smoke tight, installed when chimney is built; no later openings to be made without special permit.

<sup>30-</sup>Top of furnace cannot be closer than 12 in. to wood unless protected.

<sup>31-</sup>Wood closer to top than 12 in. must be protected by ceiling of

light of recent research, be greatly improved or made more comprehensive.

So far as actual design and installation regulations are concerned, those ordinances publicised in American Artisan are by far the most complete and up to date and will best serve as guides to future code preparation. Just how far any proposed code

should go, depends upon the desire of the trade to protect the public and to raise the overall standards of gravity and forced air work.

It is impossible, within the space limitations of a table of this type, to give complete data, but from codes on file we shall be glad to furnish more specific regulations.

	DES	IGN AND INS	TALLATION-	GRAVITY		Y . (T)	Y- D'-	V D '	Is There a			
Cold Air Source	Cold Air Quantity	Cold Air Pipe Construction	Warm Air Pipe Size Determination	Specifications Covering Furnace Size Rating	Register and Box Specifications	Is There a Building Inspector?	Is Permit Required to Do New Work?	Is Permit Required to Do Repair Work?	Code Covering Forced Warm Air Heating?	Forced Air Code Remarks?	Are Heating Contractors Licensed?	Has There Been Any Movemen to License
	At least 20% greater than W. A. supply. Grilles to be 10% greater than connecting duct		Standard Code	U. of I. furnace rating formula plus 10% above total warm air leader area		Yes	Yes	No	No		No	
Recirculated or outside or both; 70	W. A. supply area. For all outside air, area to be	Metal, tile, in- combustible ma- terial, 80. Cross joist C. A. can have wood sides and G. I. top and bottom	Code has special Table A of wall factors	fications for fur- nace metal gauges and weights, casing air space. Also	spaces must be 2"x6". All fit- tings to be 90 lb, tin or G.I. covered with 10 lb, asbestos pa-		full data sheet. Sys- tems can be installed not according to	\$1.00 for re- pair under \$50.00. \$1.50			No	No
lled in accord	ance with Sta	ndard Code of	N. W. A. H. and	A. C. Assn., 8th	Edition	Yes	No	No	No		Only as con- tractors at \$10.00 a year	
Not covered	Not covered	Incombustible material	Not covered		Registers set in wood must have 2" border of in- combustible ma- terial. Double boxes or cover- ed 1" asbestos		Yes	Yes	No		No	
_	_	-	Garage	-		Yes	Yes	Yes	No	-	Yes, \$75.00 per year	Code pub- lished in A A. Sept. '35
	_	Permits wood	One factor (60) used in place of Table A	-	-	Yes	Yes, \$1.00 plus 25c for each register; 100		No	-	No	
-	-	-	Carabo .	-	_	Yes	No Data	No Data	No.	_	No	-
	-	_	•	_	-	Yes, City Engineer	No Data	No Data	No	Code being prepared Nov., 1937	No	
	_	6000	prints	-	-		Yes, up to 400 sq. in leader area, \$2.00. 401 to 600 sq. in, \$3.00. Over 601 sq. in. \$4.00. 100	Yes, \$2.00	No		Yes, \$20.00 for license, \$5.00 a year for renewal	
Not specified		Incombustible material only	Not specified		Registers in wood to have 2" border incombustible material. Boxes to be double (1") or covered with \( \frac{1}{6} \) as bestos	Yes	No Data	No Data	No	Code being prepared Nov., 1937	No	

incombustible material or cement plaster on metal lath extending 18 in. beyond heater.

32—No furnace casing to be closer to wood than 6 in. Top must be covered with sand or have air space above shield.

33—No casing to be closer to wood than 18 in. unless protected by shield extending 6 in. beyond casing plus 2 in. air space above shield. No casing closer to wood than 8 in. allowed in any case.

40, a-Pipe must be surrounded by 4 in. hard, incombstible materal.
40, b-Pipe must have double safety thimble of two concentric rings at least 1 in. apart.

50, a—Minimum distance between smoke pipe and woodwork—For pipes 12 in. or less, 12 in.; for pipes over 12 in., 20 in.

50, b—Where woodwork is protected by incombustible shield measuring 1½ times pipe diameter and having 1 in. air space between shield and wood, distance may be reduced one-half.

 $60\mathrm{--}\mathrm{Pipes}$  shall not run closer to wood than 1 in, unless covered with one thickness of 12 lb, asbestos paper.

 $61\mbox{--Same}$  specification as (60) except covered with tin on paper or ¼ in. of air cell.

62—Pipe shall not run closer to woodwork than diameter of pipe, nor closer to ceiling than 1½ diameters of pipe. This can be reduced one half if wall or ceiling is covered with ¼ in. asbestos board or equal.

70-Air cannot be taken from any basement space unless such space is used as living quarters.

80—Returns between joists can be built as G. I. pan nailed across bottoms of joists. Duct need not be completely metal.

100—Inspection must be made when furnace is set and stacks connected and before any plastering is done over pipes. Final inspection to be made when system is ready to run.

200-Pipe size obtained by dividing cubic content by 1,000.


300—Factors from Table A increased approximately 20 to 33  $\frac{1}{3}$  per cent.

350—Failure to renew annual license within 60 days after expiration means new examination and \$25.00 fee.

		General	C	HIMNEY CO	NSTRUCTIO	N	FIR	E PROTECT	ION		MATERIAL	aS .
State	City	Building Code and Date of Last Revision	Chimneys, Heighth	Chimney Construction	Openings Into Lined Flues	Framing at Chimneys	Woodwork Near or Over Furnace	Smoke Pipes Thru Wood Construction	Woodwork Near or Over Smoke Pipes	Materials of Warm Air Pipes	Insulation of Warm Air Pipes	Wall Stacks, Material and Insulation
Minnesota	Minneapolis	Yes, 1936	Complete table in code	Covered in code. Must pass smoke test	Covered in building code	Covered in building code	30, 31	40a, 40b	50a, 50b	Standard code	Near wood pipes to be in- sulated by 1 layer 12 lb. asbestos paper	Standard code
Indiana	Ft. Wayne	Yes, 1937	Covered com	pletely in Bu	ilding Code—		Standard Code i	ncorporated i	n Ordinance i	or gravity		
Ohio	Elyria	Yes, Feb. 17, 1936	1	10	20	Fully covered	30, 31	40a, 40b	50a, 50b	Bright tin or G. I.	60	Tin or G.I. with 1 thickness of asbestos paper
Orego	Salem	Yes, April 1, 1935	8"x12" flue is minimum		20	Fully covered	32			Bright tin, IX or G.I., 26 gauge, up	40b	Tin or G.I. with I thickness of asbestos paper. Stack openings thru floor must be insulated
Iowa	Des Moines	Yes, June, 1934	1	3½" Min. 78 sq. in. min. area	20; 7 ga. min. min.	Covered	30, 31 except 6* beyond furnace; 32	Not permit- ted	50a, 50b, but twice dia.	I.C. tin or G.I., 26 ga. up	61	I.C. tin or G.I. double wali only
New Jersey	Montclair	Yes, Jan., 1936	1	-	20	Covered	Plenum not closer to wood than 2" with 1" air cell or equal		50a, 50b	Mains and branches G.I. only, 28 ga. up	60	Stacks of single or double wall IX tin or G. I. 28 ga. up
Ohio	Toledo	Yes	2;8" dia. min. for hard coal; 10" for bitu- minous	flue lining en-	20	_	33		50a, 50b, but 18" and 2 times pipe dia.	I.C. tin or G. I., 28 ga. up	60	Tin or G.I. Must be double wall
Wisconsin	Neenah	Yes, Feb., 1934	3	- Grown		Covered	31	40a, 40b	62	I.C. tin or 27 ga. G.I.	Pipe thru or near wood must be cov- ered with ½" asbestos	
Illinois	Chicago	Yes, April 1, 1928	In General B	uilding Code,	now being rev	ised	Standard Code,	incorporated	into Ordinano	e —		-
Wisconsin	Green Bay	Yes, April 1,	3	8" plain, or 4" with liner, 8"x 12" min. area	-	Covered	30, except 24";	40a, 40b	50a, but 8"	1	61, 40b	Not covered
Utah	Salt Lake City	Yes	_		Standard Code	Covered	Standard Code	incorporated	into Ordinane	e —		-
Iowa	Sioux City	Yes, Jan., 1936	Must extend above roof	Must be lined with 3/4" tile. 25% over smoke pipe area	20	Covered	Standard Code	with minor c	hanges incor	porated into	Ordinance	
Ohio	Warren	Yes, 1928	2	10	-	-	31	40a, 40b	50a, but 18"	Not specified	60	Not specified
California	Los Angeles	Yes, March, 1937	Covered in Gen. Bldg. Specifications	Same as chimney heighth	No specifica- tions avail- able	tions avail- able	Furnace must be in room with 48 sq. ft. of floor area, 7 ft. ceiling. Furnace exterior to be not more than 90° above room temp, 5 ft. from furn. after 1 hr. operation	pipes	See warm air pipes	Not covered	May be 12" if all surfaces in- sulated by 1½" metal furring cover- ed with 20 ga.	All lateral pipes must be covered with air cell ½" thick. Stacks and fittings shall be covered with 2 thickness as- bestos paper, ce- mented
Pennsylvania	Pittsburgh	Yes, June, 1930	2	79 sq. in. min. area, 3/4" lin- ing. No other openings	Not specified	Covered	33	-	50b	IX tin or G.I.	60	I.C. tin, double


	DESI	GN AND INST	I ION-G	MATILI	1	Y (70)			Is There a			
Cold Air Source	Cold Air Quantity	Cold Air Pipe Construction	Warm Air Pipe Size Determination	Specifications Covering Furnace Size Rating	and Box	Is There a Building Inspector?	Required	Required to Do	Code Covering Forced	Forced Air Code Remarks	Are Heating Contractors Licensed?	Has Ther Been An Movemen to License
Stan lard Code	Standard Code	Standard Code	Standard Cod by floor formula	Yes, Standard Code	Standard Code	Yes	Yes	Yes	Yes, also in cludes gas, oi heating and air condition ing	Warm Air Code publish	Yes	
	_	_	_			Yes	Yes	Yes	Yes, also in- cludes air con- ditioning, gas oil, stokers	code being	Yes	
Recirculated or outside or both; 70		Metal, tile, in combustible ma terials; 80, tran sition to droj required				Yes	Yes, amount according to cost	Yes, except where system is not changed \$.50		Forced Air Code is favor- ed when N W.A. H. & A C. Assn. pro- poses such a code		Some talk
Recirculated or outside or both; 70		Metal, tile, in combustible ma- terials; 80, tran- sition to drop required	200; 300	Code, plus rat-	All boxes must be insulated with 1 layer aid cell if in outside wall		furnace; \$.25	Yes, \$.50 for furnace; \$.25 for each regis- ter; 100	specifications			
Recirculated or outside or both; 70	Must equal W. A. supply Outside to equal 80% W. A. supply	terial; 80, tran- sition to drop	Standard Code but factors of 10.3 (first floor) 6.9 (2nd floor) 5.7 (3rd floor)	for 20 to 1 ratio	be insulated		Yes, \$1.00 for furnace; \$.25 for each open- ing; oil burn- er, stoker, blower \$1.50 each	schedule as for new work	for W. A. pipe	also governs		
Standard Code	Standard Code	Full stacks, panned joist space. Tran- sition to drop required	Standard Code	Standard Code	_	Yes	Yes	?	Yes	F. A. Code based on Standard Code	No	-
Recirculated or outside or both; 70	Must equal W. A. supply	Metal, tile, in- combustible ma- terial; 80. Re- quire transition to drop	Standard Code	Furnace to be 25% over actual heat loss	Tin or G. I. Must be double wall. Registers must be sealed	Yes	Yes, \$3.00 up to 75,000 Btu. \$.50 for each additional 25,000 Btu.; 100		No	F. A. Code in making	Yes, License fee \$25.00 and \$10.00 annual renewal; 350	
-	_	-	6000		Gridge	Yes	Yes	Yes	No	_	No	_
-	-	_		-	-	Yes	Yes, \$5.00 each furnace; 100	Yes, \$5.00 each job above minor repairs which do not change system. New register or run—\$1.00 an outlet	No .		Yes, must be registered. Must furnish indemnity bond, \$10,000. Registration fee \$25.00 for license, \$10.00 per year re- newal	
Not covered	Not covered	Not covered	Not covered	Not covered	Not covered	Yes	Yes, 100	Yes, \$1.00 per job	No	_	No	
_	_	_	_	-	_	Yes, City Engineer	Yes	Yes	Yes; A			Some Contract- ors favor- able
_	-	e-a		One sq. ft. ex- posed radiation surface above fire pot for each 500 cu. ft. cubic content and 1 sq. ft. of free air passage for each 3,000 cu.ft. con- tents			Yes, \$.50 for each furnace; \$.25 for each register; \$1.00 min. amount; 100	rate as new		Inspector re- ported Feb. 1936, new code ready for legal department		Interest
Recirculated or outside or both	Not specified	Not specified	Not specified	No	None	Yes	Not heating	Only for gen- eral contract	No	-	No	
ee cold air uantity	Outside sup- ply only. 400 sq. in. for gravity; 100 sq. in. for F. A. In F. A. must also be direct duct from blower to outdoors, or basement		Gravity heat pipe sized by di- viding space served by 40. 38 sq.in. to be min- imum. For fan system 5 air changes per hour	ticular attention	Same insulation as leader pipes	Yes	Yes; 100	Yes		Also, very plete regula- tions for re- cessed heaters	No	No Report
Recirculated or outside or ooth; 70	At least 10% greater than W. A. supply	Metal, tile, in- combustible ma- terial; 80		Standard Code formula	Standard Code	Yes	Yes, \$5.00	Yes, \$1.00 up according to work		Inspectors have own in- terpretation of code for F. A.		Sporadic efforts to arouse interest

Fig. 6—Miscellaneous sheet metal fittings made by welding.



From top to bottom: Fig. 1—Plain butt joint. Fig. 2—
Tee joint. Fig. 3—
Lap joint; left—
single bead, right
—double bead.

Fig. 9—Piping fabricated of 20-gauge blue annealed sheet metal, arc welded.



# ARC WELDING

### Selecting and Placing Welds

ELECTRIC welding has enabled manufacturers of practically every type of product, made of metal, to increase their profits by reducing production costs and increasing service life. Electric welding is an economical manufacturing process because of its remarkable simplicity; it joins any number of pieces of metal directly together into what is virtually a single unit as strong where joined as the metal itself.

The effect of this simplicity on cost reduction, where the method replaces others which are more complicated, can be appreciated. There is an immediate saving in materials through elimination of connecting members. There is a saving in designing and detailing. Handling of materials is reduced. Machining is lessened since metal can be placed exactly where wanted and in the amount needed. Another advantage is the saving in production time.

As is true of every other method of doing work, the greatest advantage is obtained with electric welding only when the process is used most efficiently. Most efficient use presupposes obtaining a desired result at minimum cost.

Inasmuch as electric welding is a process of joining metals together, the various cost factors entering into doing the joining should be carefully considered. It is not the purpose of this article to consider all factors, but to discuss various types of joints and the factors which make some types more costly than others.

The first consideration in selecting the type of joint is, of course, the question of what the joint is required to do. If it is merely for the purpose

of connecting two pieces of metal together it is one thing. If the requirement is for a joint of greatest possible strength, it is another thing. The problem is, therefore, to know the requirement exactly and to meet By A. F. Davis Secretary, The James F. Lincoln Arc Welding Foundation




Fig. 7—Steel ducts fabricated of 18-gauge sheet metal by electric welding.

joints the one which costs least should be used.

A little analysis of the various operations which affect the cost of a joint will show why one type

it. If requirements are met by several types of

costs less than another. It will be noted that the difference lies in the amount of labor required for

joint preparation, welding and finishing.

When two plates are to be joined together, the joint may be one of five types; butt, tee, lap, corner and edge. Butt and tee joints can be either plain, single V, double V, single U or double U. The single and double V, single and double U butt and tee joints are used most generally in joining the heavier thicknesses of plate. They are practically never used in sheet metal work. Lap joints can be single or double bead. Corner joints can be flush, half open or full open. The edge joint is, obviously, of only one type.

All that is required, in the case of the plain butt joint, is a matching of the edges of the plates or

sheets being joined. (See Fig. 1.)

The plain tee joint, or fillet weld, Fig. 2, is even simpler, since for all practical purposes the preparation is confined to the end of the vertical plate.

In the case of the lap joint, Fig. 3, that is, where two plates are to be joined with ends overlapping instead of butting, there is practically no machining and therefore a minimum of labor in preparation. Preparation is the same whether single bead or double bead is used. The cost of the lap joint will depend on whether a single or double bead is used. Obviously if the single bead meets requirements it would be only adding cost to use the double bead.

With corner joints, Fig. 4, there is no difference in the labor of preparing the plates whether the joint is flush, half open or full open. Only square cuts are needed.

The edge joint, Fig. 5, entails a minimum of preparation, a fact readily appreciated.

(Continued on Page 182)




Fig. 8—Straight sections of work shown in Fig. 7.



By Fred U. Ritter and B. F. John

Monthly Sales Summary from book "Easy Bookkeeping" by Fred U. Ritter

Fig. I above; Fig. 2 below.

Job Record No.	B4400-15	ADDREST THE LOCAL PROPERTY AND ADDRESS OF THE LOCAL PROPERTY ADDRESS OF THE LOCAL PROPERTY ADDRESS OF THE LOCAL PROPERTY AND ADDRESS OF THE LOCAL PROPERTY AND ADDRESS OF THE LOCAL PROPERTY AND ADDRESS OF THE LO	01001044	C001 to	150717	1.000	POICE POICE
649 650 65; 652	1091	33.73	93 73	7837	1919		979
453 454 455 656 657 458 659 660	shee	y the si t for the ts there	ummod he mod	ney" of	each	Job I ce thi espe	Pecoko 8 ano etime
662 663 664 665 666		he end	t of we	er ac	month	aaa	each
	675 50	609.84	60149	188685	38259	27/8	224226

A FEW years prior to 1909, a group of Philadelphia shop owners agreed to separate the various costs in their books for several years thereafter and compare these costs with their Total Sales and with one another for the purpose of arriving at a simple, yet accurate, method of adding the yearly expense properly to the bills.

The reason for such a program was that the Sherman Anti-Trust Law prohibited, or so it was decided, the continued use of the Philadelphia "Piece Price List," which had been printed and issued each year. This price list contained a sales price for every kind of material as well as a sales price for labor by the hour and found favor generally among the trade, even among non-members. Another reason for the search was the many requests for a fair price by the foot, per square foot and pound, which had become the vogue, and the increasing demand for estimates on all sizes of jobs.

The several shops used three methods to add expense for estimating and making out bills, viz.:

1. Expense as a percentage of Productive Labor cost; 2. Expense as a percentage of Material and Productive Labor cost; 3. Expense as a percentage of Total Sales for the year.

In other words, the expense was to be added to each bill or estimate as a percentage of the cost selected; the percentage to be arrived at by a comparison of the year's expense with any of the three totals shown above for the year.

By 1912, the Overhead Expense Committee concluded that in various sized shops it was possible to greatly simplify the accurate figuring of estimates and bills by this method and recommended for the average jobbing shop the method of finding the expense by using a percentage of productive labor. In their judgment productive labor increased and decreased more regularly with the business done from year to year.

From previous statements it was found that when exact cost was compared with the amount charged the loss sustained was generally on all three items—Material—Labor—Overhead. Gradually, as the new method was adopted, the loss on material and labor charged decreased and by 1928 there were but few statements of the more than one hundred reported that showed a loss on these two costs—Material, Labor, due largely to a more general use and careful entries made on the Job Sheet.

From about 1928 the additional use of the Sales

Summary Sheet (Fig. 2) as a check each week or month by the addition of the EXPENSE CHARGED for the month and a comparison against the monthly expense (usually figured as 1/12th of the year's expense) made it comparatively easy to know just what must be done to properly distribute all the expense. If the expense was not returned in any month, then following months must bear a

in any month, then following months must bear a greater percentage and this could be added during any busy periods when jobs were easier to obtain and price was not such a controlling factor. With several years' experience showing the percentage added for Overhead expense, both in busy and lean

......\$30,864.60

STATEMENT NO.

Total Yearly Sales.

STATEMENT NO 1936

otal Sales .

January, 1938	AMERICAN ARTISAN	55
1,782.76	3,740.87	3,740.87
\$11,372.89 7,038.65 10,670.30 \$25,700.64 \$ 5,163.96 \$30,864.60	68 54 55 55 65 65 65 64 46 48 584.65 85,748.61 65 64 46 48 3,861.84 831,673.81 \$10,344.27 7,567.23 \$10,344.27 7,567.23 \$10,344.27 7,567.23 \$10,21.44 \$27,932.94 827,932.94 827,932.94 827,932.94 827,932.94 827,932.94 827,932.94 827,932.94 826,622.58 \$6,051.23 46 6,051.23 831,673.81 831,673.81 831,673.81 831,673.81	\$ 6,248.34
(a) Material (b) Labor (c) Overhead  (g) Material chgd. (g) Material chgd. (h) Labor chgd. (i) Overhead chgd. (j) Profit added to sheets. (k) Less losses on sheets.	(How made and partly lost (n) Profit added to sheets (j) 208 208 (o) Material, chgd. on sheets (g) 11,372  Profit accumulated LOSSES \$ 7,038 (r) Labor, chgd. on sheets (h) 6,934 Loss  (a) Coverhead Expense (books) 200 (c) Overhead chgd. COST (from books) 6,808 Loss  (b) Labor (chgd. on sheets) 310,670 (c) Overhead chgd. COST (from books) 6,808 Loss  (c) Overhead chgd. on sheets) COST (from books) 6,808 (d) Labor (chgd. on sheets) 7,666 (l) Labor (chgd. on sheets) 7,513 (l) Profit added to sheets (l) 15,100 (l) Labor (chgd. on sheets) 15,100 (l) Loss losses on sheets (l) 10,344 (l) Loss losses on sheets (l) 10,344 (l) Material cost (l) 10,344 (l) Material cost (l) 10,344 (l) Labor chgd. (l) Labor cost 10,344 (l) Labor cost 10,344 (l) Labor cost 10,344 (l) Labor chgd. (l) Labor cost 10,344 (l) Labor cost 10	(s) Overhead Expense COST (c)
	Profit added to sheets   PROFIT   \$ 3.251.01	(s) Overhead Cost

521.40					521.40			
5,010,67 5,066,61 5,877,71 815,954,99	\$ 5,032.27 5,046.13 3,412.05 \$13.490.45	\$2,985.94 \$16,476.39 \$3,261.09	5,032.27 5,010.67 21.60	\$ 3,007.54 5,066.61 5,046.13	2,465.66 2,486.14	\$261.09 521.40 \$2,465.66	relected by nes ranging cludes most	Further, these v excellent and s with approxite are detailed nade or lost.
Total Sales COST COST (a) Material (from books) (b) Labor (from books) (c) Overhead (from books) (d) NET PROFIT	(g) Material charged on jobs	Profit added to sheets \$3.261.09 Trofit added to sheets \$1.09 Trofit added to sheets \$1.00 Trofit added	neets (g) \$	(q) Labor cost from Ledger		Asked on sheets	The statements shown have been selected by the authors as typical of shops with volumes ranging from \$7,000 to \$40,000. This range includes most include the state of the stat	specifically to very large contracts. statements have been paired to show not-so-good statements of two shops mately equal volume. The statement enough to see just where money was m
	. 577.99							\$ 577.99
7,699.72 17 53 03		nd 2) 000 23 46		. 7,699.72	46	\$3 \$ 1,467.29	.80	\$ 548.19 29.80
STATEMENT NO. 1   Cost   Cos	(d) NET PROFIT (from books)  (e) Percent Overhead on Labor 140%.  (f) Or Percent Overhead on Labor and Material 68%.  SALES SUMMARY	s, see Figs. 1 at 1,963 1,227.36 6,477	Add for discount earned.	Percent Overhead on Labor as added to sheets 100%.  PROFIT	(m) Profit added to sheets(j) \$ 1,227.36 (n) Less losses on sheets(k) 34.90 (o) Material charged on sheets(g) \$ 2,551.00 (p) Material actual cost, from books(a) 2,276.17	Labor cost, from books(b) \$	(e) (f) (1) 911	(u) Add for discount earned  Net Profit Actual profit asked or added to sheets  Actual profit by the books  Profit lost as above  \$ 649.37

months, any shop owner could adjust the amount added for expense monthly to balance the predetermined yearly expense.

Each year since 1928, the February meeting of the Roofing, Metal and Heating Engineers Association has been set aside to show on the screen, in large figures, as many as possible detailed statements for the previous year from the shops around Philadelphia, ranging in total business from \$7,000 to \$100,000.

These statements were taken from the balanced books by the Secretary, Fred U. Ritter, who is an accountant and as the business consultant of a number of shops is intimately acquainted with each shop's "set up" and procedure. He is also the author of a set of books and forms especially adapted to the roofing, sheet metal and warm air heating, jobbing shop.

The procedure is based upon years of experience in the shops and is fitted to their need; easily understood by the owner; simple, yet including all the principles of proper accounting.

The balancing of these books has now become a matter of monthly routine in most of the 100 and more shops where installed. In a number of the shops, young men and women or a relative are keeping these books straight and "licking" Mr. Overhead more and more each year. These young people, by their persistent control of the overhead and its distribution in the right proportion, and by checking overhead each month, have earned more profit for the shop than anyone else connected with it.

#### Theoretical Operation

The explanation of Statement No. 1 follows in detail:

In Statement No. 1, the Total Sales and Items "a-b-c-d" were taken from the Ledger pages of the same names and represent the actual cost of the jobs finished during the year 1936. These items show that a Net Profit of \$577.99 was made, after the books were balanced and a check made of the shop's resources with the previous year.

The items "g-h-i-j-k" are the totals of the separate costs and profit as actually added on the JOB RECORD SHEETS (see Fig. 1) from which the bills are made, and recorded each month on the SALES SUMMARY SHEETS. (See Fig. 2).

The Job Record Sheet is used for every job, large or small, outside or in the shop and even for work about the shop, truck operation and even the shop repairs. The week's sheets thus afford a check against the payroll or time cards and prevents overlooked time. When filed in a two-prong binder through the holes provided, after the job is completed and numbered consecutively, these sheets become an easy and excellent reference in estimating, for it is a well known fact that there are many jobs similar in the course of a year or two. These sheets also contain the whole story of each job. As the original entry, if carefully checked after job is completed, items may be posted direct to the Ledger

and a carbon copy of the bill placed in another binder.

The SALES SUMMARY SHEET (Fig. 2) is merely a list of the separate costs of each job, taken from the job sheets for the month and, with the exception of the Total Sales for the month, the figures are not entered in the Ledger, but are used as a check on the Ledger accounts to insure accuracy. This Monthly Sales Summary has found favor among the shops as it is easily understood, and is an excellent check on Overhead Expense returned by the bills, with the allowable Overhead determined on January 1st.

Items "g-h-i" show the amount charged during the whole year for Material, Productive Labor and Overhead, on the Job Sheets, taken from the 12 monthly Sales Summary Sheets. The Item "j" is the Profit added or asked (\$1227.36), also taken from the Sales Summary Sheets. Item "k" is the loss shown on sheets where the cost exceeded the amount of the Sales Price, or \$34.90. Item "l" is the discount earned by discounting bills in 10 days and used here merely to balance the Total Sales as shown in the Ledger.

#### **Actual Results**

The items "m to t" under the heading PROFIT show where the profit was made and how part of it was lost. Item "m" (\$1227.36) being the full profit added to the separate sheets for the year; "n" the loss \$34.90 on some sheets. Item "o" is amount for material charged on the sheets at cost and "p" the real cost of the material bought and taken from stock and used on the jobs, as shown by the Ledger. Item "p," when deducted from the material charged, shows an excess charged, which is common in the jobbing shop where the material is used in smaller lots, and therefore is a profit of \$274.83. This amount, added to the Profit Asked (\$1,192.46 plus \$274.83) equals a supposed PROFIT of \$1,467.29.

Under LESS LOSSES, Item "q" is the Labor taken from the Ledger account of the same name, which is the total of all the payrolls for the year, or \$1970.53 from which is deducted the amount of labor charged on the sheets as recorded in the Sales Summary Sheet. This is item "r" or \$1963.23, which was \$7.30 less than paid the men.

Item "s" (\$2875.03) was the real amount charged weekly in the books for Expense for the year, and "t" the expense as charged to the sheets or bills—\$1963.23, which shows that \$911.80 of expense was NOT charged to the bills.

Thus the \$7.30 lost on labor plus \$911.80 lost on expense equals \$919.10 which, deducted from the full profit realized, shows the Net Profit of \$548.19 plus discount earned \$29.80 equals \$577.99 as shown by the balanced books.

The other statements may be followed through by the explanation given for No. 1.

The statements show that the loss of profit was due almost entirely to the failure to find the correct amount of Overhead expense at the beginning of (Continued on Page 184)

### The "Books" of Bookkeeping

By Joseph G. Dingle

C. P. A., Ottawa, III.

In our December article, we published a "Chart of Accounts" showing those accounts which, in our opinion, should be used by the typical shop. We now present for consideration the several journals, which we shall discuss in detail. Ledger accounts may be compared with your bins and racks. In planning your shop, you provided bins and racks, each to receive and properly hold certain material. You placed these in the most convenient place, both for accessibility and protection. Your ledger accounts, like your bins and racks, have been designed to hold and accumulate data pertaining to your financial transactions.

Your merchandise comes to you in a more or less segregated form. Your rivets are in boxes, a separate box for each size. Your sheets are received in bundles. But suppose your materials came to you in one grand, conglomerate mess—rivets and bolts of all sizes thrown into a nail keg, sheets dumped indiscriminately off a truck. You could not use them efficiently until you had sorted them, each size and kind in a pile by itself. Then you would place them in bins properly marked to show just what each contained.

Your business transactions come to your book-keeper in a grand conglomeration—both receipts and disbursements of cash, purchase invoices, charge sales, cost data for the several jobs in progress. These many and varied transactions must, like the keg full of rivets of all sizes and shapes, be sorted—each to its own place, and for this purpose we use journals. The typical business buys, sells, receives and disburses cash, and has frequent occasion to transfer amounts from one internal account to another. Thus, we present separate journals, each designed to best serve a specific purpose.

#### Sales Journal

We here illustrate a Sales Journal, which follows the general layout of the journal presented to you in 1930, except that we have provided new columns for Sales of Appliances—(Retail) and (Wholesale). In our discussion of these sales accounts in our December article we explained the two accounts for Sales of Appliances. This journal, then, is a sorting medium, wherein the bookkeeper records all sales, then classifies them as to Material, Labor and Appliances. The totals of all columns are carried for-

ward until the end of the month and we have a compound journal entry covering our sales for the month, thus:

Debit Accounts Receivable—
Credit Sales of Material.
Sales of Labor.
Sales of Appliances (Retail).
Sales of Appliances (Wholesale).

This journal, as you will plainly see, is a mere sorting and gathering medium for sales and without regard to payment. The sale is here recorded, and even though paid at time of sale, the cash transaction will come through the Cash Journal, to be discussed later.

#### Purchase Journal

This journal, also illustrated, is the sorting medium through which all purchases of materials, appliances, and supplies will be recorded. This journal, at the close of each month, is footed and balanced and from the column totals we obtain a compound journal entry, covering the month's purchases, and sorted properly for entry in the ledger accounts, thus:

Debit Supplies—
Materials.
Appliances.
General.
Credit Accounts Payable.

Here, as in the Sales Journal, we must enter all purchase invoices regardless of the fact that we may have paid one or more during the month. Here we sort our purchases, and the payment, being a cash transaction, will appear in the Cash Journal.

This Journal has two features which we believe require a few words of explanation. The first feature is the two columns headed "General" with columnar headings "Account" and "Amount." These are provided for the purpose of permitting the entry of a purchase invoice covering other than material, appliances or supplies. To illustrate, assume a purchase invoice covering a piece of shop equipment or office furniture. These two columns will provide a means of properly segregating such purchases. Enter the invoice in the usual manner, but instead of charging one of the three specific columns, enter the amount in "amount" column and in "account" column, show the name of the account

	CALEGO	
Date Invoice Receivable Wo. ORBIT	SALES JOURNAL  MONTH OF  193  DESCRIPTION  Job Subser of Males of	
	PURCHASE JOURNAL MONTH OF	
	GENERAL Bupplies Appliances Melecia) Invoice Date DESCRIPTION Payable PAI	
	of Journals Devised for 1938 Problems	1
	GENERAL JOURNAL MONTH OF 193	
DEBIT TONT SALES CONT SALES CONT SALE APPLIANCES CATESIAS CONT SALE LANGE	CREDITS	
	CASH JOURNAL  MONTH OF	GENERAL
	ACCOUNTS PAYABLE Discount Taken Resemble Resemble Discount Cascome Cas	DEST CARDY
Accounts Bisesont Revivable Alloward CAMP	CASH JOURNAL	
Several Discount Aligned CASH Aligned CASH CASH CASH CASH CASH CASH CASH CASH	Date	

The Editor, who admits he is not a bookkeeper, writes to say that the articles on bookkeeping appeared quite complicated, yet when the editor discussed the articles with his bookkeeper the articles were found to be clear and easily understood. Your bookkeeper can probably render a similar service to you. You may be able to lay out and fabricate a complicated dust flue, but your bookkeeper probably knows more about "debits and credits." Try the Editor's plan and see if your bookkeeper can't' help you understand bookkeeping.—J. G. DINGLE.

to be charged. In posting, it is necessary to post each item in this General column separately to the proper account. Of course, if only material be shown in the column headed "Material," we can safely post the column total to the account "Material" at the close of the month.

The second feature of this Purchase Journal which we wish to explain is the two columns at the right side of the form headed "Paid", one column headed "Date" and the other "Check No." If desired, this purchase journal may be used as a Voucher Register, thereby eliminating the necessity of an Accounts Payable Ledger. All invoices, as entered, are given a number and unpaid invoices should be kept together. As payments are made and entered in Cash Journal, the Invoice number is shown along with the amount, and in posting, instead of posting to the usual Accounts Payable Ledger account, the bookkeeper will turn to the Purchase Journal and on the line where that particular invoice number is registered, will check the amount of the invoice as there shown, then insert in "Paid" columns the date and check number. Items without data in "Paid" columns will then represent unpaid accounts, and should, each month, be reconciled with the balance appearing in Accounts Payable account in the ledger.

#### General Journal

This journal, as its name implies, is for purposes other than Sales, Purchases, or Cash. Its principal use will be to enter cost data at the close of job tickets. It is designed to conveniently permit charging costs of sales in the several divisions, with credits to Work In Progress. Another use will be to charge Work In Progress and credit Direct Labor and Materials, Appliances, etc., with labor and materials put into process. Then, too, there are the usual monthly entries covering depreciation, insurance, taxes, interest, etc., which will be entered through the "General" columns, and posted separately to their proper accounts. Of course, the column totals for the month will be posted for all specific columns, such as "Work In Progress," "Cost of Sales-Labor," etc.

#### Cash Journal

This journal is designed to serve both as a Cash Receipts and a Cash Disbursements journal. The Receipts section is sufficiently designated, and while we have provided specific columns for the more frequent disbursements, we have two blank columns which are available for special purposes as they arise and, in addition, we have provided under "General," debit and credit columns in which to properly enter transactions, either receipts or disbursements, for which there is no specific column.

These several journals are keyed with a letter in front of space provided for page number. By the use of these key letters your ledger entry may promptly show from what journal the transaction came. In hunting for trial balance errors, it is much easier to take off the month's postings in the ledger, segregating them according to the journals from which they came. This procedure permits the bookkeeper to locate, first the journal, then the erroneous posting, or lack of posting. If each journal, as taken off the ledger, balances, it is a foregone conclusion that the error is not in posting. It must, then, be an error in footing the accounts, or taking off the balances. The work sheet for taking off postings by journals should be somewhat as follows:

SALES		PURCHASES		GENERAL		CASH	
Debit	Credit	Debit	Credit	Debit	Credit	Debit	Credit

We now feel we have, in this and earlier articles, fully discussed the plan of accounts which will be found best suited to the typical shop of our readers.

We have here illustrated the several journals, which may be purchased from the Illinois Office Supply Company, Ottawa, who has kindly agreed to carry these forms in stock, thus permitting our readers to acquire these ruled forms at a saving over the cost of such forms made up in small quantities.

Again, permit us to remind our readers that we shall be pleased to have them submit their problems in accounting. Of course, it may be that you have a local accountant serving you, and in that case, we suggest that you discuss this series of articles with him. If your records are not as complete as you would like them and you desire to bring them up to date, you can, by adopting a plan used by many of your fellows, readily compare your operating results with those of others using the same plan of accounts. This is well worth considering.

### Composing Room Ventilating System

By G. R. Stearns

THE composing room in a newspaper plant offers problems in ventilation that sometimes are difficult to overcome because of the excessive heat given off from the lead melting pots on the linotype machines, the gases arising from these machines as the lead is melted, and, where gas-fired machines are used, the consumption of oxygen in the room. To operate a linotype machine it is necessary to heat the supply of lead to a temperature of approximately 550 degrees Fahrenheit, hence a battery of linotypes in a single room will throw-off a volume of heat sufficient to make working conditions both unhealthy and unpleasant, and consequently detract from the efficiency of the workers.

An interesting ventilating problem recently was met successfully in the composing room of the Chicago Journal of Commerce by the Western Ventilating and Engineering Company of Chicago, together with Engineer Samuel R. Lewis and Architect Frank D. Chase. The building is a rather old one and was not originally designed for a newspaper plant. It is four stories high with an English basement, the composing room being on the second floor. The first, third and fourth floors are devoted to editorial rooms and offices, with the press room, the stereotype room and the furnace for melting scrap lead and casting it into pigs located in the basement.

In the spring of 1936 the building was remodeled, the work including the installation of a ventilating system designed to provide six changes of tempered air per hour, or a change of air every ten minutes.

The drawing on the next page shows the plan of the new exhaust system, location of intakes and apparatus and an elevation showing layout at floor girders. A detail shows the fan arrangement.

The air supply is heated to a temperature of between 70 degrees and 80 degrees. This system serves the entire building, with the exception of the basement and the toilet rooms on each of the four upper floors. There is also an exhaust system designed to exhaust approximately 75 per cent of the air supplied to the building. This is accomplished by means of exhaust fans of the propeller type located along the west wall of each floor. These

fans are of two different sizes, 12-inch and 16-inch. The 12-inch fans have a capacity of 1,000 cfm, while the 16-inch fans have a rating of 1,600 cfm, free air delivery.


There are two of these propeller fans on the first, second and fourth floors, and three on the third floor where the main editorial room is located. This room is a busy place, rather congested, with a great deal of smoking being done by the occupants, and as a result needs good ventilation.

#### Air Supply System

The air intake for the main ventilating system is located above the roof line of the building, the large ventilating unit being enclosed in a soundproof room on the fourth floor. From the intake, the air is drawn through a dry type, throw-away filtering unit located in the soundproof room, there being fifteen sections of 20x20-inch throw-away filters. The air then passes through a copper fin-type heating coil, consisting of four sections of 24x60-inch coils installed in vertical position, the coils being set two wide and two deep, one in back of the other. There is an electrical temperature control system in connection with the heating coils. As an economy measure, the electric controls were not installed when the main ventilating system was put in, but following a trial period it was discovered that they were needed in order to make the system operate properly. The air then passes through the main supply fan, also located in the soundproof room, and is distributed throughout the building, with the exception of the basement and the toilet rooms. This supply fan has a capacity of 11,535 cfm, and is equipped with a 3-hp. motor of 1,200 rpm.

All toilet rooms are ventilated by means of a separate system which exhausts the air only, the outlet being at the roof. The equipment for this is located on the fourth floor and consists of a centrifugal type blower of 1,500 cfm capacity, equipped with a ½ hp. motor.

Special provision has also been made for ventilating the basement, where the problem of fumes and gases arising from the lead furnace, the stereotype machine, and the casting machine was particularly troublesome. It was not desirable to have the basement system connected with the main system. The basement installation consists of a process exhaust system with a separate outlet to the roof. A high-speed exhaust fan of 1,000 cfm capacity was installed in the basement to handle



the ventilating. A galvanized hood, which connects with the exhaust system, has been placed over the casting machine to carry off the gases and fumes from this apparatus. There is a unit heater in the basement for the supply.

The main system and the special systems for the basement and the toilet rooms operated satisfactorily following installation, after a few adjustments such as installation of the electric controls on the main system, but there were many complaints from workers in the composing room regarding the disagreeable condition of the air.

#### Composing Room Conditions

The composing room at the Journal of Commerce is a difficult type of room to ventilate properly, for it was not designed originally for industrial use. The ceiling is low, the room is long and narrow, there are no windows along the east wall, and only two or three windows along the west wall. The north and south exposures, where there are ample windows, must be depended upon mainly for any natural ventilation.

The room contains twenty-five linotype machines, each equipped with a lead melting pot where the lead is heated to a temperature of about 550 degrees Fahrenheit, a Ludlow machine, which also has a metal pot, and a gas-fired machine for "rolling" newspaper mats. Six of the linotypes are heated by gas, the gas flames consuming a large amount of oxygen. It was not uncommon for the temperature in the composing room to mount as high as 110 degrees during the summer, and in the winter 95 degrees was frequently encountered. The layout of the room made it difficult to improve conditions by opening windows, and in the winter to do so made it too cold for those near the open windows to continue work.

#### The Exhaust System

The problem was placed with the architect, the engineer and the contracting firm for solution, and it was decided that a separate exhaust system should be installed to serve the composing room alone which would augment the ventilation provided by the main system. After considering the problem from all angles, it was decided that the most feasible way of overcoming the existing difficulty would be to make the exhaust system predominate over the supply in this particular room. Originally, when the composing room was served only by the main ventilating system, the supply predominated the same as in the rest of the building, only about 75 per cent of the air being exhausted. The result was that not all of the foul air was exhausted.

The duct work of the newly installed exhaust system in the composing room consists of two lines, one on each side of the room. Galvanized iron of 22-gauge and 24-gauge was used for the ducts. The sizes of the ducts vary, of course, as the lines progress. At the extreme ends of the lines, farthest away from the outlet, ducts are 16 inches wide by

10 inches deep, increasing to 36 inches by 10 inches, and increasing further to 45 inches by 8 inches.

There are seven inlet points along these two duct lines, the seven inlets having a total capacity of 4,700 cfm. The capacity of each of these inlets is as follows: 1,000 cfm, 300 cfm, 400 cfm, two inlets of 600 cfm, and two of 900 cfm.

Existing ceiling beams, sprinkler system pipes and electric conduits presented difficulties that had to be met in designing the duct system. The beams and pipes made it necessary to raise and drop the lines frequently. In some cases the ducts were run above the pipes and at other times they were run below the pipes.

#### Air Capacity Data

The room contains approximately 50,000 cubic feet, and the newly installed exhaust system, as previously mentioned, expels approximately 4,700 cfm. Theoretically, an additional 3,200 cfm is expelled by the two propeller fans which are a part of the main ventilating system, or a total exhaust of 7,900 cfm. Actually, however, this volume of air is not exhausted, due to the fact that the propeller fans do not operate at capacity under the new arrangement. The air supply to the composing room totals 4,600 cfm, without taking into consideration the natural leakage into the room from stairways, windows, etc. The system for this room has been designed so that the exhaust will predominate over the supply by approximately 25 per cent.

An interesting feature of the installation is the manner in which the large exhaust fan and motor have been placed in the air chute which leads to the roof. The dimensions of the air chute are 45x26 inches. The fan is of 5,000 cfm capacity, of the double width, double inlet type. The motor, of 2 hp capacity, 1,750 rpm, is mounted on a platform below the fan. In mounting the fan, a one-inch layer of cork insulation was used to prevent vibration noises. The accompanying drawing shows the details of this feature of the job.

Measurements for the metal work were taken off the architect's drawings by Western Ventilating and Engineering Company, and later verified in the building

All of the metal work was fabricated in the Western Ventilating and Engineering Company's shop because of the better working conditions there. This method was followed both in the installation of the main system and for the special composing room job. It would have been next to impossible to do the fabricating on the job in this particular case due to the extremely crowded working conditions. It is the usual practice of the Western Ventilating and Engineering Company to fabricate in its own shop, the only exception being large installations were there is ample space to do the fabricating on the job.

In assembling the job, the pieces were made up in 6-foot and 8-foot lengths as most convenient for the erection process. Angles and slips were used for the connections.



No. 75 DUPLEX

For Pittsburgh Locks, Drive Cleats, etc.

PRECISION! Rolls are set by a positive-action handwheel with a dial graduated in thousandths. DURABILITY! Individual helicalgear drive on each roll and heavy needle roller bearings insure that the machine will stand up under severe service. CAPACITY! A double set of rolls, one front and one back, permit greater production and greater variety of work. APPEARANCE! Neat, modern design, with all moving parts covered and an apron base extending to the floor. AN IMPOR-TANT NEW MACHINE

WITH MANY MAJOR IMPROVEMENTS!

SEND

FOR

NEW

AND

PRICES

CIRCULAR

BEARING PUNCHES

ANGLE IRON SHEARS NOTCHERS BENDERS

PORTABLE BENDING BRAKES

HAND SHEARS

FOOT PRESSES

ROLLER BEARING PUNCHES

COMBINATION BENDING BRAKES

MISCELLANEOUS TOOLS OF ALL KINDS

Whitney-JENSEN OVER 80 ITEMS

tion - the Tools You Need Today! For 25 years we have specialised in the manufacture of metal-working tools and machinery. See our Dealers!

### AMERICAN ARTISAN

January, 1938

# SHOW SECTION



At the Grand Central Palace

At the Roosevelt
Annual Meeting of the
National Warm Air Heating and
Air Conditioning Association

At the Biltmore
Annual Meeting of the
American Society of
Heating and Ventilating Engineers

At the Roosevelt Annual Meeting of the American Society of Refrigerating Engineers

### New York—January 24—28

Industry Takes Over New York	66
Program of National Warm Air Heating and	
Air Conditioning Association	68
List of Exposition Exhibitors	69
Floor Plans of Exhibit Space	70



## The Industry Takes Over New York

January 24-28

THE heating, air conditioning and refrigeration industries are holding their annual meetings and biennial exposition in New York the last week of January.

At the Grand Central Palace some 300 manufacturers are displaying their products in the 5th International Heating, Ventilating and Air Conditioning Exposition. On other pages of this section will be found floor plans of the exhibit spaces and a complete list of exhibitors with their booth numbers.

At the Roosevelt Hotel the National Warm Air

Heating and Air Conditioning Association holds its 41st convention and celebration of the 20th anniversary of its research activities. A glance at the program of this meeting on a following page shows that the arrangements committee has assembled notable speakers and selected highly important subjects for presentation and discussion.

of

pr

During the same week the American Society of Heating and Ventilating Engineers and the American Society of Refrigerating Engineers are meeting in annual sessions, the heating and venti-

### THE WEEK AT A GLANCE

EVENTS:

5th International Heating, Ventilating and Air Conditioning Exposition.

41st Convention, National Warm Air Heating and Air Conditioning Association.

44th Annual Meeting, American Society of Heating and Ventilating Engineers.

33rd Annual Meeting, American Society of Refrigerating Engineers.

PLACE:

New York City.

Exposition—Grand Central Palace.

N.W.A.H.A.C. Assn.-Roosevelt Hotel.

A.S.H.V.E .- Hotel Biltmore.

A.S.R.E.—Roosevelt Hotel.

TIME:

Exposition—Opens 2:00 p. m., Monday, January 24, and 12 Noon other days. Closes 10:30 p. m. each evening. January 24-28

N.W.A.H.A.C. Assn. — Committee and board meetings Monday, January 24. Technical and business sessions Tuesday and Wednesday, January 25 and 26. Joint session with A.S.H.V.E. Tuesday, 2:00 p. m.

A.S.H.V.E. — Registration, committee meetings Monday, January 24, 9:30 a.m. Technical Sessions: Tuesday, Wednesday, Thursday and Friday, January 25, 26, 27 and 28. Joint session A.S.H.V.E.-N.W.A. H.A.C. Assn. Tuesday, 2:00 p. m. Joint session A.S.H.V.E.-A.S.R.E., Wednesday, 2:00 p. m.

A.S.R.E.—Technical sessions, Tuesday, Wednesday and Thursday, January 25, 26 and 27. Joint meeting with A.S.H.V.E. Wednesday, 2:00 p. m.

lating group at the Biltmore and the refrigeration group at the Roosevelt. There will be a joint session between the National Warm Air Heating and Air Conditioning Association and the American Society of Heating and Ventilating Engineers on Tuesday afternoon, January 25, at the Biltmore. Also, the two groups join together for their entertainment, as shown on the program.

The Exposition is going to be the biggest thing of its kind held in its history. Manufacturers of products of interest to AMERICAN ARTISAN readers will dominate the three floors of displays and the visitor will find many new developments and ideas to guide him in the coming year.

On show will be the latest in air conditioning units and furnaces, air filters, air washers, bearings, belts and transmission drives, blower-filter

units, cooling and heating coils, refrigerating compressors, controls, fans and blowers, coal, gas and oil-fired furnaces, humidifiers, indicating, recording and testing instruments, insulation, motors, oil burners, pumps, registers and grilles, sheet metal tools and machinery, sheets, stokers, etc. Hundreds of representatives of the different manufacturers will be on hand to explain and answer questions. Many of the exhibits will be operating.

It is evident from this brief summary that the opportunity for worth-while contacts and for absorbing valuable information could not easily be paralleled in any other way. It is a big week that should well repay the time spent in doing it in a big way. An unusually large attendance is assured from all advance signs.

# PROGRAM

# 41st Convention and Celebration of 20th Anniversary of Research Activities of

### NATIONAL WARM AIR HEATING AND AIR CONDITIONING ASSN.

January 24, 25, 26, 1938 Roosevelt Hotel New York, N. Y.

#### MONDAY, JANUARY 24

See Hotel Bulletin for Meeting Rooms

Board of Directors 9:30	A.	Μ.
Installation Codes Committee10:00	A.	Μ.
Research Advisory Committee10:00	A.	M.
Technical Educational Committee		

#### TUESDAY MORNING, JANUARY 25

Grand Ballroom—Roosevelt Hotel Chairman, President W. L. Rybolt

8:30 a. m.—Registration

Please register. No charge.

9:30 a. m.—Call to Order and Announcements Our President's Message

10:00 a. m.—Address

Arthur Cutts Willard, President University of Illinois

10:30 a. m.—"What's Ahead in Residence Building?"

Thomas S. Holden, F. W. Dodge Corp.,
New York, N. Y.

The Honorable Mayor of New York, F. H. LaGuardia

"The Legislative straight-Jacket on Business" Honorable Emanuel D. Celler, New York N. Y.

"The Value of Cooperation Between the Architect and Our Industry" C. A. Kissinger, Youngstown, O.

12:30 p. m.-RECESS

#### TUESDAY AFTERNOON, JANUARY 25

2:00 P. M.

Biltmore Hotel—43d St. at Madison Ave.

Joint Meeting with the American Society of Heating and

Ventilating Engineers

Chairmen-

D. S. Boyden, President American Society of Heating and Ventilating Engineers

W. L. Rybolt, President National Warm Air Heating and Air Conditioning Association Address F. G. Sedgwick, Chairman of our Research Advisory Committee

"Fundamentals Developed from Twenty Years of Research"

Prof. A. P. Kratz, University of Illinois "Air Distribution from Side Wall Outlets"

D. W. Nelson and D. J. Stewart "Condensation Within Walls"

Prof. F. B. Rowley, A. B. Algren and C. E. Lund

4:30 p. m. ADJOURNMENT

#### TUESDAY EVENING, JANUARY 25

10:00 p. m.—Night club party, International Casino, Times Square. Jointly with A.S.H.V.E. and A.S.R.E.

#### WEDNESDAY MORNING, JANUARY 26

Grand Ball Room-Roosevelt Hotel

Chairman-Vice President C. A. Olsen

9:30 a. m.-Research Session

Report and Observations

F. G. Sedgwick, Research Committee Chairman, Minneapolis, Minn.

Latest from our investigation of summer cooling

The Trend in Furnace Sizes

Heat Losses and Temperature Drops in Forced Air Ducts

Prof. S. Konzo and R. B. Engdahl, Research Assistant

#### WEDNESDAY AFTERNOON

Chairman-President W. L. Rybolt

1:30 p. m.—Our Installation Codes Prof. J. D. Hoffman

2:30 p. m.—"Recent Developments in the Filtration of Air" H. E. Birkholz, Louisville, Ky.

3:00 p. m.—"Meeting Outside Competition or Comparative Values" Frank E. Mehrings, Peoria, III.

3:30 p. m.—Election of Officers Final Adjournment


# List of Exposition Exhibitors

Name of Exhibitor Addr	ess Booth	No.	Name of Exhibitor	Address	Booth No.
Adams Engineering Co Chicago Advance Engineering Co New Yo Aerofin Corp Syracus	e, N. Y2	88-289 230	Bryant Heater Co Buffalo Forge Co Burnham Boiler Corp	Buffalo, N. Y.	26-27
Air Conditioning Blue BookChicago Air Conditioning combined with Oil HeatNew Yo			Carbondale Division, Worth- ington Pump & Machinery Corp.		412 414
Air Conditioning Distributors Co New Ye	ork N V	454	Carey Co., Philip		
Air Conditioning TrendsChicago Air Controls, Inc., Div. of	, Ill	42	Carnegie-Illinois Steel Corp Carrier Corp	Pittsburgh, Pa	
Cleveland Heater CoClevelar Air Devices Corp. (Thermal Units Mfg. Co.)Meriden			Carter Coal Co., Inc Cashin Co., W. D Celotex Corp.	So. Boston, Mas	88332-333
Air-Maze Corp Clevelar			Century Electric Co		
Airtemp, Inc., A Subsidiary	0	7.0	Century Engineering Corp		
of Chrysler CorpDayton, Airtherm Manufacturing CoSt. Loui			Chace Co., W. M		
Alco Valve Co., Inc St. Loui			Chicago Pump Co Cole-Sullivan Engineering Co	Chicago, Ill Minneapolis. M	inn
Aldrich CoPeoria,	111 46	33-464	Columbia Steel Co		
Allis-Chalmers Mfg. CoMilwaul			Condensation Engineering		
Alpha Steam Specialty Co New Yo American Air Filter Co., Inc., Louisvil			Corp		
American Artisan Chicago			Cook Electric Co		
American Blower Corp Detroit,			Cork Import Corp		
American Brass Co Waterb	ary, Conn	65	Crane Co		54-55
American Gas Products Corp., New Yo	rk, N. Y	5	Crowe Name Plate & Mfg.		979
American Machine & Metals, Inc., De Bothezat Ventilat- ing Equipment DivNew Yo	rk, N. Y	215	Cruickshank Co	Sunbury, Pa	237-245
American Metal Hose Branch, American Brass Co Waterby American Oil Burners &	ıry, Conn	65	Cyclone Fence Co		
Heating Utilities Brookly	n, N. Y	214	Davidson Fan Co	. Newton, Mass.	
American Radiator Co New Yo	rk, N. Y2	to 6	Davies Air Filter Corp		
American Rolling Mill Co, Middleto	own, O	69	Dayton Rogers Mfg. Co		
American Society of Heating & Ventilating EngineersNew Yo American Society of Refrig-	rk, N. Y.A-Main	Floor	Dayton Rubber Mfg. Co  DeBothezat Ventilating Equipment Div., American	Dayton, O	334-335
erating Engineers New Yo American Steel and Wire Co Chicago,			Machine and Metals, Inc Deegan Regulator Co		
Anchor Post Fence Co Baltimor			Delco-Frigidaire Condition-		
Anderson Products, Inc Cambrid			Detroit Lubricator Co		
Anemostat Corp. of America. New Yor Anthracite Industries, Inc New Yor			Dole Valve Co		
	45, 283 to 287, 300 t		Domestic Engineering		
Apex Electric Mfg. Co Clevelan			Dooley, Walter F		
Armstrong Cork Products Co., Lancaste Armstrong Machine Works, Three R			Dreis & Krump Mfg. Co	•	
Auburn Automobile Co., Air	ivers, Mich20	0-200	Dresser Mfg. Co., S. R Dunham Co., C. A		
Conditioning Div Chicago,			Duo-Therm Division, Motor		
Auer Register Co Clevelan			Wheel Corp	Lansing, Mich.	561-562
Auto-Heat CorpNew Yor Automatic Burner CorpChicago,			Dupont Fuel Oil Burner Co., Inc	Brooklyn, N. Y	497
Automatic Heat & Air Con-					
ditioning	Ill	11 1-262	Eagle-Picher Sales Co Economy Pumping Machin- ery Co		
Automatic Temperature Con- trol, Inc			Electric Air Heater Co., Div., American Foundry Equip-	, New York, 14.	1
Autovent Fan and Blower Co., Chicago, Babcock & Wilcox Co., Re-			ment Co Electric Furnace Man, Inc		
fractories Div New Yor	k, N. Y53	3-534	Electrol, Inc		
Baker Ice Machine Co., IncOmaha,	Neb	45	Electronic Control Corp Emerson Electric Mfg. Co		
Baldor Electric CoSt. Louis Baldwin-Hill CoTrenton,	N J	442	Evans Corp., George		
Balloffet Dies and Nozzle Co., Inc			Fairbanks, Morse & Co		
Barber-Colman Co Rockford	d, Ill 323-32	4-325	Fairfield Oil Heating Co., Inc	Greenwich Cor	n 429
Barnes & Jones, Inc Boston,	Mass 31:	2-313	Fedders Manufacturing Co		
Beaton and Cadwell Mfg. Co., New Bri Beaver Pipe Tools, Inc., Warren,	O. Conn	28-E	Field Manufacturing Co		
Bell & Gossett CoChicago,	Ill	28-W	Fitzgibbons Boiler Co., Inc	. New York, N.	Y64
Bethlehem Steel Co Bethlehe	m, Pa	71	Fluid Heat Div., Anchor Post Fence Co	Baltimore, Md.	508-509-510
Binks Mfg. Co Chicago,	III490-491	1-492	Fox Furnace Co		
Black & Decker Mfg. Co Towson,			Frick Co	. Waynesboro, Pa	74
Boiler Room Equipment, Inc New You Breuer Electric Mfg. Co Chicago,			Friez & Sons, Inc., Julien P.,		
Brown Instrument Co., Div.			Fuel Oil Journal		
of Minneapolis-Honeywell Regulator Co	ohia, Pa1	19-20	Furblo Co		


#### FLOOR PLANS OF EXHIBIT SPACE



Main Floor Plan of Exhibit Space



Mezzanine Floor Plan of Exhibit Space



Third Floor Plan of Exhibit Space

### Exhibitors [Continued]

General Controls Co San Francisco, Cal	Name of Exhibitor	Address	Booth No.
Conditioning Dept. Bloomfield, N. J. 7 General Electric Co. Schenectady, N. Y. 24 General Fittings Co. Providence, R. I. 409-410 General Oil Heating Corp. West New York, N. J. 455 General Refrigeration Corp. Rockford, Ill. 221 Genesee Electric Products Co. Rochester, N. Y. 530 Gilbert & Barker Mfg. Co. Springfield, Mass. 545 to 549 Gilbert & Son, Inc., Harry E. Bridgeport, Conn. 259 Grinnell Co., Inc. Providence, R. I. 332-333 Grob Brothers Grafton, Wis. 470  Harris & Co., Arthur Chicago, Ill. 489 Harsch Co., Inc., H. Maplewood, N. J. 496 Hart & Cooley Manufacturing Co. Holland, Mich. 22 Heating & Ventilating New York, N. Y. 277 Heating Journals, Inc. New York, N. Y. 83-84 Heating, Piping and Air Conditioning Chicago, Ill. 42 Hell Co. Milwaukee, Wis. 23 Henry Furnace & Foundry Co. Cleveland, O. 210A-210B-210C Henry Valve Co. Chicago, Ill. 431 Hershey Machine & Foundry Co. Manheim, Pa. 237-245 Hinrichsen, Inc., A. F. New York, N. Y. 515 Hoffman Specialty Co. New York, N. Y. 58-59	General Controls Co	. San Francisco,	Cal507
General Fittings Co.         Providence, R. I	General Electric Co., Air Conditioning Dept	. Bloomfield, N.	J7
General Oil Heating Corp.         West New York, N. J.         .455           General Refrigeration Corp.         Rockford, Ill.         .221           Genesee Electric Products Co.         Rochester, N. Y.         .530           Gilbert & Barker Mfg.         Co.         Springfield, Mass.         .545 to 549           Gilbert & Son, Inc., Harry E.         Bridgeport, Conn.         .259           Grinnell Co., Inc.         Providence, R. I.         .332-333           Grob Brothers         Grafton, Wis.         .470           Harris & Co., Arthur         Chicago, Ill.         .489           Harsch Co., Inc., H.         Maplewood, N. J.         .496           Hart & Cooley Manufacturing Co.         Holland, Mich.         .22           Heating & Ventllating         New York, N. Y.         .277           Heating Journals, Inc.         New York, N. Y.         .83-84           Heating, Piping and Air Conditioning         Chicago, Ill.         .42           Heil Co.         Milwaukee, Wis.         .23           Henry Furnace & Foundry Co.         Cleveland, O210A-210B-210C           Henry Valve Co.         Chicago, Ill.         .431           Hershey Machine & Foundry Co.             Co.	General Electric Co	. Schenectady, N	V. Y24
General Refrigeration Corp Rockford, Ill.         .221           Genesee Electric Products Co Rochester, N. Y	General Fittings Co	. Providence, R.	I409-410
Genesee Electric Products Co. Rochester, N. Y	General Oil Heating Corp	. West New Yor	k, N. J455
Gilbert & Barker Mfg. Co.         Springfield, Mass.         .545 to 549           Gilbert & Son, Inc., Harry E.         Bridgeport, Conn.         .259           Grinnell Co., Inc.         Providence, R. I.         .332-333           Grob Brothers         Grafton, Wis.         .470           Harris & Co., Arthur         Chicago, Ill.         .489           Harsch Co., Inc., H.         Maplewood, N. J.         .496           Hart & Cooley Manufacturing Co.         Holland, Mich.         .22           Heating & Ventilating         New York, N. Y.         .277           Heating Journals, Inc.         New York, N. Y.         .83-84           Heating, Piping and Air Conditioning         Chicago, Ill.         .42           Hell Co.         Milwaukee, Wis.         .23           Henry Furnace & Foundry Co.         Cleveland, O 210A-210B-210C           Henry Valve Co.         Chicago, Ill.         .431           Hershey Machine & Foundry Co.         Manheim, Pa.         .237-245           Hinrichsen, Inc., A. F.         New York, N. Y.         .515           Hoffman Specialty Co.         New York, N. Y.         .58-59	General Refrigeration Corp	. Rockford, Ill.	221
Gilbert & Son, Inc., Harry E. Bridgeport, Conn	Genesee Electric Products Co.	. Rochester, N.	Y530
Grinnell Co., Inc.         Providence, R. I.         332-333           Grob Brothers         Grafton, Wis.         .470           Harris & Co., Arthur.         Chicago, Ill.         .489           Harsch Co., Inc., H.         Maplewood, N. J.         .496           Hart & Cooley Manufacturing Co.         Holland, Mich.         .22           Heating & Ventilating         New York, N. Y.         .277           Heating Journals, Inc.         New York, N. Y.         .83-84           Heating, Piping and Air Conditioning         Chicago, Ill.         .42           Heil Co.         Milwaukee, Wis.         .23           Henry Furnace & Foundry Co.         Cleveland, O 210A-210B-210C           Henry Valve Co.         Chicago, Ill.         .431           Hershey Machine & Foundry Co.         Manheim, Pa.         .237-245           Hinrichsen, Inc., A. F.         New York, N. Y.         .515           Hoffman Specialty Co.         New York, N. Y.         .58-59	Gilbert & Barker Mfg. Co	. Springfield, Ma	iss545 to 549
Grob Brothers       Grafton, Wis.       .470         Harris & Co., Arthur.       Chicago, Ill.       .489         Harsch Co., Inc., H.       Maplewood, N. J.       .496         Hart & Cooley Manufacturing Co.       .Holland, Mich.       .22         Heating & Ventilating       New York, N. Y.       .277         Heating Journals, Inc.       New York, N. Y.       .83-84         Heating, Piping and Air Conditioning       Chicago, Ill.       .42         Heil Co.       Milwaukee, Wis.       .23         Henry Furnace & Foundry Co.       Cleveland, O 210A-210B-210C         Henry Valve Co.       Chicago, Ill.       .431         Hershey Machine & Foundry Co.       Manheim, Pa.       .237-245         Hinrichsen, Inc., A. F.       New York, N. Y.       .515         Hoffman Specialty Co.       New York, N. Y.       .58-59	Gilbert & Son, Inc., Harry E.	.Bridgeport, Co	nn259
Harris & Co., Arthur.       Chicago, Ill.       .489         Harsch Co., Inc., H.       Maplewood, N. J.       .496         Hart & Cooley Manufacturing Co.       Holland, Mich.       .22         Heating & Ventllating.       New York, N. Y.       .277         Heating Journals, Inc.       New York, N. Y.       .83-84         Heating, Piping and Air Conditioning.       Chicago, Ill.       .42         Heil Co.       Milwaukee, Wis.       .23         Henry Furnace & Foundry Co.       Cleveland, O.       .210A-210B-210C         Henry Valve Co.       Chicago, Ill.       .431         Hershey Machine & Foundry Co.       Manheim, Pa.       .237-245         Hinrichsen, Inc., A. F.       New York, N. Y.       .515         Hoffman Specialty Co.       New York, N. Y.       .58-59	Grinnell Co., Inc	. Providence, R.	I332-333
Harsch Co., Inc., H.       Maplewood, N. J.       496         Hart & Cooley Manufacturing Co.       Holland, Mich.       22         Heating & Ventilating.       New York, N. Y.       277         Heating Journals, Inc.       New York, N. Y.       83-84         Heating, Piping and Air Conditioning.       Chicago, Ill.       42         Heil Co.       Milwaukee, Wis.       23         Henry Furnace & Foundry Co.       Cleveland, O.       210A-210B-210C         Hershey Machine & Foundry Co.       Chicago, Ill.       431         Hershey Machine & Foundry Co.       Manheim, Pa.       237-245         Hinrichsen, Inc., A. F.       New York, N. Y.       515         Hoffman Specialty Co.       New York, N. Y.       58-59	Grob Brothers	. Grafton, Wis.	470
Harsch Co., Inc., H.       Maplewood, N. J.       496         Hart & Cooley Manufacturing Co.       Holland, Mich.       22         Heating & Ventilating.       New York, N. Y.       277         Heating Journals, Inc.       New York, N. Y.       83-84         Heating, Piping and Air Conditioning.       Chicago, Ill.       42         Heil Co.       Milwaukee, Wis.       23         Henry Furnace & Foundry Co.       Cleveland, O.       210A-210B-210C         Hershey Machine & Foundry Co.       Chicago, Ill.       431         Hershey Machine & Foundry Co.       Manheim, Pa.       237-245         Hinrichsen, Inc., A. F.       New York, N. Y.       515         Hoffman Specialty Co.       New York, N. Y.       58-59			
Harsch Co., Inc., H.       Maplewood, N. J.       496         Hart & Cooley Manufacturing Co.       Holland, Mich.       22         Heating & Ventilating.       New York, N. Y.       277         Heating Journals, Inc.       New York, N. Y.       83-84         Heating, Piping and Air Conditioning.       Chicago, Ill.       42         Heil Co.       Milwaukee, Wis.       23         Henry Furnace & Foundry Co.       Cleveland, O.       210A-210B-210C         Hershey Machine & Foundry Co.       Chicago, Ill.       431         Hershey Machine & Foundry Co.       Manheim, Pa.       237-245         Hinrichsen, Inc., A. F.       New York, N. Y.       515         Hoffman Specialty Co.       New York, N. Y.       58-59	Harris & Co., Arthur	. Chicago, Ill	
Hart & Cooley Manufacturing Co.       Holland, Mich.       22         Heating & Ventilating.       New York, N. Y.       277         Heating Journals, Inc.       New York, N. Y.       83-84         Heating, Piping and Air Conditioning.       Chicago, Ill.       42         Heil Co.       Milwaukee, Wis.       23         Henry Furnace & Foundry Co.       Cleveland, O.       210A-210B-210C         Henry Valve Co.       Chicago, Ill.       431         Hershey Machine & Foundry Co.       Manheim, Pa.       237-245         Hinrichsen, Inc., A. F.       New York, N. Y.       515         Hoffman Specialty Co.       New York, N. Y.       58-59			
Heating & Ventilating       New York, N. Y.       277         Heating Journals, Inc.       New York, N. Y.       83-84         Heating, Piping and Air Conditioning       Chicago, Ill.       42         Heil Co.       Milwaukee, Wis.       23         Henry Furnace & Foundry Co.       Cleveland, O210A-210B-210C         Henry Valve Co.       Chicago, Ill.       431         Hershey Machine & Foundry Co.       Manheim, Pa.       237-245         Hinrichsen, Inc., A. F.       New York, N. Y.       515         Hoffman Specialty Co.       New York, N. Y.       58-59			
Heating Journals, Inc.       New York, N. Y.       83-84         Heating, Piping and Air Conditioning       Chicago, Ill.       42         Heil Co.       Milwaukee, Wis.       23         Henry Furnace & Foundry Co.       Cleveland, O210A-210B-210C         Henry Valve Co.       Chicago, Ill.       431         Hershey Machine & Foundry Co.       Manheim, Pa.       237-245         Hinrichsen, Inc., A. F.       New York, N. Y.       515         Hoffman Specialty Co.       New York, N. Y.       58-59			
Heating, Piping and Air Conditioning	Heating & Ventilating	New York, N.	Y277
Conditioning         Chicago, Ill.         42           Heil Co.         Milwaukee, Wis.         23           Henry Furnace & Foundry Co.         Cleveland, O. 210A-210B-210C           Henry Valve Co.         Chicago, Ill.         431           Hershey Machine & Foundry Co.         Manheim, Pa.         237-245           Hinrichsen, Inc., A. F.         New York, N. Y.         515           Hoffman Specialty Co.         New York, N. Y.         58-59	Heating Journals, Inc	. New York, N. !	Y83-84
Heil Co.       Milwaukee, Wis.       23         Henry Furnace & Foundry Co.       Cleveland, O. 210A-210B-210C         Henry Valve Co.       Chicago, Ill.       431         Hershey Machine & Foundry Co.       Manheim, Pa.       237-245         Hinrichsen, Inc., A. F.       New York, N. Y.       515         Hoffman Specialty Co.       New York, N. Y.       58-59	Heating, Piping and Air		
Henry Furnace & Foundry Co.         Cleveland, O. 210A-210B-210C           Henry Valve Co.         Chicago, Ill.         431           Hershey Machine & Foundry Co.         Manheim, Pa.         237-245           Hinrichsen, Inc., A. F.         New York, N. Y.         515           Hoffman Specialty Co.         New York, N. Y.         58-59			
Co.         Cleveland, O		. Milwaukee, Wi	s 23
Henry Valve Co.       Chicago, Ill.       .431         Hershey Machine & Foundry	Henry Furnace & Foundry	Claveland O	910A 910D 910C
Hershey Machine & Foundry         Co.         Manheim, Pa.         237-245           Hinrichsen, Inc., A. F.         New York, N. Y.         515           Hoffman Specialty Co.         New York, N. Y.         58-59			
Co.		. Chicago, In	
Hinrichsen, Inc., A. FNew York, N. Y515 Hoffman Specialty CoNew York, N. Y58-59	Co	. Manheim. Pa	237-245
Hoffman Specialty Co New York, N. Y 58-59			
***************************************			
Ilg Electric Ventilating CoChicago, Ill68	He Electric Ventilating Co	. Chicago, Ill	68
Illinois Engineering CoChicago, Ill81-82			
Illinois Testing Laboratories,			
Inc	Inc	.Chicago, Ill	38

Name of Exhibitor	Address	Booth No.
Imperial Brass Mfg. Co Independent Air Filter Co Independent Register Co Industrial Press Ingersoll-Rand Co Insto-Gas Corp.	Chicago, Ill Cleveland, O New York, N. Y.	
James Regulator Co	. Chicago, Ill New York, N. Y . New York, N. Y . Philadelphia, P . Milwaukee, Wis . Joliet, Ill	Y
Kaustine Co., Inc	.Chicago, IllDetroit, MichRome, N. YKewanee, IllChicago, IllStroudsburg, Pa	
Koven & Bros., L. O		
Lamneck Products, Inc  Lau Blower Co  Lochinvar Corp.  Lycoming Mfg. Co., Spencer  Heater Div.  Lynn Products Co	. Dayton, O Detroit, Mich Williamsport, P	265-266 502-503-504

### Exhibitors [Continued]

Name of Exhibitor	Address	Booth No.
Maas & Waldstein Co  Macrae, Inc. Malleable Iron Fittings Co Marsh Corp., Jas. P Marsh Tritrol Co Maurey Mfg. Corp May Oil Burner Corp McDonnell & Miller Mercoid Corp. Meyer & Bro. Co F Meyer Furnace Co Michigan Tank & Furnace Corp. Micro-Westco Inc. Milwaukee Valve Co Minneapolis-Honeywell Regulator Co Mojonnier Bros. Co Modine Mfg. Co Montgomery Bros. Motor Equipment Co Motor Wheel Corp., Duo-Therm Div.	Brooklyn, N. Y. Branford, Conn. Chicago, Ill Chicago, Ill	
Mueller Brass Co	Milwaukee, Wis.	,32-33
Nash Engineering Co National Radiator Corp National Regulator Co., Division, Minneapolis- Honeywell Regulator Co	Johnstown, Pa	76-77
National Sheet Metal Con- tractor National Tube Co Nesbitt, Inc., John J	Pittsburgh, Pa	a52-53 adelphia,
New York French Range		
Oliver & McClellam, Inc Owens-Illinois Glass Co	New York, N. Y Toledo, O	481-482
Patterson-Kelley Co., Inc, Penn Electric Switch Co Perfection Stove Co Perfex Corp., Controls Div Perfex Corp., Unit Heater Div Petroleum Heat and Power Co. Petrometer Corp.	Goshen, Ind Cleveland, O Milwaukee, Wis. Milwaukee, Wis. Stamford, Conn	310-311 15C 12 39
Plibrico Jointless Firebrick		290-415-416
Plumbing & Heating News  Plumbing & Heating Trade  Journal  Preferred Utilities Mfg, Corp  Propellair Inc.	Chicago, Ill New York, N. Y. New York, N. Y.	11 $263$ $254-255$
Randall Graphite Products Corp. Refractory & Insulation Corp. Refrigeration & Air Conditioning Institute, Inc. Refrigeration Appliances, Inc. Rega Mfg. Co. Reif-Rexoil, Inc. Republic Steel Corp. Reynolds Corp. Richardson & Boynton Co.	New York, N. Y Chicago, Ill Chicago, Ill Rochester, N. Y Buffalo, N. Y Cleveland, O New York, N. Y	
Richmond Engineering Co., Inc	Cleveland, O Elyria, O New York, N. Y	250-251 483-484 336
Sangamo Electric Co. Sarco Co., Inc	New York, N. Y Philadelphia, Pa Indianapolis, Ind. St. Louis, Mo Chicago, Ill	

Name of Exhibitor	Address	Booth No.
Sheet Metal Worker Silent Glow Oil Burner Corp. Simplex Oil Heating Corp Spencer Heater Div., Lycoming Mfg. Co	. Hartford, Conn. . New York, N. Y.	231-232 419-420
Spencer Thermostat Co Spoehrer-Lange Co. Standard Lime & Stone Co Standard Products Co., Steechan Blind Div	.Clayton, Mo .Baltimore, Md.	
Staynew Filter Corp. Steel and Tubes, Inc. Sterling Engineering Co. Stoker & Air Conditioner Journal	. Rochester, N. Y Cleveland, O Milwaukee, Wis.	208-209
Streamline Pipe and Fittings Div., Mueller Brass Co Sturtevant Co., B. F Sundstrand Engineering Co Sundstrand Machine Tool Co.	. Hyde Park, Bost .Rockford, Ill	on, Mass9
Supreme Electric Products Corp. Surface Combustion Corp Swirling Heat, Inc Sylphon Control Systems, Inc	. Toledo, O	278 to 281
Taco Heaters, Inc Tennessee Coal, Iron & R. R.		
Co. Thermal Units Mfg. Div., Air Devices Corp. Thrush & Co., H. A Timken Silent Automatic Div., Timken-Detroit Axle	. Meriden, Conn	535
Co. Titusville Iron Works Co Toledo Pipe Threading Ma- chine Co. Tork Clock Co., Inc	Titusville, Pa	552-553
Torrington Mfg. Co Tuthill Pump Co Tuttle & Bailey, Inc	Torrington, Conn Chicago, Ill New Britain, Co	
United States Radiator Corp. United States Register Co United States Steel Corp Utica Radiator Corp	Battle Creek, Mi Pittsburgh, Pa Utica, N. Y43	eh25 52-53 37-438-439-440
Viking Air Conditioning Corp. Viking Pump Co Vilter Mfg. Co Volcano Burner Corp Vortex Mfg. Co Voss Co., J. H. H.	Cedar Falls, Ia Milwaukee, Wis, New York, N. Y. Chicago, Ill New York, N. Y.	$\begin{array}{c} \dots & \dots $
Wagner Electric Corp Ward Machinery Co Waterfilm Boilers, Inc Waterloo Register Co Waterman-Waterbury Co	Chicago, Ill Jersey City, N. J Waterloo, Ia Minneapolis. Mini	435
Watts Regulator Co	Camden, N. J Racine, Wis Chicago, Ill	43-44B 18 321-322
White Manufacturing Co Whiting Corp. Whitney Metal Tool Co Williams Oil-O-Matic Heating Corp.	St. Paul, Minn Harvey, Ill Rockford, Ill	209A 296-297 479-480
Wilson & Co., H. A	New York, N. Y. Detroit, Mich	"A" Mez30246-247
"X" Laboratories, Inc		
Yarnall-Waring Co	York, Pa York, Pa Racine, Wis	50-51
Co	Youngstown, O.	17

# RESIDENTIAL AIR CONDITIONING SECTION

It is physically impossible to present, within the space limitations of this month's section, a fair cross section of all the ramifications of residential air conditioning

- · · · Of this, however, we feel sure
—in coming months there will be
increasing demand for an engineering procedure which consumes less
time. There will be critical need
for basic information on humidification, drying, vapor action.

--- As velocities increase and duct sizes grow smaller, we will have to know resistance of fittings. And with air conditioning invading large commercial structures and new types of houses, examples of proved systems will be helpful.

--- With summer comfort popularly demanded, the limitations of each system of cooling must be clearly defined.

- · · · And so—with these needs in mind—we begin 1938 with information on these subjects in this, the first issue of the new year.



### PENN ELECTRIC SWITCH CO.

OFFICES: New York, Boston, Detroit, Dayton, Chicago, Moline (Ill.). EXPORT: 160 Varick St., N. Y. C. Distributors in Principal Cities. REPRESENTATIVES: Garland-Affolter Engr. Corp., San Francisco, Seattle, Portland, Los Angeles; Forsland Pump and Mackinery Co., Kansas City; The Uhl Co., Minneapolis; Jules Beacks, St. Louis; Monarch S. Le., Denver.

### CLIP OFF THIS COUPON

PENN ELECTRIC SWITCH CO., Goehen, Indiana Send me (no charge) \_\_\_\_\_\_\_\_ "Home Comfort Guide"

moving charts and full instructions for their operation I employ salesseen. I handle

(Makes of equipment)

lame\_\_\_\_

City\_\_\_\_State\_\_



Stoker is a hard job to start, especially when a clinker is present, and the motor is liable to overload when the coal travel is obstructed by the sticking and crunching of coal or foreign objects.

Therefore, a stoker motor *must* do 3 things, easily and without strain:

- (1) Start a heavy load from zero speed.
- (2) Accelerate this heavy load up to speed.
- (3) Keep the load running even under ordinar-

ily severe obstructions to the coal passage.

Since the maintenance of normal voltage at the motor is necessary to produce these normal torque characteristics, the use of Century Type RS Single Phase Motors is definitely recommended—because the starting current of these motors is low. This means that they affect the starting voltage less than any other type of Single Phase Motor.

Specify Century Type RS Repulsion Start Induction Motors for those tough stoker jobs.

CENTURY ELECTRIC COMPANY
1806 Pine Street

St. Louis, Mo.

Offices and Stock Point in Principal Cities

SIZES UP TO 600

itrol imit ling rols.



HORSE POWER



Booths Nos. 268-269-270


5th INTERNATIONAL HEATING
and VENTILATING EXPOSITION

January 24-28 · · · New York City

## SEE

## CENTURY

FOLLOW the crowd. Watch the excitement. Learn the big news. See Century first at the International. One of the most complete lines in America. Conversion burners. New boiler-burner units. Warm air conditioning furnace units. Plus a revolutionary new hot water heater. See these many sensational improvements and striking new models. The pace-setters for 1938. A real opportunity for dealers to forge ahead... way out in front... in sales... in profits. If you're not attending, write for complete details of Century for '38. The CENTURY ENGINEERING CORP., Cedar Rapids, lowa. Veteran Builders of Fine Oil Burning Equipment.




CENTURY

Conversion Burners . . Boiler-Burner Units . . Warm Air Furnace Units with Air Conditioning . . Hot Water Heaters

A pace-setter in performance and sales In one attractive unit, it offers Conturautomatic oil heat and winter air con ditioning. See it! Sall it!

### RESIDENTIAL AIR CONDITIONING SECTION



THE price of clean air is not merely the cost of an air filter. It is the initial filter investment plus the expense of maintenance and upkeep.

Because of this, many buyers have turned to permanent, washable filters because of their low over-all economy.

A fair example of this viewpoint is shown by the larger users of filters among the better chain stores. These companies are noted for their careful buying. It is the basis of their success. They are interested in buying cheaply only insofar as it means getting the most for their money. It should be of interest then to other users of air conditioning when such companies are willing to pay for permanent type filters to be used in their own stores.

S. S. Kresge Company, for instance, has standardized on American permanent washable filters and recently purchased more than 1,000 units. They are also specifying American M/W filters for all of their new air conditioning installations.

S. H. Kress & Company have standardized on American Airmat

filter and feel that even at its higher price it is more economical for their service.

Another large chain operator uses automatic air filters in all their large stores. Being shrewd buyers, they know they pay for the best in the end so make sure they get the best at the start.

The Pullman Company was one of the first large users of air conditioning to discover the advantages of permanent type filters. Their original air conditioned cars were changed over to American permanent washable types at the request of the operating department

to eliminate the frequent expense of maintenance. Since then the American permanent filter has become standard equipment for all their mechanically air conditioned cars.

When you stop to consider that at least 50% of the satisfactory performance of an air conditioning system depends upon the efficiency of the filters used, isn't it economically sound to allow as little as 5% of the total cost of the system as "the price of clean air"?

As manufacturers of all types of air filters, we know that clean air at minimum cost does not mean necessarily the cheapest filter that will answer the purpose, but the type that meets the requirements in the most economical manner.

If you are a buyer of air conditioning equipment, insist on the use of better type filters—if you are a manufacturer, make better

type filters available for your own protection as well as for the satisfaction of your customers.

Engineering data is available and will be sent free on request to manufacturers, dealers or users of air conditioning equipment who are interested in the price of clean air.

### Price of Clean Air = Initial Cost of Filter - Expense of Maintenance

Granting the higher first cost of permanent filters, their saving in maintenance is a definite and important factor.

Permanent filters are simply washed and recoated at a cost of less than 5 cents for Viscosine.

On the same capacity basis, filter sheets for the Airmat filter cost approximately 25 cents.

Automatic filters are self-cleaning and require only a few cents per month for maintenance.

### AMERICAN AIR FILTER CO., Inc.

113 Central Avenue, LOUISVILLE, KENTUCKY

In Canada: Darling Bros., Ltd., Montreal, P. Q.



### SALL MOUNTAL

Salmo Asbestos

Salmo Asbestos Furnace Cement

ACIO PROOF

almo Asbesto **Furnace** Cemen

Sall Mountain

### SAL-MO

### Asbestos Furnace Cement

A high grade Furnace Cement, scientifically made from the est grades of Asbestos Fibre and the finest high temperature efractory clay. SAL-MO has no oils to burn out and no sand to give added weight.


SAL-MO Furnace Cement is easily applied; binds immediately; hardens quickly; will not crack or shrink. It forms a perfect joint with ALL metals, fire-brick and stone. Ideal for repairing broken joints and cracks in castings, resetting old furnaces as well as for

new work. Joints are air- and gas-tight and are not affected by heat. SAL-MO Asbestos Furnace Cement conforms to the Furnace Manufacturer's most rigid specifications.

### Send For FREE Test Sample

Write us about your Furnace Cement requirements. We shall be glad to send you FREE, samples for you to test and compare with any other Furnace Cement made.

### SAL-MO ASBESTOS PRODUCTS



### RRUGATED ASBESTOS PAPER


warm air pipes and general 36½" wide, contain 250 3 lineal feet) WEIGHT: roll.

### For Warm Air Insulation and Air Conditioning

Sall Mountain Company manufactures and offers a complete line of Asbestos Insulation materials for Furnace Manufacturing and installation also Warm Air Heating and Air Conditioning

Other well known SAL-MO Asbestos Products include Asbestos Cements, and coverings for all types of High Pressure and Low Pressure Pipe Lines.


Write us regarding your insulation requirements.




efri

ome

ASBESTOS PAPER AND RO Put up in standard size and 36" widths. WEIGHTS 16 and 32 pounds. (1/16")









The Most Beautiful Thermostat on the Market ... plus Accurate Control..

> Available in models for heating, with or without heat anticipator, and for cooling.

### Installations Great or Small Are More Dependable with.

ir Conditioning efrigeration ome Heating

AIR CONDITIONING AND REFRIGERATION CONTROLS

Valves



Easy to Service! Remove the bottom nut, and parts drop into your hand!









Model 220-K 8 to 15 Tons "Freon"







Also Model 71-B Water Valve



A-P "Controlling Influence" covers three great industries: Air Conditioning, Refrigeration, and Home Heating. Whether your installation is a Million Dollars or only a few Hundred Dollars, it still requires the same accuracy of CONTROL.

Efficient, Accurate, Dependable Control Equipment made under A-P Micrometric and Precision Standards pays the "dividends" in results that your customer expects,—whether it's in Air Conditioning, Refrigeration, or Home Heating.

### AUTOMATIC PRODUCTS COMPANY

2452 North 32nd Street

Milwaukee, Wisconsin

Constant Level Oil Control Valves for All Types of **Gravity Fed Oil Burning Equipment** 



Model 240 Series Manual Control for Space Heaters





Model 240 Series Thermo Control for Space Heaters



Model 240 Series Electric Control for Furnaces, Space Heaters




Model 240 Series Thermo Water Heater Control



Model 241 Series Control for Mobile Units

IMPROVED VAPOR DIFFUSER is scientifically proportioned to produce very rapid evaporation. Each plate will diffuse as much water vapor as 60 square inches of water surface in an open pan.



### Scientifically Designed TO PRODUCE CORRECT HUMIDIFICATION IN ALL WEATHERS

Humitor, in living room, gives convenient control. Water dripping is plainly visible in sealed glass tube. Dial indicates rate. Filter clears water of even finest particles. Prevents clogging at any point.



8 4

This is the way Automatic June performs—In severely cold weather when high bonnet temperatures cause rapid evaporation, Automatic June limits evaporation to avoid excessive condensation on windows and in outer walls. In mild weather when low bonnet temperatures allow evaporation to lag, the plus area presented by the vapor diffusers provides all the necessary humidification required. In every weather condition exactly the right amount of water is evaporated for correct humidification . . . With many other superior features Automatic June fully meets the requirements of modern air conditioning. Two types, Room Control and Basement Control. Send for new literature.

These phendinary and clear the Almar CNLY, 10 were put a 8:15 A

ade on

M., or

g hand MAR C

To Residen
We are ple
tapacity
law priced.
Also Stando

The complete the He Booth 435.

avy Duty

ite for B

CHIC

# AR CORNER LOCATION OF THE PROPERTY OF THE PROP



The ALMAR Corner Lock Formin Machine has been in operatio from 1 to 2 years in many shop throughout the United States an has proven its efficiency, practic ability and economy.

You are interested in past performances in a machine of this type and we can gladly supply detail regarding customer experiencupon your request. REMEMBE there is only one ALMAR machine

See our advertisement on page 178.

hese photographs were made under ordinary sheet metal shop conditions and clearly demonstrate the speed of the Almar. With the use of ONE MAN ONLY, 100 sheets of 22 gauge Galv. were put through the Almar starting a 8:15 A. M. and UNIFORM, OPEN, ACCURATE, HAMMER LOCKS were made on each sheet, finishing at 9:00 May, or a total of 45 minutes, including handling. This proves HOW THE MAR CAN MAKE MONEY FOR YOU.

### NOTICE

Residential Air Conditioning contractors.
We are pleased to announce our Junior Model—capacity 24-28 gauge material inclusive—ow priced.

No Standard Almar—20 gauge Capacity.

Hoavy Duty Almar—16 gauge Capacity.

Write for Bulletin 17.

he complete Almar line will be on exhibit t the Heating & Ventilating Exposition, Booth 435.



### WARD MACHINERY COMPANY

MACHINES - TOOLS - SUPPLIES FOR SHEET METALS EXCLUSIVELY


564 W. WASHINGTON BOUL.

CHICAGO

0

DICHTIT

### MAUREY UUSteel V-PULLEYS




Type 2—Solid Steel Without Hub

### Designed and Built to Give Maximum Service with Stoker, Blower and Air Conditioning Units

Builders of products that MUST operate continuously and without risk of failure, naturally turn to MAUREY Universal V-Pulleys for their F. H. P. Motor transmission. During the past six years MAUREY Pulleys have shown manufacturers of all kinds of Air Conditioning Units, Blowers and Stokers the way to quiet, efficient, trouble-free pulley operation.

Made of steel with heavy rolled edges, MAUREY V-Pulleys have hubs of SOLID STEEL or malleable iron, machined for true-running accuracy. They are designed and built to give top performance under severest conditions in daily continuous use. No die cast hubs are used in MAUREY Pulleys.

A wide variety of sizes carried in stock for both "A" and "B" belts. You will find MAUREY Pulleys surprisingly low in price. Write for circular giving detailed description and prices.



### MAUREY All Steel Variable Pitch Diameter Pulley

ORIGINATED, developed and perfected by MAUREY, this superior Pulley is designed and built for work that demands continuous trouble-free performance wherever installed.


Made of SOLID STEEL for strength and long wear; adjustable to permit speed variation of as much as 30%. Machine turned throughout with accurate milled threads—20 to the inch for close adjustment. Hexagon hollow head set screw fits into machined keyways, making perfect non-slipping adjustment without damage to threads. Used with either "A" (1/2") or "B" (11/16") belts. In four sizes—31/4", 31/2", 4", 41/2" in diameter.

### MAUREY MANUFACTURING CORPORATION

Wabash Avenue at 29th Street

Chicago, Illinois

# EFFICIENT, DEPENDABLE CONTROLS




### Technotrol

Furnished in Ivory or black molded cases, Technotrol combines distinctive beauty with a fine instrument of precision. Responsive to minute changes in temperature. Technotrol is available in either the Type C-22 two-position model or the famous Type C-144 gradual control model. Also furnished with snap action contacts for 2 or 3 wire low voltage control systems.

### TYPE B-144 Gradual Control

An instrument of precision performance and long life, it has four-position smoothness together with the unequalled sensitiveness of Master's patented Thermo-Wafer. Contacts are platinum-iridium. Special non-inductive thermal starting switch requires less than 3 watts. The four-pole induction motor operates at 16 volts through a special low-reactance type of transformer. Listed as Standard by Underwriters' Laboratory.









I-day Clock Model

### TYPE B-22 Two Position

A MASTER instrument with the appearance, accuracy and reliability characteristic of the entire line. Priced for the greatest market of all—moderate salaried home owners. Has fine silver contacts, and I degree temperature range response. Motor is quiet with ample power to lift any damper.

In addition to standard line, we furnish quotations on regulators for special applications. We also manufacture the Type 22-A and 22-W Limit Controls.

WRITE FOR FURTHER INFORMATION

THE WHITE MFG. CO.
2362 UNIVERSITY AVENUE
ST. PAUL, MINN.



### DuraBilt

A Little Young, but

A

Mighty

Popular


Model

The famous AUER "DuraBilt" design is just a youngster in the Auer family—but a healthy one. It has thrived on a rich diet of demand. Heating contractors, architects, home owners christened it with instant approval. It adds to inbuilt AUER Quality a note of durability all its own. Interlocked crossbar construction makes it exceptionally rigid, wear-and-tear proof. If you haven't used DuraBilt Floor Registers and Intakes—here's another invitation!



There are many other popular Auer models (including the "Classic") Registers, Intakes, Grilles—for all gravity and air conditioning uses. Ask for complete catalog. All Auer models shown at Grand Central Palace, New York, Jan. 24-28.

THE AUER REGISTER CO.



AUER REGISTERS

& GRILLES For Air Conditioning and Gravity



• The dealer who "burns up the pavements" during the winter months—systematically searching out new prospects and systematically checking up on recent installations—is sure to find that a

well-directed business means a much more profitable business. Home-owners with old-fashioned furnaces are having their troubles now... and how! Call on them... by the house-to-house method if necessary. Offer to help tide them over their heating difficulties. You'll build goodwill that way, and sow the seeds for future sales. In checking up recent installations, take a look at the air filters, making replacements where necessary. If you, like most dealers, handle a DUST-

STOP equipped warm-air system, you'll find that replacements are easily and profitably made. DUST-STOP Replacement-Type Air Filters, now being offered by a majority of leading warm-air furnace manufacturers, are a source of steady, day-to-day, year-after-year profit for dealers everywhere. You, too, can share in this rapidly growing, highly profitable business. The coupon points the way. Mail it TODAY.

Owens-Illinois Glass Company... Toledo, Ohio.

OWENS-ILLINOIS

DUSTOP

AIR FILTERS



<b>OWENS-ILLINOIS</b>	GLASS COMPANY
Industrial and Struct	ural Products Division
301 Madison Avenue	Toledo Ohio

Please send, without obligation, all the facts about DUST-STOP Replacement-Type Air Filters.

Name-

Addres

City\_\_\_

State\_

## Practical and Dependable


-Yet they cost no more

Automatic Humidifiers Water Line Controls

That's why leading manufacturers and dealers have adopted Maid-O'-Mist devices as standard equipment. Easily attached and adjusted to individual needs. Automatic in operation. Built to avoid corrosion, and give trouble free service. Still they are moderately priced and profitable to handle.

The complete line includes automatic humidifiers for hot water, warm air and steam heating plants. Also automatic water feeders, low water cut-outs, air vents, etc.

Send for FREE CATALOG A-1 and complete specifications and prices including liberal discounts.








Zephyr Twin



No. 95 Auto-Vent Humidifler



The New Type No. 85 Water-Boy Feeder



No. 53 Water-Pan Feeder for Radiators •

• No. 9 Zephyr Automatic

For all types of furnaces. Pan, 4"x36", stamped from genuine sheet bronze (nine times as efficient as cast or sheet iron in heat transmission). Heating area exceeds 359 sq. in. Patented air deflectors. Patented adjustable overflow plate prevents over-saturation. Adjustable hood fits slope of furnace bonnet. Water supplied by new type Water Boy Safety-feeder, with water line adjustment and located away from heat to avoid corrosion. Equipment includes saddle valve, copper tubing, complete fittings. LIST PRICE \$15.50.

No. 859-CH DeLuxe Humidifier
 Is the same as the Zephyr and in addition includes our No. H-4 Automatic Humidistat control, No. 640 Solenoid valve, No. 31 Pressure Reducing Valve and No. 4 Filter. LIST PRICE \$50.00.

 No. 85-CH Automatic Humidifier Same design, construction, materials, as No.
 9 Zephyr, excepting deflectors. Evaporating area 126 sq. in. Complete with all fittings. Patented adjustable overflow plate as illustrated. Very efficient for gravity heating furnaces. LIST PRICE §13.20.

• No. 95 Auto-Vent Humidifier

For steam radiators. Takes place of air valve. Automatically vents air from radiator and humidifies. Easily adjusted by set screw at bottom of valve. LIST PRICE

• No. 11 Zephyr Twin

No. 11 Zephyr is a double unit fed by one Water-Boy. Each humidifier can be raised or lowered independently of the other to reduce evaporating area. For large residences, and gas-fired furnaces. LIST PRICE

• The New Type No. 85 Water-Boy Feeder

is just another step forward in a small, attractive, positive-acting, corrosion resisting water line control valve. It is the result of long experience in manufacturing of water feeders. All working parts mounted on a replaceable bonnet. It is finished in satin nickel. LIST PRICE FEEDER ONLY \$8.00.

No. 53 Water-Pan Feeder for Radiators

Automatically vents the air from the hot water radiator and keeps the humidifying pan full of water. Float is adjustable, Nickel-plated finish. LIST PRICE \$3.00.


• No. 8 Pipe Saddle Valve


To attach Pipe Saddle valve to ½" and %" water pipe, drill hole in side of pipe, and fasten saddle bolts. Outlets for ¼" O.D. copper tubing. LIST PRICE \$1.15.

• No. 55 Midget Water Feeder

For bucket or pan type humidifiers. Midget ball cock, 7" long over all. Of Monel Metal, Nickel Silver, Brass, and Copper. Float adjustable for water depth 1" upward. Easily installed. LIST PRICE \$2.25.







MAID-O'-MIST Inc

180 N. Wacker Drive

Chicago, Illinois


Every thing spected The Pi

stoves, No ma make i

"last w PEERI sizes, t include and file PEERI

PEE

## DEFRIESS & Easy to Sell & Easy to Service



FOR Every TYPE OF HOME ...

Easy to sell because Peerless furnaces and winter airconditioning units are modern-to-the-minute in appearance, in sound heating and combustion engineering, in completeness of equipment, and in economical, trouble-free operation. Easy to sell because they are priced right.

Easy to service because each Peerless furnace is built of best materials, and designed for easy and quick replacement of parts. Easy to service because Peerless maintains a large and complete stock of parts for prompt shipment to any part of the country.


## 3 BEAUTIFUL Streamline UNITS That Have "Everything" .... For GAS, OIL, or COAL

The new Peerless Streamline OIL burning air-conditioning unit shown at left is duplicated in beautiful design, handsome green-morocco finish, and sound engineering—for GAS or COAL and COKE. Each unit is a completely automatic winter air-conditioning furnace, with thermostatic control, humidifier, powerful silent blower, etc. Each offers the utmost in fuel-economy and heat utilization—at prices that are fully competitive with the best the market affords.

Every dealer knows the important sales advantage of having anything a customer may want—all under one well known and respected name. That is one of the biggest advantages in handling The PEERLESS line.

PEERLESS is one of the oldest and largest manufacturers of stoves, furnaces and air-conditioning equipment in the mid-west. No matter what your customer wants, Peerless has it in stock, or will make it for you.

In addition to the three "Streamline" units, representing the "last word" in air-conditioning equipment, using Oil, Gas or Coal, PEERLESS builds a full line of conventional round furnaces in all sizes, to sell at a wide range of prices. The PEERLESS line also includes oil burners, stokers, blowers, filters, combination blower and filter units, humidifiers, thermostatic controls, etc., thus giving PEERLESS dealers unusual sales and profit opportunities.



PEERLESS FOUNDRY COMPANY · INDIANAPOLIS, INDIANA

PROVIDING FILTERED "JUNE" AIR




THROUGHOUT HEATING SEASO

## WANTED' DEALERS DISTRIBUTORS

TO SELL THIS COMPLETE LINE OF . GAS HEATING AND AIR-CONDITIONING EQUIPMENT

> JANITROL GAS-FIRED WINTER AIR CONDITIONERS

> Handsome, compact, easily installed . . . Completely automatic control, circulating clean, warm, humidified, filtered air to every room at even temperature.



TREMENDOUS MARKETS

IN THESE

**Great new building** market

> Remodeling market

Residential conversion and replacement market

Commercial market . . . shops, stores, restaurants. theaters, etc.

Industrial market ... spot heating, auxiliary heating, plant extensions, or complete factories

THE REAL PROPERTY.

Backed by National Adver-

tising Campaign

Blanketing More

Than 3,000,000

Supported by

Greatest Merchan-

dising and Sales-Training Program

Offering

Experienced Engi-

neering Cooperation

for Planning and

Installation

in the History of

the Gas Industry

Preferred **Prospects** 

JANITROL GAS-FIRED GRAVITY HEATER

A dependable, moderate-priced unit for home owners desiring the advantages of modern automatic gas heat.



to a gas-fired

unit... More

than 125,000

in use.

JANITROL GAS-FIRED UNIT HEATERS

Ideal for every type of commercial or industrial establishment from smallest shop or store to largest factory...Suspended from ceiling. Save space. Provide comfort, health, efficiency.



Write for...

full information about the complete Janitrol line and Janitrol engineering cooperation. Get details of the remarkable sound-slide-film and chart-lecture salestraining program and the great merchandising and advertising program that make it well worth your while to concentrate your entiresalesefforton/Janitrol products. Surface Combustion Corporation, 2377 Dorr Street, Toledo, Ohio.

JANITROL GAS-FIRED WATER HEATERS

Economical design. High efficiency. Large capacity.





Manufactured by

CORPORATION SURFACE COMBUSTION

for many years specializing exclusively in the manufacture of gas heating equipment

# the system will function at its best, with

REGARDLESS of the size or type of automatic heating, ventilating or air conditioning system you install, there is a Minneapolis-Honeywell automatic control system for it. Each control system is selected to exactly meet the individual requirements of the installation. Be sure you include complete automatic Minneapolis-Honeywell controls on every job. They are your assurance that

the system will function at its best, with the greatest efficiency, economy and trouble free performance. The Minneapolis-Honeywell Engineer in or near your city is available for consultation at all times. Call him in. Minneapolis-Honeywell Regulator Company, 2726 Fourth Avenue South, Minneapolis, Minnesota... Branch and distributing offices located in all principal cities.

MINNEAPOLIS-HONEYWELL

Control Systems

MATIONAL PREUMATIC CONTROLS-

BROWN INDUSTRIAL INSTRUMENTS



### "OFFICIALLY" ENDORSED BY MORE THAN 70 LEADING MANUFACTURERS

It should mean a great deal to an employer faced with the problem of building a capable and dependable service or sales organization to know that a selected group of hand-picked men are being prepared for Refrigeration and Air Conditioning work by a Training Program which is actually supervised by a manufacturer-appointed Board of Governors.

It should be a source of great satisfaction to an employer to know, also, that this same Board of Governors is made up of some of the best engineers and executives in the Industry, and that the entire Training Program which they are directing, is "officially" endorsed by more than 70 leading manufacturers in the field of Refrigeration and Air Conditioning.

● This vitally important point is sufficient proof of the fact that the Refrigeration & Air Conditioning Institute is training men the way the Industry wants them trained—just the way these manufacturers would train them if they were actually doing the job. As a leading manufacturer recently put it—"What you are doing is creating a new type of Craftsman—the kind of trained man so badly needed by this Industry."

Yes! We are giving the Industry a new type of Craftsman. He is not a plumber, steamfitter, sheet metal worker, or elec-

If you do not have a copy of the Institute's "Report to the Industry"—a 200 page cloth bound book with 17 big photographs—please ask for it on your letterhead. trician, but in a way, a composite of all these crafts insofar as they are employed in air conditioning work. R.A.C.I. graduates know heating, ventilating, and cooling as applied to air conditioning—know it from the practical as well as the theoretical standpoint. Each will have spent over a year in STUDY-ING, and four solid weeks in our Shops IN DOING. Each will have actually worked (in our Shops) on practically every type of equipment in use today—installing, servicing, repairing, etc.

Before he is admitted for Training by the Institute, a man must satisfy us, through careful investigation, that he is of high character, ambitious, a hard worker, mechanically inclined, of good education, and capable of thinking for himself; also, he must be a man who can be depended upon to be a loyal and trustworthy employee.

The record of every man trained by the Institute—including his photograph, our rating of his ability, what his references had to say about him—in fact, everything that you as an employer would like to know—is available upon request. It is the Institute's desire that every employer in the Industry should feel free to call upon the Institute for help with their employment problems. This service is free to employer and graduate alike.

Members of the Industry and their staff are cordially invited to visit the Institute and inspect its facilities, when they are in Chicago.

Kar Frith President


REFRIGERATION & AIR CONDITIONING INSTITUTE

2130-2158 LAWRENCE AVENUE

CHICAGO, ILL.

## MADE TO SELL ON SIGHT AND







Heil Quality Built oil heating and air conditioning equipment has the eye-appeal to attract prospective customers as well as efficient design coupled with sturdy construction to insure satisfactory service! . . . Observe the streamline design of the popular Heil Model X oil Burner illustrated above — This is truly a class burner, priced for the mass market! Also observe the fine appearance and the efficient operating features of the Heil direct-fired furnace-burner unit, illustrated to the left . . . These fast-selling Heil units together with a complete series of conversion oil burners and boiler-burner units are at your service ready to build for you, in your community, a sound and profitable business . . . By all means inspect Heil units on display in booth number 23 at the International Heating & Ventilating Exposition and see for yourself why the Heil line is being received so enthusiastically by dealers everywhere . . . If you cannot attend the Exposition send at once for complete details concerning the

### THE HEIL C

General Offices: 3014 W. Montana St., Milwaukee, Wis. Factories: Milwaukee, Wisconsin, Hillside, New Jersey

Heil Quality Products: Oil Burners — Roiler-Burner Units — Furnace-Burner Units — Air Conditioning Units — Water Systems — Gasoline and Fuel Oil Transportation Tanks — Hydraulic Dump Units — Hydraulic Scrapers — Bottle Washers — Stainless Steel Tanks — Snow Plows — Dehydrafors . . . Free literature sent anywhere on request.




AND AIR CONDITIONING

### WANTED-Your Problems on Gas Appliance Burners!



No. S. P.-15 Barber Burner Unit



No. C. P.-150 Barber Burner Unit


Expertness in design and development of Gas burner units has long been associated with the name of BARBER, Steadfast in its principle of Quality Manufacture, this Company has always stood for the exact fitness of the Product for its specific use. Two decades of experience with gas heating equipment and gas appliances have enchanced the facilities of Barber's Engineering Department, which are at your disposal, to contribute to the sales and service value of the product you make, sponsor, or sell. Avail yourself of this unique service!

It is our sincere purpose to cooperate closely with Appliance Manufacturers and with the Heating and Utility interests, so that our broad experience may be fruitful to you and your business. By the superiority of its products, plus a readiness to work with you on your problems, Barber keeps its old friends-and makes many new ones.


Write for illustrated Catalog and Price List on Conversion Burners for Furnaces and Boilers, Burner Units for Gas Appliances, and Gas Pressure Regulators.



No. X.44 Barber Burner Unit



No. U-32 Barber Burner Unit



Conversion Burner for Round Furnaces or Boilers

Made in eight different sizes to handle round grate diameters from 12" to 34". Also tailor made to suit and fit the grate dimensions of oblong furnaces and boilers. Insures proper scrubbing flame action on side walls of firebox, and the 1900° Flame Temperature develops the highest possible efficiency and economy. Equipped with Baltimore Safety Pilot for positive and accurate Safety control. Listed in the A.G.A. Directory of Approved Appliances.



Barber Gas Pressure Regulators A. G. A. Approved

Made in the following sizes: ¼", %", ½", ½", %", 114", 11½", 2".

BARBER BURNERS and Regulators are Adaptable to Such Appliances as:

Air Conditioning Air Conditioning
Equipment
High Pressure Boilers
(Tubular and Tubeless)
Bakery Ovens
Doughnut Kettles
Metal Pots Metal Pots
Garage Heaters
Coffee Urns
Hair Dryers
Space Heaters
Floor Furnaces
Clothes Dryers
Water Heaters
Confectioners' Stoves Vulcanizing Machine Vulcanizing Machines
Pressing Machine Boilers
Japanning Ovens
Core Ovens
Banana Room Heaters and
many other Appliances

### BURNER COMPANY BARBER GAS THE

3704 Superior Ave. Cleveland, O.

Address Michigan inquiries to-The Barber Gas Burner Company of Michigan 4475 Cass Ave., Detroit, Michigan


BARBER Automatic BURN

U.

Self cor

HOME AL

### NEW Business for YOU



U. S. AIRCO Portable Midget Room Unit


Self contained air conditioner for bed rooms, offices and hotel

rooms. Takes fresh air from window, washes, cools, circulates May also be used as humidifier in Winter

USAIR CO

EQUIPMENT

Sell To STORES OFFICES HOMES



U. S. AIRCO Midget Kooler-Aire

Low cost commercial air conditioner for small stores. Lowers dry bulb temperature 75% of wet bulb depression by evaporative cooling. Small. light weight, easy to install.



HOME AIR CONDITIONER

U. S. AIRCO presents a line of quality air conditioning units that are designed right, built right, and priced to sell! You can get the cream of the fast growing demand from small stores, shops, cafes, bars, beauty parlors, offices, hotel and hospital rooms, etc., for efficient, low-cost air conditioning.

Back of all U. S. AIRCO Equipment is the seasoned engineering and proven performance of thousands of large air conditioning systems. Investigate the

U. S. AIRCO Dealer Franchise now.

Use the Coupon Below.



LIGHT DUTY BLOWER



UNIT AIR CONDITIONER



HOME VENTILATOR



PROPELLER FAN



UNITED STATES AIR CONDITIONING CORP. N. W. Terminal, Minneapolis, Minn.

Please send catalog on U. S. AIRCO Air Conditioning Equipm and tell me about your Dealer Franchise. We are especially in ested in

NAME..

ADDRESS.....

CITY.....STATE...

UNITED STATES
AIR CONDITIONING CORPORATION
MINNEAPOLIS . . . . . . . . MINNESOTA



Lochinvar's complete line of improved, fully automatic oil-

burning and air-conditioning units designed for homes from \$4000 to \$15,000. These

units can definitely increase your sales for 1938.

The model 100 A furnace with its improved double casing cover, multiplestage burner, fireproof filters, fire brick lined combustion chamber and rubber mounted blower is a champion for economy in the low price field. It will pay you to inquire about a franchise today. Height 57", Width 32", Depth 69%".



### Junior-Aire

Another "money maker" is this chip off the " block-The Junior-Aire. It is an exact duplicate the famous 100 A in quality construction, but design for homes in the \$4000 to \$6000 bracket.



MODEL 100 A

INTER AIR-CONDITIONING UNIT

Entirely automatic, dependable performance and economy of operation, this unit will increase your volume ales. Height 54", Width 32", Depth 53".



Attractively finished in green ripple finish with black trim, this furnace has been well received by builders and home wners everywhere. Height 64", Width 36", pth 41".

### Lochinvar WATER HEATER AUTOMATIC OIL-BURNING

Easily installed anywhere, fully automatic and constructed to give a lifetime of service. Dimensions: Height 571/4", Width 231/4", Depth 201/4".



gives the maximum in heating efficiency because of the multiple-stage burner. Entirely new in square design

Costing less than an oil burner alone, this Lochinvar Model 100 is a highly efficient, dependable and entirely

automatic air-conditioning unit. Here is a furnace that



and green ripple enamel finish here is a leader you can't afford to overlook!





**Lochinvar Corporation** 14247 Tireman, Dearborn, Mich.

Gentlemen: Please send complete information and prices on the Lochinvar units.

Street



The Multiple-Stage The secret behind Lochinvar's long strides in the

heating field is this exclusive patented burner, that contains no expensive moving parts to constantly service.

ff the "

duplicate

but desig

lichigan,

office afte

Heating !

rmation and

Tresenting the New


1938 REX AIRPAK





BLOWER FILTER UNIT ... with Automatic

Modulated Control



### Modulated damper regulates the motor load. As the flow

- Modulated damper prevents stratification and uneven temperatures.
- Side door openings compensate for inadequate cold air return. Permit easy accessibility to motor.
- Top mounting keeps motor off damp basement floor.
- Four-speed pulley provides variation in output.

of air decreases the motor load decreases.

These and many other new features make REX AIR-PAK one of the outstanding accomplishments of the year!

### Provides Better Regulated Control Than an Expensive 2-Speed Blower — and at a Much Lower Cost.

Again REX AIR-PAK leads in simplified design . . . improved performance . . . and new economy! The new Modulated control represents one of the greatest forward steps in blower filter unit performance. The flow of air is automatically regulated by the bonnet temperature of the furnace. As the bonnet temperature gradually rises the flow of air gradually increases; as the bonnet temperature gradually drops the flow of air gradually lessens. In this way the air from the blower is proportioned to the heat produced by the furnace.

Write Today for Complete Information! This New Unit Promises to Outsell Any Blower on the Market!



THE CLEVELAND HEATER CO. 1939 W. 114th, CLEVELAND, OHIO

TRANE

Trame

raine

Trane

GOMFORT COOLER

(AIR<sup>2</sup>)



ORIFICE SYSTEM

## Library

The HADD of TRADE

COOLING

BULLETIN 75 — TORRIDOR UNIT HEATER BULLETIN, September, 1937
 Complete description. Operation. Range of sizes. Capacities. Wiring diagrams. Piping de-tails. Application suggestions. Selection data. Roughing-in dimensions. Specifications. 24 pages.

ULLETIN \$5 — TRANE PROPELLER TYPE CRADLE COIL UNIT HEATERS, September, 1937

1937
Where and how to use. Explanation of Cradle
Coil and Floor-Line-Spread. Data on over sixty
sizes. How to figure special capacities. Control
details. Piping and wiring diagrams. Roughingin dimensions. Capacities. 16 pages.

■ BULLETIN 65—TRANE AIR-O-LIZERS Description of the Trane Unit Vensilator for schoolroom heating and ventilating. Also larger capacity Air-O-Vent described. Operating cy-cles and features. 8 pages.

BULLETIN 102—A SIMPLIFIED METHOD OF FIGURING RADIATION How to figure radiation without the aid of tables. Practical examples. Written for the layman. 4 pages.

BULLETIN B212-TRANE SYSTEMS, February.

Pertinent facts on Trane year around Air Conditioning, the Split System, the Orifice Con-vector System, and the Vapor Convector System,

BULLETIN 105 — TRANE ORIFICE SYSTEM, September, 1936
 Advantages of the Trane Orifice Convector System. Explanation of low installation and maintenance costs. Application information. 8

BULLETIN 33—TRANE PUMPS, July, 1937
 Condensation Pumps and Circulating Pumps.
 Construction details. Roughing-in dimensions.
 Capacities. Performance data. Specifications. 8

BULLETIN V235—TRANE AIR CONDITION-ERS, March, 1937
Deluxe, Hotel and Office, and Commercial Air Conditioners complete and simply described. General information on Trans Evaporative Con-densers. Operating features explained. 16

- BULLETIN V234 TECHNICAL DATA ON COMMERCIAL AIR CONDITIONERS, March, 1937. 36 pages.
- BULLETIN V271 TECHNICAL DATA ON DE LUXE FLOOR MODEL AIR CONDITION-ERS, May, 1937. 16 pages.

• BULLETIN V241 — TECHNICAL DATA ON HOTEL AND OFFICE AIR CONDITIONERS, April, 1937. 12 pages. The above technical sir conditioning bulletins contain control, duct work details, application suggestions, specifications, roughing-in dimen-sions and capacities, in addition to valuable gen-eral air conditioning data.

BULLETIN 230—TRANE CLIMATE CHANGERS, May, 1937
 Data on year around air conditioners for residences and small buildings. Construction details. Control data. Installation suggestions. Data on Split System. Roughing-in dimensions. Capacities. 8 pages.

BULLETIN V239—TRANE AIR CONDITION-ING INSTALLATIONS, May, 1937 A host of outstanding Trane Air Condition-ing installations. 20 pages.

BULLETIN 285 — TRANE TYPE "X" COM-FORT COOLER, July, 1937 A unit especially designed for applications where water is used as a refrigerant. For small and medium size jobs. Features and operation. Installation suggestions. Roughing-in dimen-sions, Capacities. 2 pages.

BULLETIN V25—TRANE PRODUCT COOLERS
Advantages, typical applications, and layouts.
Construction. Specifications. Capacities and
roughing-in dimensions. 4 pages.

• BULLETIN 42-TRANE EVAPORATIVE CON-

DENSERS, February, 1937
Where and why used. Operation features.
Construction details. Dimension and capacity
data. 4 pages.

BULLETIN V98 — TECHNICAL DATA ON EVAPORATIVE CONDENSERS, March, 1937 Advantages. How they operate. Construction data. Installation and maintenance information. Use of capacity tables. Essential cooling data. Specifications. Roughing-in dimensions. Capac-ities. 12 pages.

BULLETIN 152 — TRANE EXTENDED SUR-FACE HEATING COILS, January, 1937 Hot water capacities. Construction features. Heating surface and air friction tables. Selecrevaing surrace and air triction tables. Selection guide. Temperature rise chart. Piping and installation details for high and low pressure systems. Methods of applying automatic temperature control. Pipe sizes and details. Performance data. Specifications. Roughing-in dimensions. Capacities. 40 pages.

BULLETIN 172 — TRANE DIRECT EXPANSION COOLING COILS, February, 1937 Complete, accurate data on direct expansion cooling. Design. Selection. Piping details. Header arrangements. Properties of air and water mixtures. Heat content of air data. Trane psychrometric chart. Refrigeration pipe sizes. Roughing-in dimensions. Capacities. 28 pages.

BULLETIN 182 — WATER COOLING AND HEATING COILS, January, 1937 Applications of water cooling with examples. Comparative operating cost charts. Coil construction. Heat content of air data. Properties of air and water mixtures. Mean temperature differences. Piping details. Specifications. Roughing-in dimensions. Capacities. 32 pages.

BULLETIN V292—TYPE "S" WATER COOL-ING COILS, August, 1937 Supplement to Bulletin 182. Information about Trane Type "S" Coils. Roughing-in di-mensions. 4 pages.

CLEANSING VENTILATING FUNDIFIE DEHUM DIETHG

TRANE SPECIFICATION BULLETINS
 A series of one-sheet, 8½"x11" bulletins arranged so they can be included with specification data or proposals.

NO. V177 - TRANE EXTENDED SURFACE COILS
Types "E" and "C," for blast heating and water cooling.

NO. V254—TRANE BLAST COILS Type "C," for heating, drying and air condi-tioning.

NO. V253—TRANE DIRECT EXPANSION COILS For cooling and air conditioning.

TRANE COMMERCIAL AIR CON-Floor and suspended models.

O. V255—TRANE DE LUXE FLOOR TYPE AIR CONDITIONERS Operation, construction details and features.

NO. V251-TRANE CLIMATE CHANGERS For year around air conditioning. Construc-tion details and features.

CONTROLS, by C. L. Ringquist
 Series of articles assembled in bulletin form.
 Thorough technical discussion of controls for
 every phase of air conditioning. Complete tables
 and engineering examples. Drawings show operation of each control system.

ARTICLES BY WILLIAM GOODMAN

Reprints of published articles covering interesting points in air conditioning. (1) "Air Conditioning Problems Solved by Spray Water—Air Chart." (2) "How to Avoid Trouble on Cooling Jobs with Evaporators above Condenser." (3) "Pumping Head on Air Conditioning Systems Reduced by Using Siphon." (4) "Solving the Four Types of Process Air Conditioning Problems." (5) "How to Solve Heat Transfer Problems." (6) "Dehumidification of Air with Coils." (7) "New Uses for the Psychrometric Chart in Simplifying Air Conditioning Problems."

WEATHER MAGIC—Are you one of the 20,000 who are now receiving the most popular heating, cooling and air conditioning house organ in America?

Write down the bulletin numbers you need on one of your letterheads. and mail it to

The Trane Company, 2007 Cameron Avenue, La Crosse, Wisconsin. for Trane Company of Canada, Ltd., Toronto, Ont.



## ever before EQUA

That's real performance—the kind Aldrich challenges competition to equal! 15.5% CO2 has always been considered combustion with no preventable wasteso recheck the figure above. A comparative test will show why Aldrich burners give such superior performance and economy. Advanced, simplified engineering is the secret.

In addition to unequalled performance you are now guaranteed absolute freedom from pulsations! Aldrich has found and removed the cause of pulsating fires. Gadgets and make-shifts to reduce the effect of pulsations are not to be compared with a design that removes the cause. Why put up with less than this unequalled performance? Aldrich leads consistently.

Get with the leader-investigate Aldrich today. Tremendous production and almost unequalled cash buying power plus original and advanced methods of manufacture make Aldrich-built burners cost little more—even less in some cases—than inferior burners.

> Write or wire for details about the Dealer Franchise this fastest selling line of better oil burners







PET



GIANT

Accessible - remo

ME Now

T & B no o Regist Regist

AIRL

for im

• Cr • Pro

 Bar • Lan

Ve

FLEX Pro

 Sol Bar

• San • Eas

**ECON** 

• Lar Extr

• Mod • Eas

• Eas

SIDEY Tuttle &

one of popular board !

### TUTTLE & BAILEY

INCORPORATED

NEW BRITAIN,

CONNECTICUT



### T & B SERVICE MEANS PROMPT DELIVERY

Now it is possible to avail yourself of all the T & B quality and of the refinements found in no other line of Air Conditioning Grilles, Registers and Intakes. All standard sizes of Registers stocked in prime coat finish, ready for immediate deliveries.

### AIRLINE DESIGN

- Created especially for air conditioning
- Provides fixed air deflection
- Bars vertical or horizontal
- Large effective area
- Very moderately priced

### FLEXAIR DESIGN


- Provides adjustable deflection at outlet
- Solid bar construction
- Bars vertical or horizontal
- Sanitary—easily cleaned
- Easily painted to match trim

### **ECONOMAIR DESIGN**


- Large effective area
- Extremely inexpensive
- Modern in appearance
- Easy to keep clean
- Easy to paint

### SIDEWALL and BASEBOARD FRAMES

Tuttle & Bailey registers are provided with any one of six standard installation frames, most popular of which are the sidewall and baseboard frames shown below.




FLEXAIR REGISTER



ECONOMAIR REGISTER

SEE YOUR JOBBER AT ONCE



### LAU presents...

### **BLOAIRE**

The Sensationally LOW PRICED Package Unit Furnace Blower



See "BLOAIRE"
at the
International Heating & Ventilating
Exposition
Grand Central Palace New York City
January 24th to 28th
Booths 265-266




Less Than

**\$40.** 

Think of it! A centrifugal type blower (not a fan) that will meet the requirements of thousands of homes . . . a blower that will SELL at a price within the reach of everyone . . . a blower that will open a new field of sales for YOU!

1,000 C.F.M.—large enough for the many of thousands of existing unsatisfactory gravity jobs already installed.



### A Complete Blower!

Including Motor, Filters, Blower Cabinet, Blower and full size access door. The attractive streamlined cabinet in its two-tone baked Morocco finish has eye appeal. Easy to sell . . . easy to install! BLOAIRE is also sold less casing, filters and motor.

Write Now for Complete Data and Prices

The Lau Blower Company—Dayton, Ohio



5 LOWER ANNUAL FUEL COST

Greater Efficiency

These new advantages now in addition to . . .

24 Hour Air Conditioning

The Mark



low) blower has always produced outstanding fuel economy. And now a longer flue of revolutionary design further increases SUPERFEX efficiency and reduces fuel consumptionwith no increase in overall size. A com-

plete unit which warms, humidifies,

Home owners buy SUPERFEX because

it does a complete job-delivers condi-

tioned air 24 hours a day-not just the

average 8. The SUPERFEX two-speed

(high-low) oil burner automatically

synchronized with a two-speed (high-

circulates and filters the air. Three models with capacity at the registers from 65,000 to 140,000 B.T.U.'s. Built and engineered by the Perfection Stove Company, the world's largest makers of oil burning appliances. Easy to install at a good profit.


AT THE HEATING AND VENTILATING EXPOSITION • Booth 15-C • Main Floor

> The new improved SUPERFEX combines all the features your customers want. It fulfills the most rigid requirements of winter air conditioning. And does it at extremely low fuel cost. See it at the Exposition or mail coupon

SIEP AHEAD SUPERFEX

PERFECTION	STOVE	COMPANY,	•	7900-A	Platt	Avenue,	Cleveland,	Ohio
Send me	full det	ails of the nev	WS	IIPERFEY C	oil Burn	ning War	m Air Condi	tioner

me		
	3	
reet		



### The ACME HEATER

"It's in the Fins'

Burns Any Kind of Fuel
The design of an all cast iron, direct transmission heater, such as the Acme, is not dependent upon the fuel to be used. Any fuel may be burned. Suitable grates may be provided so that bituminous, semi-bituminous, anthracite coal, or other solids may be used with equal efficiency. Replacement of grates and linings by proper refractory material permits use of stokers or oil burners.

Large Combustion Chamber

Ample space is provided for the ignition of gases of combustion, regardless of fuel used. The combustion chamber, acting as "primary" neating surface, effects a very efficient transfer of heat, because of great emperature difference between burning gases inside the chamber and ir passing over the outside surface.

### Efficient Radiator Section

Although the heating surface of the combustion chamber is large and

efficient, still more heat must be extracted to obtain satisfactory overall efficiency. The illustration above shows how gases of combustion enter rear smoke chamber, flow to front of the heater, and return again to smoke-box. Gases are held in intimate contact with the heating surface, six times the length of the heater, before they are permitted to escape.

High Ratio of Heating Surface to Grate Area

The radiator tubes are covered with extended surfaces, or fins. The tubes of the radiator provide large heating surfaces and, when combined with the surface of the combustion chamber, afford a high ratio of heating

### **Balanced Construction**

The construction of the Acme Heater provides ample free area and allows proper velocity of the air to be heated. Moreover, this air is brought into direct contact with as much heating surface as possible, resulting in the Acme of Efficiency.

Size	D	imension	В	Grate	H. Surf.	Free Area Sq. Ft.	Free Area Sq. Ft.	Weight	Cfm. 100°   Fahr.	Maximum
No.	A	В	C	Sq. Ft.	Sq. Ft.	Min.	Max.	Pounds	Temp. Rise	Capacity Btu.
5	6' 6"	4' 0"	5' 8"	7.56	260	6.55	10.25	5,800	6,000	700,000
6	6' 6"	4' 0"	5' 8"	9.39	260	6.55	10.25	5,850	7,000	800,000
7	6' 6"	4' 0"	5' 8"	10.31	260	6.55	10.25	5,900	8,000	900,000
7-A	8' 1"	4' 0"	5' 8"	10.31	340	7.73	12.50	6,900	9,000	1,000,000
8	8' 1"	4' 0"	5' 8"	11.91	340	7.73	12.50	6,950	10,000	1,100,000
8-A	9' 8"	4' 0"	5' 8"	11.91	430	8.91	14.75	7,950	11,000	1,200,000
9	9' 8"	4' 0"	5' 8"	13.06	430	8.91	14.75	8,000	12,000	1,300,000
9-A	11' 3"	4' 0"	5' 8"	13.06	500	10.20	17.00	9,100	13,000	1,400,000
.0	11' 3"	4' 6"	7' 3"	14.43	500	15.82	22.62	9,300	14,000	1,500,000

### NOTES

The capacity rating of the Acme Heater has been determined by a series of tests conducted by an eminent consulting engineer. The efficiency curves from these tests show ratings given are conservative. Ratings are based on hand fired Bituminous coal containing 12,000 Btu. per pound. Combustion rate of 14 lbs. of coal per sq. ft. of grate per hour. Over-all efficiency at 60 per cent.

Add 10 per cent to rating for stoker or oil burner. Prices on application.

### THE ACME JUNIOR HEATER

Size No.	Dime	ensions	Sq. Ft. Grate	Sq. Ft. Mean Comb.	Sq. Ft. Heating	Sq. Ft. Free Area	Sq. Ft. Free Area	Shipping Weight	Cfm. 100°	Capacity	Normal
140.	A	В	Surface	Area	Surface	C. Cham.	Rad. S.	Pounds	Temp. Rise	E. D. R.	Capacity Btu.
2	4' 6"	3' 0"	3	3.9	136	4.7	4.7	3,200	3,200	1,500	352,500
2-A	4' 6"	3' 9"	4	5.0	140	4.7	4.7	3,350	3,800	1,700	423,000
3	6' 0"	3' 9"	5	6.1	183	5.9	6.9	4,100	4,800	2,300	527,000
3-A	6' 0"	4' 6"	6	7.2	185	5.9	6.9	4,300	5,400	2,500	595,000
4	7' 6"	4' 6"	6	7.2	230	7.1	9.1	5,000	6,100	2,800	634,000
4-A	7' 6"	5' 3"	7	8.2	235	7.1	9.1	5,200	6,500	2,900	698,500
5	9' 0"	5' 3"	8	9.3	280	8.3	11 3	6.000	7.400	3.800	803 000

WRITE FOR COMPLETE DATA SHEET.

### **HEATING & VENTILATING CO.**

1224-6-8 SO. LOWE AVENUE

CHICAGO, ILLINOIS

in

overall enter ain to urface, escape.

s. The nbined neating

ea and

air is

s been


minent these

ngs are 12,000 oal per er cent. rner.

NOIS



The Crise Floating Control is a very profitable unit for both jobber and dealer. Crise expects its dealers to enjoy a fine volume by fully protecting the sale of its products through legitimate channels of the heating trade. Send coupon today.



Crise Electric Mfg. Co. 320 S. Main St. Mt. Vernon, O.

Send my free 1938 Folder.


Company Name .....

Address

My Name & Title

THE CRISE ELECTRIC MFG. CO., 320 S. MAIN, MT. VERNON, OHIO





### U. S. ADJUSTABLE BAR REGISTER

SH

CR

tio


Up to 60 Degrees for Summer Cooling Comfort Straight or Down to Any Desired Angle for Warmth

## A SIMPLE LEVER ACTION ... "DOES THE TRICK"

Could be adjusted Every Minute, Every Hour, Every Day, Week, Month or Year—STILL the Register Finish IS NOT DAMAGED, SOILED, or CUT. The Same Principles of adjustment in Vertical Styles of Directional Flow and Diffusional Adjustable BAR REGISTERS.


All "FIN-TYPE" STYLES Furnished in All Desired Directional Flows and Equipped with SEALING GASKETS

\* \* \* \*




ID


Style 119-Horizontal Close-Space Design



Style 120-0-Horizontal Open-Space Design



Style 153-Horizontal Louver-Stamped Design




Style 102-Vertical Bar Design

The Outstanding, Amazing Value of the Year

the NEW Close Space "LOUVER-STAMPED" AIR CONDITIONING REGISTER.

See it at our Exhibit No. 25 and sense the Value of this New Low-Priced Line and realize the Pleasant SHOCK of what modern equipment can do to Lower Costs and IN-CREASE VALUES.



tion, that donates all Features of demanded of Air Conditioning.

A New Idea of Register Construc- NON-VISION, Directional Flow, and Appearance

YOU'VE GOT to See Them to Believe It! "We'll Be Seeing You" in Little Old New York



STATES REGISTER CO.

BATTLE CREEK, MICHIGAN

. KANSAS CITY . ALBANY . SAN FRANCISCO . NEW YORK, N. Y.

### Peerless AIR CONDITIONING PRODUCTS




The PEERLESS Direct Drive Package
Unit has automatic speed control
and automatic control of air delivery
—is auiet—reliable—efficient.



PEERLESS Direct Drive Panel Units can be supplied for either vertical or horizontal mounting—are supplied without cabinets or filters.




The PEERLESS Belt Drive Package Unit can be used with either new or old furnaces—a well balanced, quiet, compact unit.



A PEERLESS Four Blade Ventilating Fan in a modern new design—direct drive—can be supplied with either 16, 18, 24, or 30 inch diameter fan.




A PEERLESS Multiple Blade Exhaust Fan — direct drive — with silent capacitor motor—variable speeds—supplied with either 16, 18, 24, or 30 inch diameter fan.



A PEERLESS Multiple Blade Belt Drive Fan in a new design—supplied with either 24 or 30 inch diameter fan.



PEERLESS Squirrel Cage Induction Motors are favored by machinery manufacturers for their reliability, super-performance, and fine appearance.



This PEERLESS Capacitor Motor of new design has a powerful starting torque on a low starting current—with a rubber cushion mounting and two speeds.



A PEERLESS Single Phase Motor with extended shaft—long life and wool-packed bearings — recommended for fans and blowers.

Representatives in principal

West Coast Representative — MONTGOMERY BROTHERS 61 Fremont St., San Francisco

THE PEERLESS ELECTRIC COMPANY, WARREN, OHIO
"For 45 years—only the best"

## Round Colo, Scores Again with plus values for 1938

It's profitable to line up with more satisfying Round Ock's complete line of cast and steel furnaces.

The enviable reputation and prestige of Round Oak products throughout the trade plus their unusual 1938 dealer proposition and valuable merchandising program spells more profit for you.



A complete unit consisting of heater, conditioning unit, cabinet and automatic controls.

#### The Moistair Boiler-Plate

A furnace as built by Round Oak is the finest warm air furnace offered in this type, designed for small, medium and large homes.



#### The Round Oak

This unit includes a modern round cornered cabinet, heating unit, oil burner, precast combus-tion chamber, blower, filters and

#### Round Oak Coal Master

Featuring the exclusive patented clinker receptacle - a welded jointless constructed furnace -triple welded radiator.



#### Moistair Blended-Iron "J"

Heavily ribbed combustion chamber - two-piece firepot ribbed inside and out - made in sizes 20, 22, 24, 27, and 30.

Write for literature on the new Round Oak

ROUND OAK COMPANY DOWAGIAC, MICHIGAN.

Send new literature on your complete line of steel and cast furnaces.

Firm Name..... Street No.....

SC-OX

City..... State..



Air Conditioning

## FOUR ACES



Here's your old friend . . . the famous five point Rybolt cast iron furnace. One of the few furnaces on the market that combines beauty, quality, efficiency, strength and price in one unit and is still priced low enough to appeal to all

your prospects. You give a good tight job with a RYBOLT five point cast iron . . . one that will not constantly eat into your profits with return calls.



A worthy companion to the cast iron furnace is the new steel furnace that incorporates every advantage to be gained in warm air heating. Scientific design to produce more efficient heat and the famous Rybolt

construction combine to make this furnace good for years of economical and trouble free heating.

## 1938 AND EVERY ONE A WINNER FOR YOU!

Four aces generally mean the upper hand in any game and the heating and air conditioning game is no exception. With Rybolt dealing you four aces such as these, you don't have to gamble with an uncertain line during 1938. Rybolt Units are built of the finant materials, perform with surprising exceptive and make it experts a setting. form with surprising economy and make it easy to satisfy your toughest customer that he has made a good buy. You'll "deal" yourself in on a "rich pot" if you handle the Rybolt line.



Here are two up-tothe-minute Rybolt Winter Air Conditioning Units — the finest and most attractive Rybolt has ever introduced. The Series 600A7 Rybolt Winter

Air Conditioning Unit shown at the left has as its heating element the new 600 Series Steel Rybolt furnace. Every advantage associated with warm air furnaces of the steel type, such as quick response to firing, ease of cleaning, and gas-tight




construction, will be found at its best in this model. Also shown is the Series 157 Rybolt Winter Air Conditioning Unit, which has as its heating element the well-known Series 157 Rybolt Cast Iron furnace. This furnace combines with time-

tested Rybolt features all of the modern features of cast iron warm air furnaces. Salient points include slip-on fronts, surface ground ashpit and feed door joints, one-piece radiator, and Rybolt duplex ball bearing grate, all important factors of efficient, economical, and clean opera-

THE RYBOLT HEATER COMPANY ASHLAND OHIO

### Precalculated Engineering

There is urgent need today for some form of engineering calculation which will reduce the time required to estimate heat loss, establish cfm, determine register air temperature and duct sizes and, at the same time, be accurate enough for the average job. It seems logical that such a method can be based upon exposed wall areas with all calculations worked out beforehand and permanently filed in the form of precalculated tables. This series will discuss such a precalculated method.



PRECISE engineering is impractical for the ordinary forced air heating system to be installed in the average residence of moderate size. The calculations required are not worth the hours they take.

Neither are elaborate calculations desirable for any reasonably accurate preliminary cost estimate on more complicated installations.

If the heat requirement of a room can be estimated in a few minutes with an error of 5 or 10 per cent, it's not worth spending 15 or 20 minutes *trying* to attain an accuracy within one or two per cent. In many cases it can't be done anyway.

For large and unusual installations, where accurate engineering is not only desirable but quite necessary, the new Technical Code for Mechanical Warm Air Heating is available, but for either preliminary estimates or complete design of smaller systems, a shorter method seems needed.

#### Limitations of Rule of Thumb

Various "thumb rules" and "short cuts" are being used to save time. To some extent at least, they meet the demand for time saving but unfortunately, they often prove to be too inaccurate. It is believed that a workable compromise can be reached in providing a method which will keep the ordinary job from being "engineered to death" and at the same time will provide a more rational basis for preliminary estimates on more elaborate systems.

This can be accomplished by the use of precalculated tables which eliminate much figuring. Every step in a series of calculations offers just one more chance to

make a mistake in figuring. There is less liability of error in using such tables than there is in going through an unnecessarily long series of additions, subtractions, multiplications and divisions.

It is proposed in this series of articles to present a number of simple tables for estimating heat losses of rooms more accurately than is possible with most "short-cut methods,"

Additional tables will be given for determining the volume of air (cfm) to be circulated to heat houses of various sizes at different register air temperatures and various numbers of air changes or recirculations per hour. A tabular method of quickly selecting the average register air temperature for any dwelling will be given.

Having determined this average register temperature, tables will be given to show (without unnecessary figuring) the corresponding register temperature for each room, depending on the length of warm air duct to that room.

Further tables will give duct and register sizes for rooms having various heat losses.

The author does not claim originality for these tables. They are adapted from methods which are being used by many successful dealers who specialize in forced air heating.

The accompanying table is the first of several which will appear in succeeding issues and which will give close approximations of the actual heat losses of rooms encountered in average residence construction. The heat loss is expressed in thousands of Btu per hour.

This Table No. 3 is for rooms having outside walls through which heat is transmitted from the room air to the outdoor air at the rate of approximately 0.25 Btu per square foot of area per hour per degree of inside-

# TABLE 3

1   Frame
Frame Clapboards or wood shingles on wood sheathing Frame Clapboards or wood shingles on wood sheathing Clapboards or wood shingles on furring strips on wood shingles on furring strips on wood or furring strips on the weather strip on ly  Type  Number of equivalent windows  Type  Number of equivalent windows  1 2 3 4 5 6 7 3 92 10.7 12.3 13.8 or storm sash only  1 2 4 5 6 7 8 9 10.6 13.8 hweatherstrip on hy  1 2 4 5 6 7 8 9 10.7 12.3 13.8 hweatherstrip on hy  1 2 4 5 6 7 8 9 10.7 12.3 13.8 hweatherstrip on hy  1 2 4 5 6 7 8 9 10.7 12.8 13.8 hweatherstrip on hy  1 2 4 5 6 7 8 9 10.7 12.8 13.8 hweatherstrip on hy  1 2 4 5 6 7 8 9 10.7 12.8 13.8 hweatherstrip and wood or wood o
Frame Clapboards or wood shingles  Frame Clapboards or wood shingles  On %-in. fibre board sheathing  Frame Asphalt or asbestos shingles on furring strips on wood  Frame Asphalt or asbestos shingles on furring strips on wood  Frame Asphalt or asbestos shingles on furring strips on wood  Frame Asphalt or asbestos shingles on furring strips on wood  Frame Asphalt or asbestos shingles on furring strips on wood  Frame Asphalt or asbestos shingles on furring strips on wood  Frame Asphalt or asbestos shingles on furring strips on %-in.  Frame Asphalt or asbestos shingles on furring strips on %-in.  Frame Asphalt or asbestos shingles on furring strips on %-in.  Frame Asphalt or asbestos shingles on furring strips on %-in.  Frame Asphalt or asbestos shingles on furring strips on %-in.  Frame Asphalt or asbestos shingles on furring strips on %-in.  Frame Asphalt or asbestos shingles on furring strips on %-in.  Frame Asphalt or asbestos shingles on furring strips on %-in.  Frame Stucco Nin. fibre board sheathing  S-in. Haydite Stucco  S-in. Haydite
Frame Clapboards or wood shingles   Frame Asphalt or asbestos shingles    Frame Asphalt or asbestos shingles    Frame Asphalt or asbestos shingles    Frame Asphalt or asbestos shingles    Frame Asphalt or asbestos shingles    Frame Asphalt or asbestos shingles    Frame Asphalt or asbestos shingles    Frame Asphalt or asbestos shingles    Frame Asphalt or asbestos shingles    Frame Asphalt or asbestos shingles    Frame Birck Veneer    Stucco    S
Frame Asphalt or asbestos shingles yi-in, plaster on yi-in. On wood sheathing strips on wood or furning strips on yi-in. Stucco on yi-in, sheathing strips on yi-in. Inthe board sheathing strips on yi-in. Stucco on yi-in, solid brick wall sheathing strip strips on yi-in. Stucco on yi-in, solid brick wall sheathing strip strips on yi-in, solid brick wall sheathing strip strick wall sheathing strip s
Frame Asphalt or asbestos shingles %-in. plaster on %-in. or wood sheat thing NOT fibre board plaster of furred and at thing NOT fibre board strips on wood strips on wood sheathing strips on wood or furring strips on wood or %-in. fibre board sheathing strips on wood or %-in. fibre board sheathing strips on wood or %-in. fibre board sheathing later that & Plaster furred foliow Brick Veneer and wood or %-in. fibre board sheathing later furred sheathing strips on wood or %-in. fibre board sheathing later furred foliow Brick Veneer and wood or %-in. fibre board sheathing later furred shock wall later furred shock later furred shock later furred shock later furred later furred later furred shock later furred later
Frame Asphalt or asbestos shingles on furring strips on wood sheathing strains on Ya-in. There are shorted sheathing strains on Ya-in. The board sheathing sheathing strains on Ya-in. The board sheathing sheathing sheathing strains on Ya-in. The board sheathing shin. Concrete stucco sheathing shin. Concrete stucco sheathing shin. Concrete stucco sheathing shin. Haydite stucco shintle shock shintle stucco shintle ship sheathing shin. Haydite stucco shintle ship ship ship ship ship ship ship ship
Frame Asphalt or asbestos shingles on wood sheatthing strips on \( \text{Actual to aspestos shingles} \)  Frame Asphalt or asbestos shingles on furring strips on \( \text{Actual to aspestos shingles} \)  Frame Stucco on \( \text{Actual to aspestos shingles} \)  Frame Brick Veneer on wood or \( \text{Actual to aspestos shingles} \)  Frame Brick Veneer on wood or \( \text{Actual to aspeat to a beathing} \)  Frame Brick Veneer \( \text{Actual to a board sheathing} \)  Frame Brick Veneer \( \text{Actual to a board sheathing} \)  Frame Brick Veneer \( \text{Actual to a board sheathing} \)  Frame Brick Veneer \( \text{Actual to a board a blaster furred of Brick Veneer} \)  Sin. Concrete Stucco \( \text{Actual to a board a blaster furred of Block} \)  Sin. Ginder Brick Veneer \( \text{Lath & Plaster furred of Block} \)  Sin. Haydite Stucco \( \text{Lath & Plaster furred of Block} \)  Sin. Haydite Stucco \( \text{Lath & Plaster furred of Block} \)  Sin. Haydite Stucco \( \text{Lath & Plaster furred of Block} \)  Sin. Haydite Stucco \( \text{Lath & Plaster furred of Block} \)  Sin. Haydite Stucco \( \text{Lath & Plaster furred of Block} \)  Sin. Ginder \( \text{Brick Veneer} \)  Fram \( \text{Actual to a stucco} \)  Sin. Ginder \( \text{Brick Veneer} \)  Sin. Actual \( \text{Actual to a stucco} \)  Fram \( \text{Actual to a stucco} \)  Fram \( \text{Actual to a stucco} \)  Fram \( \text{Brick Veneer} \)  Fram \( \text{Actual to a stucco} \)  Fram \( \text{Brick Pured of Quivalent windows} \)  Fram \( \text{Actual to a stucco} \)  Fram \( \text{Brick Pured of Quivalent windows} \)  Fram \( Brick Pured of Qu
Frame Asphalt or asbestos shingles on wood an furring strips on wood beathing strips on ½-in.  Frame Asphalt or asbestos shingles on furring strips on ½-in. fibre board sheathing sheathi
Frame Asphalt or asbestos shingles on furring strips on ½-in. fibre board sheathing latek Veneer board sheathing latek Plaster furred of the Hollow Brick Veneer characters and concrete stucco sheat sheathing shin. Concrete stucco sheat sheathing shin. Concrete stucco characters characters and characters c
Frame   Stucco   1/2-in fibre   Stuce   Stuc
Prame   Stucco on 1/2-in. fibre board   Lath & Plaster
Frame Stucco on ½-în. fibre board Lath & Plaster  Brick Veneer on wood or Lath & Plaster furred of ½-in. Hollow Brick Veneer  Stucco Block  Sin. Haydite Stucco  Brick Veneer  Sin. Haydite Brick Veneer  Block  Sin. Haydite Brick Veneer  Type  Type  Number of equivalent windows  1 2 3 4 5 6 7 8 9 11.0 12.8 14.7 16.5 eatherstrip on 1y—  Strip, no storm sash  1.5 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3 14.6 etra storm sash  1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6 11.8 13.3 eth weatherstrip  1.5 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3 storm sash  1.5 3.1 4.6 6.1 7.7 9.2 10.7 12.3 13.8 eth weatherstrip  1.6 3.2 4.7 5.9 7.1 8.3 9.5 10.6 10.6 10.8 10.6 10.6 10.6 10.6 10.6 10.6 10.6 10.6
Brick   Veneer on wood or   Lath & Plaster   Frame   Stuck   Veneer   Lath & Plaster   Furred   Concrete   Stuck   Veneer   Lath & Plaster   Furred   Concrete   Stuck   Veneer
## Add For Windows    12-in. noise board sneatning   Lath & Plaster furred of S-in. Concrete   Stucco   12-in. solid brick wall   Lath & Plaster furred of S-in. Concrete   Stucco   12-in. plaster on 12-in. plaster furred of Block   S-in. Chider   Brick Veneer   Lath & Plaster furred of S-in. Haydite   Brick Veneer   Lath & Plaster furred of Block   S-in. Haydite   Brick Veneer   Lath & Plaster furred of Block   S-in. Haydite   Brick Veneer   Lath & Plaster furred of Block   S-in. Haydite   Brick Veneer   Lath & Plaster furred of Block   S-in. Haydite   Brick Veneer   Lath & Plaster furred of Block   S-in. Haydite   Brick Veneer   Lath & Plaster furred of Block   S-in. Haydite   Brick Veneer   Lath & Plaster furred of Block   S-in. Haydite   Brick Veneer   Lath & Plaster furred of Block   S-in. Haydite   Brick Veneer   Lath & Brisker furred of Block   S-in. Haydite   Brick Veneer   Lath & Brisker furred of Block   S-in. Haydite   Brick Veneer   S-in. Haydite   S-in
Brick   12-in. solid brick wall   Lath & Plaster furred   Carlin
6-in. Hollow Brick Veneer  8-in. Concrete Stucco Block 8-in. Clinder Brick Veneer  8-in. Haydite Stucco Block 8-in. Haydite Stucco 8-in. Haydite Brick Veneer  8-in. Mumber of equivalent windows  Type  Add For Windows  Type  1 2 3 4 5 6 7 8 9  ain — no weather  1 2 3 4 5 6 7 8 9  ain — no weather  1 2 3 4 5 6 1 7.7 9.2 10.7 12.3 13.8  orm sash only— no storm sash only— no storm sash only— no storm sash only— no weatherstrip on 11.6 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3 th weatherstrip and weatherstrip and storm sash only— 1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6 storm sash only— no storm sash on
Stin. Concrete   Stucco
Stucco
Stin. Clader
8-in. Cinder Block 8-in. Haydite Stucco Block 8-in. Haydite Stucco Block 8-in. Haydite Stucco Block 8-in. Haydite Brick Veneer  Add For Windows  Type  Number of equivalent windows  1 2 3 4 5 6 7 8 9  ain — no weathers  strip, no storm sash only—
Stucco
S-in. Haydite   Stucco   Lath & Plaster furred   S-in. Haydite   Brick Veneer   Lath & Plaster furred   S-in. Number of equivalent windows   S-in. Number of eq
Sin. Haydite   Brick Veneer   Lath & Plaster furred   Block
Add For Windows  Number of equivalent windows  1 2 3 4 5 6 7 8 9  1.8 3.7 5.5 7.3 9.2 11.0 12.8 14.7 16.5  1.5 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3  1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6
Add For Windows  Number of equivalent windows  1 2 3 4 5 6 7 8 9  1.8 3.7 5.5 7.3 9.2 11.0 12.8 14.7 16.5  1.5 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3  1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6
Add For Windows  Number of equivalent windows  1 2 3 4 5 6 7 8 9  1.8 3.7 5.5 7.3 9.2 11.0 12.8 14.7 16.5  1.5 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3  1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6
Add For Windows  Number of equivalent windows  1 2 3 4 5 6 7 8 9  1.8 3.7 5.5 7.3 9.2 11.0 12.8 14.7 16.5  1.5 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3  1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6
Add For Windows  Number of equivalent windows  1 2 3 4 5 6 7 8 9  1.8 3.7 5.5 7.3 9.2 11.0 12.8 14.7 16.5  1.5 3.1 4.6 6.1 7.7 9.2 10.7 12.3 13.8  1.5 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3  1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6
1 2 3 4 5 6 7 8 9 1.8 3.7 5.5 7.3 9.2 11.0 12.8 14.7 16.5 1.5 3.1 4.6 6.1 7.7 9.2 10.7 12.3 13.8 1.5 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3 1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6
1     2     3     4     5     6     7     8     9       1.8     3.7     5.5     7.3     9.2     11.0     12.8     14.7     16.5       1.5     3.1     4.6     6.1     7.7     9.2     10.7     12.3     13.8       1.5     3.0     4.4     5.9     7.4     8.9     10.4     11.6     13.3       1.2     2.4     3.5     4.7     5.9     7.1     8.3     9.5     10.6
1.8     3.7     5.5     7.3     9.2     11.0     12.8     14.7     16.5       1.5     3.1     4.6     6.1     7.7     9.2     10.7     12.3     13.8       1.5     3.0     4.4     5.9     7.4     8.9     10.4     11.6     13.3       1.2     2.4     3.5     4.7     5.9     7.1     8.3     9.5     10.6
1.8     3.7     5.5     7.3     9.2     11.0     12.8     14.7     16.5       1.5     3.1     4.6     6.1     7.7     9.2     10.7     12.3     13.8       1.5     3.0     4.4     5.9     7.4     8.9     10.4     11.6     13.3       1.2     2.4     3.5     4.7     5.9     7.1     8.3     9.5     10.6
1.8     8.7     9.2     11.0     12.8     14.1     10.0       1.5     3.1     4.6     6.1     7.7     9.2     10.7     12.3     13.8       1.5     3.0     4.4     5.9     7.4     8.9     10.4     11.6     13.3       1.2     2.4     3.5     4.7     5.9     7.1     8.3     9.5     10.6
1.5     3.1     4.6     6.1     7.7     9.2     10.7     12.3     13.8       1.5     3.0     4.4     5.9     7.4     8.9     10.4     11.6     13.3       1.2     2.4     3.5     4.7     5.9     7.1     8.3     9.5     10.6
1.5 3.1 4.6 6.1 7.7 9.2 10.7 12.3 13.8 1.5 3.0 4.4 5.9 7.4 8.9 10.4 11.6 13.3 1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6
1.5     3.0     4.4     5.9     7.4     8.9     10.4     11.6     13.3       1.2     2.4     3.5     4.7     5.9     7.1     8.3     9.5     10.6
1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6
1.2 2.4 3.5 4.7 5.9 7.1 8.3 9.5 10.6
1.2 2.4 5.5 4.6 5.9 (.1 8.3 9.5 10.5

outside temperature difference (heat transmission coefficient = 0.25).

These constructions are listed at the top of the table and it will be noted that they include walls having heat transmission coefficients ranging from 0.23 to 0.27. Since the table itself is calculated for a wall having the coefficient 0.25, the actual heat loss through the exposed wall may vary from the loss as given by the table by as much as 0.02 Btu per square foot per degree per hour, or 8 per cent. If the heat loss through the exposed wall is as much as half of the total heat loss of the room, the error reduces to 4 per cent of the total room requirement and if, as is more likely in the average house, the wall loss is only about one-third of the total, then the error becomes less than 3 per cent. For practical purposes, this should be sufficiently accurate.


In this, and in the other heat loss tables to be given in future issues, an inside-outside temperature difference of 70 degrees is assumed; 70-degree average room crack through which cold outside air can leak into the room (infiltration) is three times the width (top and bottom of sash and meeting rail) plus twice the height,

 $3w + 2h = (3 \times 2.5) + (2 \times 5) = 17.5$  feet of crack.


In calculating these tables, the "crackage method" of estimating infiltration as recommended in the A. S. H. V. E. Guide and in the new Technical Mechanical Meating Code, is used in preference to the more common "cubic content method" given in the Standard Gravity Code and the Tentative Mechanical Code because there is no logical relation between the cubic content of a room and the volume of outdoor air which will enter that room each hour by infiltration, while there is a very definite relation between the number of running feet of window and outside door crack and the volume of outside air which will seep in.

With a 15-mile wind, the volume of outdoor air which will be forced in through each running foot of crack (plus a reasonable added allowance for leakage around the window casing) is given by the American Society of Heating and Ventilating Engineers as 39.3 cubic feet per hour for the average window.

The Society defines the "average window" as one having  $\frac{1}{16}$ -inch crack and  $\frac{3}{64}$ -inch clearance. See Fig. 2.



At the left-Glass surface areas are measured as shown. Infiltration is determined on feet of crack according to the formula below the window. At the right—Clearance and crack are sometimes confused. This drawing shows clearance as the spaces between the side of the sash and the frame track, while the crack is the space between the outside edges of the sash and the frame.



#### AREA = W X h RUNNING FEET OF CRACK = (3×w) + (2×h)

air temperature with zero and a 15-mile-per-hour wind outside. A conversion table is provided as will be explained later, so that the "standard" 70-degree tables can be quickly, easily and accurately applied in communities where the outside temperature used as a design basis may range from 20 degrees above zero to 30 degrees below. They will also enable the user to correct for room air temperatures other than 70 degrees such as bath rooms and sun rooms, where an 80-degree air temperature is desirable.

Windows are assumed to be double hung, wood sash with casement opening dimensions (Fig. 1), w (width) = 2.5 ft. and h (heighth) = 5 ft. The area of glass surface through which transmission loss takes place is, therefore,  $2.5 \times 5 = 12.5$  square feet.

With such a window, the number of running feet of

A "poorly fitted" window is defined as having 32-inch crack and 32-inch clearance and its leakage is 110.5 cubic feet of air per hour per foot of crack. Notice that an increase of only 32-inch in width of crack and 34-inch in clearance, steps up the infiltration per running foot of crack from 39.3 cubic feet to 110.5 cubic feet of air per hour-an increase of 180 per cent.

In new houses it is presumed that windows are well fitted, but normal shrinkage soon increases both crack and clearance width. In older buildings there are few windows which can be safely classified as "well fitted" or even "average." Hence, many careful engineers add from 15 to 25 per cent to the recommended 39.3 cubic feet per hour per foot of crack as a safety factor.

In making a heating survey of a building where an existing gravity circulating plant is to be converted to forced air heating or window air conditioning, the windows should be careully inspected and when found to be loose, the owner's attention should be called to the unnecessary waste of heat. He should be urged to have

#### RESIDENTIAL AIR CONDITIONING SECTION

a competent carpenter tighten up all poorly fitted sash and if necessary caulk around the casings.

Since average conditions must be assumed in calculating tables such as are presented here, infiltration heat loss is based on an assumed leakage 20 per cent greater than that through an "average window"—47 cubic feet of air per running foot of crack per hour instead of 39.3.

With a leakage of 47 cubic feet of air per hour per foot of crack, the heat loss due to this infiltration will be:

 $47\times0.075\times0.24\times70=60$  Btu per hour per foot of crack (approximately).

in which

0.075 = Weight in lbs. of one cubic foot of air at room temperature of 70 deg.

0.24 = Btu required to raise the temperature of one pound of air one degree F.

70 = degrees difference between temperature of entering air and room air.

Since the number of running feet of crack in a double hung window is equal to  $(3 \times w) + (2 \times h)$  as shown in Fig. 1, and the *rate* of heat loss due to infiltration is 60 Btu per hour per foot of crack, it follows that the infiltration heat loss for each window is:

$$60 (3w + 2h)$$

or 
$$(60 \times 3 \times w) + (60 \times 2 \times h)$$

For the "standard" sized window 2 ft. 6 in. wide by 5 ft. high assumed in compiling the table, this becomes:

$$(60 \times 3 \times 2.5) + (60 \times 2 \times 5) = 450 + 600$$
  
= 1050 Btu per hour

The transmission loss for single glass at the accepted rate of 1.13 Btu per degree temperature difference per hour per square foot of surface will be, for a 70-degree inside-outside temperature difference,  $70 \times 1.13 = 80$  Btu per hour per square foot of glass area (approx.).

The transmission heat loss for any window without storm sash would, therefore, be (Fig. 1)  $80 \times w \times h$ . For a window  $2\frac{1}{2}$ -ft. wide by 5-ft. high, this becomes:

$$80 \times w \times h = 80 \times 2.5 \times 5 = 1000$$
 Btu per hour.

#### How Glass is Calculated

The conventional method of calculating the transmission heat loss through the exposed walls of a room is to add together the transmission loss through the glass surface and through the *net* exposed wall surface. The net exposed wall surface is the gross area of exposed wall (running feet of exposed wall multiplied by ceiling height) minus the area of glass surface.

With tables such as are recommended here, the *gross* exposed wall area is used instead of net area, which eliminates one step in figuring and makes the estimation of heat losses quicker and more convenient.

This is accomplished in compiling the tables, by assigning to each standard size window, a heat loss equal to an equivalent area of wall or, stated another way, the leakage loss of the window plus the *difference* between the transmission loss through the window and through the same area of exposed wall.

Thus, for a wall having a heat transmission coeffi-

cient of 0.25 Btu per square foot per degree temperature difference per hour (such as the accompanying Table No. 3) and assuming an outdoor temperature of zero with a room temperature of 70 degrees, the heat loss through 12.5 square feet of exposed wall will be:

$$12.5 \times 0.25 \times 70 = 218.75$$
 Btu per hour.

The heat transmission through this same area of glass surface as shown above, is 1000 Btu per hour. Therefore, the excess of transmission loss through the window over the transmission loss through the same area of exposed wall is:

$$1000 - 218.75 = 781.25$$
 Btu. per hour.

Hence, for *each* window, the *transmission* heat loss will be 781.25 Btu per hour *greater* than the *transmission* loss through the same area of exposed wall.

We must add to this excess transmission loss of 781.25 Btu per hour, the leakage loss of 1050 Btu per hour and the sum, 1831.25 Btu per hour, gives the additional heat loss to allow for each window not having storm sash or weatherstrip, in a room having an exposed wall with a coefficient of 0.25.

Allowance for window losses for rooms having outside walls with other transmission coefficients, tables of which will appear in succeeding issues, are determined in a similar manner by allowing for each window, the difference between the total window loss and the transmission loss through the same area of the particular wall construction covered by the table.

#### Effect of Storm Sash

For windows equipped with storm sash, the commonly used transmission coefficient has been 0.45 Btu per square foot per degree temperature difference per hour which is the value recommended by the American Society of Heating & Ventilating Engineers for double glazed windows.

But the storm sash usually found is the type which is put up in the fall and taken down in the spring and to facilitate this twice-a-year change, such sash is seldom tightly fitted. Consequently, a considerable volume of cold outdoor air seeps into the space between the window and the storm sash; the inner window pane is colder and the heat transmission loss from the room is consequently greater than would justify the use of a coefficient as low as 0.45.

The new Technical Code for Mechanical Heating therefore recommends that for windows equipped with such removable storm sash, a coefficient of 0.75 be used. This coefficient is the approximate mean between that for single glazed (1.13) and double glazed (0.45) windows as given in the A. S. H. V. E. Guide and since experience proves that it is a practical and safe value, it is used as the basis for heat loss through the windows equipped with storm sash in the accompanying tables.

For a window of the assumed size (12.5 square feet) and with this type of storm sash, the transmission loss will be:

$$12.5 \times 0.75 \times 70 = 656$$
 Btu per hour.

The total heat loss of the standard window with storm sash will be:

(Continued on page 152)

# A House Heated by

### Floor Plenums

OBTAINING greater winter time comfort in residences by keeping floors and outside walls warm is considered by many heating authorities as the next important advance in air conditioning. This method—known abroad as panel heating—is based upon the accepted principle that if floors and walls are warm there is little or no bodily radiation to cold surfaces, there will be a smaller temperature differential between floor and ceiling and comfort is obtained at lower breathing level temperatures.


A number of installations of this general type have been designed with, so far as we can find, complete satisfaction for the owner. A very interesting example of this type of installation was completed this past summer in St. Louis in the new home of L. M. Pearsons, chief engineer of the White-Rodgers Electric Company, manufacturers of automatic control equipment.

#### Construction of House


The house is an interesting example of modern design and construction. Concrete construction throughout, with generous areas of glass brick, unusual indirect lighting systems and ultra-modern appointments combine to make this home a "show-place" for prospective home owners and the local building trades. The use of plastic material (concrete) results in an unusual architectural beauty, and the best tribute to the whole project is the building of several new homes of similar design and construction on which work has already begun.

The home was built with the idea of creating conditions and problems with which the heating and air conditioning industry will be faced when this trend toward the use of more modern building materials becomes more pronounced. Further, it provided the White-Rodgers Electric Company opportunity to develop the needed control equipment in advance of the market requirements.

Mr. Pearsons says the air conditioning system installed in his home is designed on the theory that the comfort of almost every person is principally governed by the temperature and humidity around the feet and legs. If the lower parts of the body are comfortable, a person feels comfortable at any reasonable inside temperature and frequently at a lower temperature than is commonly thought necessary. He has used this idea before in the auto-




The first floor plan shows arrangement of rooms and outdoor pool used for cooling compressor water. The top detail shows warm air risers and floor plenums, the two blowers, supply and return slots and basic principle of the system.




The living room, above, is heated by a warm floor plenum and air which enters through a long grille in the baseboard. For cooling, air leaves at the baseboard and enters from the ceiling cove. The detail on page 113 shows the general plan.


Below are basement and second floor plans. The second floor also has a floor plenum as well as the cove and baseboard slotted grilles. See the detail elevation for design.



The grille in the kitchen wall connects to a separate exhaust system. Warm air enters from baseboard grilles.

The temperature chart at the left was obtained by operating the system manually. Under automatic control, changes were so gradual, due to the warm mass of concrete, that the recorder failed to show any abrupt changes.





#### RESIDENTIAL AIR CONDITIONING SECTION

matic heating industry when designing controls to eliminate "cold 70."

The floors of the house are not solid concrete, but are built of open web, 10-inch steel joists, to permit using the floors for plenum chambers. The bottom of each floor is sealed off with concrete, forming the ceiling surface for the rooms below, and the top of each floor is sealed with a single 3-inch concrete slab, laid over the joists and forming the floor surfaces. Both floors, throughout the home are covered with one-eighth-inch mastic tile.

Thus with the floors providing the plenum chambers, the conditioned air is delivered from the top of the unit, through a large duct (much like a pipeless furnace) directly into the first floor plenum. A large riser, 10 inches wide and 4 feet long, equipped with a splitter damper to regulate the



Rear of the house with the fountain used to cool compressor water in the foreground.

volume of air, is built into a partition wall and provides for air delivery from the first floor chamber to the second floor chamber.

#### Winter Operation and Results

In winter the heated air is delivered into the rooms through slots in the wall and located 6 inches above the floor level. These slots are 1 inch wide by 15 feet long and are curved to deflect the air down toward the floor (see cross section). The large area of these slots admits the incoming air at such a low velocity that air movement is imperceptible. Slots are adjustable for air balance.

Return air outlets are provided in a "cove" or gutterlike depression in the walls, near the ceiling and at a point about where picture molding would ordinarily be located. The concealed lighting equipment is contained in this same "cove" and the return air openings are just as effectively concealed as the lighting equipment.

The floors of the house contain 40 tons of con-

crete. On a zero day outside, floor temperature will reach 80° to 85°. Incoming air will be around 75°. Ceiling temperatures run around 70°. Due to the large bulk of concrete in the floors it is necessary to operate the heating unit about 24 hours from a cold start to bring up floor temperatures to the comfort point for occupants of the room. However, this condition never exists in actual practice, as a home of this type is always maintained at nearly constant temperature and humidity the year 'round, with a minimum of 70° during the heating period, and a maximum of 80° during the cooling period.

The results of tests with automatic controls show no variation from the control temperature, or charts with perfect circle records. Therefore, in order to give a good idea of the problems involved, records were made with manual control and the results shown on the accompanying chart. With the heating and cooling plant operating for periods of several hours at a time, a variation from the desired temperature of only a degree or so is all that was recorded. This is due to the stabilizing effect of the enormous amount of material in the floors which are heated and cooled before a noticeable change of temperature in the room occurs.

#### The Cooling System

Summer cooling equipment in the Pearsons' home employs a three ton refrigeration unit. The direction of air flow is reversed through the system in summer, bringing the cool air in at the top of the room and letting it settle to the outlets at the bottom. The heat from the compressor is dissipated through a spray pond in an outdoor fountain and pond.

Total heat loss for this building is only 100,000 Btu., due largely to its unique construction. The heating unit is gas fired with a capacity of 125,000 Btu. The heating blower is rated 1,300 cfm. Concrete slabs that form the floors do not extend to the outside walls, but stop 4 inches from them. This prevents heat loss by conduction, and allows for expansion of the floors. Steel joists, of course, attach to the wall, but the heat loss through them is comparatively small. Humidity is supplied by a pan-type humidifier in the heating unit.

The living room ceiling is 9 feet, but all other rooms are 8 feet. The house is insulated with 4 inches of rock wool in the side walls and 6 inches in the roof. The wall insulation is behind 2 by 4 furring studs which support the plaster. Where ducts come up outside walls the insulation is thinned to admit a 2-inch duct. Above the layer of insulation in the roof is an air space which is vented to the outside by about 300 holes of 3-inch diameter in the side walls. These permit roof heat to be carried off in the summer and lower temperatures in the attic space.

Summing up his theories on comfort, Mr. Pearsons says, "We must learn to condition the lower part of our rooms and take off the warmed air as it rises to the ceiling," and certainly he has put his theories into actual practice very effectively in his new home.

## Condensation of Moisture

By L. V. Teesdale


Senior Engineer, Forest Products Laboratory, Forest Service, U. S. Dept. of Agriculture

CONDENSATION or moisture accumulation within walls and in attics or roof spaces has become a subject of considerable concern to many home owners and prospective builders, especially in the states north of the Ohio River.

Obviously the question arises as to why we hear so much more about this condition now than we used to just a few years ago. The answer is relatively simple. During the last few years there has been a marked tendency on the part of the architects, builders, and home owners to improve homes both new and old with the idea of increasing the comfort of the occupants and decreasing operating expenses. Prominent among these improvements are the increasing use of storm sash, insulation, weather strips, calking around windows and doors, and other means of decreasing heat loss and wind infiltration.

#### Effect of Higher Humidities

Because of the tighter construction the normal humidity or vapor pressure within a house so constructed is higher then in houses less tightly constructed. In addition, as a health and comfort measure the normal humidity is usually augmented by evaporating water or some other means of winter air conditioning. Improvements that add to



comfort and health are worth while and should not be discouraged, but it so happens that they introduce the unanticipated moisture problem just described.

Because of the present trend to higher indoor relative humidities and, therefore, higher water vapor pressure within doors, there will be a constant out leakage of water vapor, the amount depending upon the tightness of windows and doors, the permeability of the wall materials, and upon other factors. If doors and windows are loose, water vapor will pass out readily and if tight the leakage will be minimized.

The effect of the humidity or vapor pressure on condensation can be understood by examining Figs. 1 and 2. Fig. 1 illustrates a typical frame wall of lath and plaster, studs, sheathing, sheathing paper, and wood siding. Fig. 2 illustrates a wall similar in all respects except that the stud space is filled with insulation.

#### Effect of Vapor Pressure

For purposes of illustration the following examples have been chosen: One indoor temperature of 70° F.; three outdoor temperatures of 20° F., 0° F., and —20° F.; and three indoor relative humidities of 40 per cent, 30 per cent, and 20 per cent. When the temperature of the room side of the sheathing is above the dewpoint temperature in the room, no condensation can take place within the stud space. When, however, the sheathing temperature falls below the room dewpoint a different set of conditions prevails.

If, in Fig. 1, the lath and plaster offered no resistance to the passage of vapor, condensation could take place on the sheathing with the latter exactly at the room dewpoint. The amount of condensation would be limited only by the ability of the sheathing to function as a condenser and the permeability of the sheathing to water vapor. Since the lath and plaster do offer some resistance to the passage of vapor, the vapor pressure within the stud space will be less than that within the room whenever there is vapor movement through the lath and plaster. Actually, therefore, condensation cannot take place within the stud space until the sheathing temperature is appreciably less than the room dewpoint.

When condensation is actually taking place on the sheathing, the vapor pressure within the stud space will be largely determined by the sheathing temperature and will, in general, correspond rather closely to saturation pressure at this temperature.

## In Walls and Attics

The three jagged lines marked "temperature" show the temperature gradients from one side of the wall to the other for the three chosen conditions. The three dashed horizontal lines marked "dewpoint temperature" serve to locate the dewpoint temperatures for the foregoing three indoor relative humidities. The water vapor pressures corresponding to these dewpoints are also marked on the respective lines.

#### Temperature Drop in Walls

Comparing Figs. 1 and 2, it is at once evident that, within the stud space, the temperature gradients are much steeper in Fig. 2 than in Fig. 1, and that the respective sheathing temperatures are much lower in Fig. 2 than in Fig. 1. This results from the addition of insulation in Fig. 2. Because of the lower sheathing temperatures condensation will occur on the sheathing with lower room humidities when insulation is used than when it is not used. Conditions within the walls are actually more complicated than the drawings and examples indicate, because they are not static, and matters of heat balance and rates of water vapor movement and air movement have important effects upon what goes on.

Referring again to Fig. 1: When the relative humidity within the house is 40 per cent, the vapor pressure is approximately 0.289 of an inch. The temperature gradient through the wall when the outside temperature is 20° below zero intersects the room side of the sheathing at about 26° above zero and, assuming saturated air at this point, the vapor pressure there will be only about 0.137 of an inch. This difference in vapor pressure will cause vapor to move from the room through the plaster to the stud space and condensation will develop in this space.

#### Effect of Fill Insulation

This condensation will eventually appear as frost or ice on the sheathing, which is below the freezing point. The still lower temperature and vapor pressure on the inner face of the sheathing paper will cause some of the remaining moisture vapor to move from the inside face of the sheathing to the colder face of the paper, but as the resistance to such movement is greater through the sheathing than through the open stud space the rate of vapor movement will be correspondingly small. However, with a rise in outside temperature the ice may melt and some water may be absorbed by the sheathing. Some may even run down inside the wall.

The better grades of sheathing paper commonly used are very vapor resistant and very little vapor will pass through, but with changing outdoor temperatures when cold weather is followed by mild temperature, the ice that forms between the sheathing and the paper may melt behind the paper, run down to a horizontal joint where some may work through and wet the siding. This is one source of moisture that may contribute to paint failures.

#### Formation of Frost and Ice

The same general principle of vapor movement exists where fill insulation is used. The insulation itself is not resistant to vapor movement and the bulk of the condensation appears on the inside face of the sheathing. However, in the insulated wall the resistance to heat loss offered by the insulation results in a much lower temperature at the sheathing line, consequently the sheathing is below the dewpoint temperature at much higher outside temperatures than is the case in uninsulated walls. This fact, in turn, very greatly increases the amount of condensation that may collect, since periods of extremely cold weather, such as are required to cause condensation in uninsulated walls, are of relatively short duration but there may be a total of

Fig. 2. 65 55 50 0.248 \$ 35 0.204 \$ 30 \$ 0.164 25 € 0.130 20 0.08 15 ₩ 0.063 STUD SPACE 0.04 0.036 0.022 0.017

#### RESIDENTIAL AIR CONDITIONING SECTION

several weeks during the winter when the outside temperature is low enough to cause condensation in insulated walls.

There are a number of types and kinds of insulation on the market and the potential buyer often hears that certain types "draw water" and become wet. This is not true. Such insulation, because of its efficiency in reducing heat loss, lowers the temperatures within the wall and thus sets up the condition that increases the amount of moisture that may accumulate. Once understanding the conditions that cause the moisture it is also possible to provide means of prevention as discussed later.

#### The Problem of Attics

The conditions that cause condensation in side walls also occur in attics or under roofs, modified more or less by any ventilation that may be provided or that may occur naturally. Roof condensation is reported far more frequently than side wall condensation, not necessarily because it occurs more frequently, but rather because it is more likely

to be seen by the occupants. For example, in a pitched roof house having, say, fill insulation in the ceiling below the attic, condensation may develop during a severe cold spell on the under side of the roof boards, forming as ice or frost. When the weather moderates, or even under a bright sun, the ice melts and drips on the attic floor, leaks through and spots the ceiling below. Often such spots are assumed to be roof leaks and cause owners and contractors considerable unnecessary expense in attempting to waterproof a roof that is not leaking. If

the attic has adequate ventilation little or no trouble will occur, but adequate ventilation is sometimes difficult to attain, and tends to increase the heat loss.

#### How Vapor Moves

The movement of water vapor is independent of air movement to the degree that no general circulation of air is necessary to carry the vapor into the wall. The vapor actually moves by diffusion from zones of higher vapor pressure to zones of lower vapor pressure. In fact plaster is very highly resistant to air infiltration even when under a pressure equivalent to a wind velocity of 15 miles per hour but no such pressure exists within a house. Vapor, however, will move very readily through plain plaster but is retarded somewhat by paint coatings and other surface treatments. Other types of wall surfacing materials, such as plywood, fiber boards, and plaster boards are also permeable to vapor and here again the surface decorating material has more or less effect on the resistance. In the case of plywood the type of glue used is also a factor, the phenolic resin glues being much more resistant than soy bean and casein glues to the passage of vapor.

Moisture accumulation within a wall like those illustrated in Figs. 1 and 2 is affected by five factors:

1. Outside temperature and humidity.

- 2. Efficiency of insulation.
- 3. Inside atmosphere (temperature and humidity).
- 4. Resistance of outer wall to vapor movement.
- 5. Resistance of inside wall to vapor movement.

As the outside temperature and humidity cannot be controlled and as insulation adds to comfort, health, and fuel economy, methods of prevention are limited to the three other factors. Some authorities believe that indoor humidities low enough to preclude the possibility of moisture accumulation are undesirable both as a factor of health and comfort and in preventing the overdrying of interior woodwork and furniture.

It is possible, of course, to compromise and carry somewhat lower humidities during very cold weather than are maintained during moderate winter weather and thus reduce the amount of moisture that would accumulate as condensation. It is also possible to so construct walls that the vapor could pass outward through sheathing and sheathing paper and escape through openings in the outside wall

covering or be carried away by ventilating the space between the sheathing and outside finish. Standard construction does not lend itself to this method of moisture elimination. Either the inclusion of ventilating holes in the side wall material or a ventilating space would require more or less modification of the conventional construction.

#### Siding Ventilation

One possible method for wood siding would be to place 1 by 2 inch furring strips over the sheathing, thus obtaining a vertical ventilating space approximately of ¾ of an inch which should be open to the outside at both the bottom and top of the wall so that air could enter at the bottom and pass out at the top. The openings could be concealed behind but not covered by mouldings or other treatment at the water table and cornice. Similar ventilation could be adapted to stucco, brick, and stone exteriors.

With this method the sheathing paper should be of a type that passes water vapor readily, such as slaters felt. During periods of protracted cold weather it is quite possible that moisture would accumulate in the wall faster than it could pass through and be removed by ventilation, hence the ventilation method might not assure complete protection. So far, the possibilities in this method have not been thoroughly investigated by the Forest Products Laboratory.

Attics under pitched roofs can often be ventilated either through windows or louvered openings ventilators in the roof, or openings in chimneys. Wood shingle roofs, when laid on roof boards that are separated about 2 inches, will often allow enough ventilation in the attic to eliminate the moisture problem. Flat roofs are more of a problem. Where the ceiling joists or supports and roof joists or supports are separated enough to allow a free circulation of air, and where sufficient openings and vents

t,

e

0

d

1-

11

g t-

g

S

h

m

1e

gs

le

 $^{\rm ed}$ 

be

as

ld

C-

SS

he

0-

 $^{\mathrm{od}}$ 

)r-

ed

od

re

gh

ire

ere

p-

la-

its

are installed a fair degree of ventilation can be obtained. Often the space under flat roofs is not sufficient to obtain adequate circulation.

The most positive, and least expensive, method of control so far experimented with at the Forest Products Laboratory is the use of vapor resistant barriers at or near the inner face of the wall and under ceiling joists under the attic. In houses under construction this barrier can be attached to the inner face of the studs after the walls have been insulated and before lathing or finishing the wall on the inside. In houses already plastered the barrier can be some suitable material or treatment applied to the interior surface of exterior walls. While it might appear on first thought that such a barrier should be 100 per cent resistant, actually, however, it is not practical to obtain 100 per cent efficiency. With a suitable barrier, however, the amount of moisture entering the wall is so small that it will not raise the moisture content to a degree that is objectionable.

#### Vapor Barriers

The Forest Products Laboratory has been making tests on the vapor resistance of various materials used in wall construction and also on many materials that might be used for moisture barriers. Although these tests are still under way and have not covered all possible materials, enough information is available to permit the selection of a number of materials that are highly resistant to the passage of water vapor.

Among these are (1) asphalt impregnated and surface coated sheathing paper, glossy surfaced, weighing 35 to 50 pounds per roll of 500 square feet; (2) laminated sheathing paper made of two or more sheets of kraft paper cemented together with asphalt; (3) double-faced reflective insulation mounted on paper.

The water-vapor resistances of these three materials, as measured at the Laboratory differ considerably one from another. Unfortunately, the work has not progressed far enough yet to enable a definite statement of the precise degree of vaporresistance required for any specific set of conditions. Most of the discussions and recommendations in this preliminary article are based upon a climate such as that of Madison, Wis., and upon plastered wood construction. The recommendations have not yet been subjected to actual service tests, and may have to be modified as time goes on.

The barrier when located as described on the warm side of the dewpoint position resists the passage of moisture while it is in the form of vapor and therefore before it has a chance to condense into water. Hence there is no hazard of water forming behind the plaster or other interior wall finish. The barrier also prevents moisture from getting into the wall or attic space during the construction period, particularly during the plastering operation.

Such vapor barriers should be applied vertically on side walls with edges lapping on the stude after the insulation is installed and before lathing. Horizontal joints should be made only where backed up with a plate or header. The barrier should be brought up tight against electric fixture outlets, air registers, door and window frames, and other similar openings. If wood lath, metal lath, or other types requiring a plaster key are used, the paper should be applied slightly loose so that the plaster can push the barrier back to form the key. Where the ceilings below the attic or roof are insulated the barrier should be applied in a similar manner.

Walls finished with such materials as plywood, fiber board, plaster board, and the like should also have the barrier as described. Sheathing paper when used outside of the sheathing in combination with the moisture barriers described should be water-resistant but not very vapor-resistant so that the small amount of water vapor that may leak through the barrier can escape outward. Slaters felt meets this requirement. Quite possibly the sheathing paper could be omitted entirely; and it is conceivable that the omission would actually result in a drier wall. Further experiments will have to be made before this point can be definitely settled.

Some kinds of mineral wool are relatively resistant to water absorption, others are treated to make them resistant to wetting by water. This property, while desirable, does not make these materials resistant to the passage of vapor. Therefore they should not be considered a source of protection against condensation.

#### Paper Backed Wool

Some types of mineral wool have a vapor-resistant paper back attached to the batt. Tests to date indicate that none of these papers has a vapor resistance equal that of the 50-pound sheathing paper previously mentioned. They are sufficiently resistant, however, to be of definite help in keeping the insulation and the wall dry and to warrant proper care in installation.

The wool batt is made to fit between standard stud, joist, and rafter spacing with tabs on the paper which extends out from the batt and are tacked to the studs or rafters. The batt may be cut or forced back to obtain the tabs at the end of the batt. Where the spaces are not standard between studs, such as occurs around windows, doors, and dormers, particular care should be taken to obtain good joints even if it is necessary to use one of the barriers previously described.

Blanket types of insulation are also available where the insulation is enclosed within a heavy paper covering treated with asphalt. This paper covering is a fairly effective vapor barrier, but not so effective as the 50-pound sheathing paper. It is important that this type of insulation be carefully installed so that vapor cannot work through around the edges. The tabs should be nailed to the face of the studs with the insulation looping loosely inward away from the inner face of the wall or if installed between studs it should be fastened in place with wood strips.

Fiber board sheathing is often used as a substitute

(Continued on Page 156)

#### What is

## This Thing Called Humidity?

By Lorin G. Miller,

Professor, Mechanical Engineering Dept., Michigan State College

THE majority of interested individuals would reply to the question what is humidity, with a form of the casual statement "It is the amount of moisture in the air" or "The quantity of water in the atmosphere." These impressions cannot be condemned as erroneous, but may be criticized as being inadequate and such statements may lead to conclusions that are not supported by real fact.

For a clearer understanding of the question of humidity, it seems best to first take a look at those terms we use so glibly as "air," "atmosphere," "vapor" and "moisture." "Air," in common parlance, refers to those elements and compounds filling the space surrounding us, which nature keeps in nearly constant proportion. Hydrogen and Oxygen comprise the major amount, but Argon and Carbon Dioxide appear in measurable quantities and some other materials are present as traces. When using the term "atmosphere," we choose to designate that space filled with constant quality air, but also encompassing certain other materials variously described as "dust," "odors," "gases," "pollen" and "vapors," as well as other visible or invisible particles which may be injected into the space by local or unusual causes.

#### Vapor and Moisture

Vapor and moisture are terms often used synonymously and taken to mean an amount of water existing in some form or other in air spaces or attached to surfaces of materials in question. While it is the water vapor we are directly interested in, the essential differences between water and water vapor should be kept in mind. Water is dense, water vapor light; water is visible, vapor invisible; water remains practically the same volume at all pressures while vapor volumes may vary widely with pressure and temperatures, but most important of all to the designer of air conditioning systems is the fact that water contains much less heat than vapor at equal conditions of temperature and pressure. Water cannot be changed to vapor without addition of heat and conversely vapor cannot be condensed into water without the removal of heat.

These changes of state from the solid ice to fluid water and from fluid to vapor are not simple, so some reference to the elementary structure and energy of the material at this point may prepare the way for the facts to follow. Water is made up

of two parts of hydrogen and one part of oxygen in chemical combination. These water particles or molecules remain the same chemically in all three states, vapor, water and ice. They act like spheres and may be considered such with sufficient accuracy to satisfy this discussion.

These spheres at all usable temperatures are in a state of continual thermal agitation, that is of vibration and collision, due to the energy or heat contained. Ice molecules at 32F, travel nearly half a mile per second and hit the adjacent molecules about ten thousand times per second. While in solid state




Fig. 1—Showing arrangement of particles in a solid such as ice. Note that the spacing of perimeters is about equal to the diameter of the spherical particles.

15

C

b

the position of the particles relative to one another probably does not change, the cohesive and adhesive forces being so strong that they remain to vibrate in fixed orbits. In such a state the material is rigid and opposes any change of form. Fig. 1 shows an orderly arrangement of particles and emphasizes the fact that even a solid is not "solid," that is the particles themselves are not in contact except as they collide, but a considerable amount of unoccupied space is included even in such dense material as ice, where the distance between molecules is approximately equal to the diameters of the molecules them-

ee

S

y

a

a

er

*r*e

in

d

ıe

r-

y

ed

i-

selves. These spaces between particles are found in all homogeneous solids and the voids are decidedly more pronounced in materials not homogeneous.

When heat is added to a solid, such as ice, its temperature rises. This increase in sensible heat is merely tangible evidence of an increase in the energy content and hence in the thermal agitation of the particles. As an illustration, consider a piece of




Fig. 3—Changes in state of ice to water to vapor charted to show relative length of each stage as heat is applied and amount of heat required to bring about each change in state.

ice taken from a condition of zero Fahrenheit. If the ice has been in this place for any length of time, its temperature will also be 0F.

When placed in warmer surroundings, it will absorb heat and each .5 Btu. will raise the temperature of one pound one degree. Naturally the outside surface will become warmer and heat will be transferred to the inside. The conductivity of ice is about the same as concrete so that when the outside surface has reached 32F and begun to melt, heat is flowing toward a point one foot inside the surface at a rate of about four Btu. per square foot per hour.

When this condition of agitation becomes sufficiently active, it overcomes the forces of cohesion and adhesion and a change of state occurs. It may become more, or less dense, but often there is little or no change in density. The properties of strength, hardness and elasticity give way to viscosity. The particles no longer maintain the same relative position, but migrate under minute forces such as gravity. The most important fact to be remembered is that at this point without change in temperature, a definite amount of heat is absorbed. These changes

are illustrated in Fig. 3. In the case of ice to water 144 Btu. per pound are required.

If heat is added to the substance after it has melted, the temperature will rise without other properties being noticeably affected. Considering the particles themselves, they are vibrating with increased rapidity but in practically the same orbit since the density changes but little. This condition of transition will obtain until the temperature reaches a certain relationship to the pressure. Fig. 3 gives that relation for water. When this pressure temperature ratio is reached, and heat is continuously added, the performance undergoes a decided change. The temperature ceases to rise and the material changes from fluid to vapor. At atmospheric pressure this occurs with water at 212F. (Dotted line Fig. 4.)

At atmospheric pressure the change in volume from fluid to gas is from .0167 cu. ft. per pound to 26.8 cu. ft. per pound, an increase in volume of 1600 times or an increase in dimension between particles of 12 times. Where the distance between surfaces of the particles in solid and liquid form was about the same as the diameter of the particle, it now becomes some twelve or more times as great. The comparison between Figs. 1 and 2 illustrates this change. In most cases the vapor is invisible. The




Fig. 4—Showing pressures at which water changes to steam. Readers who have heard that water boils at lower temperatures on mountain tops can verify that belief with this chart. Barometric pressures decrease with increasing altitude.

collisions are no longer regular, but occur in a heterogeneous manner. It has been, and can be shown, that the average velocities of these particles is the same in all directions. It requires, in round numbers, 1000 Btu. to accomplish this change of state. (Actually 970.7, see Fig. 3.) At the point where the liquid has just turned to vapor, it is described as saturated.

Continual addition of heat to a vapor after the liquid has all been vaporized will again raise the temperature and also increase the volume occupied by a unit of the vapor. This condition is described

(Continued on page 158)

## Forced Air Heating Facts From the Research Residence—

## Friction Pressure Loss Through Duct Fittings

By S. Konzo
Special Research Assistant Professor
Engineering Experiment Station
University of Illinois

AVAILABLE data on the friction pressure loss through duct fittings and connections are rather meager, considering the relative importance of such data in duct design. In addition, the data published are not all consistent with each other. The infinite variations possible in the shapes and sizes of duct fittings, together with the difficulties inherent in all measurement of pressure losses, make this subject one of the most promising fields of investigation.

A great deal of the apparent inconsistency in the results obtained by various investigators may be due to variations in such factors as:

- a. Differences in velocity contour, or velocity gradient, in the air stream approaching the test section.
- b. Differences in smoothness of wall and joint sections.
- c. Differences in the test section used. As shown by Busey and also by Madison and Parker the addition of a straight pipe to the outlet side of an elbow tended to reduce the friction loss rather than to increase it.
  - d. Differences in the air velocities used.
  - e. Differences in the aspect ratio used.

(The aspect ratio is the ratio of the width of the duct to the depth of the duct.)

f. Differences in air density and in refinements in the technique of air measurement.

#### Source of Data Used

The values shown in this article, which have been assembled from a great many different sources, must be regarded, therefore, as good approximations. However, they do indicate the magnitude of the losses imposed and should be of some value in the design of duct systems where pressure losses are a major item to be considered. In order to condense the material, the different cases have been arranged in graphical form as shown in Figs. 1 to 6 inclusive. The cases under consideration are indicated on the left-hand side of each figure. The pressure loss, which consists of losses due to internal friction of the fluid and the losses due to the friction of the fluid in contact with the surrounding

walls, is expressed in terms of velocity pressure.

When air flows at a velocity of 4,005 ft. per minute, the velocity pressure of the air stream is exactly equal to 1.0 inch of water gage. If, in a given case, in which the air velocity is maintained at this given value of 4,005 feet per minute, the decrease in total pressure in the test section amounts to 0.14 in. of water, then the loss may be expressed as equal to 0.14 times the velocity pressure. Actually, most of the tests are made with velocities much lower than 4,005 ft. per minute, but in general the factor which is determined at one velocity applies fairly well over a wide range of velocities.

#### Basic Pressure Loss Formula

In determining the total pressure against which the fan delivers air, the following equation is used:

(Pressure losses )+(V.P. at register)=(Total pressure of fan)

The values shown in Figs. 1 to 6 refer only to the first part of the equation, and do not include the velocity head of the air stream itself. In an actual installation, therefore, the pressure losses in a given duct and the pressure losses in all of the fittings in that duct are added together to obtain the "pressure losses in duct." The "velocity pressure at the register outlet" is then added to it to obtain the "total pressure" against which the fan is delivering air.

For convenience in practical application of the data, the writer has converted the values listed in Figs. 1 to 6 to terms of "equivalent length of pipe diameters." A loss of "10 pipe diameters" means that the frictional loss of a 6-in. elbow is equivalent to the loss in a straight pipe whose length is 10x6 in. or 5 ft. If the elbow were 18 in. in diameter, the loss under the same conditions would be equivalent to the loss in 18x10 in. or 15 feet of straight pipe.

#### I. Round Elbow


It may be noted that when the elbow has a radius, "R", less than approximately 1.5 times the pipe diameter the friction loss is excessive. Good prac-


ye, nul of of n


) e e al ne s-al


e n e s

6 e t












Fig. 8-Pressure loss in per cent of an aspect ratio of unity for average radius ratios. From Madison and Parker.

Equiv. Diam.	4000	999	101 152	821	-000040		
essure Loss in terms of Equ.	25 0 With Pipe 215 0.12 VP 250 0.11 1.00 0.10 1.25 0.10	45 20 25 25 25 25	255 VP at Az-	Flow into Plenum 256 VP Flow out of Plenum Ts Same	of static pressure (theoretical)  Regain = [1-(\frac{A}{2})^2]h,  0.73  0.88  1.0 (No recovery) (Ag.C. 8)		
Pressure Los Velocity f	0 0.5 VP Equiv 0.13 VP 7 6 0.12 VP 7 6 0.11 7 7 7 6 0.11 7 7 6	0.00 KP at 1	0.62-	Flö	202 0.02 0.12 0.37		
2	86 015 025 1.00 1.25	Angle 10.	40000	-	Anale 25. 25. 25. 25. 25. 25. 25. 25. 25. 25.		
Description	ROUNDED ORIFICE  R PLENUM CHANGES  R PLENUM CHANGES	CONVERGING NORTHE AT END OF PIPE  A D D	PLATE ORIFICE. AT END OF PIPE.	PLATE ORIFICE  R. PLENUM  CHAMBER  I D	Evasé stack		
Case	23	*	22	28	22		

tice demands that the inner radius of an elbow shall not be less than the diameter of a round pipe.

#### 2-3. Sharp Corner

The losses in elbows having a sharp inner corner may be equal to the losses in four ordinary elbows having smooth bends.

#### 4. Square Elbow

For the same radius ratio the square elbows have slightly smaller pressure losses than do round elbows. The data of J. R. Parker were selected in preference to those given by Busey, Wirt, and other investigators.

#### 5-6. Sharp Corners

Sharp cornered, square elbows are equivalent to 7 or 8 smooth-turn elbows as far as pressure losses are concerned. In every case, from Nos. 1 to 6 inclusive, the tests were made with pipes attached to the outlet of the elbows. It has been demonstrated by Busey that the loss is larger when no pipe is attached. However, since in most practical cases the elbows are followed by straight pipes, the smaller values have been tabulated.

#### 7. Turning Blades

L. Wirt demonstrated that turning blades were of material assistance in reducing pressure losses in sharp bends.

#### 8. Turning Vanes

A. I. Brown substantiated these tests and showed that vanes of simple design were almost as effective as the more complex blade used by Wirt.

#### 9. Splitters

Madison and Parker presented data on the use of splitters made of sheet metal. As noted in case 9c, the use of splitters is not as effective in bends of smoother proportions as their use in sharper bends. In fact for bends having a radius ratio greater than 1.5, very little can be gained by using splitters.

For sharp-cornered elbows, however, splitters are very effective, as shown in case 9a. In Fig. 7 is reproduced a diagram derived by R. D. Madison to show the proper locations of 1, 2, and 3 splitters.

#### 10. Aspect Ratio

The aspect ratio is the relationship of the width of the duct to the depth of the duct. A rectangular duct which is 3 in. wide and 12 in. deep has an aspect ratio of 3/12 or 0.25. On the other hand, a duct which is 12 in. wide and 3 in. deep has an aspect ratio of 12/3 or 4.0. Large aspect ratios indicate "easy" bends and are accompanied by smaller frictional losses than bends having small aspect ratios.

Also, it may be noted from case 10b that for smooth elbows, the effect of the aspect ratio is not




Fig. 7—Chart for determining proper spacing for one or more splitters where inside and outside radius is known. Prepared by R. D. Madison, Buffalo Forge Co.

as noticeable as in the case of sharper cornered bends. This is also shown in Fig. 8.

#### 11. Elbow Angle

The assumption is usually made that an 180° elbow has twice the pressure loss of a 90° elbow. It may be noted from case 11 that such assumptions are conservative.

#### 12. Size Effect

Madison and Parker have demonstrated that for ducts between 3 in. and 33 in. in size, the size of the duct has little effect on the pressure losses obtained.

#### 13. Rectangular Elbows

The tests made in connection with the Holland Tunnel indicate that a "dead end" in a rectangular elbow materially increases the pressure loss.

#### 14. Venturi Elbow

The tests by Busey and also by Williard indicate that a venturi elbow has smaller losses than (Continued on page 161)

A GA in advanced owners a

you with ments or fired air evey job petitive of ership in specialize economy

data shed tising and tion is ev WRITE FC has to offe at the Hewrite for the

The W

## Look for Surprises

at the
WATERBURY
Exhibit

Booths 338-339

A GAIN WATERBURY unveils a startling parade of achievements in home heating and winter air conditioning . . . offering advanced features and advantages of powerful new appeal to home owners and builders. WATERBURY makes your selling job easier!

WATERBURY opens up a BIGGER market for you . . . equips you with a more COMPLETE line . . . to meet the individual requirements or cost limitations of every type of prospect . . . oil or stoker-fired air conditioners . . . oil, stoker or handfired steel furnaces. On evey job figured, WATERBURY dealers start with a definite competitive advantage in the WATERBURY national reputation for leadership in furnace construction . . . in WATERBURY'S 30 years of specialized experience . . . and in the proved efficiency and fuel economy of WATERBURY products.

Expert factory engineering service . . . including blue prints, data sheets and estimates . . . furnished without charge. Also advertising and selling cooperation. A large Waterbury service organization is ever ready to help you.

WRITE FOR FULL INFORMATION. You cannot afford to miss what Waterbury

has to offer you this year. If you do not expect to be at the Heating and Ventilating Exposition, be sure to write for the NEW WATERBURY catalog.

#### The WATERMAN-WATERBURY CO.

1122 JACKSON ST. N. E.

MINNEAPOLIS, MINN.



COMFORTROL offers "NATURALIZED" AIR
The PERFECTED Conditioned Air Heat for Homes

WATERBURY
The COMPLETE Line

OMFORTROL AIR CONDITIONERS

Oil-burning • Stoker-fired Each specially designed for its own fuel

W SEAMLESS AIR CONDITIONERS

to meet demand for lower cost units

W SEAMLESS FURNACES

Oil · Stoker · Hand-fired

W GASTITE FURNACES

for price competition

W COMFORTROL
BLOWER, FILTER and
HUMIDIFYING UNITS

# YEARS OF Luiet TROUBLE-FREE Operation WITH Randall PILLOW BLOCKS!

Again the majority of manufacturers of air conditioning equipment have standardized on Randall Pillow Blocks for their 1938 units. This is because the dependability and efficiency of Randall Pillow Blocks has assured an end to bearing troubles for manufacturer, contractor and user. Such preference can only indicate a record of highly satisfactory operation in the field.

Randall Pillow Blocks are self-lubricating, self-aligning and remarkably quiet in operation. You can incorporate them into your design without change and they will operate perfectly under the most severe conditions with only a minimum of attention.

Remember when you install Randall Pillow Blocks you end bearing troubles. Ask for catalog and price list.

Randall Graphite Products Corporation, Dept. J, 609 W. Lake Street, Chicago, Illinois.

See our exhibit in Booth No. 342 at the International Heating & Ventilating Exposition, Grand Central Palace, New York, January 24 to 28.





RANDALL FLANGE or SIDE MOUNT PILLOW BLOCK

(DOUBLE RESERVOR

For side mounting only. Made for a complete range of shaft sizes. At right: cut-away section of ball used in Flange Pillow Block showing double reservoir oil return feature.

#### RANDALL UNIVERSAL PILLOW BLOC

(DOUBLE RESERVOIR)

Can be mounted in any position. Unscrew the oiler, turn ball as desired and reinsert oil cup in a vertical position.





Cut-away section of Universal ball.









Standard Pillow Block-



Cut-away section of Standard ball showing



D. D. O. P. Pillow Block



Cut-away section of D. R. O. R. ball showing double reservoir oil return feature.



Rubber Mounted Pillow Block— For use where it is desired to isolate the supporting members at the contact point of the frame or blower housing and to absorb foreign noise and vibration.

## A Combination System

T HAT large school direct or indirect heating and ventilating installations can be handled in small shops was proved in a rather interesting manner in the installation pictured here. The school is in Merrill, Wisconsin, and the contractor was the Merrill Sheet Metal Works. While experience is desirable, this shop had never handled any such contract before. The ability to follow plans and specifications plus good judgment were, of course, necessary.

The entire fabrication and assembling was done on the job. The Manual Training room was used as a shop, and the brake was moved into this room. The entire job was made up from flat sheets, in gauges as follows:

26 gauge was used in all ducts up to and including 19 inches wide.

24 gauge from 19 to 29 inches wide, and 22 gauge from 30 to 60 inches wide.

All ducts above 60 inches wide were constructed of 20 gauge.

The sheet metal contractor also furnished and installed the grilles. He also constructed and erected the smoke breeching of 16-gauge black iron.

In estimating the amount of labor necessary, an ancient but well tried formula was used. On this type of work it has been estimated that a mechanic and helper can make and erect 150 pounds of iron per day. This means from the flat sheet to the erected and finished duct work.

The entire sheet metal contract was based on five thousand pounds, or approximately 33 working days for a mechanic and helper. It is interesting to note that exactly 32 days of eight hours each completed the finished sheet metal duct work.

It is also interesting to note that the estimate was only 110 pounds under the actual five thousand pounds of sheets used.

While the plans were carefully checked for dimensions, and few, if any, changes were necessary, the procedure worked out very nicely to erect the work as fast as the ducts were made up. Any variation in dimensions was easily taken care of in this manner, and practically no waste resulted.

This installation was considerably reversed from the customary method of installations and fabrication. The contractor started at the end of all ducts and worked back toward the boiler room. The final work was all done in the boiler room and the sections were connected from where they passed through the brick walls to the horizontal heater.


The accompanying views of the sheet metal work furnished a picture of the types of seams used. The large diffusers in the gymnasium were constructed by hand from drawings made by the engineer.


The building was not new, and some remodeling was necessary. A large number of the old flues were used, as this was an old underfloor, ventilation system. It was necessary to cut into these flues to take the exhaust air at the floor line. Where this was done, it was necessary to install sheet metal shoes as shown on the drawing, and where the air was exhausted directly out, back draft louvers were installed in the grilles.

The main duct as shown is supply. There are two return air trunk lines. The entire system was designed for a duct loss of one-tenth of an inch of water.

W 35% NE 20% W 35% E 107 W 20% SE 5%	Bidg Dist. R or Los	Grade	School	Merrill Ferton	Twp.	Co. Li	ncoln	I.W.												
xposure Factor	Archit.			HOVE	ngr. Plat	te Over t	ann													
Brance Ho.	BL	B-2	B-3	8-4	101	102	102 A	103	104	105	106	107	201	202	203	204	205	206	207	
Uno	Training	Gym.		101	Room		Toom!		Room	grade	toom	Clark Im.	Room	Room	Room	Room	Room	Room	Clode Rm.	
MEASUREMENTS	25'x 31'	31'x 58'	4167 30		25'x 31'	12'x 14"	IOX IS	10'x30'		25×311	25'x 31'	36'n 30'	25's 31'	23'x 30'	25'x31'		x 101	25 k 31	Make Made	Tota
Room Blueseings Cubic Foot Speec	7750	X 141 Z4172	3 10°	2850	9041	2334	2100	3500	7041	7047	4047	1 4200	7042	A030	4042	1042	1890	1042	1900	
Room Floor Area	775	1800	785	745	773	778	180	100	773	775	775	1843	775	990	775	775	189		1643	
Colling Coast. & Faster	7.4 - 14.4	1.2 -122	1.7 - 1975	1.7 - 172	12-172	1.2 - 72 2	13-22	11.70.172	102-122	1.7-12%	12 -127	15.5	120-76	13/10-74	941 D(1	PL DIT	四二线		71107/6 10107/2	
Wall Court. & Partor Especial Inch and Door Purisions, again. Lookage B. Y. U. per ft. of Purisions	21-21.4	176	.21-21.4	31-113		50	DUCTES											44	1	
Lookage B. Y. U. per ft. of Puringatur Exed. Wall Gross Arms	100	100	100	700	199	199		199	100	190		100	100	199	100	100	100	652	330	
Espd. Window Gross Arms Espd. Wall Not Arms		100	118	118	THE	711		192	111	121	1144		184		1144	TEA	112	125	760	
Especiare Direction  Room Tomperature	- 1	70	1			18		1	115	1	1.0	BLSW.	5.96		4 4 5	10		Nu	WE SW.	
HEAT LOSSES				-						-										
	10400	32 400	3640	3640	19915	4540		3680	10015	10015	10012	9050	19915	4400	10015	19915	2820	19915	1150	
Pubtotal Loss B. I. c. per Mr.	14 3 30	32 500	7300	7300	1 3 2 4 1 3	113320														
Espec. Aller. B. t. c. par Nr. Floor Law B. t. c. par No.	1910	14400	3140	1140	6463	2661													2818	
Colling Loss B. t. c. pay No. Leakingo Loss B. t. c. pay No.					14400	5000		4500	14400	14400	14400	10900	14400	13000	74448	14400	4 9 20	14400	8100	
					1200			116034	11111	33343	14165	38940	73348	54703	64472	73340	14 38	742/5	67698 67698	
Heater Building lass Load	16110	86330	12 703	11400	46044	14444		111744	A1238	46048	10463	33340	66148	51702	61242	GELLA	20020	HOLL	511,61A	800
ABRVICE	1500	2700	510	570	1550		360		1250	1550	1550	1816	1550	1380	1550	1550	7	1550	1968	23
Air Supply C. F. M. Recirculation C. F. M.	1330	1330	310		1330		80		80	1700	1880	80	1770	80	No.	1550		80	80	761
Air Supply Iniet Young. Air Supply B. t. c. Sarvisa Birean Radg. B. t. q. Sarvisa							- 80					-					94			3
	41460	11100	14605	13700	5170A	21984		16034	49 433	44 4 55	18763	34140	73340	20102	68442	71314	11410	74173	6786A	
Green, lead, Readin, eq. ft. Applet. Carllo Radin, eq. ft.													-					en color sente alto		-
Explanatory Notes Steam Poess, of Dir. R.	ad <u>l 1</u>						in Indicaci	ance Ladiate Radiate Radiate	tion and	em tem	p.	1 0 4	624 <sup>6</sup>							


#### RESIDENTIAL AIR CONDITIONING SECTION





January, 1938

#### RESIDENTIAL AIR CONDITIONING SECTION



The boiler supplying steam at 1 pound pressure to the radiators is shown at the left. The two horizontal warm air furnaces which heat the mixed recirculated and outside air used for ventilation are shown at the right. The blower and filters are housed in the sheet iron room behind the furnace. See ground floor plan.

The installation as a whole is interesting, due to the fact that it is a combination of direct steam and furnace heating, and ventilation. A two pipe, low pressure, steam job was installed for the direct radiation. This radiation was figured for the heating load only. Two large horizontal furnaces were installed to heat the air for ventilation. About 50 percent of the air is recirculated and the balance is taken from out of doors. One large double damper controls the temperature of the air for ventilation. This damper allows air to by-pass without being heated and is mixed with the warmer air that passes over the heater through this damper. This double acting damper is controlled by a duct thermostat,

Outside air intake
galx, louvers-birdscreen

Pneumatic
Gampers

Recirculation
duct

Steel
partitions

SECTION A-A

Humidifiers,
Supply duct
Pneumatic
dampers
Recir. duct
Steel partitions

SECTION B-B

Steel partitions

SECTION C-C

Details through furnaces. See ground floor plan for location of the cross sections.

that may be graduated from 70° to 90°.

In mild weather it is possible to heat the entire building with the furnaces alone. However, this does not allow for any temperature regulation while operating in this manner. When the entire system is working, temperature control is maintained by the action of the supply valves on the steam radiators. The temperature for the air for ventilation is, of course, controlled by the duct thermostat.

Wage scales will vary in different communities. However, in this particular locality with the mechanic at \$1.00 per hour, and the helper at 50c, labor cost a total of \$12.00 per day. With an average of 150 pounds per day erected the cost was about 8c per pound for the labor. If these sheets throughout average 5c per pound, we have a cost figure of 13c per pound to which we must add the overhead. This overhead, of course, concludes the cost of doing business, cartage and so forth.

We are not at liberty to divulge the contract price of this work, but the contractor made a fair profit.



Equipment from the Merrill Sheet Metal Works was taken to the school where most of the metal was fabricated. Interior of the shop, John M. Reynolds, owner.

## Cooling Power of Furnace and Attic Ventilating Fans

G. B. Helmrich Mechanical Engineer The Detroit Edison Co.

As the investment costs of cooling installations which have sufficient capacity to cool artificially a moderate size residence, or small commercial building, are still high enough to present a real obstacle to the general use of this type of cooling, such a comparatively simple device as the furnace fan or attic ventilating fan offers an attractive means by which summer comfort can be promoted at a nominal cost.

The circulation of cooler outdoor air in the early evening and night hours for ventilating and cooling purposes is, of course, not "Air Conditioning" in the generally accepted meaning of the word, but it can be justly considered a logical first step in what we are pleased to call "Comfort Cooling." This method of promoting summer comfort is especially attractive in cities located in the northern latitudes of our country, such as Detroit, because experience has shown the cooling season for residences in these localities to be comparatively short, and the use factor for artificial cooling equipment to be correspondingly poor.

The Detroit Edison Company sponsored experiments in residential and small commercial building cooling during the past five summers, beginning in the summer of 1932. Included in this program were several experimental installations of attic ven-

tilating fans and tests of furnace fans. Operating data have been collected on these several installations, and these data have been correlated from year to year with the experimental data gathered at the Research Residence at the University of Illinois, where experiments in summer cooling have been conducted during the same period. It is largely the experience gained with these experimental installations in Detroit, and the correlation with similar experiments conducted at the University of Illinois,\* which serve as the basis for this article.

#### Furnace Fan

The furnace fan as installed in the modern mechanical warm air heating system can be adapted for circulating outdoor air for summer cooling at little or no additional expense, and its effectiveness as a cooling device will depend almost entirely upon its ability to circulate relatively large volumes of air.

The Detroit furnace fan tests, described in this article, were made in the same residence in which

\*A. S. H. V. E. Research Papers entitled, "Study of Summer Cooling in the Research Residence for the Summer of 1933" and "Study of Summer Cooling in the Research Residence for the Summer of 1934," by A. P. Kratz, S. Konzo, M. K. Fahnestock, and E. L. Broderick (Heating, Piping and Air Conditioning, December 1933 and January 1935).




Fig. 1-Diagram of furnace fan installation.

#### RESIDENTIAL AIR CONDITIONING SECTION

TABLE I SUMMER COOLING IN A DETROIT RESIDENCE

Summary of Furnace Fan Operating Data for	Summers	of 1932, 1933, 1	934, 1935, and	1 1936	
Year	1932	1933	1934	1935	1936
Total number of degree-hours above 85° during summer	529	1,408	1,345	540	1,847
Number of days of artificial cooling	22	22	23	14	18
Number of hours of artificial cooling	135	134	214	138	245
Number of hours of fan use only:					
Outdoor air cooling	57	120	6	57	11
Recirculation			114	23	115
Total number of hours of fan use	192	254	334	218	371
Electric energy used:					
Fan—kw-hr.			172	114	181

experiments in artificial cooling of the entire house by ice, and later by a two ton refrigerating machine, were conducted by The Detroit Edison Company for the past five summers. This residence (referred to in this article as The Detroit Edison Experimental Home, or simply the Detroit Residence) is of moderate size and has four rooms each on the first and second floors, with a maid's room on the third floor; a total of nine rooms with a volume of 19,200 cubic feet, or 17,200 cubic feet for the first and second floors only. The house is well insulated and the windows are shaded by either awnings or blinds during the cooling season.

#### Installation

The usual arrangement of a fan in a forced warm air heating plant is easily adapted to the installation of a simple damper arrangement on the suction side of the fan so that the recirculation can be cut off and the duct opened up to receive outdoor air, either through the basement or through an auxiliary duct connected to out-of-doors. Fig. 1 shows such an arrangement diagrammatically, as it was actually made in The Detroit Edison Experimental Home. The recirculation and outdoor air dampers were interconnected so that the manual operation of a single lever closed one damper and opened the other. In this arrangement the outdoor air was brought in by way of the basement through open basement windows. It should be noted also that, in the arrangement shown in this diagram, the dampers were located above the air filters so that the outdoor air, as well as the recirculated air, could be filtered. Such a feature is desirable, provided filters of ample area are installed, as otherwise the fan capacity will be seriously reduced by the friction loss (static pressure drop) through the filter.

#### Capacity Required

The modern furnace fan has a capacity sufficient to change the air in the rooms above from about four to six times per hour. Where a special effort has been made to provide for a liberal rate of air change for summer cooling, this capacity may be as high as seven to nine air changes per hour, and tests conducted at the University of Illinois indicate that this rate of air change for night air cooling is more effective than natural ventilation with only

partial window opening. It should be noted that fan capacities suffcient to change air in a six to eight room house, eight to ten times an hour, will have to be of the order of 2,000 to 2,300 cfm, and such capacities are much higher than required for winter heating. This requires that a simple means be provided for speeding up and slowing down the fan as the seasons require.

#### Method of Operation and Cooling Effect

It is obvious that the furnace fan can only be used effectively for cooling when the outdoor air temperature has dropped below that indoors. On very hot days, the crossing point for these two temperatures occurs around seven to nine p. m., and this is the time that the fan should be started if maximum benefit is to be obtained. Whether the fan is allowed to operate all night, or is shut off at the time of retiring, should depend upon the rapidity of the fall of outdoor temperature, and the intensity of the heat during the hours immediately preceding. The rate of air change for most furnace fans is, however, comparatively low, as they are installed primarily for circulating warm air rather than for ventilating purposes, and experience has shown that it is advisable to run them all night if the cooling effect is to result in improved comfort in the home during the night and the following day. The extra cost for about twelve hours of operation per night instead of five or six will not exceed ten cents per night.

Tests conducted at the Research Residence at the University of Illinois indicate that the use of a furnace fan to circulate from six to nine air changes per hour from the outdoors at night is much more effective than opening a few windows and depending upon natural ventilation, but it is significant to note that tests in this residence also showed that the use of full natural ventilation (all windows open) gave better cooling results than those obtained with the furnace fan.

Tests conducted for the past five summers at The Detroit Edison Experimental Home, where the furnace fan circulated about six changes of air per hour, show that a furnace fan of this size is not as effective for cooling purposes as is natural ventilation with the downstairs doors and the second story windows open, provided there is a perceptible air movement or breeze

outdoors. With little or no air movement outdoors however, the furnace fan will accomplish appreciable cooling and will be more effective than natural ventilation in houses, such as the Detroit Experimental Home, which have little "flue effect" to induce natural ventilation. The rather small reduction in indoor temperature resulting from furnace fan operation is not a true measure of the cooling accomplished, as the air movement produced by the fan plays a large part in improving comfort conditions. When used in conjunction with artificial cooling, the furnace fan can be used to advantage to recirculate air for two or three hours after the cooling system has been shut down, as this prevents the stratification of cold air at the floor level.

In the summer of 1933 the occupants of the Detroit Residence were requested to use night air cooling liberally, in conjunction with restricted day-time artificial cooling, but in the following summers, when its use was left entirely to the discretion of the occupants, the hours of night air cooling fel! to negligible proportions. Table I shows the prin-

cipal operating data pertaining to the use of the furnace fan.

Experience at the Illinois Research Residence indicates that a two story house with ample attic space and several attic windows, and a large attic door, can be ventilated much more effectively by opening most of the windows and depending upon the stack effect of the structure to induce a flow of air, than can be done by using an unusually large furnace fan; one capable of circulating as much as nine changes of air per hour.

#### Effect on Cooling Load Following Day

The University of Illinois tests indicate that the furnace fan, circulating seven and one-half to nine air changes per hour for a twelve hour period, may be expected to reduce the seasonal cost of artificial cooling by about 20 per cent, when compared to the cost using partial natural ventilation. It would seem, however, that this saving has little real sig-

TABLE III
SUMMARY OF DESIGN AND OPERATING DATA—EXPERIMENTAL ATTIC FAN INSTALLATIONS

Location of Fan Mt. Clemens Installations Office			Residence	Residence	Residence	Residence		
Type and Number of Fans	2—Prope	-Propeller 1—Propeller		1—Propeller	1—Propeller	1—Propeller		
Fan Mounting*	Pent Ho	use	Window at end of Attic	Head of Attic Stairway	Window at end of Finished Hall	Air Box in Att over Grille 2nd floor Hal		
Diam. of Fan Wheel Inches Fan Speed—rpm	High Low	30 689 395	20 1124 730	21¼ 900 600	24 850 580	24 800 Medium 630 480		
Capacity—cfm Shop Test (open flow)	High Low	8769 4771	3616 2591	3060	4563 3 <b>2</b> 50	5313 Medium 4321 3369		
Field Test	High Low	6474	2800 2124		4040 2980	4250 Medium 3450 2700 Estimated		
Motor Drive  Noise — Decibels at 3 ft. Radius  Volume of Space	3% h.p.— a-c dir. High Low		1/8 h.p.—110 volt a-c dir. connect. 64.3 52.3	% h.p.—110 volt a-c dir. connect.	1/4 h.p.—110 volt a-c dir. connect. 63 52.3	1/4 h.p.—110 volt a-c dir. connect. 66.9 52 Medium 60		
Ventilated — cu. ft		56,660	5540	5000	3rd floor—2948 2nd and 3rd floor—9731	6625		
Rate of Air Renewal —Changes Per								
HourPower Input—Watts		14 550†	24 250	37 252	$\begin{array}{c} 25 \\ 350 \end{array}$	31 Estimated 445 Medium 325		
Electricity Consump- tion for 1934						230		
kwhr.		1029	183		33	162		
Hours of Operation. Cost of Electricity— 1934 Season—		1034		****				
2.25 cents/kw-hr.		\$23.15	\$4.11		\$0.74	\$3.64		

<sup>\*</sup>All fans were bolted to specially designed wood frames which were insulated from the building by sponge rubber blocks. †Each Fan.

RESIDENTIAL AIR CONDITIONING SECTION

TABLE

Fan Fan Fan

E E E

000

3:00 4:30 5:00

nificance when the same series of tests show that full natural ventilation at night accomplished an ever greater saving without, of course, any expenditure being required for fan power during the period when artificial cooling was not used.

Tests at the Detroit Residence show that operation of the furnace fan, circulating six air changes per hour for about a twelve hour period, has no measurable effect on the need for artificial cooling the following day. The cooling accomplished by the fan is confined to the period of operation and there seems to be no appreciable cooling of the building structure which can be credited particularly to furnace fan operation.

#### Cooling by Recirculation

During the summer of 1936, tests were made in the Detroit Residence to determine the cooling power of the furnace fan when used to recirculate air through the house during the daytime. Since the only cooling effect that can result from recirculating air is that caused by the motion of the air itself, the problem of determining this cooling power is essentially that of accurately measuring the velocity of the air and then, by the use of the comfort chart, of determining the effective temperature corresponding to this velocity. As the velocities to be measured are very low, the most practical instrument for field use is the Kata-thermometer. This instrument is essentially an alcohol thermometer with a large bulb, and a stem about seven inches long, and so graduated that the cooling power of the air and its velocity can be determined by noting the number of seconds required for the meniscus to fall a given distance when the instrument is held in the air.

The tests were made in the living room where the air is supplied through two baseboard registers at a velocity of about 320 fpm. The volume of air supplied to the room was 300 cfm, or at the rate of 7.4 air changes per hour. The velocities and temperatures are shown in Table II.

#### Recirculating Basement Air

The recirculation of air through the basement can only accomplish a limited degree of cooling over a short period as the basement temperature tends to become equal to that of the rooms above. This method of fan operation also frequently causes excessive dampness in the basement due to condensation on the cool walls and pipes.

#### Table of Cooling Results

It will be seen from the table that the air movement produced by the fan was only sufficient to reduce the effective temperature one degree, which is equivalent to about a two degree drop in dry bulb temperature. It is probable that the rate of air change would have to be of the order of fifteen per hour if appreciable cooling by recirculation is to be accomplished, and this would require a fan capacity nearly three times the size usually installed.

#### Operating Cost


A furnace fan large enough for an eight room, two story residence can be operated in the summer time to handle about 1,600 cfm of air, and its power input will be of the order of 450 watts when driven by a one-half horsepower motor. Our Detroit experience indicates that night air cooling might be used

COOLING BY RECIRCULATION OF AIR BY FURNACE FAN	Fan Operation	n Offn On-Complete Recirculationn On-Recirculation Through Basement	Detroit rate for electricity, the season's operating cost would be about \$9.00.  Affic Fan  The second step in improvement to summer comfort may well be the installation of an attic ventilating f a n. Experiments with the attic fan were
CIRCULATION		culation	Detroit. For 600 hours per season, using the
OF AIR BY	Outdoor Air Dry Bulb Temperature	° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	operating hours at the Illinois Research Res- idence, due to a warm- er climate, are about twice as high as in
FURNACE I	Dry Bulb Temperature	777 778°	maximum cost for the Detroit Residence, when artificial cooling was used in the daytime, was \$1.24 in the summer of 1933. The
AN	Indoor Air — Living Koom.  Ib Air Velocity at Eff.  ture 38" Level fpm. Temp.	80 CC 84	night air cooling only would be \$3.04 for such a fan and about \$4.50 for a fan circu- lating nine air changes per hour. The actual
	Room Effective Temperature	71° 72° *72°	as much as 300 hours for the season and, at two and one-fourth cents per KW-hr, the electrical energy cost for the season for

The second step in improvement to summer comfort may well be the installation of an attic ventilating Experiments fan. with the attic fan were initiated by The Detroit Edison Company in 1932, and several experimental installations were made in that summer and in the two succeeding summers.

#### Installation Schemes

It is obvious that the scheme of installation of an attic fan will vary with the local conditions met in each case, but one principle may well be kept in mind, and that is, that the path of the air through the open windows, through the rooms to be cooled, and to the fan should be as direct as is practicable, if the full fan capacity is to be utilized. Fig. 2 shows diagrammatically how an attic stairway was (Continued on page 164)



## Small Motors for Residental Air Conditioning

By C. H. Lankford Century Electric Company

AIR-CONDITIONING today, including heating, ventilating, refrigeration and all accessory processes, is universally a series of duties involving the conversion of electrical energy into mechanical energy. So, to make the story complete, it requires a little knowledge of what makes the wheels go around.

#### Single Phase Alternating Current Motors

The current supply in the United States is most generally 60 cycle and is available in voltages 110, 208, 220, 440 and 550. For domestic service the universal

practice is 110 volts with the exception of the larger installations where 220 volt current is supplied.

in

T

ar

ac

th

#### A. Non-starting single phase motor.

A motor constructed after the fashion of the diagrammatic sketch shown as Fig. 1 would run after once being started as long as the field was supplied with single phase, alternating current of the proper voltage and frequency.

Obviously, a motor which had to be started by external, mechanical means would not be a practical sort of a thing, therefore, it is not produced commercially

#### **DEFINITIONS**

#### ELECTRIC MOTOR

A rotating machine for converting electrical energy or electrical power into mechanical power. STATOR OR FIELD

The stator or field of an electrical motor is the stationary part within (in some cases around) which the second or rotating member revolves.

It is common usage to refer to the fixed winding of an alternating current motor as a stator and the fixed winding of a direct current motor as a field. LAMINATIONS

Thin sheets of magnetic iron punched to shape used to build up the magnetic circuit.
FIELD CORE

A large number of slotted or punched laminations stacked or assembled together in a field shell to take the field winding.

ROTOR OR ARMATURE CORE

A large number of laminations assembled on the shapt properly punched to accommodate the rotor winding.

AIR GAP

The clearance between the field and rotor cores which allows for rotation without interference or rubbing.

CONDUCTORS

Copper wires or bars placed in the slots of field and rotor cores to form the windings.

Notches punched out of field and rotor lamina-

tions to accommodate the conductors used to make up the windings.
FIELD COIL

An individual group of conductors or wires forming one section of the field winding or field circuit.

ARMATURE COIL

A group of conductors composing one part or one circuit of the winding in wound rotor motors. COMMUTATOR

An assembly of bare copper bars to which armature coils of wound rotor motors are connected. The commutator is the means used to conduct current to and from the armature winding by means of stationary brushes which bear on the commutator.

#### ROTOR BARS

Conductors of bare copper used to make up individual conductors in the squirrel cage winding. SQUIRREL CAGE WINDING

The motor winding of induction motors. This winding consists of a number of round or rectangular bars assembled in the motor slots and connected together at each end by solid copper rings called end rings.

INSULATION

Non-conducting material such as, rubber, silk, cotton, mica fibre, insulation varnish, etc., used to insulate individual conductors from adjacent conductors and individual coils from adjacent coils. (No insulation is used on squirrel cage rotors.) c

# MORGAS, COAL AND OIL

• Keeping pace with the latest developments in home air conditioning, Moncrief Winter Air Conditioners reflect the latest trends in styling and incorporate every engineering feature that in any way promotes efficiency and economy of operation. The cabinets, finished in crackle green and chromium, are beautiful to look at, easy to erect and extremely accessible. Noteworthy Moncrief features are the patented Wind Box, the metal floor which makes the cabinets air-tight, dust-proof chambers, the unique system of baffles, the specially designed


burners and combustion drums of the gas-fired units, and many others which express the highest order of engineering skill. • The Moncrief line is complete, affording a wide range of types and sizes

for every home air conditioning need, priced to give the home owner or builder big value and to enable the dealer to meet competition on favorable terms.

THE HENRY FURNACE & FOUNDRY COMPANY 3473 EAST 49th STREET CLEVELAND, OHIO







# MONGRE E Winter AIR CONDITIONERS

FOR GAS, COAL AND OIL



Made with special lock joints for air conditioning installations. A complete line, made in our modern plant, one of the largest and best equipped in the country.

#### THE HENRY FURNACE AND FOUNDRY CO.

CBF

GAS

JRN

3473 EAST 49TH STREET . CLEVELAND, OHIO

Manufacturer of the famous Moncrief Cast and Steel Furnaces

RESIDENTIAL AIR CONDITIONING SECTION FIG.1 NON-STARTING SINGLE PHASE MOTOR 000000 FIG. 2 SHADED POLE SELF STARTING SINGLE PHASE MOTOR 000000 FIG. 3 SELF STARTING SINGLE PHASE MOTOR WITH PHASE COIL CUTOUT FIG. 4 REPULSION START AND RUI SINGLE PHASE MOTOR FIG. 5

excepting in the case of some very small sizes, principally for electric clocks.

REPULSION START INDUCTION RUN

SINGLE PHASE MOTOR

Œ

tall

no-

cial

les.

١G

on-

our

oed

#### B. Shaded pole self-starting single phase motors.

To produce some starting or turning effort in single phase motors, we resort to various devices, one of which is called a phase coil or shading coil. Such a construction would be diagrammatically illustrated by Fig. 2. Here we have two magnetic fields set up across the rotor, one of which is produced by the main field winding and another by the phase coil. The push or pull of these two magnetic fields acts in slightly different directions and in this manner gives the armature a tendency to rotate and produce mechanical power. This type of construction is found in small fan motors and small power motors, usually in the order of 1/50 HP or less; still not practical devices so far as household air-conditioning is concerned.

#### C. Split phase self-starting single phase motors.

To produce a greater amount of starting torque or starting effort requires more current in the phase coil. Therefore, the next step is to provide the split phase with a heavier winding which will permit the motor to take the heavier current necessary. This, in turn, introduces a design problem. The heavy winding requires so much current that it cannot be allowed to stay in the circuit more than a very few seconds during the starting period. So, to remedy the situation, a cutout is inserted in that portion of the circuit, which by some form of governor or timing device usually mechanical, it is removed after the motor has had time to get up the speed.

This is a very common type of power motor and is frequently seen on domestic appliances such as washing machines, blowers, home shop tools, and many other simple drives where only a moderate amount of starting torque is required. This motor is diagrammatically illustrated by Fig. 3.

#### D. Repulsion start and run single phase motors.


All the motors discussed up to this point have been those built with cage type rotors. It is possible to build a wound rotor motor. Such a motor has a winding very similar to a direct current motor and the current which supplies the field winding passes through the rotor armature winding as well; as series connection such motors are generally limited to sewing machines, vibrators, mixers, domestic vacuum cleaners, toys, and other small applications. The construction is illustrated diagrammatically by Fig. 4.

This type of motor is not generally used for continuous duty operation nor applied where it would be operated during the so-called leisure hours of the day because it is a first-class generator of radio interference.

#### E. Repulsion Start Induction Run Single Phase Motors.

The next step is to secure a motor with greater starting efficiency or a motor which will produce more torque with less starting current. The greatest starting torque is necessary to satisfy the requirements of some of the machines themselves and the lower starting current is to reduce voltage fluctuations and keep everybody happy, including the users' neighbors as well as the public utilities serving the current. Such a motor is illustrated diagrammatically by Fig. 5.

This motor, like the one previously discussed, has a wound rotor or armature as well as a wound field. In this case, however, the field only is connected to the line and generates current in the armature or rotating element by means of induction, the same as in the case of the squirrel cage constructed motors described earlier. The principal difference, however, lies in the starting method which is accomplished by two or more short-circuited brushes resting on the commutator to which the armature winding is connected. This arrangement provides for both the high starting torque



and the low starting current just set down as being very desirable features. Then to eliminate the undesirable features of the motor operating continuously on the brushes, arrangements are made mechanically to short-circuit the armature or secondary winding and remove the brushes from service after which the motor operates the same as a standard squirrel cage motor or the same as the non-starting, single phase motor after it is up to speed.

#### F. Capacitor Start Induction Run Single Phase Motor.

In more recent years a motor starting device which has been known for a long time to laboratory technicians and electrical designers in general, has been employed for the starting of squirrel cage constructed, single phase motors. This is the condenser type of motor, or more lately called capacitor motor.

The capacitor start, induction run motor has a condenser inserted in an auxiliary winding in which the condenser acts as a phase displacement unit and so produces torque for somewhat the same reasons given in the case of the split phase motors.

A motor using this condenser or capacitor for starting purposes, only, is provided with a mechanical or electrical cutout to remove that portion of the winding from the circuit after the motor has been given an opportunity of coming up to speed. This construction is illustrated by Fig. 6.

#### G. Capacitor Start Capacitor Run Single Phase Motors.

In those cases where it is desired to secure some of the benefits of the capacitor during the running as well as the starting period, a condenser of greater capacity is used and is left permanently in the circuit. This is shown in Fig. 7.

#### Polyphase Motors

#### A. Squirrel Cage Induction 3 Phase Motors.

In this type of motor the designation of the squirrel cage rotor construction enters the actual naming of the motor for the first time.

Motors having a polyphase field (2 phase or 3 phase) will start, come up to speed and operate continuously as an induction motor solely from the currents induced in the rotor from the energy fed into the field winding. A 3 phase squirrel cage induction motor is illustrated by Fig. 8.

#### B. Squirrel Cage Induction 2 Phase Motors.

This motor operates on exactly the same principle as the 3 phase motor with the exception that the source of supply is 2 phase instead of 3 phase and because the phases are ordinarily separated instead of interconnected, a four wire system is usual.

With polyphase motors a large variety of starting and running characteristics may be produced by variations in the field or rotor windings or both without any deviation from the underlying principle. This is shown in Fig. 9.

#### 1. Wound Rotor Induction Polyphase Motor.

This type of motor, often times referred to as a slip ring motor, consists of a polyphase field identical with that used for the squirrel cage induction motor and with a wound rotor or secondary winding, with leads brought out to the contactor rings on the shaft of the motor, from which leads are carried to external starting or speed regulating resistances. Such construction is illustrated diagrammatically in Fig. 10.

#### **Direct Current Motors**

#### A. Series Wound DC Motor.

As the name would indicate, this is a case where all windings of the motor are in series or connected (Continued on page 180)

38

med, of

he so en

rtor

den ic-

ell ty

is

el

lv

ed

g.

ed

le

ce se

r-

ıg

a-

ny /n

ip th

 $\mathbf{d}$ 

ds

ne

t-

on





## The FITZGIBBONS DIRECTAIRE

## A Team-Mate and Sales-Builder for any good Oil Burner, Gas Burner or Stoker

Built in two models—the ENCLOSING Model (illustrated) which conceals the oil burner or gas burner, and the STAN-DARD Model for stokers and for other automatic firing equipment where the enclosing jacket is not required. Each model is built in four sizes — 100,000 — 135,000 — 200,000 — and 300,000 B.t.u. per hour at the bonnet.

#### ... and scores another great triumph!

Striking off the shackles of outmoded tradition which has dictated warm air conditioner design in the past, Fitzgibbons comes through with something entirely new — entirely different and far ahead of contemporary direct-fired conditioners.

#### Here are the High Spots

**EFFICIENCIES** — so far above the usual that our engineers accepted them only after the most exacting tests and the most searching check and recheck of all factors, proved they were incontestable.

**CONSTRUCTION** — a new departure in warm air conditioner ruggedness and lasting properties — heavy copper-bearing steel plate and tubes, with every joint and seam electrically welded.

QUIETNESS — features that eliminate mechanical noises and combustion sounds give new meaning to the words "quiet in operation."

CLEANABILITY — the easiest unit in its field to clean — easy access to every part.

**BEAUTY**—graceful lines and tastefully colored jacket put the DIRECTAIRE in a class by itself.

ADAPTABILITY — made in capacities and dimensions to satisfy the requirements of any home. Provides for cooling by air circulation in summer, but is also adapted for addition of cooling equipment.

Many other revolutionary features . . . and last but not least, the price is in line!

#### DEALER FRANCHISES AVAILABLE

Write today, for full details about the DIRECTAIRE and how you can qualify for a Fitzgibbons Authorized Dealer Franchise...The obvious superiority of the DIRECTAIRE, offers warm air Contractors and automatic heat Dealers an unprecedented opportunity for profitable volume sales ACT NOW!

FIRST SHOWING in the FITZGIBBONS BOOTH HEATING & VENTILATING EXPOSITION — NEW YORK

#### Fitzgibbons Boiler Company, Inc.

General Offices: ARCHITECTS BLDG., 101 PARK AVENUE, NEW YORK, N. Y.


Works: Oswego, N. Y.

Branches and Representatives in Principal Cities

Distributed in Canada by FESS OIL BURNERS of CANADA, LTD., TORONTO, ONTARIO, MONTREAL, QUEREC



# The controlled drip...stainless steel pan... FLOATLESS FEATURE of Thermo-Drip Humidifiers gives you valuable SALES APPEAL



## THERMO-DRIP Multiple Pan HUMIDIFIER for PLENUM CHAMBERS

Another profit-possibility for you is presented in this new Thermo-Drip development. No longer is it necessary for you to pass up sales of humidifiers for winter air conditioning plants with plenums which will not accommodate long pan humidifiers. The Thermo-Drip, with its three, four or five 18-inch pans, is definitely the answer. All the timeproved, basic features and the high efficiency of Thermo-Drip are incorporated in this series. It provides up to 71/2 ft. of water travel-up to 360 sq. in. of evaporating surface-adequate for all requirements of modern winter air conditioning.

Folks who insist on facts about humidifiers, end up by buying a Thermo-Drip. They discover that, of all devices intended to add moisture to heated air, the Thermo-Drip really gives them correct, automatic humidification—without attention, guesswork or trouble. And sheet metal and furnace dealers with an eye to greater profits, discover that this humidifier clinches sales without complicated, technical selling talk.

Your prospects and customers know what happens to each drop of water when a hot sauce pan is held under a dripping faucet. A momentary sizzle . . . and it's gone! The Thermo-Drip, operating similarly, provides the same quick, complete evaporation . . . when heat reaches and causes expansion of the bimetal thermostat projecting over the pan. It's a controlled drip—modulated by increasing and decreasing bonnet temperatures. The result is humidity control that pays the owner dividends in greater comfort, better health and positive protection of the furnishings and woodwork of his home.

Remember, too, homeowners KNOW about stainless steel—you don't have to devote your selling time to explanations of its advantages. They're fully aware that it can't rust, corrode or warp. They know it's tough and lasts for years. Thermo-Drip vapor pans are stainless steel pans—a premium feature without the premium cost! And stainless steel of the light gauge practical for these pans gives the added benefit of heat transfer far greater than the heavier metals ordinarily used for vapor pans.

More important is the floatless design of Thermo-Drip—no mechanisms or electrical instruments to get out of order. It means continuous, trouble-free service for your customers and elimination of costly call-backs and increased goodwill for you.

You can easily meet any warm air heating condition with the broad range of Thermo-Drip types—gravity, forced air and winter air conditioning systems. They're offered in one, two and three pan standard models, also three, four and five pan special models for plenums.

Decide now to investigate the profit-making possibilities that Thermo-Drip offers you. Cash in on the strong, valuable sales appeal of this automatic humidifier. Full details will be sent on request.

AUTOMATIC HUMIDIFIER Co. 18th and Main Streets • Cedar Falls, Iowa

#### THERMO-DRIP Automatic HUMIDIFIERS

TAILORED



• The Payne Series "A" (Unit) Furnace—for gas heat at its best.

ng ol

n-

ed

of

rd 18.



# .. Fits every home .. every budget

The Payne Series "A" (Unit) Furnace lets you tailor the heating to fit the job. There's no skimping—yet there's no waste.

More than that, the Payne Series "A" is adapted to more effective "zoned" heating. Control is selective. The user may heat the whole house at one time—or any portion of it—at any desired temperature.


By the simple addition of a Payne Modernair Unit, the Payne Series "A" provides healthful ventilation for the whole house. Write for complete information.



**FURNACE & SUPPLY CO., INC.** 

BEVERLY HILLS . CALIFORNIA

Installation of a Payne Series "A" Furnace with Payne Modernair Unit for semi-air conditioning.



#### Pattern Development for

# Air Conditioning Fittings

By William Neubecker

Head Instructor

Sheet Metal Department, New York Trade School

#### A Short-Cut Transition Offset

AREADER requests the publication of a shortcut rule for laying out the patterns for a transition offset with a flat back, from a 4 x 2-inch riser to a 2 x 4-inch duct which continues across the ceiling. The riser connection is offset one-half of its width as shown in the perspective in Fig. D and in the plan in Fig. E in the accompanying illustration.

In this connection, it may be proper to say that the short-cut method which will be shown herewith, is applicable to any type of transition with either a flat back, flat top or flat bottom, regardless what the dimensions may be, or whether the offset is square at one end and rectangular at the other or square or rectangular at both ends in reverse positions.

All short rules are the result of a knowledge of the true geometrical principles in developing pattern shapes. When these principles are understood, then short rules can be devised. Short or "snap" rules are not geometrically accurate, but they save time in laying out, when accuracy is not essential.

The problem presented by our reader is an interesting one in both projections and developments and for the benefit of those who desire the true geometrical development as well as the short-cut method, the problem will be developed, first by the true geometrical rule and then by the short method with an explanation of the principles involved, so that one can compare the difference in the two developments.

#### True Geometrical Rule

In Fig. E let 1-5-6-9 represent the side elevation of the transition, the throat being struck from the center O. To find the center for striking the heel, so that a graceful curve can be drawn to maintain the full area throughout the offset, take the least distance as O-5 and set it off from 1 to R. From R draw a perpendicular line to intersect the horizontal line drawn from 5 at 4. With R as center and R-1 as radius, draw the quadrant 1-4 to complete the side elevation.

Before a true plan view can be drawn, the patterns

for the heel and throat must be developed. This plan view is not at all necessary in the development of the true geometrical pattern for the front, but is shown here as a good study in projections, a knowledge of which makes one proficient as a pattern cutter. Space the heel and throat in side elevation in any desired number of divisions as shown from 1 to 5 on the heel and 6 to 9 in the throat.

Now take the girth of the heel from 1 to 5 and of the throat from 6 to 9 and place the girths on the line 1-6, below the plan, as shown by similar numbers 1 to 5 and 6 to 9. From 1 and 9 erect perpendicular lines and make  $1-1^{\circ}$  and  $9-9^{\circ}$  equal to the narrow side of the transition. In a similar manner erect perpendicular lines from 5 and 6 and make 5-5° and 6-6° (both being similar) equal to the wide side of the transition. Draw lines from 5° to 1° and from 6° to 9°. Then will 1-1°-5°-5 be the net pattern for the heel and 6-6°-9°-9 the net pattern for the throat. From the various points 2, 3 and 4 on the line 1-6 erect perpendicular lines to intersect the line 1°-5° of the heel pattern at 2°-3° and 4°. In a similar manner from the various points 7 and 8 erect perpendicular lines to intersect the line 6°-9° of the throat pattern at 7° and 8°.

Now to complete the plan view, drop perpendicular lines from points 1 to 5 and 6 to 9 in elevation, indefinitely. Measuring in each instance from the line 1-6 in the heel pattern, take the distances to  $1^{\circ}-2^{\circ}-3^{\circ}-4^{\circ}$  and  $5^{\circ}$  and set them off on lines dropped from similar numbers in the elevation, measuring in every instance from the flat back line S-T in plan, thus obtaining the intersections  $1^{\circ}$ ,  $2^{\circ}$ ,  $3^{\circ}-4^{\circ}$  and  $5^{\circ}$ .

In similar manner measuring from the line 6-9 in the throat pattern take the distance to points  $6^{\circ}$ ,  $7^{\circ}$ ,  $8^{\circ}$  and  $9^{\circ}$  and set them off on lines dropped from similar numbers in elevation, measuring in every instance from the flat back line S-T in plan and obtain intersections  $6^{x}$ ,  $7^{x}$ ,  $8^{x}$  and  $9^{x}$ .

Trace the miter lines through points so obtained; then will  $S-T-1^x-5^x-S$  be the true plan view;  $U-T-1^x-9^x$  will show the rectangular riser and  $1^x$  to  $5^x$  and  $6^x$  to  $9^x$  the miter lines of the heel and throat respectively.


<sup>\*</sup>All rights reserved.

SHORT - CUT METHOD FOR DEVELOPING

REVERSE TRANSITION WHICH OFFSETS ONE HALF

OF ITS WIDTH COMPARED

WITH A TRUE GEOMETRICAL DEVELOPMENT.



Draw solid lines in elevation from 2 to 8, 3 to 7 and 4 to 6 and dotted lines the shortest way across as from 2 to 9, 3 to 8 and 4 to 7. These solid and dotted lines then represent the bases of triangles to be constructed, whose altitudes or heights are equal to the differences in heights of the connecting numbers in elevation.

For example: To find the true length of the dotted line 2-9 in side elevation, set off this distance on the horizontal line at the lower right as shown by 2-9. At right angles to 2-9 erect the line 2-a equal to the difference in height between point 2 and 9 in the side elevation, which is found as follows: From 9 in the throat pattern draw a horizontal line to intersect the perpendicular line erected from 2 in the heel pattern, at a.  $2^{\circ}-a$  then indicates the desired difference shown in the true lengths.

Draw a line from a to g in the true lengths which is the true length of the dotted line 2 to 9 in side elevation. To obtain the true length of the solid line 2-8 in side elevation set off this distance in the true lengths as shown by 2-8. Now draw a line from 2° in the heel pattern to intersect the line erected from 8 in the throat pattern at b. Take the distance from b to  $8^{\circ}$  and set it off in the true lengths on the perpendicular line as 2-b. Draw a line from b to 8, the true length of the line 2-8 in side elevation. In this manner, all the true lengths of the various lines in elevation are obtained. By following the various horizontal lines which intersect the proper numbered lines erected in both heel and throat patterns, the various heights indicated by a, b, c, d, e and f are obtained and transferred to the true lengths as shown by similar letters.

#### The Front Pattern

The pattern for the front can now be laid out. Take the distance 1-9 in elevation, its true length, and set it off on the horizontal line 1-9 in the true pattern. With  $1^{\circ}$ -  $2^{\circ}$  in the heel pattern as radius and 1 in the true pattern as center, describe a short arc near 2 and intersect it by an arc struck from 9 as center with 9-a in, the true length as radius. Now with  $9^{\circ}$ - $8^{\circ}$  in the throat pattern as radius and 9 in the true pattern as center describe a short arc near 8 and intersect it by an arc struck from 2 as center with radius equal to b-8 in the true lengths.

Proceed in this manner using alternately first the proper numbered division on the *slant* line in the heel pattern, then the proper numbered true length; the proper numbered division on the slant line in the throat pattern, then the proper numbered true length, until the line 4-6 in the true pattern is drawn. Then with a radius equal to 6-5 in side elevation and 6 in the true pattern as center draw a short arc near 5 and intersect it by an arc struck from 4 as center with a radius equal to 4-5 in the side elevation.

Trace a line through points so obtained in the true pattern, then will 1-5-6-9 be the true geometrical pattern shape. When shaping this true front pattern, bisect the distance 1-4 and obtain point n from which draw lines to 6 and 9 which indicate where slight bends are made, so as to miter with the heel and throat pat-

terns. The pattern for the flat back is indicated by 1-5-6-9 in the side elevation. On all patterns allow edges for Pittsburgh lock; that is single edges on the back and front patterns and locks on the heel and throat patterns. What has just been demonstrated, is required for laying out a true geometrical front pattern shape, excepting as above mentioned, no plan view is necessary.

#### Short-Cut Method

Fig. F shows the pattern for the front laid out by the short-cut method. In laying out this approximate pattern the following rule must be observed: The girths of the heel shown from 1 to 5 and of the throat shown from 6 to 9 in Fig. F must be equal respectively to the length of the slant line  $1^{\circ}$  to  $5^{\circ}$  in the heel pattern and the length of the slant line  $6^{\circ}$  to  $9^{\circ}$  in the throat pattern as indicated below in Fig. E. As the girth 1 to 5 in the heel pattern and the girth 6 to 9 in the throat pattern represent respectively the girths of the curves 1 to 5 and 6 to 9 in the side elevation, the difference must be found between the *horizontal* and *slant lines* in both heel and throat patterns as follows:

Take the length of the horizontal line 1 to 5 in the heel pattern and set it off on the slant line  $5^{\circ}$  to  $1^{\circ}$  as shown from  $5^{\circ}$  to g. In a similar manner find the difference between the lengths of the horizontal and slant lines in the throat pattern. Take the length from 6 to g in the throat pattern and set it off on the slant line  $6^{\circ}$ - $g^{\circ}$  and obtain point h; g-1 then shows the difference between the horizontal and slant lines in the heel pattern and h- $g^{\circ}$  the difference between the horizontal and slant lines in the throat pattern. Midway in the side elevation draw the line A-g.

#### The Offset Front

Now take a tracing of A-3-5-6 in side elevation and trace it direct on the metal sheet as shown by A-3-5-6 in Fig. F. At right angles to A-3 in the short-cut pattern from points A and 3, draw lines making A-h equal to the difference  $9^{\circ}$ -h in the throat pattern in Fig. E and 3-g in the short-cut pattern in Fig. F equal to the difference  $1^{\circ}$ -g in the heel pattern in Fig. E. Draw a line from g to h in the short-cut pattern in Fig. F. Now take a tracing of A-g-1-g in side elevation in Fig. E and set it as shown in Fig. F by h-g-1-g, being careful to have the line A-g of the side elevation in Fig. E come directly on the line h-g in Fig. F.

Note the irregular break at 3-g on the heel and at A-h in the throat. Fill these breaks by drawing graceful curves from i to j on the heel and l to m in the throat. Then will 1-j-i-5-6-l-m-9-1 be the net shortcut pattern for the front of the offset.

Bisect the arc 1-4 of the heel pattern in Fig. F and obtain X from which draw lines to  $\delta$  and  $\varrho$  on which slight bends are made to join to the heel and throat. If a tracing of the true geometrical pattern in Fig. E is laid over the short-cut pattern in Fig. F there will be but a slight difference in shape, which will answer practical requirements in most cases.

The PREM conditions expanded even most models, r new and new positi

fine PREI for dealer panded of duce most for you. aids have with a marrogram

Summed
1938 will
advantag
He will h
is remark
... that
appeare

VENTIL. Gran

L iufact



the PREMIER line of furnaces and air onditioners for 1938 has been further expanded, further improved, made even more salable. There are new models, new streamlined cabinets, a new and larger line of blowers, with new positive seal filters.

The PREMIER merchandising service or dealers has likewise been expanded and geared up to help produce more sales and greater profits for you. Valuable new advertising aids have been prepared, to tie in with a new and still more effective program of sales assistance.

Summed up, the PREMIER dealer in 1938 will enjoy all the benefits and advantages that we can give him.

He will have a line that is remarkably complete .. that ranks high in appearance, service-

SEE OUR EXHIBIT
At the Fifth
INTERNATIONAL HEATING &
VENTILATING EXPOSITION
Grand Contral Palace
New York
January 24-28—1938

ability, moderate price, and true value. He will receive both factory financing his jobs.

And in his own sales area the PRE-MIER dealer has the exclusive rights to the PREMIER line and factory cooperation! His present profits and future success are safeguarded by our agreement not to establish any other

dealership within his trading area.

It will pay YOU to look into this PRE-MIER proposition, and find out if your territory is unassigned. Mail the cou-

> DOWAGIAC MICHIGAN

and field engineering assistance. He will have the use of our free prospect letter service and advertising program in cultivating his market . . . and our valuable 6% time payment plan, in

Use Coupon! to Get this PREMIEF Dealer Portfolio . .

Start the ball rolling on this PREMIER Dealer Setup, by mailing the coupon for this interesting portfolio. See for yourself the sales and profit possibilities MEATING AND AIR CONDITIONING SQUIPMENT FOR EVERY PURSE AND PURNS of this complete, modern PREMIER line. Learn how dealers the country over are prospering and progressing with the aid of PREMIER cooperation and protection. There's no obligation. Mail the coupon today! PREMIER FURNACE COMPANY

> Premier Furnace Co. Dowagiac, Michigan

Send me your new portfolio outlining the PREMIER plo of dealer cooperation and describing the profit poss bilities of the improved PREMIER line.


ufacturers of Warm Air Heating and Air Conditioning Equipment

ATCH FOR AN IMPORTANT

AN WHEELS and ASSEMBLIES for every FORCED AIR HEATING and AIR CONDITIONING NEED

### **Even in These Small Units** Ve Maintain the Traditional Clarage Quality Standards

Furnace and air conditioning manufacturers and dealers find Clarage a dependable source of supply. This small fan equipment is backed by sound, conservative engineering, and a quarter-century of experience. It is built to the same standards of excellence which have made the larger types of Clarage air handling and conditioning products FIRST CHOICE of discriminating buyers the world over.



Write for Bulletin 32. Better still, have Clarage engineers submit a recommendation covering your particular requirements. We can make favorable deliveries on one to a thousand units.




# ANY CAPACITY—ANY SPEED

Clarage Wheels can be furnished in ten sizes and in a variety of widths in each size, thus meeting any capacity demand at any operating speed.

These Wheels are of the Double Multiblade Type as These Wheels are of the Double Multiblade Type as shown above, built with two sets of perfectly formed blades securely anchored to the center plate and rims. Each Wheel is BOTH STATICALLY AND DYNAMICALLY BALANCED—quiet, smooth-running

Housings, too, in any of ten sizes can be furnished



# COMPLETE FANS\*

A Complete Fan, offered in ten different sizes, consists of a Clarage Double Multiblade Wheel, Fan Housing, Shaft, Bearings, Bearing Supports and Base. Bearings are self-aligning and self-lubricating; a bronze-graphite type which requires filling of oil reservoir but once a season. The Shaft is of the consists of insure ample strength and rigidity.

The entire assembly is VERY COMPACT AND TAKES EX.

TREMELY SMALL SPACE. Cold air inlet boxes can be furnished as part of standard equipment.



Clarage Multitherms (suspended units) are ideal for retail stores, small restaurants, offices, etc. 968 different equipment combinations to give cooling, heating or complete air conditioning. Very compact; easily installed. Ask for Bulletin 107.

COMPLETE AIR CONDITIONIN COOLING

VENTILATION

FACTORY HEATIN

MECHANICAL DRAF

FANS and BLOWER INDUSTRIAL NEEDS

CLARAGE FAN COMPANY KALAMAZOO, MICH.

# Fort Wayne's Experience With Licensing and a Heating Code

By Charles E. Tharp
Secretary, Sheet Metal & Warm Air Heating Contractors' Assn.

SINCE publication of the Fort Wayne code began in American Artisan some months ago, requests have been received from all parts of the country for copies of the code and asking for our impressions of benefits or disadvantages.

With regard to copies of the code, we now have to advise that the last available copy was mailed some time ago and until the Fort Wayne association makes other copies available, we cannot fill

requests.

Briefly, in answer to what contractors think of the code, it might be said that enthusiasm seems to increase month by month. Today there are few complaints—most of these are on trivial matters and compliance with the specifications of the code

is becoming less and less of a problem.

When the Fort Wayne code was first instituted, all contractors then engaged in warm air heating or sheet metal work or both were automatically granted a license. This was done because men cannot be legislated out of business and we knew that compliance would be a matter of catching violators. However, all installers of oil burners or stokers had to take out a license which was not required before so, today, we do not have any oil burner or stoker installations made by firms not licensed and subject to the specifications of our code.

In the past several oil companies serviced and installed oil burners—today these companies have stopped that practice unless they have in their direct employ someone holding a license to install

and service burners.

Up to date there have been several examinations for oil burner and stoker license with several rejections. There has not been held, up to now, any examination for furnace or sheet metal work. The first examination will be held shortly after the first of January, 1938. Examinations to date and those coming up have consisted of written and oral questions, pertaining to very definite and non-controversial matters and to date no one has failed.

Our greatest problem up to now has been the securing of 100 per cent compliance with the specifications of the code for heating. And most of the trouble has been with design and sizing of duct work according to code specifications. Several jobs have been torn out and many revamped to conform strictly with the code, since we do not wish to allow any leeway during the first years.

We have tried to conduct schools under the guidance of our association so that those who suffer due to ignorance and not to animosity, may learn and study the purposes of the code. We do feel, now, that the time has come when ignorance can no longer be considered an excuse and enforcement becomes 100 per cent effective January 1.

There were some firms who thought the code was something to get out of and because our inspection has been handicapped by more work than one man can attend to, there have been slip ups. But when caught the penalty has been swift and positive. Jobs have been torn out and revamped at the expense of the contractor and we have had lawyers of violators

recommend compliance.

We have had splendid cooperation from our appeal board which was set up as a court of last resort. The several cases brought before the board have all been decided in favor of the code with resulting expense to the violator. Also, under our code, every licensed contractor is an inspector or reporter of installations made without permit or license, and because most contractors want to see the code enforced it has been dangerous and difficult for any violator to hide his work.

Our examining board is so set up that it acts as advisor to the inspector and whenever a violator is brought in this board is prepared to tell him specifically what is wrong and just what has to be done in

the future to avoid arrest.

Also of great help is the clause in the code which makes it mandatory that any carrier of heating or sheet metal equipment or materials must report delivery dates and places to the authorities. This gives us a check on practically every job and to avoid compliance the violator must do his own hauling, avoid license and permit, do his work in the dark and have cooperation of the owner.

There have been few complaints from contractors who wish to see better work. Some complaint has been made of the \$25.00 license fee and some have stated that a permit for repair work is a needless expense. Of some humor were a few complaints that going to the city hall to get the permit was asking too much of the busy contractor. And we have had a few objections to design clauses in our code. These may be altered as experience points the way. As a general summary, we can say that our experience has been most favorable and support is increasing.

DRAF OWER

IONIN

TION

EATIN

NEED

#### RESIDENTIAL AIR CONDITIONING SECTION



Johnson "Bankheat" Pressure-Type Burner is designed not only to burn fuel oil economically and efficiently but, when required temperatures have been reached, burner automatically shuts off. As the burner stops, counterbalanced draft shutter closes, preventing passage of cold air through the boiler, conserving fuel and lengthening life of furnace.

Type 30-AV uses up to No. 5 fuel without pre-heating. Johnson-patented viscosity compensating control valve furnishes constant flow of fuel oil to burner, regardless of fuel temperature or viscosities and without excessive pressure on lines or undue strain on pump or motor.



# JOHNSON Burners for 1938

PIONEERS in the manufacture of oil burning equipment, the S. T. Johnson Co. presents a complete line for 1938, including burners for every requirement for industry, commerce and home. For more than 30 years Johnson fuel oil burners have been preferred by architects, engineers and home owners for economy, durability and efficiency. From satisfied users in all parts of the world come unsolicited testimonials to the sterling worth of Johnson equipment. The Johnson name on a fuel oil burner is a warrant of value... it means careful engineering, accurate design and a product that will give you assured satisfaction throughout the years.

JOHNSON ENGINEERS will be glad to assist in the preparation of layouts and estimates. Worthwhile territories & Johnson franchises available to aggressive dealers anxious to serve their communities with a complete line. Write today giving full details as to qualifications.



Air-conditioning unit "SELECTAIR" combines in one compact unit every feature desired by homeowners, architects and engineers for economical heating, air-conditioning & ventilating the modern home. Year-'round hot water for domestic use. Forced circulation of air for summer. Equipped with "Bankheat" Pressure-type Burner. Finished in enamel with chrome trim.


"LADDI" Du-All combination boiler-burner unit for homes, is fully automatic, odorless, quiet and trouble-free . . . furnishes heat or domestic hot water or both in combination at low cost.

SEE OUR EXHIBITI
INTERNATIONAL HEATING &
VENTILATING EXPOSITION
GRAND CENTRAL PALACE - NEW YORK



#### S.T. JOHNSON CO.


940 ARLINGTON, OAKLAND, CALIFORNIA 401 N. BROAD ST., PHILADELPHIA, PA.



#### RESIDENTIAL AIR CONDITIONING SECTION

#### CHAPTERS

- 1. Air, Water and Steam
- Refrigerants and Air Drying Agents
- 3. Physical and Physiological Principles of Air Conditioning
- Air Pollution
- 5. Heat Transmission Coeffi-cients and Tables
- Air Leakage
- 7. Heating Load
- Cooling Load
- Fuels and Combustion
- 10. Chimneys and Draft Calcu-
- Automatic Equipment Fuel Burning
- 12. Heat and Fuel Utilization
- 13. Heating Boilers
- 14. Radiators and Gravity Convectors
- 15. Steam Heating Systems
- 16. Piping of Steam Heating Systems
- Hot Water Heating Sys-tems and Piping
- 18. Pipe, Fittings and Welding
- 19. Gravity Warm Air Furnace Systems
- 20. Mechanical Warm Air Fur-nace Systems
- 21. Central Systems for Heating and Humidifying



#### CHAPTERS

- Central Systems for Cooling and Dehumidifying Unit Heaters, Ventilators, Air Conditioning and Cool-ing Units
- Cooling and Dehumidifica-tion Methods
- 25. Spray Equipment for Air and Water Cooling
- 26. Air Cleaning Devices
- 27. Fans
- 28. Air Distribution
- 29. Air Duct Design
- 30. Sound Control
- 31. Air Conditioning in the Treatment of Disease
- 32. Railway Air Conditioning
- 33. Industrial Air Conditioning 34. Industrial Exhaust Systems
- 35. Drying Systems
- 36. Natural Ventilation
- 37. Automatic Control
  38. Motors and Motor Control
- 39. Piping and Duct Insulation
- 40. Electric Heating
- 41. Radiant Heating
- 42. District Heating
- Water Supply Piping and Water Heating
- Test Methods and Instru-
- 45. Terminology

#### A NEW BOOK FOR EVERYONE

- 1. For the engineer-fundamental principles of heating, ventilating, and air conditioning; practical application of technical formulae for calculation and design.
- For the architect—complete data for preparation of specifications; catalog of modern equipment—latest developments in apparatus and materials.
- For the contractor—a wide range of choice in equipment and materials—what to get and where to get it. A dependable source of information for the busy man.
- For the student—indispensable aid to class room work, thorough grounding in basic principles. Complete, authoritative, dependable—applies theory in actual practice.

#### READY IN FEBRUARY

BE SURE OF YOUR COPY - ORDER TODAY

THE GUIDE for 1938 is complete-wider in scope. improved in arrangement-more than ever before the authoritative reference book of the heating, ventilating and air conditioning industry.

More than just a theoretical treatise, not merely a mass of uncorrelated data—it embodies the results of years of scientific research, the technical training and practical experience of hundreds of men.

Scientists, engineers, producers-men in the laboratory, the shop, the field-all have contributed to make THE GUIDE 1938 a dependable source of valuable information presented in readily usable form.

More than 1200 pages, 45 chapters, handsomely bound in 6x9 in. Blue Flexible Binding stamped in red and gold. Price \$5.00. Send your order today.

	AN	- PA
-	E K D L	LK DLK

#### AMERICAN SOCIETY OF HEATING AND

VENTILATING ENGINEERS 51 Madison Avenue, New York, N. Y., Dept. A.

Enclosed is \$5.00 for which send me as soon as ready a copy of the Heating, Ventilating, Air Conditioning Guide 1938. It is understood I may return it within 10 days, if it is not satisfactory and you will refund my remittance.

City & State.....

REMITTANCE MUST ACCOMPANY ORDER

# Important Good News for AMERICAN ARTISAN Readers



# A Complete New Line of Improved WARM AIR FURNACE SWITCHES

for Fan, Blower and Limit Control at Line Voltage and Low Voltage

YOU can depend on the new Cook Furnace Switches for trouble-free, highly satisfactory installations. They'll help you make the job right, help keep it sold and help you get extra sales.

Important improvements make installation more simple and easy and increase the efficiency and dependability of their performance. You can sell these new Cook switches in volume with confidence that they will give your customers highly satisfactory performance.

Check up on these switches. We'll gladly send you complete information.

No. 101 LINE VOLTAGE BLOWER SWITCH

No. 102 LOW VOLTAGE BLOWER SWITCH

No. 103 LINE VOLTAGE LIMIT SWITCH

No. 104. LOW VOLTAGE LIMIT SWITCH

#### COOK CONTROLS

THERMOSTATS—FURNACE LIMIT CONTROLS ZONE CONTROLS—BLOWER CONTROLS

#### COOK ELECTRIC CO.

2671 Southport Ave.

CHICAGO

#### Precalculated Engineering

(Continued from page 112)

Transmission heat loss = 650 Btu per hour Infiltration heat loss = 1050 Btu per hour

Total ...... 1706 Btu per hour

Taking 1700 Btu per hour as being a close enough approximation, applied to the type of wall covered by the accompanying Table No. 3 which has a transmission loss of 218.75 Btu per hour for 12.5 square feet of surface, it is evident that the amount to add for each such window to the heat loss through the wall as given by the table, will be 1700 - 218.75 = 1481.25 Btu per hour. This forms the basis for the allowance for windows equipped with storm sash as listed at the bottom of the table.

#### Value of Weatherstrip

While as noted we have allowed no infiltration reduction to the familiar put-up-and-take-down type of storm sash, good weatherstrip (expertly applied) brings a sharp reduction in air leakage, especially in the case of poorly fitted windows.

The American Society of Heating & Ventilating Engineers recommends that for the average weather-stripped window and for a wind velocity of 15-miles per hour, a leakage of 23.6 cubic feet of air per hour be assumed for each running foot of crack. For a poorly fitted window, equipped with weatherstrip, the Society recommends the assumption of 34.1 cubic feet of air per hour per foot of crack. Experience indicates that the larger of these two values is the safer one for general use.

This is because there is not only a difference in the relative efficiencies of different types of weatherstripping, but also because careless installation by a saw and hatchet carpenter may greatly diminish the efficiency of the best weatherstrip. Furthermore, weatherstripping is often added after windows and doors in older houses have become anything but "well fitted."

For these reasons, it is recommended that the higher value, 34.1 cubic feet per hour per foot of crack, be assumed, and this is the value used in the accompanying tables for weatherstripped sash.

On this basis, the infiltration heat loss through the crack of our *standard* size of window is:

 $34.1 \times 0.075 \times 0.24 \times 70 \times 17.5$ = 750 Btu per hour (approx.).

Adding to this, the transmission loss of 1000 Btu per hour for such a window, gives a total heat loss of 1750 Btu per hour per window with a 70 degree inside-outside temperature difference.

As previously pointed out, the transmission loss through 12.5 square feet of the type of wall for which Table 3 is compiled, is 218.75 Btu per hour for a 70-degree temperature difference.

Hence, for each weatherstripped window without storm sash, the amount to add to the transmission loss through the gross exposed wall is:

#### RESIDENTIAL AIR CONDITIONING SECTION

# Now-a Complete Water-Type Air-Cooling Unit: GOLDEN-ROD AIR CONDITIONER

Offer the Golden-Rod—and you are offering the most economical and efficient COMPLETE Air-Conditioning System ever developed. Built complete with the famous Golden-Rod blower, cooling coils and filters. Rated at 3 tons, using 6 gpm 60° water and 2,200 cfm 85° return air. Suitable for 8 or 10 room homes, stores or office buildings. Automatically controlled. Provides even distribution of warm, filtered, humidified air for winter—cool, filtered, dehumidified air for summer.

Notice these specifications:


Base: 401/4"x401/4"

Height:  $66\frac{1}{4}$ " Return Opening: 32"x39"

Blower Outlet: 22"x18½"

Motor: 3/4 h.p. Capacitor type

Below are three Golden-Rod blowers, famous for silence, efficient blower wheel, durability, maximum air delivery, ease of installation and better accessibility.



UTILITY TYPE BLOWER

General purpose blower for all heating, ventilating and cooling jobs. Top motor mounting standard equipment. With or without motor and drives. Available in singles and twins for capacities of 1,200 to 10,000 CFM.



BASE TYPE BLOWER

Ideal for any duct installation. Blower and motor cushion mounted on rigid angle frame, punched for duct attachment. Canvas connection not required. Capacities: 1,200 to 5,000 CFM.



PACKAGE TYPE BLOWER

Streamlined cabinet in green featherweave, trimmed in black with chrome handles and decorating stripes. Larger filter area. Large inspection door making all parts readily accessible. Capacities: 1,000 to 4,000 CFM.



#### See Your Jobber or Write

Go to your nearest distributor at once and get complete information about any of the perfected Golden-Rod Conditioners or Blowers. Or, mail the coupon, and we will supply you with full details promptly, and name of the nearest distributor. SEND TODAY!

## F. JADEN MANUFACTURING CO. HASTINGS, NEBR.

 MA	VII.	TOD	AY	

F. JADEN MANUFACTURING CO., Hastings, Nebr.

Please send me information about your

□ AIR CONDITIONER

BLOWERS

NAME.

ADDRESS.....

#### RESIDENTIAL AIR CONDITIONING SECTION

COOLING PLAN N the heating or cooling system, everything depends on the quality and efficiency of the sur-face. When your face. When your plans and specifica-tions call for Aerofin, you will be following the example of hundreds of progressive consulting engineers, architects and con-tractors. They have found Aerofin light weight, standardized heat exchange sur-face fully equal to every operating de-mand. There is a good rea-son for Aerofin's fine erformance. the product of a company devoted solely to the manufacture of heatexchange sur-face, designed by engineers who are close to the practical problems of heating, cooling and air conditioning. Try Aerofin on your next installation. Send today for illustrated data or ask any of our district offices for such technical assistance as you may need. AERDFIN an System Aerofin Corporation 410 SOUTH GEDDES STREET SYRACUSE, N. Y. Detroit New York Philadelphia Dallas Atlanta

1750 - 218.75 = 1531.25 Btu per hour.

This expressed in thousands of Btu per hour is the heat loss per window at the bottom of Table No. 3 for single windows weatherstripped.

Values for similar windows in walls which have other transmission coefficients are determined in the same manner.

If a window is weatherstripped and protected by storm sash, then the total heat loss will be made up of the transmission loss of 656 for storm sash, plus 750 Btu per hour infiltration loss, making a total of 1406 Btu per hour.

A sufficiently close approximation is 1400 Btu per hour and the amount to be added to the transmission loss through the gross wall will be, for each such window, 1400 — 218.75 = 1181.25 Btu per hour. This is the value used in the accompanying Table No. 3 as basis for the amount to be added to allow for losses due to windows protected by both storm sash and weatherstrip.

Assuming that the average outside door is 3-ft. wide by 7-ft. high, its area, 21 square feet, is 68 per cent greater than that of a 2.5-ft. by 5-ft. window and




Fig. 3-Layout for a problem.

assuming that the rate of transmission through such a door is the same as through glass, the heat transmission loss for each outside door will likewise be 68 per cent greater than through the standard window. The door has 20 running feet of crack, 14.3 per cent more than the window. Although neither the area nor the crackage of the door is double that of the window, observation and experience indicate that, for practical purposes, it is both safe and conservative to take for granted that an outside door is responsible for twice as much heat loss from a room as two standard windows.


Hence, in this suggested tabular method we count each such door as equivalent to two standard windows. If a room has 4 standard such windows and one (Continued on page 157)

# WHEN YOU SELL Pacific YOUR CUSTOMERS

#### ARE YOUR BEST SALESMEN

Every time you sell a Pacific heating system, you make a friend for life. Your customers become enthusiastic boosters for your product, going out of their way to tell

> friends and associates. You profit accordingly by constantly widening your circle of satisfied customers.







#### 1. PACIFIC STREAMLINE DELUXE

Completely automatic forced-air heating and ventilating. Streamline casing furnished in attractive crackle finish with chromium trim. All controls completely enclosed.

#### 2. PACIFIC DUCT UNIT

Designed for duct work on commercial, industrial and residential installations. Capacities from 55,000 to 300,000 BTU. Can be coordinated with summer cooling equipment to give year 'round air conditioning.

#### 3. PACIFIC FORCED-AIR UNIT

Winter heating and summer ventilating in one compact, highly efficient unit. No basement required.

#### 4. PACIFIC GRAVITY FURNACE

The basement type of warm air furnace is one of the most popular in the Pacific line. Thousands in successful use for many years.

#### 5. PACIFIC FLOOR FURNACE

Circulates fresh warm air to every corner, giving even temperature so necessary for health and well-being. Eliminates damp, sweaty walls. Operates with extreme economy because of Pacific's famous Multi-Tubular Burner.


#### 6. PACIFIC THERMOLATOR

One of the most efficient room heaters ever devised. Exclusive cast iron heating element "holds heat" longer. Vented and unvented types.

#### 7. PACIFIC RADIANT HEATER

Pacific manufactures a wide variety of radiant heaters, both wall and portable types. Individual burner units permanently adjusted at the factory.





increase your profit and cut down service costs. Write today for catalog AA138, describing the complete Pacific line.

#### PACIFIC GAS RADIATOR COMPANY

Manufacturers Of The Most Complete Line Of Gas Heating Appliances In The West 1740 WEST WASHINGTON BLVD. • LOS ANGELES, CALIFORNIA

## Condensation in Walls and Attics

(Continued from page 119)

for wood sheathing and because of its lighter structure it offers more resistance to heat loss than a similar thickness of wood. It may be used either with or without other insulation. When used with other insulation the methods of protection suggested should be followed. When no other insulation is used the need of a moisture barrier is much less, just as with wood sheathing.

Many materials embodying the principle of reflective insulation are in use but opportunity for observation and tests has been limited. One type having metal foil attached to both sides of a heavy sheet of paper is very resistant to vapor and another type composed of a strong paper faced on both sides with metal oxides is also very effective in resisting vapor transmission. Data upon the comparative vapor resistance of these papers and many other materials are to appear in a forthcoming article.

The practice of installing insulation in existing houses, some of which have been built for many years, is becoming general, adding both to summer and winter comfort of the occupants. The occurrence of moisture or condensation in these older houses after insulation is quite uncommon, largely because such houses are not so tight as new houses, windows fit less snugly and probably have no

weather strips. Under such conditions the normal humidity is lower.

Occasionally, however, these older homes will also show evidence of moisture accumulation and generally when the occupant has made an effort to increase the humidity above normal. Some of the companies that insulate existing houses take off a portion of the outer wall covering and cut a large number of openings in the sheathing through which the insulation is blown and replace the outer covering without filling the holes in the sheathing. These openings allow more or less ventilation and should be helpful in allowing vapor to escape outward. Some companies include some form of attic or roof ventilation as part of their contract.

Positive protection for existing buildings that have a moisture problem or where it is proposed to install winter air conditioning may require some type of barrier on the interior face of exterior walls and on the ceilings below the roof. Ordinary paints of the flat wall, or lead and oil types do not seem to offer the resistance desired, but two coats of aluminum paint appear to offer excellent resistance and permit almost any subsequent method of decoration desired.

The question sometimes arises as to the possibility of summer cooling causing condensation in walls. This is very unlikely because the inside temperatures are seldom more than 15 degrees below outside temperatures so that the possibility of condensation would only occur during periods of extremely high humidity outside. Such a condition



would be of rather short duration and would be unimportant.

#### General Recommendations

For new construction it is recommended that a suitable vapor barrier be installed on the side wall studs and below the ceiling insulation and that some attic ventilation also be provided. This will not only protect the house for normal humidities but should prove ample protection in case winter air conditioning is installed. Further, it offers protection during the construction period, particularly if

plastering is done in cold weather.

For existing houses that have been or are to be insulated, and where humidities during cold weather are low, attic ventilation alone should be adequate. Should evidence of moisture appear in mild weather following a cold period, cut off all possible sources of humidity for the balance of the winter and some time later in the following summer, after the moisture has had time to disappear, coat the exterior walls and the ceiling below the roof insulation with two coats of aluminum paint after which redecorate

For existing houses that are equipped for winter air conditioning follow the foregoing suggestions and during periods when outside temperatures are below 15° F. carry relative humidities not higher than 30 per cent and in sub-zero weather reduce to 20 per cent relative humidity.

#### Precalculated Engineering

(Continued from page 154)

3-ft. by 7-ft. outside door, they will be equivalent to 4+2=6 windows.


A brief example of the use of Table No. 3 as applied to room No. 2 of the accompanying Fig. 3 is as follows:

Outside walls assumed to be construction No. 1 as listed at top of Table No. 3; ceiling height 9 feet; windows 21/2-ft. wide by 5-ft. high without storm sash or weatherstrip; no cold floor or cold ceiling.

The room has 37 running feet of exposed wall and the table shows that the loss through 37 running feet of such wall with 9-foot ceiling is 5.8 (meaning 5800 Btu per hour). Counting one outside door as equivalent to two windows, the room has 4 + 2 = 6 equivalent windows and the table shows that the additional heat loss through 6 such windows is 10.8 (or 10,800 Btu per hour). Hence the total heat loss of the room is 5.8 + 10.8 = 16.6 or 16,600 Btu per hour.

The next article will give a more detailed explanation of the use of the tables together with a suggested form of data sheet to simplify their use. A table will also be given for heat losses through cold ceilings of several types and for a number of additional types of outside wall construction.

- 231 Serrations on Side of Dial, Corresponding to Those on Base
   —POSITIVELY Prevents Slipping of Damper
- Holds ANY Damper, Regardless of Size
- Sleeve to Receive Either Bearing or Bar
- Locks Securely
- Positive Action
- Indicates Position of Damper at ALL Times
- Placed on Bearing or Bar with Pressed Fit—NO VIBRATION Can Be Placed on Partition Wall or ANY Location of Duct
- Can Be Placed on ALL Styles of Dampers
- Bearings Permit Easy Installation of Dampers in Small Ducts Rotates 360 Degrees 10.
- No Thumb Screws to Become Loose
- Base Is Zinc Alloy—Eliminates Corrosion on Movable Parts
   All Parts, with Exception of Base, Are Cadmium Plated
- Damper Is Rotated with Special Wrench Placed on End of Bearing or Bar
- The Hex Nut Is Locked or Released by Using the Opposite End of the Operating Wrench





5/16" square rod Regulators are 16c each-with bearings, rivets, and screws, 22c each. Net trade prices. Also made in 3/8" size. Come packed twelve in a box with one wrench.

The "YOUNG" Valcalox Damper Regulator meets the urgent need for a low priced regulator that will POSITIVELY hold damper in place. Believe it or not-with its several patented features-the "YOUNG" Valcalox Damper Regulator will do everything we claim for it. The 231 serrations on dial and also 231 serrations on base positively prevent slipping. It has already scored 100%-EVERYONE who has seen it ASK YOUR JOBBER OR WRITE US.

#### SEE AT SHOW--BOOTH No. 569

5th International Heating & Ventilating Exposition New York, N. Y., January 24-28, 1938

Ask Your Jobber or Write

#### YOUNG REGULATOR CO. 4500 Euclid Ave., Cleveland, Ohio

#### MODERN

## **AMERICAN**

LOUVRES

#### AMERICAN FAN LOUVRES

Heavy welded steel frame, drilled for mounting to wall or duct. Aluminum louvres, working in unison, open from fan pressure and close automatically when fan is not in operation.

These louvres can be made of copper, brass or stainless steel to meet special requirements. Can also be furnished with mounting brackets and motor for electrical operation.

#### AMERICAN AUTOMATIC ALUMINUM BACK PRESSURE DAMPERS

For installation in ducts and base of vent flues. Prevents back drafts. Louvres equipped with felt strips. Noiseless in operation.





#### AMERICAN LOUVRE DAMPERS

Angle or channel frame. Ball bearing or pin bearing type. Furnished to fit any size opening — for either manual or motor operation.

#### OTHER AMERICAN PRODUCTS

Warm Air and Ventilating Grilles

Multiple Louvre Dampers and Screens Mixing Dampers Fused Link Fire Dampers and Screens

Single Leaf Volume and By-pass Dampers

# The American Warming & Ventilating Co. 1017 Summit Street Toledo, Ohio


# What is Humidity?

(Continued from page 121)

in two ways. Considered from the heat standpoint, the vapor contains more heat than that just required to vaporize it, hence it is superheated. Considered from the volume standpoint, the vapor has less weight, or smaller number of particles of moisture, in each unit of space than at the saturation point hence it is only partly saturated and the condition is known as 50% or 30% or some other per cent relative humidity.

As an example, air and water vapor are entering a structure at 32F in what we consider a saturated condition, that is any addition of moisture or a lowering of temperature will result in condensation. In this state one pound of the mixture occupies 121/2 cubic feet of space and is, by weight, 562 parts air and 2.1 parts water vapor. Now if air at 70F and saturated vapor could be injected into a room from a humidifier, one pound of this mixture would occupy 1334 cubic feet of space and would be made up of 512 parts of air and 8 parts vapor by weight. By heating the 32 F. mixture up to 70 F., it would expand to nearly 133/4 cubic feet and would contain only the original 2.1 parts water vapor now at 70 F. The vapor is therefore occupying more than its allotted space, is some 38 degrees hotter than saturation temperature and is therefore superheated. It is not generally realized that most of the time we are breathing superheated steam!

It has been stated earlier that the particles of vapor are many times their own diameter apart, in fact the material itself occupies very, very little of




The distance apart of the particles of ice in Fig. 1 is increased when the ice is changed to vapor. The relationship in increased space between particles is illustrated here.

Also, here we have two vapors in the "same space."

the space. It is not unusual, then, to find that vapor and air occupy the same space without intereference. This is actually what happens in our atmosphere. We should therefore correct our habit of speaking of "saturated air" or "air as 50% relative humidity" merely because the air and the water vapor occupy the same space at the same time. Since the particles are vibrating at a speed commensurate with the

# AIR CONDITIONING\* AT ITS BEST!



#### COMPLETELY AUTOMATIC


Gas-Fired Equipment
Easier to sell and install

- Gas—the truly automatic fuel—has advantages that are turning thousands of new families to its use. AGP gives them all to you in modern Air Conditioning that is—
- 1. Small, compact...saves space...eliminates need for separate heater room.
- 2. 100% automatic. Controls provide full safety protection.
- 3. Economical. Makes low Gas rates go farther.
- 4. Clean...no soot or smoke...no dust or ashes.
- Dependable...backed by nation-wide organization and many years' experience in GAS-FIRED equipment.

(above) Type 2FE—Designed on new principle of "Counter-Flow." Fan unit on top blows air down over east iron heating sections...which come to the job completely assembled. Easy to install. Modern, round-corner jacket finished in Empire Gray enamel.

(right) Type K—A new low-priced, air conditioning unit\* built to AGP quality. Performs every function of winter air conditioning—heating, humidification, air cleaning, circulation. Heating unit and radiators are heavy gauge copper bearing steel. Steel jacket has rounded corners, Empire Gray enamel finish, 5 sizes from 10,000 cu. ft. to 33,000 cu. ft. heating capacity.

\*Winter air conditioning only. Summer cooling easily added.





Automatic Hot Water Supply for any Air Conditioning Installation

AGP Cas-FIRED Automatic Storage Water Heaters provide abundant domestic hot water at low cost day and night — without attention. A size for every home and purse. Ask your Gas Company or jobber.







AMERICAN GAS PRODUCTS CORPORATION

DIVISION OF AMERICAN RADIATOR & STANDARD SANITARY CORPORATION
40 WEST 40 STREET · NEW YORK, N.Y.

Gas-Fired AIR CONDITIONER


MADE BY THE WORLD'S LEADING MANUFACTURER OF GAS-FIRED EQUIPMENT

# Addressed to Manufacturers of AIR CONDITIONING EQUIPMENT and AIR CONDITIONING FURNACES

- ★ THE TREND IS TOWARD FACTORY ENGINEERED AND MATCHED UNITS THAT ENTER INTO THE SELECTION OF AN AIR CONDITIONING SYSTEM.
- ★ YOUR DEALER RIGHTLY LOOKS TO YOU FOR COMPLETE, BALANCED EQUIPMENT.
- YOU CAN CONFIDENTLY LOOK TO US FOR REFRIGERATING UNITS THAT WILL UPHOLD THE REPUTATION OF YOUR PRODUCT.

The leading manufacturers of the industry are using Universal Cooler refrigerating machines. The Universal Cooler line consists of over 100 standard units in all sizes from ½ h.p. to 15 h.p. reflecting over 16 years' experience in this one field. In addition, special units may be readily designed from our complete line of compressors. We offer our services in assisting in the engineering, selection and arrangement of refrigerating units and coils to match your equipment. Our well equipped application engineering department has the facilities to give you the assistance you need. Write for complete details, UNIVERSAL COOLER CORPORATION, Commercial Sales Dept., Detroit, Michigan. In Canada: Universal Cooler Co. of Canada, Lt., Brantford, Ont.

Listed under Reexamination Service of Underwriters' Laboratories, Inc.



**UNIVERSAL COOLER** 

thing we call temperature, vapor particles collide with oxygen, nitrogen and other particles bringing them all to a common temperature or velocity. The two series of particles in Fig. 2, one illustrated by a circle and the other by a centered circle, represent two vapors in the same space. It is easy to see that several vapors might be injected into the same volume

The thing we know as pressure results from the rate at which these particles bombard or hit the container or, if not a container, any other surface adjacent to the material. This sensation of pressure on a surface is easily recognized as the pressure against one's hand when held out the window of a moving vehicle or in the delivery stream of a fan or pump. We do not ordinarily sense this pressure under usual conditions because it is equal in all directions and causes us no discomfort.

A pressure gauge, on the other hand, is merely a device with an area exposed to one pressure or bombardment on one side and a different pressure (usually that of the atmosphere) on the other with a mechanism for indicating the difference in the effect. The greater the number of particles within a space, then, the higher the pressure due to that particular vapor. This is also well indicated by the difference in force to keep one's hand in an air stream and a denser water stream. Also the greater the number of particles of any kind the greater the total pressure. Note that each different material exerts a pressure of its own and the thing we measure or speak of as barometric pressure is the sum of the pressures exerted by all the different materials in the atmosphere.

#### Air In, Vapor Out

Particles of dust or pollen or, anything but vapors (being infinitely large compared with air or vapor particles and many times less in numbers, on account of their size and absence of resilience, do not act to increase the total pressure as another vapor and would, probably, tend to slightly lower it.

As one illustration, let us take the condition of a residence in winter time. Due to a wind, we may have a higher total pressure outside the walls than inside. The atmosphere then will leak in through cracks and openings. We allow for such "infiltration" in our heat loss calculations. However, due to some type of humidifying apparatus, each cubic foot of space inside may contain a greater number of particles of vapor than the space outside. The vapor pressure will be greater inside, therefore, and we have the very puzzling situation of air leaking in and moisture leaking out through the same wall at the same time.

Answering the question expounded at the outset, it is clear that humidity is not only moisture, but moisture to which at least enough heat has been added to keep its condition a vapor. It is obvious that it is neither a part of the air nor carried by the air, as a sponge carries water, but merely occupies a place in the same vicinity as that occupied by air much the same as different individuals occupy spaces at a convention, or a "Fair."

#### RESIDENTIAL AIR CONDITIONING SECTION

#### Konzo-Pressure Loss Tables

(Continued from page 126)

a sharp elbow. In most cases the most vulnerable part of an elbow from the standpoint of pressure losses is the inside radius. It is more essential that the inner corner be smoothed off than it is for the outer wall to be rounded.

#### 15. Tee Connections

Rounded tee connections have only one-sixth as much resistance as right-angled tee connections.

#### 16. Y-Branch Connection

Y-Branch connections should preferably be made with a small angle between the branch and the main trunk. Y-branch connections made with a 90° take-off have much greater resistances than do take-offs of the proper type.

#### 17. Abrupt Contraction

#### 18. Abrupt Expansion

Abrupt changes in section are conducive to pressure losses and hence should be avoided, if possible.

#### 19. Gradual Contraction

Gradual contractions introduce a negligible friction loss.

#### 20. Gradual Expansion

Losses in duct sections having gradual expansion are of considerable magnitude, particularly for slopes greater than 10 per cent. Much can be done in design of modern equipment to reduce losses due to expansion. A common application of this type is the connection from the fan to the casing. The data shown in cases 20 and 22 are not entirely in agreement. The work being done by Kratz and Fellows (to be published) should clarify some of the factors.

#### 21-22. Pipe and Plenum Chamber

The examples shown are quite similar to the usual duct connection to the bonnet. A slight tapered connection will materially reduce the entrance losses into the duct.

#### 23. Rounded Orifice

Rounded orifice connections do not involve much friction loss, and may be used where the costs of such construction can be justified.

#### 24. Converging Nozzle

Converging nozzles have small pressure losses.

#### 25-26. Plate Orifice

Plate orifices have unusually high resistance to

# WOLVERINE SILENT AIR FANS



sizes 15" to 48". Air deliveries 960 to 50,000 C.F.M. Single and 2 speed units.

The ideal fan to work against static. Built on Steel Panel ready for installation. Powerful, strong, sturdy, fine appearance — operates quietly and is highly efficient—Performance fully guaranteed.

Write for catalog and price list

#### BELANGER FAN & BLOWER CO.

1238-18th St., Detroit, Michigan

#### AIR-FLO SHUTTERS

are used by some of the largest fan manufacturers in the country. We manufacture



Automatic Shutters
Manually Operated
Shutters
Ball Bearing Shutters
Motor Driven Shutters
Stationary Shutters
All Aluminum Shutters

Automatic Back Draft Dampers Motor Driven Back Draft Dampers Ball Bearing Back Draft Dampers Automatic Stack Dampers Motor Operated Face and By Pass Volume and Mixing Dampers

Write for catalog and prices

#### AIR CONDITIONING PRODUCTS CO.

1230-18th St., Detroit, Michigan

air flow and should not be used unless conditions require such construction. Smooth orifice openings, such as case 23, require much less pressure for the delivery of air.

#### 27. Diverging Section

The losses are least in diverging sections when the angle of divergence, a, is approximately 3 to 4 degrees. Larger angles have much greater losses due to the creation of eddies and turbulent flow conditions.

#### 28. Re-entrant Pipe

Entry losses are quite substantial in magnitude for a re-entrant pipe.

#### 29. Flush Entry

The entry loss in a flush entry is about half that for a re-entrant pipe.

#### 30. Cave Entrance

Streamlining or gradual changes in the entry section cause smaller entry losses.

#### 31-32. Flared and Bell-Mouth Entry

Entry losses are insignificant when rounded entries are used.

#### Combinations of Elbows

The data given in Figs. 1 to 6 are for single elbows or fittings. However, as stated by Madison and Parker, "The influence of the first elbow may help or hinder that of the second elbow depending on the conditions of flow produced at the discharge of the first." In other words when the airstream enters an elbow or other type of fitting with an irregular velocity gradient, that deviates considerably from that ordinarily met with, the pressure loss of that elbow or fitting will be different from the values shown in Figs. 1 to 6. Madison and Parker observed that in some cases where one 90-degree elbow followed another, that the combined losses were 25% greater than the sum of the two 90-degree elbows. The losses were particularly high in those cases where the air stream was banked in such a manner that the high velocity air stream was thrown against the sharp inside corner of a 90-degree elbow.

#### Radius Ratio and Curve Ratio

The experimental data on pressure loss in duct fittings are frequently presented in terms of the radius ratio, the inner radius ratio, or the curve ratio. The differences in the three terms are shown in Fig. 9.

These data which, in the judgment of the writer, are the best available at present, cover most of the



A LEADER in the field for 12 years, the nationally famous Chamberlin Automatic Humidifier now embodies outstanding new features. Large water way

through the trap assures free flow without liming. The integrally cast trap keeps heated water from circulating into the float pan to cause lime. A long rod on the float gives positive water shut-off at any pressure. New vapor pan design makes the entire unit easily accessible for cleaning. The positive action valve is entirely out of the water in the float pan. Vapor

pan is 3" deep but carries only 1" of water to insure rapid evaporation. The Chamberlin is cast entirely in one piece, is fully automatic and fits any furnace hood. Durable baked enamel finish. Can be easily installed even when the furnace is in operation. Shipped complete as shown, ready to install. A long record of successful performance, potent selling points and attractive prices make the Chamberlin a real businessgetter. The market for this type of equipment is increasing. It will pay you to investigate now. Write for prices and complete information.

CHANDLER COMPANY CEDAR RAPIDS, IOWA

#### Table of Equivalents

		Inner
Curve	Radius	Radius
Ratio	Ratio	Ratio
$R_1/R_0$	R/w	R <sub>1</sub> /w
0	0.500	0
0.1	0.611	0.111
0.2	0.750	0.250
0.3	0.929	0.429
0.4	1.167	0.667
0.5	1.500	1.000
0.6	2.000	1.500
0.7	2.833	2.333
0.8	4.500	4.000
0.9	9.500	9,000
1.0	Infinity	Infinity

cases commonly in use in sheet metal and duct installations. The data being assembled now by various investigators may in the future modify some of the data presented in these figures. Also, it is




Fig. 9—Showing the relationships (and where measurements are made) of radius ratio, inner radius ratio and curve ratio.

most probable that additional and substantiating data will be assembled in the future on duct fittings, complex changes in sections, and damper fittings. For more complete explanations of each of the cases, the reader should refer to the original sources as indicated in Figs. 1 to 6 and which are tabulated in the Bibliography.

#### **BIBLIOGRAPHY** on Pressure Losses

- 1. American Blower Company, Air Conditioning and En-
- gineering, Chapter 3, pages 23-65.
  2. Brown, A. I., Friction of Air in Elbows, Power Plant Engineering, Vol. 36, Aug. 15, 1932, page 630.
- 3. Busey, Frank L., Loss of Pressure due to Elbows in the Transmission of Air Through Pipes or Ducts, *Transactions*, American Society of Heating and Ventilating Engineers, 1913, Vol. 19, pages 366-376.
- 4. Buffalo Forge Company, Fan Engineering, 3rd Edition, pages 81-105.
- 5. Harding, L. A. and Willard, A. C., Mechanical Equipment
- of Buildings, Vol. I, 2nd Edition, pages 671-674.
  6. Madison, R. D., A Chart Method for Locating Splitters in Elbows, American Artisan, Feb. 1937, page 58.
- 7. Madison, R. D. and Parker, Pressure Losses in Rect-
- 7. Madison, R. D. and Farker, Pressure Losses in Rectangular Elbows, Transactions, American Society of Mechanical Engineers, Vol. 58, page 167, AER 2.

  8. Willard, A. C., Research Results in Heating and Ventilation, Technograph of University of Illinois, March, 1925.

  9. Wirt, Loring, New Data for the Design of Elbows in Duct Systems, General Electric Review, Vol. 30, No. 6, June, 1927, pages 286-296.

#### ELGO AUTOMATIC SHUTTERS





FOR Complete and Efficient Ventilating Systems use Elgo Shutters, and Dampers. Fans and Blowers, as well as expensive duct work, can be protected from all inclement weather and as a result last much longer. Shown at the left is the "Elgo Type" Shutter.

The Stationary Shutter, "Elcon Type" is welded into one rigid unit and is used where the automatic shutter is not permissible. It can be used with equal efficiency on either exhaust or intake of air.






The Automatic Back Draft Damper, "Erwin Type" is used where it is necessary to maintain air pressure in one direction and prevent backdraft.

The Automatic Stack Damper, "Erie Type" is installed inside stacks used for exhaust and prevents down drafts when fan or blower is not operating.





The "Excel Type" Shutters are used for either intake or exhaust ventilation. The steel louvers are operated by a lever, and held tightly closed by a spring, when not in

Write now for all information.

ELGO SHUTTER & MFG. CO.

634 West Warren Avenue


Detroit

Michigan

Furnace vs. Attic Fans

(Continued from page 135)

utilized as a suction duct for pulling outdoor air through the rooms below. The head of the stairway was sealed off with a door and a partition, and the fan was mounted in the partition over the stair



well. Fig. 3 shows a propeller fan mounted in an existing attic window, and the path of air flow through an existing scuttle-hole leading into the attic is indicated by arrow heads. Ceiling grilles can be placed in the second floor bedrooms and the distribution of air equalized by varying the effective area of each grille to suit the volume of the room to be ventilated. This method, of course, places the attic under suction and our experience indicates that about 20 per cent of the air handled by the fan will be air that has been short circuited through leaks in the attic, or, in other words, only 80 per cent of the fan capacity is effective for ventilating the rooms below. Still a third method is to install a fan chamber or box over a centrally located ceiling grille, preferably in the ceiling of a central hall, and then mount the fan in the attic in the side of this box, sucking air into the box and discharging it into the attic where it finds its way to the outdoors




Fig. 3-Attic fan-residence.



The "ALL SEASON" COMBINATION REGISTER reduces installation costs to a minimum on new or change over jobs.


Saves cutting into sidewalls—allows for use of existing duct systems with no changes or additions.

Adjustable grille bars in both warm and cool air faces, provide easily and quickly any air deflection required.

For use on every fan or blower heating installation for partial summer cooling and to provide for future addition of complete mechanical cooling.


Available in both flush wall and base-board types.

Ask your jobber or write.



WINTER

HEATING



# The Most Profitable Equipment Is That Which Serves Best



Model KF knockdown package model, especially designed for conversion work.

# It Pays! To Install Blowers by BRUNDAGE

BRUNDAGE UNITS ARE ENGINEERED

Whether it be domestic, industrial, school, church or theatre, there is a truly engineered Brundage unit to fit your need.—A unit born of many years' experience.

BRUNDAGE LINE IS COMPLETE

Complete line of blowers, filters and air-washers, all with or without the beautiful Brundage cabinets, yet all simple to install, and easy to service.

BRUNDAGE UNITS ARE USED BY MANUFACTURERS

Many manufacturers are now including these sturdy Brundage Blowers in their own products.

BRUNDAGE UNITS ARE GUARANTEED

Guaranteed capacities; guaranteed workmanship.



## **MORE PROFIT**

from G-A Temperature Controls

They're More Sensitive . . . More Reliable . . . More Satisfactory

Gleason-Avery Temperature Controls offer a wider margin of profit on every installation — providing design, workmanship and materials that are certain to win customer approval. Recommended by contractors and heating engineers for trouble-free performance. Approved by Anthracite Industries Laboratories and by Underwriters' Laboratories.



#### IMMERSION WATER SWITCH

This attractive, compact, reliable instrument can be used in any two or three wire circuit using either high or low voltage current. A snap action single pole double throw double break switch operates between pure silver contacts held firmly together until the instant of breaking.

#### THERMOSTATS SINGLE AND DOUBLE

Gleason-Avery low voltage thermostats are unsurpassed in sensitivity and dependability. The unique design of the base, which permits a free circulation of air, contributes to its immediate response to temperature changes.



Each instrument is tested and calibrated before leaving the factory, but can be easily adjusted in the field by a simple nut adjustment.



#### FAN SWITCH

This compact instrument is for use as a switch to operate the circulating fan in Forced Warm Air Systems. Operation is the same as the Immersion Water Switch. And like the Immersion Water Switch, is readily installed and can be easily adjusted to the desired temperature.

#### CONTROL MOTOR

G-A CONTROL MOTORS are designed for use on draft and check damper controls, and can also be used on mixing dampers, gas valves and similar equipment. No outside transformers. Dustight case. Rust proof. Powerful. Sturdy. Altogether dependable.



• Write for Full Details . . .

GLEASON-AVERY, INC.

Auburn, New York

#### RESIDENTIAL AIR CONDITIONING SECTION





Teamed up with your warm air plant it gives you sharp edged selling advantages over competition in the automatic heating field.

Write Stoker Division, Butler Manufacturing Company, 1273 Eastern Ave., Kansas City, Missouri, for 1938 Dealer Plan.

through open attic windows. In such installations the attic window openings should be quite liberal so that the fan capacity is not reduced by a building up of static pressure on the discharge side of the fan.

#### Fan Capacities Required

As the attic fan depends entirely for its cooling power upon its ability to draw very large quantities of outdoor air through the rooms, it is very important that sufficient air handling capacity be provided. Both our experience here in Detroit and the tests made at the University of Illinois indicate that the attic fan must have a capacity sufficient to circulate at least ten air changes per hour if effective cooling is to be accomplished, and the best results are obtained when the fan circulates 30 to 35 changes of air per hour through the rooms to be cooled. Measured in terms of cfm of capacity, this means that an ordinary three bedroom house,




Fig. 4—Effect of attic fan ventilation upon the temperature of an upstairs room.

with a second floor cubage of 5,000 to 6,000, would require a fan with a capacity of 3,000 cfm. Our Detroit experience indicates that the home occupant will not be entirely satisfied with less than 30 air changes per hour, based on one floor only. Some manufacturers recommend as high as 40 to 60 air changes per hour, but an examination of curves showing the cooling effectiveness plotted against the number of air changes per hour indicates that there is no appreciable gain resulting from more than 35 air changes per hour and, of course, the investment cost is correspondingly higher for the larger capacities.

#### Cooling Effect

Outdoor temperatures become favorable for attic fan operation at about seven to eight p. m. in the evening, and if the fan has been designed and mounted in such a manner that the operating noise is not objectionable, it is advantageous to operate JAMES H. BAILEY, President TROWBRIDGE WARNER, Sales Manager RUSSELL T. BAILEY, Director

BRUCE R. TUTTLE, General Counsel CLIFFORD D. BAILEY, Secretary EDWARD F. BLOM, Director

FRANK T. BAILEY. Vice President ALFRED L. TUTTLE, Treasurer ERIC D. MOLLANDER. Director



#### REGISTER & GRILLE MFG. CO.

70 BERRY STREET

INCORPORATED Telephone: EVergreen 8-0444

To borrow a slogan from the Politicians

BROOKLYN, N. Y.

#### POINT

To our record of four years, during which time we have satisfied customers, both large and small, in every State of the Union, as well as customers in many Foreign Countries. We now ANNOUNCE our continued progress, in the form of our TWO

#### **NEW AIR Conditioning Registers**

"ARC-ENG" and the "AIR-CON"

ARCHITECT-ENGINEER

AIR-CONTROL

Built to the specifications of Architects, Engineers, Contractors and Installers.

ASK FOR DETAILS

Watch for further announcements.

#### BERTOSSA SUPER POWERED **HEATERS**



**COMPLETE UNITS** POWER-HEATER
OIL OR GAS BURNER
BLOWER MOTOR
PERMANENT-FILTER

All Enclosed in a Beautiful Streamlined Cabinet

### "MISTER DEALER"

HERE IS YOUR OPPORTUNITY TO INSURE **FUTURE PROFITS** 

Power-50,000 to 2,800,000 B.T.U.

Flexibility—Any fuel, coal, oil or gas

Simplicity—Completely assembled in 30 minutes

Efficiency—92% direct heating surface

#### 36 CAPACITIES

A SIZE FOR EVERY REQUIREMENT WRITE FOR PARTICULARS

DIVISION OF

JACKSON & CHURCH CO., SAGINAW, MICH. EST. 1881

-FOUNDERS, MACHINISTS, STEEL FABRICATORS-

# 

**BLOWERS** 

PROPELLER FANS
CENTRIFUGAL PUMPS
ALL YEAR CONDITIONERS
DEZERT KOOLERS



LARGEST
AND MOST
COMPLETE
LINE
MANUFACTURED IN THE
WEST
WRITE FOR
CATALOGS

#### **Utility Fan Corporation**

2528 Santa Fe Avenue

Los Angeles, Calif.

During 1934 and 1935 Marley

made nearly 300 compositive
tions. Today's Marley town possess all the advantage of daily
and parlomance developed by
those tests. Detail your request.

THE MARLEY COMPANY
1915 Walnet Kanes City, May
FORCED DRAFT COOLING TOWERS

all night or for a period of twelve hours. Tests at the Illinois Research Residence indicated that, in spite of the favorable "stack effect" enjoyed by this residence, the attic fan did a somewhat better cooling job than was accomplished by full natural ventilation. Our tests on Detroit residences showed that an attic fan circulating 30 air changes per hour was about twice as effective as was cooling with full natural ventilation. Fig. 4 shows the effect of attic fan ventilation upon the temperature of an upstairs room. In this particular installation, air was drawn through a ceiling grille at a rate of about 36 air changes per hour. It will be seen that the inside temperature can be made to follow the




Fig. 5—Relation between inside and outside temperature drop.

declining outdoor temperature very closely, the indoor temperature at midnight being only about two degrees above that of outdoors. This is in contrast to the condition existing when the fan was not used, as the curves show the indoor temperature to be at least eight degrees higher than outdoor temperature at midnight, and additional temperature records show this difference to have been as high as twelve degrees on some occasions. Fig. 5 shows more effectively the efficiency of cooling\* at an air change rate of 36 per hour. The indoor and outdoor temperature drops, as indicated in Fig. 4, have been plotted at one hour intervals between the point at which the two temperature curves cross and the point at which the drop is a maximum. It will be noted from the figure that attic fan ventilation produced a uniform drop in indoor temperature which was only two degrees less than the theoretical maximum, while natural ventilation produced a very slow drop in indoor temperature during the early evening hours. Comfort, however, is not measured by the dry bulb temperature alone, as air movement also plays an important part. Katathermometer tests indicate that the circulation of 30 to 35 changes of air per hour will result in air

<sup>\*</sup>Calculated as suggested by Professor A. P. Kratz and S. Konzo, Engineering Experiment Station, University of Illinois.

#### RESIDENTIAL AIR CONDITIONING SECTION



#### furble OFFERS

FURNACE MANUFACTURERS

LOWER PRICES for 1938

On

FURBLO BLOWER ASSEMBLIES OR WHEELS AND HOUSINGS

See Furblo at the 5th International Heating and Ventilating Exposition at Grand Central Palace.

New York City January 24-28—1938

Booth No. 408

Write Us for Quotation
Furblo Company, Hermansville, Mich.




#### SATISFACTION . . .

Congress Pulleys insure satisfaction to both your customer and you. When you equip with Congress Pulleys you know that no call backs will be necessary, that your equipment will operate to the highest standard of efficiency and that the installation as a whole will benefit. Drop us a line today for free literature and the 1938 price list. The economy of Congress Pulleys in price and performance will pleasantly surprise you!

CONGRESS TOOL & DIE COMPANY
9034 Lumpkin Ave. Detroit, Michigan





#### SQUARE FINNED TUBING

WE are splendidly equipped to supply high efficiency Finned Tubing and Complete Coils for all heat transfer purposes.

Special Shapes, Bends and Continuous Coils

Correspondence invited.

The G&O Manufacturing Co., New Haven, Conn.

Pioneer Manufacturers of Individual Square Fin Tubing in the United States

#### IT'S GOOD BUSINESS



Selecting a product involves a thorough probe into its merits. It's good business to consider the problem of "kick backs"—especially in air conditioning. Dailaire stresses good engineering and ample engineering assistance for its dealers. Consider the advantages of representing a product that insures a minimum of costly service calls and unpleasant customer reaction. It's money in your pocket to investigate Dailaire. Write us today.



DAIL STEEL PRODUCTS CO.
1050 Main Street Lansing, Michigan




Fig. 6—Attic fan—Mount Clemens office, Mount Clemens, Michigan. (Installation).

velocities as high as 50 fpm in certain parts of the room. This air movement alone is sufficient to reduce the effective temperature by an additional one degree, and this is equivalent to a reduction of an additional two degrees in dry bulb temperature.

The attic ventilating fan can also be used to advantage in cooling the top floor of small commercial offices. Our company installed two 30-inch propeller fans in a specially constructed penthouse located over the second floor of its commercial office in Mount Clemens, Michigan. Fig. 6 shows the manner in which these fans were actually installed. These two fans had a combined capacity of 13,000 cfm, sufficient to circulate about 14 changes of air per hour. Fig. 7 shows a set of temperature curves for this installation and indicates that it is possible to bring the room temperature down to within about seven degrees of the outdoor temperature with this rate of air change.

#### Effect on Need for Artificial Cooling

Tests at the Illinois Research Residence indicate that the circulation of about 17 air changes per hour for the entire residence reduces the operating hours of an artificial cooling system by about 15 per cent when compared to full natural ventilation.




Fig. 7—Attic fan—Mount Clemens office, Mount Clemens, Michigan. (Temperature curves).

There is some objection, however, to keeping downstairs windows open all night and, if the ventilation is confined to the second floor only, the saving in the cooling hours required the following day would be considerably less than the 15 per cent just mentioned. The use of the attic fan does not reduce the size of the refrigerating machine required for cooling, and consequently the saving in operating cost hardly justifies the additional investment and complication involved in using the attic fan as a supplement to artificial cooling.

#### Ventilation of Attic with Attic Fan

The question has frequently arisen as to whether the operation of an attic fan during the daytime, to circulate large volumes of air through the attic, would result in any reduction in bedroom temperatures in the evening. Tests at the Illinois Research Residence indicate that there is no appreciable lowering of the temperature of the surface of the bedroom ceilings, or of the air in the bedroom, when the fan is operated in this manner. This can be partially explained by the fact that a good share of the heat entering the bedroom ceilings is transmitted by radiation from the hot roof surfaces. These tests indicate that the cost of operating an attic fan throughout the daytime hours is quite unwarranted, when measured in terms of any possible improvement to temperature conditions on the second floor.


#### **Operating Cost**

The attic fans installed in the Detroit area ranged in size from 20 inches to 30 inches in diameter. A typical installation of a 24-inch propeller fan had an actual capacity, by field test, of 4,040 cfm. The hours of use in this area have averaged about 500 for the season, and the power input about 350 watts for a one-fourth horsepower motor. On this basis the electrical energy consumption averages about 175 Kw-hrs. per season. At a cost of two and onefourth cents per Kw-hr., the season's operating cost is about \$4.00, which has been the actual average for our experimental installations. In Illinois this figure would probably be doubled because the warmer climate requires more frequent use of the fan. It is evident that the operating cost of attic fans, even where used quite liberally, will be so low as to make it of only minor importance to those who can afford the first cost. Comfort cooling by means of attic fans can be accomplished more cheaply than by any other mechanical means now available.

#### **Experimental Installations**

Table III shows a summary of the design and operating data for five experimental attic fan installations made in the Detroit area by The Detroit Edison Company. (See page 134.)

#### UTOCRAT



MAKES OIL-BURNER PROFITS SURE — CUSTOMER SATIS-**FACTION CERTAIN!** 

Write for CATALOGUE B-1

Autocrat Oil Burner Corp. Cedar Rapids, Iowa, U.S.A.

#### AN ALL PURPOSE AIR VELOCITY

Instantaneous-Direct Reading No Timing No Calculations



#### ERNATIONAL FANS & SYSTEMS

#### THE DAYTON **FURNACE FAN**

Exceedingly Quiet—Low Horse Power
Excellent Static Resistance
Three Speeds—Permits Gravity
Operation
Attractive Points

Attractive Price Ask for Bulletin No. 61

INTERNATIONAL ENGINEERING, Inc. DAYTON, OHIO

#### THREE GREAT TRADE-MARKS





To carry these three great trade-marks a product must be good.

"Genii" equals Quality Oil Burners "Underwriters" equals Safety

"O. B. I." equals High Standard When you sell Nu-Way Products, you sell these three great trade-marks. Write today and let us tell you about your possibilities with Nu-Way.

THE NU-WAY CORP.

ROCK ISLAND

**ILLINOIS** 

# GILTEDGE

GUARANTEED

# STOKERS ACHIEVEMENT

INSURES GREATER

ComfortConvenience

PRIDE of

- Fuel EconomyCleanliness
- Safety and Health



Cast Iron and Steel Furnaces, Air Condition Units and Incinerators Write today for full description and details of our liberal dealer franchise.

#### SCHWAB FURNACE & MFG. CO.

Office, Warehouse and Sales Display Rooms

193 So. 2nd Street

Milwaukee, Wis.

#### QUALITY EQUIPMENT-- FROM HESS-- COSTS LESS

# DEALERS—write for free Hess Sales Plan to increase winter business.

By selling—repairing, modernizing or replacements, needed by owners of a majority of heating plants now in use.

HESS BLOWER FILTER UNITS
HESS WELDED STEEL FURNACES

HESS AUTOMATIC OIL BURNERS

HESS AUTOMATIC COAL STOKERS

ARE GREATEST VALUES
AT LOWEST PRICES

The Hess line is complete for every dealer requirement, distinctively different and more saleable. Financing plan and territory plan — helps Hess dealers.

#### WRITE FOR DEALER PORTFOLIO

HESS WARMING & VENTILATING CO. 1211-27 S. WESTERN AVE. Founded 1873 CHICAGO, ILLINOIS

#### Attic and Furnace Fan Advantages and Limitations

1.—A furnace fan of the capacity usually installed (capable of circulating four to six air changes per hour) has some value for night air cooling for residences which have little or no "flue effect," and especially when there is no appreciable movement of air outdoors.

2.—A furnace fan should have a capacity of about nine air changes per hour if appreciable cooling is to be accomplished. Full natural ventilation under favorable conditions, induced by "flue effect" of the structure or by a breeze outdoors, is usually more effective than the furnace fan.

3.—The furnace fan, large enough to cool effectively, has an advantage over the attic fan in that most, if not all, of the investment cost is properly chargeable to heating, while the attic fan can only be used during the comparatively short cooling season.

4.—The furnace fan also enjoys the advantage of circulating filtered air, but this advantage must be paid for in restricted capacity or higher electric energy cost.

5.—Recirculation of air by a furnace fan does not improve comfort conditions by more than one de-

gree of effective temperature.

6.—Cooling with a furnace fan by pulling air through the basement and recirculating is limited to short periods of time, as the temperatures of basement and rooms tend to equalize. Circulating air through a basement frequently results in excessive dampness due to condensation on cold walls and pipes.

7.—An attic fan circulating 30 to 35 air changes per hour through the second floor rooms is very effective for night air cooling and this size is as large as can be economically justified. The gain from circulating more than 35 air changes per hour

is very small.

8.—Ventilating an attic by using the attic fan to circulate air through it in the daytime does not appreciably reduce the temperatures of the rooms below.

9.—An attic fan circulating about 17 air changes per hour through the entire house may be expected to reduce the cost of artificial cooling by about 15 per cent when compared to full natural ventilation.

10.—Circulating about 30 air changes per hour through the second floor rooms only is decidedly more effective than natural ventilation through the same window openings, and the indoor temperature for the second floor can be brought down to within two degrees of the outdoor temperature.

11.—Effective night air cooling by an attic fan cannot be accomplished by circulating less than

nine or ten air changes per hour.

12.—The electric energy cost for operating an attic fan is about one-third as much as that required for a furnace fan when accomplishing an equivalent cooling effect.

13.—The attic fan is the simplest and cheapest device now available for making second floor rooms of residences more comfortable on summer nights.

74.

chamil two control air so formly

sorbe

extra

# Y-DUTY offers you a Complete Line MORE SALES - BIGGER PROFITS

#### **BLOWER-FILTER UNITS**



Seven different models, all fully equipped —no extras to buy—many exclusive features.

#### HOME VENTILATORS



All sizes of HY-DUTY blowers arranged for automatic systems of attic ventilation or night cooling. Cabinet and open models.

#### **BLOWER-FILTER HUMIDIFIERS**



A reliable, practical unit combining humidity control, forced warm air circulation and filtered air. A unique dual system of control eliminates possibility of excess condensation.

#### **HY-DUTY BLOWERS**




Sizes 10" diameter to 25"—with or without motors—top horizontal, bottom horizontal, top vertical and bottom vertical discharge openings.


#### HY-DUTY BLOWER WHEELS

Multi-vane type, forward curved blades—single and double inlet—sizes 4" diameter to 50".

#### STOKOLAIR BLOWER-FILTER HUMIDIFIER

The air after leaving blowerfilter is moistened in humidifier chamber by a fine spray from two nozzles under automatic control. Diffuser plates direct the air so as to expose all of it uniformly to moisture supply. Any moisture not thoroughly absorbed and carried in the air is extracted by eliminator (G).





There is a Hy-Duty Blower for every purpose

and it is proving mighty convenient to many

contractors and dealers to be able to buy a

blower or a blower wheel from us for any of

their jobs . . . and, it is profitable also, because

every Hy-Duty unit is soundly engineered,

honestly built and priced right. It will pay you

to investigate what Hy-Duty has to offer.

Write for New Literature and Engineering Data

SCHWITZER-CUMMINS COMPAN'



#### EVERYTHIN for the furnace dealer VICTOR fin-radiation FURNACE

with standard round casings or en eled cabinet casings for coal of oil or gas.

CAST FURNACES

Series "C"

STEEL FURNACES

**BLOWERS** 

**STOKERS** 

OIL BURNERS

**HUMIDIFIERS** 

**THERMOSTATS** 

SPECIAL HEAVY

DUTY FURNACES REGISTERS

> PIPE **FITTINGS**

**SUPPLIES** 



#### RADIATION

a patented, exclusive, improvement in warm air heating

The cutaway illustration above shows how VICTOR fin-radiation furnaces have the heating unit completely surrounded with patented, exclusive, heat-radiating fins which so greatly increase heating efficiency that fuel costs are considerably reduced.

Every furnace dealer should see the VICTOR working-model demonstrate the efficiency of heat radiating fins—a demonstration you can give on your prospect's library table. Convincing! Clear! Simple! A real sales-clincher.

Note above the waist-high shaker handle, automatic radiator-damper control lever, large water pan correctly placed above feed door and extra large ash pit door which makes it easy to remove ashes from back of ash pit.

# the HALL-NEAL VICTOR FURNACE with fuel-saving

Hall-Neal VICTOR dealers have a COMPLETE LINE of warm air heating equiment—headed up with an outstanding—modern—air conditioned heating plant that he since 1890, been a standard for excellence and high efficiency in every community whe

VICTOR heating equipment includes everything required for all warm-air heating stallations. VICTOR dealers compete capably in all heating sales.

The VICTORAIRE Furnaces are line leaders that will build bigger sales in your con munity, too. In beautiful, enamel-finish cabinet casings-either the oil-burner or the coa coke or gas burner can be installed with quiet, dependable Victor air-conditioning Blow to give reliable, automatic heating and winter air conditioning.

Sell VICTOR heating equipment and build a more profitable and satisfactory busine for yourself.

Write us for full information about VICTOR heating equipment-and the profitable Hall-Neal sales franchise for your territory.

#### HALL-NEAL FURNACE COMPAN

1324 N. CAPITOL AVENUE

INDIANAPOLIS, INDIANA

VICTOR HEATING EQUIPMENT

GOOD SINCE

HIN

ealer

DR tion CE sings or ena

ACES

ACES

25

S

IERS

ERS

ATS EAVY **IACES** 

vitl

11111

ing equi

t that ha

nity when

neating i


your con

or the coa

ng Blow

y busine

profitab



#### SLIP ROLL

#### FORMING MACHINE

Preferred by the experienced sheet metal worker for cylindrical forming operations - simple in design, ruggedly built and easily operated.

TILTING UPPER ROLL controlled by hand lever locks automatically in raised position to permit instant removal of formed cylinder. Rolls need not be STOPPED when lifting, since compensating gears are in constant mesh and WILL NOT BIND, a particularly desirable feature on machines when arranged for power drive. MACHINE CUT SOLID STEEL GEARS are totally enclosed. Smoothly finished ground steel rolls have grooves for forming work previously wired. AMPLE ADJUSTMENT is provided to prevent closing of seam locks when forming cylinders.

Pexto Forming Machines are available in a wide range of sizes and capacities for bench or floor installation. manual, belt or direct motor drive, to meet every requirement of the modern sheet metal shop. Their speed and accuracy will help you to cut costs while improving the quality of your work.


Remember too, that PEXTO-Pioneer maker of sheet metal working machines and tools-today offers an unusually complete line of quality equipment for performing every operation in sheet metal fabrication in the most approved and efficient manner. Write us for bulletins and complete details.

THE PECK, STOW & WILCOX COMPANY

Since 1785

Southington

Connecticut



CAMPBELL NIBBLERS cut irregular shapes

Because of their speed Campbell Nibbling Machines often bring savings of 100% to 500% in time or cost. They cut irregular shapes in steel or other commercial materials up to one-half inch thick more quickly and economically than can be done by any other method.

Campbell Nibbling Machines eliminate the cost of dies for short runs. Invaluable in tool rooms, experimental departments and for many production purposes. They do not distort materials, set up internal strains or cause invisible fractures. They leave no burrs. Edges require little or no finishing.

Write for complete information.

ANDREW C. CAMPBELL DIVISION AMERICAN CHAIN & CABLE COMPANY, Inc. DESIGNERS AND BUILDERS OF SPECIAL MACHINERY BRIDGEPORT, CONNECTICUT In Business for Your Safety

CAMPBELL

Material Cutting

MACHINES

E 189

AN'

#### 1937's Largest Copper Roof

(Continued from Page 46)

placed in the walls of the monitor. There were ten such louvres, each measuring 14 feet 6 inches long by 7 feet high. These louvres are used for exhausting the foul air from the building and are connected to ten large blowers in the monitor. The curved ends of the walls of the monitor are paneled as are shown in Fig. 7 and the spaces between the louvres are shaped to resemble louvres.

The general appearance of the monitor has added to the beauty of the roof and at the same time provided the necessary space required for ventilation.

At the entrances to this structure there are two large and elaborate marquise with paneled ceilings, all made of copper and four small entrances treated likewise.

One of the interesting phases of the contract was the procedure adopted to estimate the quantity of materials and labor involved. This estimate was also a specification of quantities, condensed into sheet requirements, so that when the contract was awarded it was only necessary to make out the order for the material involved.

In estimating the labor required to apply this material, due consideration was given to the magnitude of the areas to be covered. It was realized that to apply standing-seam roofing on such an area, in the usual old-time method would require more time than was allotted for the completion of this build-

ing. It was decided that the old hand method would be far too slow and costly, especially when it is remembered that the sheets for the main roof were made from 20 inch wide by 48 inch long plates.

It was decided that inasmuch as the roof was mechanically divided into 140 small areas, it would be best to treat the problem as a series of small roofs rather than one large area and devise ways and means to cope with the situation from that angle. This method simplified the quantity take-off and labor problem, but still there was the volume of areas to be covered on one roof.

Manual labor to apply and seam 1,000 squares of copper roofing is a big problem to any sheet metal concern. The following methods were decided upon:

First, because the work was to be performed approximately eighty-four miles from our plant in New Orleans and about five miles from our branch in Baton Rouge, it would be most practical to erect a field shop on the grounds where the building was to be erected.

This shop was equipped with all machines required for this class of work. This afforded us the opportunity of shipping direct from the mill all materials as required for the contract.

As mentioned before, the sheets used for the main roof were 20 inches by 48 inches. These sheets were ordered this size direct from the mill, the total quantity being 11,125 sheets. These sheets were specially notched by machine in the shop, and were

# Register Satisfaction & Rock Island



When you install Rock Island Registers or Air Faces you have the satisfaction of knowing that you are putting in material of sound design and lasting beauty. You will find them easy to install, and that they will be entirely satisfactory to your customers.



### GET THIS 1938 ESTIMATING BOOK



Here's real practical help in quick, accurate estimating. Gives you net cost on individual runs of warm-air and cold-air pipe. Also net prices on registers, piping and general supplies. Valuable tables and information on blowers, forced air and gravity systems. No obligation to you. Just send the coupon, for your copy at once.

FREE

ROCK ISLAND REGISTER CO.

ROCK ISLAND, ILL.

Send me	the book—no obligation.
NAME	
STREET	ADDRESS
OITY	STATE

#### N'DRY FURNACE CEMENT

NuDry Furnace Cement is ideal for winter jobs and prevents smoking joints.

NuDry is best because it comes to you in dry form, takes less material to set a furnace, DOES NOT CRACK, POWDER OR BLOAT WHEN FURNACE IS FIRED IM-MEDIATELY AFTER APPLIED, will not shrink, keeps joints tight at all times, withstands high temperatures, and is not affected by temperature changes. It will not harden in containers and generally requires only half the usual amount of cement to complete a job.

Check the following jobbers and furnace manufacturers for your nearest supply of NuDry.

#### JOBBERS AND FURNACE MANUFACTURERS HANDLING NU DRY CEMENT

Akron, Ohio.
Harpster Casting Co.
XXth Century Heating and Ventilating Co.

Baltimore, Md. Wanner Brothers.

Buffalo, N. Y.
J. M. & L. A. Osborn Co.
Minet Heating Supply Co.

Canton, Ohio. Grant Totten, Inc. McCurdy Furnace & Fdry. Co.

Chicago, Ill. M. Brucker M. Brucker Northwestern Stove & Repair Co.

Cincinnati, Ohio. Cincinnati Stamping Co. The Huenefeld Co. C. H. Schrader Co.

Cleveland, Ohio,
Decker-Reichert Steel Co,
Famous Furnace Co,
Forest City Foundries Co,
Furnace & Boiler Parts Co,
Henry Furnace & Foundry Co,
J. Kinsner & Sons Co,
Ohio Sanitary Specialty Co,
J. M. & L. A. Osborn Co,
State Supply Co,

Columbus, Ohio.
Munkle Heating Co.
Vorys Brothers, Inc. Dayton, Ohio.
Direct Plumbing Co.

Detroit, Mich.

Detroit Safety Furnace Pipe Co.
Ideal Furnace Co.
J. M. & L. A. Osborn Co.

Elmira, N. Y. Irving D. Booth, Inc.

Erie, Pa.
Erie Concrete & Steel Supply Co.
Milloy Lumber Co.

Evansville, Ind. Star Furnace & Foundry Co.

Fort Wayne, Ind. Wayne Pattern & Foundry Co.

Grand Rapids, Mich. Behler & Young Co. W. C. Hopson & Co.

Kansas City, Mo.
Johnson Furnace & Heating Co.

Lansing, Mich.
The Contractors Supply Co. Peoria, Ill. F. Meyer & Bro. Co.

Philadelphia, Pa. Central Stove Repair & Foundry Co.

Fox Foundry & Supply Co. McMullen-Weber, Inc.

McMullen-Weber, Inc.

Pittsburgh, Pa.

W. F. Angermyer Co.
Berger Supply Co.
Demmler Brothers Co.
Follansbee Brothers Co.
Henry Furnace & Foundry Co.
A. H. Johnson Co.
Prole Brothers Furnace Co.
Shamblen Furnace Parts Co.
J. A. Williams Co.

Ravenna, Ohio.
Ravenna Furnace & Heating Co.

Rochester, N. Y. Follansbee Bros. Co.

St. Louis, Mo. A. G. Brauer Supply Co. Hammond Sheet Metal Co.

Toledo, Ohio. Anderson and Krapp C. F. Throm & Sons

Utica, N. Y. Great Eastern Distributors, Inc.

Warren, Ohio.
The Reed Iron & Steel Co.

Youngstown, Ohio. Banner Repair Parts Co.

1221-31 W. 74th St. CLEVELAND, OHIO PRODUCTS COMPANY **PYROLITE** THE

W. A. WHITNEY MFG. COMPAN

Look for this mark when buying



NO. 1 HEAVY DUTY PUNCH Length 34", weight 22 lbs., well distributed to nicely balance the tool. Capacity %" hole through %" iron. Heavily reinforced for strains. Punches and dies %" to 18" by 14". Insertable Pipe Handles.




Every part of this Punch is interchangeable with the No. 2. Length 23", weight 16½ lbs. Depth of throat 1\%", Capacity \(\frac{1}{2}\)" iron. Punches and dies \(\frac{3}{2}\)" to



NO. 6 FLANGE PUNCH

Punches within %" of inside corner of Angle Iron. Capacity ¼" through ¾" iron. Depth of throat 1¼", throat opening width ¼" above die top. Punches and dies ½" to ¾" to ¾ ". Especially adapted for Button Punching. Weight—10 lbs.



NO. 91 BENCH PUNCH

Capacity ½" hole through ¼" iron, ¾" hole through ¼" iron, 2" hole through ¾" iron. Weight 82 lbs, Depth of throat 5". Stock size of nunches and dies ¾" to 2".



EXTRA **PUNCHES** and

DIES



Prompt shipments can be made of any size or any quantity of both types of extra punches and dies as here shown.



Angle Iron





NO. 2 PUNCH

Length 28". Capacity  $\frac{4}{14}$ " through  $\frac{1}{4}$ " iron, weight 13 lbs., depth of throat  $1\frac{1}{14}$ ". Punches and dies  $\frac{3}{14}$ " to  $\frac{1}{24}$ " by  $\frac{1}{44}$ ".



Length 8½". Capacity ½" through 16 gauge iron. Weight 3 lbs. Depth of throat 2". Punches and dies  $\frac{1}{18}$ " to  $\frac{3}{34}$ " by  $\frac{1}{84}$ ".



NO. 8-B PUNCH

Capacity ¼" hole through ¼ iron. Lengt 18½", weight 7½ lbs. Depth of throat 2' Stock size of punches ½ " to ¾ " by ½". Length



A FLANGING MACHINE THAT FLANGES IN-



NOTE-WILL TURN ONE HEIGHT FLANGE ONLY (32)

MORE SIMPLE
THAN A
BURRING MACHINE

NO GAUGES TO ADJUST SPEEDY ACCURATE UNIFORM EDGES

WRITE FOR DETAILS

WARD MACHINERY COMPANY
564 W. WASHINGTON BLVD.

CHICAGO

ILI

See Our Advertisement on Page 81

#### BRILLION



# ONE PIECE RADIATOR FURNACE

SERIES 600

With each succeeding year, an increasing number of furnace men all over the nation who know heating are turning to

Brillion. The Brillion 600 is unquestionably the "buy" of the year for up-to-date dealers. A big, heavy, warm air furnace that can be depended on to stand up and deliver consistent heating service under the most exacting conditions. Built for long, hard service from heavy castings made the Brillion Way. Easily fired, easily regulated, easily managed. A furnace that will stand up year after year giving its user plenty of heat at low fuel cost. Write today for further information. A post card will be sufficient.

#### BRILLION FURNACE CO.

BRILLION

WISCONSIN

provided with double lock edges on each end of the 20 inch width by a machine in the shop. These individual sheets were then ready to install, but had they been locked in rolls on the ground it would have been necessary to turn the standing seams on the roof by means of tongs or kickers, thereby requiring more manual labor and a possibility of unevenness of heights, which would have caused considerable trouble in double seaming.

We therefore decided to notch and form the double lock joint in our field shop and assemble the correct number of sheets required to form a complete course from one lateral joint to another, on the floor of the monitor. After this procedure, we would then have a section of sheets 26 feet long by 20 inches wide, with no standing seams.

In our machine shop at New Orleans, we devised a machine that would allow us to enter these 26 foot long strips of copper into the rolls and by electric power the sheet would pass over the rolls, automatically forming both standing seams, insur-

Removable strainer made of 20 oz . copper, 2" mesh screen, top and sides. 9"dia.




Fig. 5 DOWNSPOUT HEAD.

ing accuracy in width of each panel and height of seam. These sheets were then ready to be applied to the roof. The completed sheets were then moved from the monitor to their respective panels by the mechanics who were designated to the respective bays.

Before the application of any copper roofing, the entire roof was covered with one layer of 25 lb. asphalt felt.

The next problem was to have the sheets or courses lined perfectly, vertically and horizontally. This was accomplished by our engineering department from the ground by instruments, giving us the various points on the rafter run to properly space each section between the ribs; after which this space was divided and lined so that each course of sheets would fit directly into its respective space.

It was then noted that the specification called for

the roofing to be cleated every 10 inches. This required 60,000 cleats. To have cut, notched and formed this quantity of cleats by hand would have been a tedious job, so we made a die in our New Orleans shop, which at one stroke cut, notched, punched, and formed each cleat. These were then shipped to the job and each cleat was fastened with two copper nails.

There still remained two important problems before this roof could be started:—First, was the problem of double seaming, and second, the problem of the lateral offsets which were continuous around the roof; each section being higher than the pre-

ceding one, as noted in Fig. 8.

Inasmuch as the offset was formed on a wood base, it was necessary that they be installed after the sections of roofing were laid; however, as mentioned above, these lateral lines were established first. Our course lengths were determined in advance, but it being our intention to double seam this roof by other means than hand, it became necessary that the wood offset be placed in position after the sections were laid. Therefore, the following method was used. The entire section between the ribs and from the valley was laid and cleated in place, and the offset was formed by means of tongs, giving us a vertical section 1½ inches high. We then made a steel forming stake the required height of the offset and folded over this the amount of material that was to be the lock edge.

This, however, was not done until all of the top butts had been double seamed.

To double seam this roof, we made two special machines, electrically operated; one of which formed the single seam, the other formed the double seam. These machines moved on adjustable and flexible wheels to compensate for any excess height in the standing seam where the sectional double locks occurred. It was therefore, possible to continue panel after panel without any great difficulty or manual labor, proving to our satisfaction that by proper planning, copper roofing can be installed economically.

After all roofing was installed, the entire surface was washed and treated with a coating of specially

The material required in this contract consisted of approximately 140,000 pounds of copper.

The roof sheets were of one pass cold rolled copper, which gave a pleasing bright finish and when treated with the special oil stood out in the sunlight like a golden crown.

The entire roof work was completed in forty-five working days. This was about fifteen days before our allotted time, and just in time for the first semi-annual Rodeo to be held at the university.

The field superintendent in charge of construction was Jos. Spano.

The outstanding achievement of the Holzer Company in making this largest copper roof installed in 1937 an example of workmanship and economy in application has been highly commended by the leading sheet metal firms in the South, who have seen and admired the finished work.

## FASTER CLEANER WORK ON THE JOB

# A

## with a Chicago Steel Portable Brake

A real time and actual money saver . . . that's the Chicago Portable Brake! No going back to the shop to bend this or flatten that . . . do it right on the job! Just check over its capacity and you'll see why we call it the best brake buy on the market. Bends and flattens  $^{1}/_{4}$ " or wider seams on 22 ga.—bends  $^{1}/_{2}$ " flange on 20 ga.





Size	Code	Bending Length	Capacity	Overall Length	Net Weight	Shipping Weight	Price f. o. b. Chgo
420	Odluw	49 in.	20 ga.	62 in.	320 lbs.	355 lbs.	\$105.00
520		61 in.	20 ga.	74 in.	360 lbs.	400 lbs.	\$110.00

Both sizes—Overall width 24". Overall height folded 28", set up 44".

legs are hinged for convenience in carrying... Clamping handles are used for carrying. Legs lock with a simple twist of a thumbscrew... and it can be had in two sizes. 49 and 61 in. bending lengths... .62 and 74 in. overall lengths. Weighs only 320 or 370 lbs. depending on size.

Write for full details. A money-maker for every job.

DREIS & KRUMP MFG. CO. 7400 Loomis Blvd., Chicago

## REPAIR PARTS?

description of heating or cooking unit may be secured immediately upon order...and you can bet that if it's the finest quality at a low price you are seeking...

CAPITOL FURNACE AND
STOVE REPAIR CO.
229 So. Meridian, Indianapolis, Ind.



DRIES FASTER
SETS STRONGER
LASTS LONGER

Prove our Claims Ask for Free Sample

## LACLEDE-CHRISTY


411 N. SEVENTH ST. ST. LOUIS, MO.

#### Motors in Air Conditioning

(Continued from page 140)

together one after the other. A diagrammatic illustration of this construction is shown in Fig. 11.

This type of construction is not ordinarily used in air-conditioning work as we shall explain later.



B. Shunt Wound DC Motor.

In this type of construction, illustrated by Fig. 12, the current divides—part of it going through the armature or rotating element and another part going through the field. This motor has some advantages for certain applications but likewise has disadvantages as a general purpose motor.

#### C. Compound Wound DC Motor.

The compound wound direct current motor is a combination of the series winding and the shunt winding applied to the same motor. This is the type of motor most generally used on the equipment found in an airconditioning installation. The method of feeding current to the motor is shown by Fig. 13.

#### Coming Conventions

Jan. 19-20—Illinois Sheet Metal Contractors. Annual Convention. Peoria, Illinois.

Jan. 21-22—Sheet Metal and Warm Air Heating Contractors' Association of Indiana. Convention and Exhibit. LaSalle Hotel, South Bend, Indiana.

Feb. 7-9—Master Sheet Metal, Heating, Ventilating and Air Conditioning Contractors Association, Inc. of Wisconsin. 24th Annual. Republican Hotel, Milwaukee. Paul L. Biersach, secretary.

Mar. 1-3—Michigan Sheet Metal & Roofing Contractors' Assn. Annual Convention. Durant Hotel, Flint, Michigan.

Mar. 7-9—New York State Sheet Metal, Roofing & Air Conditioning Contractors' Association, Inc. Annual Convention. Buffalo, N. Y.





## VICTOR HEAT BOOSTERS

NOW'S the time to make those "Cold Rooms" pay you a handsome extra profit. Victor Heat Boosters are just what you need to do the job and do it quickly. It takes only 3 minutes to install a Victor Booster in either floor or wall type registers. Then, the powerful fan pulls out the cold sir "cork" and the heat comes up in a hurry to make the room warm and cozy. A demonstration will sell anybody and, what's more, every installation leads to many new customers as each user likes to tell his friends about how he solved his "cold-room" problem. Remember, four out of five homes have at least one cold room, so get busy now and get your share of the extra profits that are waiting for the furnace men who sell Victor Heat Boosters. Ask your jobber or write us for complete details on prices and discounts, today!

VICTOR ELECTRIC PRODUCTS, INC. 709 Reading Road Cincinnati, Ohio PERFORATED METALS
Industrial and Ornamental

Industrial Perforations include all sizes of round, oblong, and many special shaped perforations, for Screening, Grading, Draining and Guarding purposes. Our line is year, complete.

Ornamental Perforations are used in Architectural Grilles, Radiator Enclosures, Metal Furniture, Cabinets, Stoves, etc. In addition to the standard shapes we have many exclusive and attractive designs suitable for different uses.

H&K workmanship is unsurpassed.
Write for prices and other information.

Harrington & King

5649 Fillmore St., Chicago, III.

New York Office, 114 Liberty St.

### RIVAL STRAP CORP. 308 WEST 20th ST. NEW YORK, N. Y.

ONE-PIECE ORNAMENTAL LEADER STRAPS
"Rival" and "Fitrite" 1-piece ornamental leader straps are made in
6 styles. Pat. July 10, '28; Jan. 6, '31.

"RIVAL"

2,

agh in

n-

n-

ng

or

ir-

11-



"FITRITE"


ZINC straps for GALVANIZED or ZINC pipe, cost very little and greatly improve the appearance of the job. They satisfy customers and are a good "dvertisement for the contractor using them. COPPER straps are made for COPPER pipe.

Sold through jobbers only. Send for free sample and folder.



"FITRITE"
ROOF
STRAINERS

6" to 12" Square 3 Types Bronze and Iron "FITRITE"
BRONZE BEEHIVE
STRAINERS





"FITRITE"
Adjustable
Swing
Chimney
Jack Frame
Five sizes in
One
For 6". 7",
8". 9", 10"
Pipe.

"FITRITE" SKYLIGHT GEARING

Iron or Bronze 3/2", 3/2" and 1" sizes.

Made also for chain operation.

ADJUSTABLE PIPE SNOW GUARDS
Pat. Sept. 5, 1933



"FITRITE"

Galvanized Iron
or Bronze

sn N Lead Shield

"PROTECTOR"
For
smaller roofs
New or Old

Write Dept. "A" for full details and prices. Tel.: CHelsea 3-2400

DAVID LEVOW 308 West 20 ST. NEW YORK

## BOOMER STEEL FURNACES

THE New, Modern and Advanced Boomer Steel Furnace is now ready for 1938. Built as always of the finest materials and including all the many improvements that have been developed by us during the past 50 years, it is without a doubt the most salable ever



offered the heating industry. Boomer Furnaces have "Customer Appeal" for the prospective buyer can readily detect the many superior features in construction and operation that will mean savings for him. Boomer furnaces sell and you can sell them. Write for complete information on the steel as well as the Cast Iron Boomer line of furnaces. They will make money for you.

THE HESS-SNYDER CO. MASSILLON, OHIO

#### Arc Welding

(Continued from Page 53)

Having considered the various joints from the standpoint of meeting requirements of least cost for preparation and welding, the next thing to consider is the accessibility for welding. In general, work should be designed to permit welding in the position offering least hindrance to the operator. Flat position is preferred, vertical or overhead second and horizontal last. This does not mean, however, that welds of high quality can not be made in the last mentioned positions as they are made regularly. They are, however, somewhat more difficult to make than flat, vertical or overhead and therefore should be avoided where the design permits.

Further regarding accessibility, work should be arranged so that a minimum of welding need be done in confined corners or other restricted locations. In some instances, it may be necessary to weld joints inside. An example might be the manufacture of steel cabinets, the requirement being to put the welds where they do not show rather than make them on the outside where grinding and polishing would be necessary. This procedure would eliminate grinding and finishing costs. However, in such instances, the cost of grinding and finishing should be weighed against the somewhat slower welding speed of making inside corner welds, particularly, when the welding is in overhead position.

Another point about accessibility for weldingand this applies particularly in duct work installations—is the importance of leaving as little welding as possible for erection. The duct work should be fabricated in as long lengths as possible so that the only welding needed during erection is joining the pre-fabricated sections together. Also, the work should be laid out to avoid making a contortionist of the welding operator. Welds can be made even where it is necessary to bend the electrode to reach around a corner, but such work should be avoided, except as a last resort.

The important point to remember about placing welds is to locate all joints and lay out all work so that the welding can be done readily and with minimum work, both as regards to actual welding and incidental handling, machining, etc. Keeping this always in mind will be reflected in highest quality work and lowest cost.

The question of machining after welding also should receive consideration. In some of the finer grades of work, welds are ground down and polished so as to be unnoticeable. However, if appearance is not of greatest importance, the machining after welding can be little or none. Here also, the rule should be to meet requirements at least cost. It would be uneconomical for instance, to machine, to a mirror finish, welds which never meet the eye.

Accompanying Figs. 6, 7, 8 and 9 show products arc welded of sheet metal.

Part II of this article will discuss "How to Tell a Good Weld."

#### A Heat Hustler Fan Forces Air Through a Single Warm Air Pipe

Heat garages, sun porches and other rooms that will not heat by gravity. Mounts directly in the warm air pipe. Draws heat from the furnace and forces it into the hard-to-heat room. Quick heat for a bathroom.

Four reasons why you should use the American Heat Hustler:

- It uses a positive pressure, rotary type fan.
   Motor is outside the warm air flow, adding greatly to life of motor and leaving as much space for gravity air flow as before the Heat Hustler was installed.
- 4. Furnished for either automatic or manual control.

Price list, with descriptive literature showing different models, sizes, etc., will be sent you by return mail upon receipt of your request. CLIP AND SEND THIS AD IN NOW!

#### AMERICAN FOUNDRY & FURNACE COMPANY

Bloomington,

World's largest manufacturers of blower furnace systems

Illinois



1 lb.

Every pound of pressure on the handle of a Viking produces 20 pounds at the blade. Viking's original compound lever arrangement does it. Choose a Viking for its strength, long

life, easy handling and low cost.

The cutting blade, thick, made of 1/4" specially tempered high grade tool steel, keeps its edge for a remarkably long time and is easily replaceable. Write for complete details - buy from your jobber.

VIKING SHEAR CO. ERIE, PA

Equals



KEEP OLD MAN WINTER ON THE RUN XXTH CENTURY HEATING & VENTILATING CO. AKRON, OHIO

## A FULL STOCK

Every kind of repair part to fit that you may need is ready, awaiting your order at Central. Central parts make repair jobs easier, and easier repairs mean more profits. Write for full information and catalogue today.

FURNACE & STOVE REPAIR CO. 3937 Olive 5t. St. Louis. Mo.

MARSHALLTOWN THROATLESS SHEARS

Marshalltown shears are the choice of the field among men who know their sheet metal tools. They know that production costs go down and jobs are turned out faster and neater with a fast, self-feeding shear.

Marshalltown shears are built in various sizes to cut up to 1/2" plate any width, straight, circular or irregular. They may be had in either bench or floor types for hand or power operation. Also can be arranged for motor drive. Investigate the profit possibilities in Marshalltown shears. Write us today for new, free literature.

MARSHALLTOWN THROATLESS SHEAR CO. 920 EAST NEVADA ST.

MARSHALLTOWN

IOWA

HIGH SPEED Shears

FOR CUTTING **IRREGULAR SHAPES FROM** SHEET METAL

Meet all requirements for such workstandard equipment furnished for ring and circle cutting . . . absolutely accurate and easily operated . . . metal is sheared and not punched.

Cut anywhere, no starting holes required for inside cutting . . . only one adjustment for various thicknesses of material used . . . unobstructed

information.

cutting vision . . . no further finishing required. No special cutters, pilots, templates, or strippers are needed . . . long life shear blades. Write for complete

LIBERT MACHINE CO. Green Bay, Wis. Manufacturers of shears since 1915





Premier Furnace Cleaners are powerful and light weight, yet sturdily built to stand years of rugged service. Weighing less than 50 pounds, they are one-man cleaners and have been the furnace man's favorite for years. Premier Cleaners are ideal for upstairs use and may be used independently from the container for suction and blowing use in cleaning air ducts, registers, grills, radiators and air conditioning equipment.

Motor specifications for these powerful cleaners are:

1 H.P. maximum vacuum 46 inches in water. 1/2 H.P. maximum vacuum 31 inches in water.


-Gatting, Return Post Cards are Available for Dealers at Low Cast Buy It From Your Local Jobber or Write the Manufacturer

Furnace Cleaning Instruction Booklet Free with Each Cleans

ELECTRIC VACUUM CLEANER CO., INC.

1734 Ivanhoe Road

Cleveland, Ohio



#### **DEPENDABILITY**

Lyonore Metal gives you double assurance1. proved superiority under all conditions2. the integrity and long years of experience
of Lyon, Conklin & Company, Inc. behind
every purchase. To be sure of maximum life
and lasting economy look for the Lyonore Metal
trade mark. Write for complete information.

LYON, CONKLIN & COMPANY, Inc. Baltimore, Maryland

## Iyonore Metal

CHROMIUM . NICKEL . COPPER . IRON ALLOY

## THE GOESE TIME SAVER DAMPER CONTROL



Threaded Stud Shows Position of Damper. Finished in Cadmium. Ask your Jobber.

Goese Mfg. Co.

2548 N. 18th Street Milwaukee, Wis.



## All That is Best

In SERVICE ● CUISINE
ATMOSPHERE ● APPOINTMENTS

Styled to the tempo of the moment under the expert supervision of W & J Sloane. Biltmore rooms and suites are generous in size and are your assurance of the utmost in airy comfort.

Directly connected with Grand Central. The Biltmore offers you a time-saving New York home, convenient to the important amusement centers, the smart shops of Fifth and Madison Avenues, and the vital New York you wish to see. Single rooms from \$6; double rooms from \$8; suites from \$12.

#### THE BILTMORE

David B. Mulligan, President

MADISON AVE. AT 43RD ST., N. Y.

Adjoining Grand Central

#### Philadelphia Shop Records

(Continued from Page 57)

the year, January 1, 1936, before a single job is completed or an estimate sent. Also to a failure to determine the amount to be added for overhead expense to each bill, which when added together from each and every bill for the year, would cover the expense for the year.

The same kind of money is used to pay overhead as is used to pay for material and labor. If it is impossible to find the amount of overhead for the year, before the beginning of the year in any business two year old or over, then there is plenty of reason why a shop can "guess away" all or part of its profit. A weekly list of expenses, kept accurately and balanced each week, at the end of each month or year gives the total amount of expense at any time during the year. Any shop owner who has the stubs in his check book and a book for cash received, may figure out how much he spent for everything connected with the business during a year. Then if he will deduct the amount of money spent for material, productive labor (which is the amount paid the men who worked on the jobs during the year and which he charged on the bills paid by his customers) and deduct any amount paid for tools or other equipment that has a continuous value for several or more years; the balance will represent the amount he must add to the bills, beside the cost of material and productive labor, before he can realize any profit.

Experience shows this is true because most shops do not regularly do business to their full capacity and with a little extra expense as much as 50 per cent more business can be handled.

An examination of the expense items in the jobbing shops and even in some manufacturing shops will show the largest items of expense are the same in bad or good years.

#### From Bankruptcy to Solvency

It may be interesting to follow through the statement of shop No. 5 whose experience from near bankruptcy to solvency simply by the use of their office facts and a strict application of the method described.

Prior to 1927, a girl attended to the office details under the supervision of the owner, and because of the volume of business done there was always sufficient money, with the assistance of some outside sources at times. During 1927, however, there was a tightening of finances, which caused the owner to ask the assistance of an accountant.

The accountant was accustomed to dealing with departments in the manufacturing business and a distribution of costs based and laid on many operations so he made the mistake of trying to adapt this method to a comparatively small business. The result was that neither the owner or office girl, who



## INCREASE PROFITS

With

THE **GRAND RAPIDS FURNACE CLEANER** 



Powerful - One-Man Portable Sturdy

The first Grand Rapids Furnace Cleaners put out years ago are still in use. Dealers say they are the best with no wear out to them.

> Free Trial-Convenient Terms Write for Details

GRAND RAPIDS FURNACE CLEANER CO. 225 STEVENS ST., S. W. GRAND RAPIDS, MICHIGAN



## LET ALLENS CLEAR THE ATMOSPHERE!

Famous Allen Multi-Vane Turbine Ventilators, provide a powerful suction that takes care of all ordinary ventilation needs, without operation cost. "Fresh Air Is Free" with Allen. They run day and night.

Every installation sells another.

For acute conditions, Allen Electro-Wind Turbine Ventilators, adding electric power to wind power, give double suction and quickly clear out gases and bad air.

Let our engineering department help you in advising your customers on the type required.

The ALLEN Corporation

Detroit, Mich.

TURBINE VENTILATORS

## IF IT'S REPAIR PARTS

to fit any Furnace, Boiler, Stove, or Air Conditioning Equipment, of any make or kind, that must fit exactly, and of course be of the finest quality, let Peninsular supply them. Buying from Peninsular is your assurance of perfect merchandise the first time and all the time . . . of immediate

shipment, and prices that are right. Investigate! Try your next order with Peninsular.



## HOTEL

A night's rest that's peaceful and refreshing-a pleasant atmosphere in the lobby - the warm glow that good food brings-the pleasant reaction that low prices give - these are the things that make the Melbourne the choice of every experienced traveler.

J. K. BRYAN Manager

ST. LOUIS



LINDELL BLVD, AT GRAND AVE

THE HOTEL
THE MONTH

Port Hayes

HOTELS

You'll get more for your money at Pick Hotels. Spacious, comfortable rooms. Delicious food and real personal service. All at moderate prices.

CHICAGO, ILL... GREAT NORTHERN HOTEL DAYTON, OHIO... MIAMI HOTEL COLUMBUS, OHIO... CHITTENDEN HOTEL COLUMBUS, OHIO... FORT HAYES HOTEL CINGINNATI, OHIO... FORT HAYES HOTEL CINGINNATI, OHIO... FORT MEIGH HOTEL SOUTH BEND, INDIANA... ANDERSON HOTEL HODIANAPOLIS, INDIANA... ANTLERS HOTEL ANDERSON, INDIANA... ANDERSON HOTEL TERRE HAUTE, INDIANA... ANDERSON HOTEL JACKSON, TENNESSEE, NEW SOUTHERN HOTEL ST. LOUIS, MO... MARK TWANN HOTEL ST. LOUIS, MO... MARK TWANN HOTEL WACO. TEXAS... RALEIGH HOTEL

WHENEVER YOU SEE THE WORD PICK THINK OF ALBERT PICK HOTELS

was studying bookkeeping at a local school, understood the system, but the facts revealed losses during several previous years. Matters became worse and finally the owner visited one of his creditors and asked his advice. The creditor advised the owner to call in Mr. Ritter and have him make a detailed report. This was early 1930.

With the aid of the girl in the office, who readily understood the simple method proposed and immediately saw its purpose, a profit was shown by the end of 1930, the same year, and every year since even during the depression, viz:—

	Total Sales	Profit	Loss
1928	\$30,670.26		\$1,670.28
1929	21,257.62		2,100.00
1930	25,808.78	\$ 511.18	
1931	22,692.72	1,505.02	
1932	21,423.83	814.90	
1933	33,423.40	3,283.48	
1936	30,864.60	1,782.76	

By 1932 the office girl had a good grasp of the situation and kept accurate account of every dollar spent, particularly the distribution of the expense. 1934 and 1935 also showed a profit, although not shown here. This young girl after assuming charge of the billing and checking the estimates, did not have an easy job in preventing the boss and the men from running off the track at times, but with the proof in figures each week and month she now is the "last word" in this shop between loss and profit, and the shop is in excellent shape. The profit for 1936 should have been larger than 1935, but the owner made several thousand dollars repairs and improvements to the property and shop.

#### Covering Overhead Brings Profits

The statement designated No. 8 illustrates how a shop owner who, prior to three years ago had been doing approximately the same amount of business each year, started really to cover his overhead expense and make some profit. The profit was small in 1933; a little larger in 1934; larger in 1935 and the statement shows what happened in 1936. Prior to 1933 and extending back to 1928, he was very much discouraged by the loss each year and did not understand what was wrong. This year, 1937, by checking up on his expense each month, he will make a better showing than in 1936 and without very much increase in business.

Naturally, the proper control and distribution of costs, alone will not produce a profitable business. There are other vital matters that need constant attention and improvement, yet once a shop is sure of a "dead-line" below which it cannot go on any job without loss, there is an incentive to search harder for jobs that will pay a profit, as has been proven many times.

## ARMSTRONG **FURNACE COMPANY**

Columbus, Ohio

Specialists in building steel furnaces for manufacturers and jobbers.

If you have a special design, we can build it for you.



Burnley Battery & Mfg. Co., North East, Pa.

#### **ACME** "Hot Spot" WELDERS

Universally accepted as the sturdiest, easiest handled, most economical electric Spot Welder on the market.

Write for literature and prices Don't Rivet


SPOTWELD! with an ACME

Lifetime Guarantee!

Complete range of sizes

ACME ELECTRIC WELDER CO.

5619 Pacific Blvd.



## PORTABLE SHEARS

ALL-ALLOY



ALL-ALLOY No. 2 cuts up to 1/4" steel plate. ALL-ALLOY No. I cuts up to No. 11 gauge strip or sheet.

Special blades may be had for shearing stainless steel.

**FULLY GUARANTEED** 

Bremil MFG. Co. Erie, Pa.



#### JOHNSON NO. 502 SOLDERING FURNACE

An outstanding twin burner Bench Furnace specially designed to heat soldering coppers up to 10 or 12 lbs. per pair. No forced air blast or blower is required for quick, intense, uniform heat. Each of the two powerful Johnson Bursen Burners is equipped with separate shut-off valve and pilot light. An excellent unit for heat-treating small parts for metal melting. Get full details at once. Write for free catalog.

No. 502 Bench Furnace

CHNSON GAS APPLIANCE C

#### How to Sell Furnaces and Repairs

#### The TORNADO Furnace Cleaner

The TORNADO gets you into the base-ment where it is easy to sell repairs and new furnaces. And you make a profit on the cleaning job too!

Dealers say that the TORNADO is the most powerful furnace cleaner built. Leads the field! Low price—easy payments—free trial. Approved by Anthracite Institute and Underwriters Lab. Thousands in use.

Write now for complete information.

Breuer Electric Mfg. Co. 865 Blackhawk Street, Chicago, Ill.



FURNACES

Quality Plus! That's exactly what either of the three trade marks above mean on a furnace. You know you are getting a furnace backed by a firm known for honesty and integrity for over thirty-five years.

We also have complete line of repair parts and invite your inquiries.

STANDARD FOUNDRY AND FURNACE COMPANY 1801 Pleasant Street Phone 385 DeKalb, Illinois



#### Meet the demand with SCHAEFER RADI-ATOR FURNACE AND **FLUE BRUSHES**

It's service, not price, that determines the value of a brush. And Schaefer brushes are long on service. They're built that

No one can be disappointed with his bargain when he buys Schaefer. Remember, with Schaefer, it's service satisfaction or money back. Write for prices.

SCHAEFER BRUSH MANUFACTURING COMPANY 117 W. Walker St. Milwaukee, Wis.

BRUSHES

## AMÉRICAN ARTISAN ervice o



fast growing field of opportunity. Trained en are needed. Learn the casy C. T. C. way. AT HOME IN SPARE TIME AT LOW COST CHICAGO TECHNICAL COLLEGE

A341 Tech. Bidg., 118 E. 26th St., Chicago, III. If you can go away to college to learn Air Conditioning, Engineering Architecture, Draft-ing, Electricity or Radio, send for FREE Blue Book.

### G. A. VOORHEES

CONSULTING ENGINEER

FORCED AIR HEATING AND WINTER AIR CONDITIONING

433 S. Delaware St. Indianapolis

#### REPAIR SERVICE FOR AUTO-MATIC CONTROLS,

Thermostats, pressure controls, regulating valves and other automatic devices. Prompt service, reliable guarantee.

HALECTRIC LABORATORY 1793 Lakeview Road, Cleveland, Ohio

#### Weld With EISLER WELDERS

SPOT WELDERS BUTT • WIRE SEAM C. ARC WELDERS

Welders as low \$25.00 Ask for 38-W Catalogue—1250 Welding Illustrations.

Submit Samples for Test. No Obligation EISLER ENGINEERING CO., Inc. 761 S. 13th St. NEWARK, N. J.



drills both concrete and metal. Cap. 1½" in concrete—%" in metal. Saves time and money in setting expansion bolts, anchors and pulga. Boon pays for itself. Easy to maintain. Bulletin 371. Wedack Electric Tool Corporation, 4644 W. Huren St.. Chicago, ill.

WRITE FOR PARTICULARS

#### BAKER FURNACE CLEANER

BEFORE YOU BUY
Machine and Big Bag sets in yard to do
the work. Giving Advertising Advantage
and Customer Appeal. Low Price. Easy
Terms.

BAKER FURNACE CLEANER MFG. CO. 2505 Albion Toledo, Ohio

SHEARS

are indispensable to
the modern, up to
date sheet metal
shop. Light, portable, yet extremely
strong, they will
make your shearing
operations much
faster, neater and
more economical
thru time saved on
thru time saved on
thru time saved on
the saved on
the

BEVERLY THROATLESS SHEAR CO. 3009 W. 110TH PLACE, DEPT. 3, CHICAGO

#### BEVERLY THROATLESS SHEARS



#### **Arex-Austor**

Original Syphonage Ventilator

Scientific Design Sturdy Construction Highest Efficiency Absolutely Reliable Positively No Equal

Economy Ventilator

Surprisingly in-expensive, sturdy, construction. All sizes and metals, ordinary Solves ordinary ventilating prob-lems at lowest

Either ventilator can be furnished with fan unit.

Write for catalog.

AREX COMPANY

335 N. Michigan Avenue, Chicago, Ill.

## THARC

#### CEMENTS FOR EVERY HEATING PLANT PURPOSE

When ordering heat resisting materials for furnaces, stoves, or boilers, order "THARCO" Asbestos Furnace Cement, Asbestine Stove Putty, Asbestine Boiler Putty, Hi-Heat Putty, and Retort Cement. To be doubly sure of materials that will do every job perfectly, use "THARCO"

#### THE ARMSTRONG COMPANY

Post Ave. and South St., Detroit, Mich. Reliable Mfrs. of Plastic Cements for Over One-Quarter of a Century

HOWLE

### LANCOL SOLDERING FLUX

- Lancol gives off no injurious fumes.
  Lancol is odorless and causes no discomfort when used.
  Lancol does not have the strong corrosive action of most fluxes.
  Lancol is efficient—it causes solder to flow easily with no rolling up, and provides even coverage.

- 5.
- provides even coverage.

  Lancol is efficient
  —it forms a perfect bond.

  Lancol is more economical it costs less.

Lancol is ideal as a stainless steel soldering flux—saves time, money and material. One test will convince you that you can't afford to be without a supply in your affect with us now for a free trial sample.



SH

ca

W

me

spe Fo

SI Al Ma

rei wa air

F. H. LANGSENKAMP COMPANY Indianapolis, Indiana Send for Trial Sample . . . Today!

HEAT

**EXTRACTOR** 

The Howle Heat Extractor is an inexpensive unit installed between the furnace and the stack to prevent the escape of moisture-laden corrosive gases and to redirect and radiate into the basement the heat which would pass up the stack as waste. This "reclaimed" heat will make any heating plant more efficient. Ask Condensation Engineers for full details.

CONDENSATION ENGINEERING CORPORATION 335 S. Western Ave., Chicago, Illinois

#### PUNCH, ANGLE SHEAR and NOTCHER



Steel plate construction. Attachments for three different operations quickly changed. Write for literature on our complete line.

J. F. KIDDER MFG. CO., Inc.

416 Colchester Avenue Burlington, Vermont

SERVICE SECTION: Rates for display space similar to above in Service Section are \$5.00 per inch per insertion. One-inch minimum space accepted. Classified Section: Rates for classified advertising are 5 cents for each word including heading and address. Count seven words for keyed address. Minimum \$1.00 for each insertion. Cash must accompany order.

## AMÉRICAN ARTISAN Service Section

#### IT'S CHIMNEY TOP TIME

Accurate Revolving Ventilators, used with the Accurate Cast Base make Good Chimney Tops. Simple in Design. Durable in Construction. Storm and Rain Proof. Positively Prevents
Down Draft. Certified Ratings. Popularly Priced. See
Your Jobber.



ACCURATE MFG. WORKS 2432 MILWAUKEE AVE. CHICAGO, ILL.

#### **PUNCHAWL**

Punches sheet metal for bolts, rivets, and sheet metal screws. Ideal SCRATCHAWL, REAMER, and PRICKPUNCH. PUNCHAWL tool steel stands hammering without bending or breaking.
SEND 25c for 1 or \$1 for 5 PUNCHAWLS.

HUB SPECIALTY COMPANY 84 Gov. Winthrop, Somerville, Mass.

#### G. & S. Humidifier Controls

Durably made of copper and stainless steel. Fully automatic. Quickly connected to hot air furnaces and humidifying equipment. Lowest in cost. Superior in quality and operation.

SELLING AGENCIES WANTED.

8740 GRINNELL DEPT. WP DETROIT, MICHIGAN

## Passified

#### SITUATION OPEN

Sheet Metal Worker, 29, general work, forced air, read blue-print, layout. Capable of handling small shop. Address Key No. 423, American Artisan, 6 No. Michigan Ave., Chi-

#### **MISCELLANEOUS**

#### MISCELLANEOUS

Wanted—Manufacturing rights for standard domestic steel furnace. Submit proposition and include complete set of detailed plans and specifications. Address A. T. Mattison, 14299 Fordham Ave., Detroit, Mich.

SHEET METAL MACHINERY BOUGHT AND SOLD. Brakes, Shears, Rolls, Rotary Machines. Complete Stock of New and Used Tools. B. D. BROOKS CO., INC., 118 Broad St., Boston, Mass.

Use AMERICAN ARTISAN Classified Advertising for quick results. It puts you in di-rect touch with the buyers and sellers in the warm air heating, sheet metal contracting and air conditioning industry.

#### Sheet Metal Machines

New and Really Rebuilt

machine for every use and every machine is ready for use. The largest stock in Chicago. Ask for list.

Complete supplies and tools.

MAPLEWOOD MACHINERY CO., Inc.


Chicago

2634 W. Fullerton Ave. 561 W. Washington Blvd. Brunswick 9200 State 1405

#### VENTILATING EQUIPMENT

Everything in Exhaust Ventilation HEAT-SMOKE-FUMES Gravity and Fan Ventilators Write for Information and Advice

PAUL R. JORDAN & CO. 631 S. Delaware St., Indianapolis, Ind.



RALPO CORNER CUTTER

RALPO CORNER CUITER
For cutting in corners and difficult places
and for making straight cuts. Announcing
also The Junior Ralpo Cutter for No. 22
gauge and lighter. The No. 1 Ralpo Cutter
for 16 ga. and lighter \$2.50. The No. 2
Junior Ralpo Cutter for No. 22 ga. and
lighter, \$2.00. The No. 4 Ralpo Cor-Cut
for No. 16 ga. and lighter, \$1.50. Re
mittance with order delivers any of these
tools anywhere in the U. S. A., or ask your
jobber.

jobber. Ralph W. Pee, 44 White Court, Canton, Illinois



### POROUS BRONZE



WELDING Greater economy and

speed. No pickling necessary as there is no crystallization or hard residue left on weld. By this new and revolutionary method, the weld is actually NON POR-OUS.

Our engineers will be glad to consult with you on any ronze welding problem.

AUTOMATIC GASFLUX CO. 626 Frankfort Ave. Cleveland, Ohio



#### CASH IN FOR 1938 On Long Winter Evenings

Make yourself qualified to carn \$150 to \$500 extra a year through more steady work, or promotion, or both. This is our 28th year training ambitious tradesmen. Our Courses are specially prepared to teach you Personal, Clear, Direct, by Home Study.

- Information is free, no obligation, write today for subjects interested in.

  S.M. Design and Pattern Drafting.
  Forced Air Heating & Air Conditioning.
  Mechanical Air Conditioning, Refrigeration.
  Heating-Ventilating Engineering.
  Estimating and other Courses.
  ST. LOUIS TECHNICAL INSTITUTE
  O. W. Kothe, Director
  4541 Clayton Ave.
  St. Leuis, Mo.



DEALERS SAVE MONEY by writing for Barclay's bargain catalog of all installa-tion accessories and replacement parts for oil burners, stokers, forced air and auto-matic heating. 4 hour shipment. ROBERT BARCLAY, INC., 128 N. Peoria Street, Chi-cago, Illinois.

RIBBED WIRE GLASS-13c per 30.

STOCK SHEETS, CASE LOTS, PLUS
BOXING F. O. B. BUFFALO, N. Y.
SHIPMENT TO ANY PART OF THE
UNITED STATES
QUOTATIONS ON ALL KINDS OF
GLASS ON REQUEST
Write for Samples
T. J. ATCHESON GLASS CO.
958 Main St., Dept. A, Buffalo, N. Y.

#### BARTLETT · SHEARS ·



Easily. BARTLETT MANUFACTURING COMPANY

East Grand Blvd. Detroit, Mich.

#### NEW YEAR'S RESOLUTION!!

SEND FOR YOUR COPY OF INTERSTATE'S NEW

### STOCK LIST


covering everything in metal work-ing machinery—listing many real bargains in our huge stock of more than 2,000 machines of all makes, models, types and sizes.

"OVER 2,000 MACHINES IN STOCK"

INTERSTATE MACHINERY CO., INC. (Free Parking)

SERVICE SECTION: Rates for display space similar to above in Service Section are \$5.00 per inch per insertion. One-inch minimum space accepted. Classified Section: Rates for classified advertising are 5 cents for each word including heading and address. Count seven words for keyed address. Minimum \$1.00 for each insertion. Cash must accompany order.

More than half of the people who stay at the Roosevelt come again—because they like the way they are treated... the thoughtful attention they receive from the minute they "check in."



## Here you'll find HOSPITALITY that's genuine—

moderate rates, plus the most convenient location in New York



There's a special business men's luncheon daily in the Grill



Room Service is prompt—even the colorful breakfast set is a cheerful note.



The Swimming Pool is another of the many conveniences—adjoining are the Turkish Baths and Gymnasium.



Guy Lombardo plays in the Grill for dinner and supper dancing. Here everything is "tops"—food, music and a grand crowd.

PEOPLE who come to the Roosevelt once, make a point of coming again. They like the central location, convenient to theatres, shops, Radio City and the business district . . . and there's a private passage-way to Grand Central Terminal.

National Warm Air Heating and Air Conditioning Assoc. Headquarters



Madison Avenue at 45th Street
Bernam G. Hines—Managing Director

#### Section of

JANUARY, 1938

## AMERICAN ARTISAN

## 1938 DIRECTORY

OF WARM AIR HEATING, RESIDENTIAL AIR CONDITIONING AND SHEET METAL PRODUCTS

Section 1.—Products Classified

Section 2.—Trade Names

Section 3. - Manufacturers' Addresses

#### HOW TO USE THIS DIRECTORY

If you want to know the names of one or more manufacturers making a certain product, look in Section I, where that product will appear in its proper place in the listing. If you have the trade name of a product and want to know who manufactures it, look in Section 2, where trade names are alphabetically listed. For the complete name and address of any manufacturer, look in Section 3.

<sup>•</sup> The manufacturers whose names are dotted throughout the listing advertise their products in this issue. Turn to Index to Advertisers, page 192, for the page on which you will find the advertising of any of these manufacturers.

## Index to Advertisers

Firms represented in this issue are identified by the folio of the page on which their advertising appears.

## January, 1938

Acme Electric Welder Co187 Acme Heating & Ventilating
Acme Electric Welder Co187
Co102
Co
Aerofin Corp
Air Controls, Inc 95
Air Controls, Inc
Allen Corp
Allen Corp
American Fdry. & Furnace Co182 American Gas Products Corp159 American Rolling Mill Co., The 25
American Rolling Mill Co., The 25
A. S. H. & V. E
American Warming & Ventilat-
ing Co
Arex Co
Armstrong Co., The188
Armstrong Furnace Co187 Atcheson Glass Co., T. J189
Auer Register Co 84 Autocrat Oil Burner Corp171
Autocrat Oil Burner Corp171 Automatic Gasflux Co189
Automatic Humidifier Co142
Automatic Products Co 79
Baker Furnace Cleaner Mfg. Co.188
Baker Ice Machine Co156
Barber-Colman Co 20
Barber-Colman Co 20 Barber Gas Burner Co., The 92 Barclay, Inc., Robert
Bartlett Mfg. Co
Bead Chain Mfg. Co 28
Berger Bros. Co185
Berger Bros. Co
Beverly Throatless Shear Co188
Brauer Supply Co., A. G 24
Brauer Supply Co., A. G
Breuer Electric Mfg. Co187 Brillion Furnace Co178
Brundage Co
Brundage Co
Burnley Battery Co187
Butler Mfg. Co166
Campbell Div., Andrew C175
Capital Furnace & Stove Re-
pair Co
pair Co
Century Electric Co 75
Century Engineering Corp.,
Chandler Co
Clarage Fan Co148 Columbus Heating & Ventilat-
ing Co
Condensation Engineering Corp. 188
Congress Tool & Die Co169
Cook Electric Co
Dail Steel Products Co170
Dreis & Krump Mfg. Co179
Eckenroth Register Co164 Eisler Engineering Co188

,
Electric Vacuum Cleaner Co., Inc
Fitzgibbons Boiler Co141 Fox Furnace Co., The8 and 9 Furblo Co169
G & O Mfg. Co
Co
Halectric Laboratory
Co
Hess Warming & Ventilating
Co.       172         Hotel Biltmore       184         Hotel Melbourne       186         Hub Specialty Co.       189         Hussey & Co., G. G.       35
Illinois Testing Lab., Inc171 Independent Register Co., The. 37 International Engineering, Inc171 International Nickel Co., Inc 5 Interstate Machinery Co189
Jaden Mfg. Co., F.
Kidder Mfg. Co., J. F188 Kol-Master Corp169
Laclede-Christy Clay Products Co
Langsenkamp Co., F. H
Lochinvar Corp
Maid-O'-Mist, Inc.       86         Maplewood Machinery Co.       189         Marley Co.       168         Marshalltown Mfg. Co.       183         Maurey Mfg. Co.       82         Meyer & Bro. Co., F.       11 and 14         Meyer Furnace Co.       12 and 13         Michigan Tank & Furnace Co.       27
Milcor Steel CoOutside Back Cover
Minneapolis-Honeywell Regula- tor Co
Monmouth Products Co 80 Mueller Furnace Co., L. J
Niagara Machine & Tool Works 31 Northwestern Stove Co 30

Nu-Way Corp., The171
Osborn Co., J. M. & L. A 3 Owens-Illinois Glass Co 85
Pacific Gas Radiator Co
Randall Graphite Products Corp.128 Refrigeration and Air Conditioning Institute
St. Louis Tech. Institute       189         Sall Mountain Co.       78         Schaefer Brush Co.       187         Schwab Furnace & Mfg. Co.       172         Schwitzer-Cummins Co.       173         Skilsaw, Inc.       38         Standard Foundry & Furnace       Co.       187         Superior Sheet Steel Co.       39         Surface Combustion Corp.       88         Swartwout Co.       17
Trane Co., The96 and 97 Tuttle & Bailey, Inc99 Twentieth Century Heating & Ventilating Co182
U. S. Air Conditioning Corp 93 U. S. Register Co104 and 105 U. S. Steel Corp 15 Universal Cooler Co160 Utility Fan & Blower Co168
Victor Electric Products, Inc 181           Viking Shear Co 182           Voorhees, G. A 188
Ward Machinery Co81 and 178         Waterloo Register Co23         Waterman-Waterbury Co., The 127         White Mfg. Co83         Whitney Mfg. Co., W. A177         Whitney Metal Tool Co64         Wise Furnace Co34         Wiss & Sons Co., J36         Wodack Elec. Tool Corp188
XXth Century Heating & Ventilating Co
Young Regulator Co157 Youngstown Sheet & Tube Co 21

Section of

## American Artisan

### 1938 DIRECTORY OF WARM AIR HEATING, RESIDENTIAL AIR CONDITIONING AND SHEET METAL PRODUCTS

Section 1—PRODUCTS CLASSIFIED

#### AIR CONDITIONING UNITS, CENTRAL SYSTEM, BOILER TYPE

(Self-contained fan-filter-humidifier-heat transfer surface unit for connection to steam or hot water, refrigeration)

(Self-contained fan-filter-humidifier-heat transfer surface unit for connection to steam or hot water, refrigeration)

Airtemp, Inc., Dayton, Ohio.
American Blower Corp., Detroit, Mich.
American Radiator Co., New York City
Ames Co., W. R., San Francisco, Cal.
Apex Rotarex Corp., Cleveland, O.
Autovent Fan & Blower Co., Chicago, Ill.

Baker Ice Machine Co., Inc., Omaha, Nebr.
Betz Unit Air Cooler Co., Kanasa City, Mo.
Bishop & Babeock Sales Co., Cleveland, O.
Bryan Steam Corp., Peru, Ind.
Bryant Heater Co., Cleveland, O.
Bryan Steam Corp., Peru, Ind.
Bryant Heater Co., Cleveland, O.
Bryan Steam Corp., Peru, Ind.
Bryant Heater Co., Cleveland, O.
Buffalo Forge Co., Buffalo, N. Y.
Carbondale Division, Worthington Pump & Machinery Corp., Syracuse, N. Y.
Carraway-Byrd Corp., Dallas, Tex.
Carrier Corp., Syracuse, N. Y.
Century Engineering Corp., Cedar Rapids, Ia.
Clarage Fan Co., Kalamazoo, Mich.
Deloo-Frigidaire Conditioning Div., General Motors Sales
Corp., Dayton, O.
Estetenoil, Inc., Portland, Me.
Electrol, Inc., Clifton, N. J.
Farko Foundry Co., Fargo, N. D.

Fitzgibbons Boiler Co., Inc., New York, N. Y.
General Electric Co., Schenectady, N. Y.
General Refrigeration Corporation, Beloit, Wis.
Harvey-Whipple, Inc., Springfeld, Mass.
Heating Equipment Corp., Cambridge, Mass.
Heating Equipment Corp., Cambridge, Mass.
Heating Equipment Corp., Cambridge, Mass.
Heating Equipment Corp., Jollet, Ill.
Kelvinator Corp., Detroit, Mich.
Kewanee Boiler Corp., Kewanee, Ill.
Mayflower-Lewis Corp., St. Paul, Minn.
May Oil Burner Corp., Bettimore, Md.
McQuay, Inc., Minneapolis, Minn.
Mollish & Murray Co., Chicago, Ill.
Merrill Co., Inc., Minneapolis, Minn.
Mollish & Murray Corp., Subsidiary U. S. Air Conditioning Air Conditioning, Inc., New York City.
National Air Conditioning, Inc., New York City.
National Air Conditioning Corp., Milwaukee, Wis.
Nash Refrigeration Co., Rest Orange, N. J.
Scott-Newcomb, Inc., St. Louis, Mo.
Stilphen Engineering & Mfg. Co., C. A., Denver, Colo.
Syncro-Flame Burner Corp., Ft. Wayne, Ind.
Williams Oi

#### AIR CONDITIONING UNITS, CENTRAL SYSTEM, **FURNACE TYPE**

(Self-contained fan-filter-washer or humidifier unit for warm air furnaces)

Agricola Furnace Co., Inc., Gadsden, Ala,

Airtemp, Inc., Dayton, O.

American Air Conditioning Corp., Sebastopol, Cal.

American Blower Corp., Detroit, Mich.

\*American Furnace & Co., St. Louis, Mo.

American Furnace & Foundry Co., Milan, Mich.

American Furnace & Foundry Co., Milan, Mich.

American Furnace & Foundry Co., Marshalltown, Ia.

Ames Co., W. R., San Francisco, Cal.

Anchor Post Fence Co., Baltimore, Md.

Arex Co., Chicago, Ill.

\*Armstrong Furnace Co., Columbus, O.

Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.

Auburn Automobile Co., Air. Cond. Div., Chicago, Ill., and

Connervelle, Ind.

Autovent Fan & Blower Co., Chicago, Ill.

Bard Manufacturing Co., Bryan, O.

Beck Engineering Combustion Kompany, St. Louis, Mo.

Bergstrom Mfg. Corp., Neenah, Wis.

Bishop & Babcock Sales Co., Cleveland, O.

Bryant Heater Co., Cleveland, O.

Bryan Plumbing & Heating Co., Bryan, O.

Bryant Heater Co., Cleveland, O.

Campbell Heating Co., Des Moines, Ia.

Campbell Heating Co., Ex. K. Kansas City, Mo.

Carrier Corp., Syracuse, N. Y.

\*\*Columbus Heating & Ventilating Co., Columbus, O.

Columbus Heating Co., Coditioning Div., General Motors Sales

Corp., Dayton, O.

Des Moines Steel Furnace Co., Chicago, Ill.

\*\*Chicago Steel Furnace Co., Chicago, Ill.

\*\*Chicago Steel Furnace Co., Das Moines, Iowa.

Dowagiac Steel Furnace Co., Das Moines, Iowa.

Bernard Co., Monroe, Milo.

For Furnace Co., Elyrio, O.

For Furnace Co., Elyrio, O.

For Furnace Co., Elyrio, O.

For Furnace Co., Columbia, Mich.

Montag Stove & Furnace Works, Portland, Ore.

Mueller Furnace Co., L. J., Milwaukee, Wis.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.
Nelson Co., Detroit, Mich.
Nelson Corp., Herman, Moline, Ill.
Norge Heating & Conditioning Div. of Borg-Warner Corp.,
Detroit, Mich.
Oil Burner Bullders, Inc., Bellevue, Ia.
Pacific Gas Radiator Co., Los Angeles, Cal.
Peerless Foundry Co., Indianapolis, Ind.
Pennsylvania Furnace & Iron Co., Warren, Pa.
Pioneer Air Conditioning Corp., Minneapolis, Minn.
Premier Furnace Co., Dowagiac, Mich.
Reif-Rexoil, Inc., Buffalo, N. Y.
Reynolds Corp., New York, N. Y.
Robeson Engineering Co., East Orange, N. J.
Robinson Furnace Co., Chicago, Ill.
Rock Island Stove Co., Rock Island, Ill.
Round Oak Co., Dowagiac, Mich.
Schwitzer-Cummins Co., Indianapolis, Ind.
Scott-Newcomb, Inc., St. Louis, Mo.
Somers, Inc., H. J., Detroit, Mich.
Spray-Wheel Air Conditioners, Inc., Denver, Colo.
Surface Combustion Corp., Toledo, O.
Swift Corp., Carl E., Holland, Mich.
Syncro-Flame Burner Corp., Hartford, Conn.
Syncro-Flame Gov., Cincinnati, O.
Thatcher Furnace Co., Newark, N. J.
Timken Silent Automatic Div., The Timken-Detroit Axle
Co., Detroit, Mich.

Trane Co., La Crosse, Wis.

Twentieth Century Heating & Ventilating Co., Akron, O.
Unified Air Conditioning Corp., Minneapolis, Minn.
Utica Radiator Corp., 2201 Dwyer Ave., Utica, N. Y.
Viking Air Conditioning Corp., Minneapolis, Minn.
Western Blower Co., Seattle, Wash.

Wise Furnace Co., Akron, O.

WXth Century Heating & Ventilating Co., Akron, O.
York Oil Burner Co., Indianapolis, Minn.

#### AIR CONDITIONING UNITS, ROOM TYPE, SUMMER

(Cabinet or suspended for cooling, circulating and cleaning)

(Cabinet or suspended for cooling, circulating and cleaning)
Advanced Refrigerating Systems Co., Philadelphia, Pa.
Air Devices Corp., Meriden, Conn.
Airecon Industries, Detroit, Mich.
Aire-Foile Fan & Blower Co., Detroit, Mich.
Aire-Foile Fan & Blower Co., Detroit, Mich.
Airegard Manufacturing Co., Chicago, Ill.
Airtemp, Inc., Dayton, O.
American Air Conditioning Co., Minneapolis, Minn.
American Blower Corp., Detroit, Mich.
Apex Rotarex Corp., Cleveland, O.
Baker Ice Machine Co., Inc., Omaha, Nebr.
Barrett Engineers, Cleveland Heights, O.
Belanger Fan & Blower Co., 1230 18th St., Detroit, Mich.
Betz Unit Air Cooler Co., Kansas City, Mo.
Buffalo Forge Co., Buffalo, N. Y.
Builders Iron Foundry, Providence, R. I.
Campbell Heating Co., E. K., Kansas City, Mo.
Carbondale Division, Worthington Pump & Machinery Corp.,
Harrison, N. J.
Carraway-Byrd Corp., Dallas, Tex.
Carrier Corp., Syracuse, N. Y.
Clarage Fan Co., Kalamazoo, Mich.
Climax Machinery Co., Indianapolis, Ind.
Copeland Refrigeration Corp., Sidney, O.
Crozone Air Conditioning Corp., Cleveland, O.
Crystal Refrigerating Machine Co., St. Louis, Mo.
De La Vergne Engine Co., Philadelphia, Pa.
Delco-Frigidaire Conditioning Div., General Motors Sales
Corp., Dayton, O.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.
Electrol, Inc., Clifton, N. J.
Electrovent Fan & Mfg. Co., Chicago, Ill.
Fairbanks, Morse & Co., Chicago, Ill.
Fairbanks, Morse & Co., Chicago, Ill.
Fairbanks, Morse & Co., Buffalo, N. Y.
General Electric Co., Schenectady, N. Y.
General Eferigeration Corp., Betloit, Wis.
Giant Mfg. Co., Council Bluffs, Ia.
Grinnell Co., Inc., Providence, R. I.
Hardy Mfg. Co., Dayton, O.
Hexcel Radiator Co., Racine, Wis.
Humidi-Cooler Corp., New Haven, Conn.
Ilg Electric Ventilating Co., O., Chicago, Ill.
Indian Trailer Corp., Koolroom Div., Chicago, Ill.
Indian Trailer Corp., Koolroom Div., Chicago, Ill.
Indian Trailer Corp., Koolroom Div., Chicago, Ill.
Indian Trailer Corp., New Haven, Conn.
Ilg Electric Ventilating Co., Owatonna, Minn.
McQuay, Inc., Minneapolis, Min

Marlo Coil Co., St. Louis, Mo.
Meier Electric & Machine Co., Indianapolis, Ind.
Nash Refrigeration Co., Inc., Newark, N. J.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.
Nelson Corp., Herman, Moline, Ill.
Niagara Blower Co., New York City.
Nomis Corp., Lafayette, Ind.
Norge Heating & Conditioning Div. of Borg-Warner Corp.,
Detroit, Mich.
Norwin Co., Freeport, Ill.
Pacific Gas Radiator Co., Los Angeles, Cal.
"Pamco" Conditionaire Co., Chicago, Ill. (Cabinet)
Peerless of America, Inc., Chicago, Ill.
Ploneer Air Conditioning Corp., Minneapolis, Minn.
Polar Air, Inc., Dallas, Tex.
Rempe Coil Co., Chicago, Ill.
Russell Insulation Co., The F. C., Baltimore, Md.
Servel, Inc., Evansville, Ind.
Somers, Inc., H. J., Detroit, Mich.
Standard Air Conditioning, Inc., New York City.
Star Radiator Co., Los Angeles, Cal.
Syncromatic Air Conditioning Corp., Milwaukee, Wis.
Texo Sales & Mfg. Co., Los Angeles, Cal.
Syncromatic Air Conditioning Corp., Milwaukee, Wis.
Texo Sales & Mfg. Co., Cincinnati, O.
Thermal Units Mfg. Co., Meriden, Conn.

Trane Co., La Crosse, Wis.
Unified Air Conditioner Co., Duluth, Minn.
Von Seebeck, G., New York City.
Westinghouse Electric & Mfg. Co., Mansfield, O.
Willard Metallic Crypt Co., Air Conditioning Div., Willard, O.
XL Refrigerating Co., Inc., Chicago, Ill.
York Ice Machinery Corp., York, Pa.
Young Radiator Co., Racine, Wis.

#### AIR CONDITIONING UNITS, ROOM TYPE, WINTER

(Cabinet or suspended for heating, humidifying, circulating and cleaning)

(Cabinet or suspended for heating, humidifying, circulating and cleaning)

Airecon Industries, Detroit, Mich.
Airgard Manufacturing Co., Chicago, Ill.
Airtemp, Inc., Dayton, O.
American Air Conditioning Co., Minneapolis, Minn.
American Blower Corp., Detroit, Mich.
Apex Rotarex Corp., Cleveland, O.
Barrett Engineers, Cleveland, Heights, O.
Betz Unit Air Cooler Co., Kansas City, Mo.
Buffalo Forge Co., Buffalo, N. Y.
Burnham Boiler Corp., Irvington, N. Y.
Campbell Heating Co., E. K., Kansas City, Mo.
Carraway-Byrd Corp., Dallas, Tex.
Carrier Corp., Syracuse, N. Y.
Clarage Fan Co., Kalamazoo, Mich.
Corozone Air Conditioning Corp., Cleveland, O.
Delco-Frigidaire Conditioning Div., General Motors Sales Corp., Dayton, O.
Des Moines Steel Furnace Co., Des Moines, Iowa.
Dunham Co., C. A., Chicago, Ill.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.
Electrol, Inc., Clifton, N. J.
Fairbanks, Morse & Co., Chicago, Ill.
Fedders Mfg. Co., Buffalo, N. Y.
General Electric Co., Schenectady, N. Y.
Grinnell Co., Inc., Providence, R. I.
Hugo Mfg. Co., W. Duluth, Minn.
Ing Electric Ventilating Co., Chicago, Ill.
Kauffman Air Conditioning Corp., St. Louis, Mo.
Mayflower-Lewis Corp., St. Paul, Minn.
McQuay, Inc., Minneapolis, Minn.
McQuay, Inc., Minneapolis, Minn.
Melson Corp., Minneapolis, Minn.
Nelson Corp., Herman, Moline, Ill.
Niagara Blower Co., L. J., Milwaukee, Wis.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.
Nelson Corp., Herman, Moline, Ill.
Niagara Blower Co., New York City.
Norge Heating & Conditioning Corp., Minneapolis, Minn.
Reif-Rexoll, Inc., Buffalo, N. Y.
Reznor Mfg. Co., Mercer, Pa.
Somers, Inc., H. J., Detroit, Mich.
Standard Air Conditioning Corp., Minwaukee, Wis.
Texo Sales & Mfg. Co., Cincinnati, O.
Thermal Units Mig. Co., Meriden, Conn.

Trane Co., La Crosse, Wis.
Unified Air Conditioner Corp., Duluth, Minn.
Vigor-Aire Corp., Philadelphia, Pa.
Westinghouse Electric & Mfg. Co., Mansfield, O.
Young Radiator Co., Racine, Wis.

#### AIR CONDITIONING UNITS, ROOM TYPE, YEAR AROUND

(Cabinet or suspended for heating, cooling, humidifying, dehumidifying, circulating and cleaning)

Airecon Industries, Detroit, Mich.

Airgard Manufacturing Co., Chicago, Ill.

Airtemp, Inc., Dayton, O.
American Blower Corp., Detroit, Mich.
Apex Rotarex Corp., Cleveland, O.
Baker Ice Machine Co., Inc., Omaha, Nebr.
Barrett Engineers, Cleveland Heights, O.
Betz Unit Air Cooler Co., Kansas City, Mo.
Buffalo Forge Co., Buffalo, N. Y.
Builders Iron Foundry, Providence, R. I.
Carraway-Byrd Corp., Dallas, Tex.
Carrier Corp., Syracuse, N. Y.
Clarage Fan Co., Kalamazoo, Mich.
Corozone Air Conditioning Corp., Cleveland, O.
De La Vergne Engine Co., Philadelphia, Pa.
Delco-Frigidaire Conditioning Div., General Motors Sales
Corp., Dayton, O.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.
Fairbanks, Morse & Co., Chicago, Ill.
Fedders Mfg. Co., Buffalo, N. Y.
Grinnell Co., Inc., Providence, R. I.
Handelan Washed Air Co., Minneapolis, Minn.
Ilg Electric Ventilating Co., Chicago, Ill.
Kaiseraire Products Sales Co., Chicago, Ill.
Kauffman Air Conditioning Corp., St. Louis, Mo.
Kelvinator Corp., Detroit, Mich.
Mayflower-Lewis Corp., St. Paul, Minn.
Meier Electric & Machine Co., Indianapolis, Ind
Nash Refrigeration Co., Inc., Newark, N. J.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.
Nelson Corp., Herman, Moline, Ill.
Niagara Blower Co., New York City.
Norge Heating & Conditioning Div. of Borg-Warner Corp.,
Detroit, Mich.
Pacific Gas Radiator Co., Los Angeles, Cal.
Peerless of America, Inc., Chicago, Ill.
Pioneer Air Conditioning Corp., Minneapolis, Minn.
Servel, Inc., Evansville, Ind.
Standard Air Conditioning Corp., Minneapolis, Minn.
Servel, Inc., Evansville, Ind.
Standard Air Conditioning Corp., Minneapolis, Minn.
Westinghouse Electric & Mfg. Co., Mansfield, O.
XL Refrigerating Co., Inc., Chicago, Ill.
York Ice Machinery Corp., York, Pa.
Young Radiator Co., Racine, Wis.

#### AIR CONDITIONING CONTROLS

See Controls: Heating, Ventilating and Air Conditioning Systems, Fan and Limit, Combustion, Limit, Thermostats, Humidistats, etc.

#### AIR CONDITIONING FURNACES

(Matched Furnace-fan-filter-humidifier unit) See Furnaces, Air Conditioning

#### AIR CONDITIONING REGISTERS

See Registers, Directional Flow

#### AIR DIFFUSERS

See Grilles and Registers

#### AIR FILTERS

See Filters, Air

#### AIR METERS

See Meters, Air Velocity, Direct Reading

#### AIR WASHERS

See Washers, Air

#### ALLOY PLATES

See Plates, Alloy

#### **ALLOY SHEETS**

See Sheets, Alloy

#### ANALYZERS, FLUE GAS

Bacharach Industrial Instrument Co., Pittsburgh, Pa. Ellison Draft Gage Co., Chicago, Ill.

Harvey-Whipple, Inc., Springfield, Mass.
Hays Corp., Michigan City, Ind.
Leeds & Northrup Co., Philadelphia, Pa.

Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
Preferred Utilities Corp., New York City.
Tagliabue Mfg. Co., C. J., Brooklyn, N. Y.

#### **ANEMOMETERS**

Friez & Sons, Inc., Julien P., Baltimore, Md.
Hill Co., E. Vernon, Chicago, Ill.

Illinois Testing Laboratories, Inc., Chicago, Ill.
Precision Thermometer & Instrument Co., Philadelphia, Pa.
Taylor Instrument Companies, Rochester, N. Y.
Weston Electrical Instrument Corp., Newark, N. J.

#### ANGLES, BARS, BEAMS, CHANNELS AND TEES (STRUCTURAL SHAPES)

(STRUCTURAL SHAPES)

Aluminum Company of America, Pittsburgh, Pa.

American Brass Co., Waterbury, Conn.

Bethlehem Steel Co., Bethlehem, Pa.

Byers Co., A. M., Pittsburgh, Pa.

Brasco Mgs. Co., Harvey, Ill.

Butler Street Foundry & Iron Co., Chicago, Ill.

Carnegie-Illinois Steel Co., Pittsburgh, Pa.

Chase Brass & Copper Co. Inc., Waterbury, Conn.

Columbia Steel Co., San Francisco, Cal.

Decatur Iron & Steel Co., Decatur, Ala.

Gulf States Steel Co., Birmingham, Ala.

Inland Steel Co., Chicago, Ill.

International Steel Co., Evansville, Ind.

Jones & Laughlin Steel Corp., Pittsburgh. Pa.

Laclede Steel Co., Milwaukee. Wis.

Republic Steel Corp., Cleveland, O.

Revere Copper and Brass Incorporated, New York City.

Ryerson & Son. Inc., Jos. T., Chicago, Ill.

Steel and Tubes, Inc., Cleveland, O.

Stran-Steel Division, Great Lakes Steel Corp., Detroit, Mich.

Tennessee Coal, Iron & Railroad Co., Birmingham, Ala.

Truscon Steel Co., Weirton, W. Va.

Voungstown Sheet & Tube Co., Youngstown, O.

#### ARC WELDERS

See Welders, Arc

#### **ASBESTOS PAPER**

See Paper, Asbestos

#### ATTIC FANS

See Fans, Night Air Cooling

#### AUTOMATIC COAL BURNERS

See Stokers

#### **AUTOMATIC HUMIDIFIERS**

See Humidifiers, Furnace, Evaporation, Spray

#### BAND SAWS

See Saws, Band, Sheet Metal Cutting

#### BARS

See Angles, Bars, Beams, Channels and Tees (Structural Shapes)

#### BASES AND PADS, VIBRATION, ISOLATING

Allis-Chalmers Mfg. Co., Milwaukee, Wis. Armstrong Cork Products Co., Lancaster, Pa. (Cork)

Buffalo Forge Co., Buffalo, N. Y.
Butterworth, B. T., Jr., New Canaan, Conn.
Cork Import Corp., New York City (Cork)
Corp Insulation Co., Inc., New York, N. Y.
Fabling Co., W. D., Los Angeles, Cal.
Felt Products Mfg. Co., Chicago, Ill.
Firestone Tire & Rubber Co., Akron, O.

General Electric Co., Schenectady, N. Y.
General Insulating Products Co., Brooklyn, N. Y.
Goodrich Co., B. F., Akron, O. (Rubber)
Korfund Co., Inc., Long Island City, N. Y.
Lehigh Fan & Blower Co., Allentown, Pa.
Lord Mfg. Co., Erie, Pa.
Manley Products Corp., York, Pa.
Mundet Cork Corp., New York City.
Ohio Electric Mfg. Co., Cleveland, O.

Rockwood Mfg. Co., Indianapolis, Ind. (Pivoted motor)
Smidth & Co., F. L., New York, N. Y.
Sturtevant Co., B. F., Boston, Mass.
Union Fibre Co., Inc., Winona, Minn.
United Cork Companies, Kearny, N. J.
United States Gypsum Co., Chicago, Ill.
Vibration Eliminator Co., Long Island City, N. Y. (Cork)

#### BEAMS

See Angles, Bars, Beams, Channels and Tees (Structural Shapes)

#### BEARINGS, FAN

Ahlberg Bearing Co., Chicago, Ill.

Air Controls, Inc., Cleveland, O.
Chicago Die Casting Co., Chicago, Ill. (Pillow Block)
Consolidated Metals Corp., Detroit, Mich.
Fafnir Bearing Co., New Britain, Conn. (Ball)
Grand Rapids Die & Tool Co., Grand Rapids, Mich.
Jones Fdry. & Mach. Co., W. A., Chicago, Ill.
Link-Belt Co., Chicago, Ill. (Pillow Block)
Medart Co., St. Louis, Mo.
New Departure Mfg. Co., Bristol, Conn. (Ball)
Norma-Hoffman Bearings Corp., Stamford, Conn.
Ohio Pattern Works & Foundry Co., Cincinnati, O.

Randall Graphite Products Corp., Chicago, Ill. (P.)
Block) Chicago, Ill. (Pillow Block)

Block)
Roller Bearing Co. of America, Trenton, N. J.
Schwitzer-Cummins Co., Indianapolis, Ind. (Pillow Block)
S K F Industries, Inc., Philadelphia, Pa. (Ball and Roller, Pillow block)
Viking Air Conditioning Corp., Cleveland, O.

#### BELTS, FLAT

Alexander Bros., Philadelphia, Pa.
Continental Rubber Works, Erie, Pa. (Rubber and Fabric)
Dick Co., Inc., R. & J., Passaic, N. J. (Balata and Rubber)
Gilmer Co., L. H., Philadelphia, Pa.
Goodrich Co., B. F., Akron, O. (Rubber)
Goodyear Tire & Rubber Co., Akron, O.
Graton & Knight, Worcester, Mass.
Houghton & Co., E. F., Philadelphia, Pa.
Manhattan Rubber Mfg. Division of Raybestos-Manhattan,
Inc., Passaic, N. J. (Rubber)
Rhodes & Sons, J. E., Philadelphia, Pa. (Leather)
Thermoid Rubber, Div. of Thermoid Co., Whitehead Rd.,
Trenton, N. J.

#### BELTS, V-TYPE

BELTS, V-TYPE

Allis-Chalmers Mfg. Co., Milwaukee, Wis.
Browning Mfg. Co., Inc., Ohio Valley Pulley Works Division, Maysville, Ky.
Continental Rubber Works, Erie, Pa.
Dayton Rubber Mfg. Co., Dayton, O.
Dick Co., Inc., R. & J., Passaic, N. J.
Dodge Mfg. Corp., Mishawaka, Ind.
Gates Rubber Co., Denver, Colo.
Gilmer Co., L. H., Philadelphia, Pa.
Goodrich Co., B. F., Akron, O.
Goodyear Tire & Rubber Co., Akron, O.
Manhattan Rubber Mfg. Division of Raybestos-Manhattan,
Inc., Passaic, N. J.
Pyott Foundry & Machine Co., Chicago, Ill.
Rockwood Mfg. Co., Indianapolis, Ind.
Thermoid Rubber, Div. of Thermoid Co., Whitehead Rd.,
Trenton, N. J.
Wood's Sons Co., T. B., Chambersburg, Pa.
Worthington Pump & Machinery Corp., Harrisburg, N. J.

#### BI-METALS, THERMOSTATIC

Callite Product Co., Union City, N. J. Chace Co., W. M., Detroit, Mich. Clifford Mfg. Co., Boston, Mass. (Bellows) Laminated Metals Corp., Providence, R. I. Wilson Co., H. A., Newark, N. J.

BLADES, FAN Advance Aluminum Castings Corp., Chicago, Ill.

Air Conditioning Products Co., Detroit, Mich.
Aire-Foile Fan & Blower Co., Detroit, Mich.
Airmaster Corp., Chicago, Ill.
Autovent Fan & Blower Co., Chicago, Ill.

Belanger Fan & Blower Co., Detroit, Mich.
Champion Blower & Forge Co., Lancaster, Pa.

Clarage Fan Co., Kalamazoo, Mich.
Economy Electric Fanufacturing Co., Cicero, Ill.
Grand Rapids Blow Pipe & Dust Arrester Co., Grand Rapids,
Mich. Mich.
Janette Mfg. Co., Chicago, Ill.

Lau Blower Co., Dayton, O.
Marathon Electric Mfg. Corp., Wausau, Wis.
Meier Electric & Machine Co., Indianapolis, Ind.
Myers Electric Co., Pittsburgh, Pa.

National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.

Peerless Electric Co., Warren, O.
Servel, Inc., Evansville, Ind.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Steel and Tubes, Inc., Cleveland, O. (Stamping)
Swift Mfg. Co., Detroit, Mich.
Torrington Mfg. Co., Torrington, Conn.

Utility Fan & Mfg. Company, Los Angeles, Cal.

Victor Electric Products, Inc., Cincinnati, O.

#### **BLAST GATES**

Airtherm Mfg. Co., St. Louis, Mo.

Berger Bros. Co., Philadelphia, Pa.
Blower Application Co., Milwaukee, Wis.

Buffalo Forge Co., Buffalo, N. Y.
Champion Blower & Forge Co., Lancaster, Pa.

Clarage Fan Co., Kalamazoo, Mich.
Garden City Fan Co., Chicago, Ill.
Goethel Sheet Metal Works, Alfred, Milwaukee, Wis.
Goethel Co., Alfred C., Milwaukee, Wis.
Grand Rapids Blow Pipe and Dust Arrester Co., Grand Rapids, Mich. Grand Rapids Blow Pipe and Dust Arrester Co. Rapids, Mich.
Industrial Sheet Metal Works, Inc., Detroit, Mich. Kirk & Blum Mfg. Co., Cincinnati, O. Maysteel Products, Inc., Horicon St., Mayville, Wis. Puhl & Hepper Mfg. Co., Inc., St. Louis, Mo. R.-S Products Corp., Philadelphia, Pa. Sturtevant Co., B. F., Hyde Park, Boston, Mass. Western Blower Co., Seattle, Wash.

#### BLINDS, VENETIAN

Athey Co., Chicago, III.
Bostwick-Goodell Co., Norwalk, O.
Chicago Venetian Blind Co., Chicago, III.
Columbia Mills, Inc., Saginaw, Mich.
Higgin Mfg. Co., Newport, Ky.
Hough Co., Janesville, Wis.
Kane Mfg. Corporation, Kane, Pa.
Miller & Connell Co., Chicago, III.
Mitchell Moulding Co., Forest Park, III.
Patterson Shade Co., Indianapolis, Ind.
Schatz Venetian Blinds, Los Angeles, Cal.
Swedish Venetian Blind Co., New York, N. Y.
Warren Shade Co., Inc., Minneapolis, Minn.
Western Venetian Blind Co., New York, N. Y.
Yardley Screen & Weather Strip Corp., Columbus, O.

#### **BLOWER—FILTER UNITS**

BLOWER—FILTER UNITS

Agricola Furnace Co., Inc., Gadsden, Ala.
Air Conditioning Equipment Co., Minneapolis, Minn.

Air Controls, Inc., Cleveland, O.
Aladdin Heating Corp., Oakland, Cal.

American Foundry & Furnace Co., Bloomington, Ill.
American Furnace & Foundry Co., Milan, Mich.
American Furnace & Foundry Co., Milan, Mich.
Ames Co., W. R., San Francisco, Cal.
Arcweld Mfg. Co., Inc., Seattle, Wash.
Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.
Baker Furnace & Cleaner Mfg. Co., Toledo, O.
Bard Mfg. Co., Bryan, O.
Bishop & Babcock Sales Co., Cleveland, O.

Buffalo Forge Co., Buffalo, N. Y.
Campbell Heating Co., Des Moines, Ia.
Champion Blower & Forge Co., Lancaster, Pa.

Dail Steel Products Co., Lansing, Mich.
Des Moines Steel Furnace Co., Des Moines, Ia.
Dowagiac Steel Furnace Co., Des Moines, Ia.
Dowagiac Steel Furnace Co., San Francisco, Cal.
Emerson Electric Mfg. Co., St. Louis, Mo.
Evans Corp., George, Moline, Ill.
Falstrom Co., Passaic, N. J.
Fargo Foundry Co., Fargo, N. D.
Farquhar Furnace Co., Elyria, O.

For Furnace Co., Elyria, O.

Furblo Co., Hermansville, Mich.
Gehri Co., Tacoma, Wash.
Green Foundry & Furnace Works, Des Moines, Ia.

Hall-Neal Furnace & Foundry Co., Cleveland, O.

Hess Warming & Ventilating Co., Chicago, Ill.

"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.

Jaden Mfg. Co., Inc., F., Hastings, Nebr.
Kals Sunrise Works, Detroit, Mich.
Kelsey Heating Co., Dayton, O.

Lancox Furnace Co., Marshalltown, Ia.
Mayflower-Lewis Corp., St. Paul, Minn.
MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.
Marshall Furnace Co., Marshall, Mich.

Index to Advertisers, page 192

McPherson Furnace & Supply Co., Portland, Ore.
Mellish & Murray Co., Chicago, Ill.

Mayer Furnace Co., Peoria, Ill.
Montag Stove & Furnace Works, Portland, Ore.

Mueller Furnace Co., L. J., Milwaukee, Wis.
Nelson Corp., Herman, Moline, Ill.
Nomis Corp., Lafayette, Ind.

Pacific Gas Radiator Co., Los Angeles, Cal.

Payne Furnace & Supply Co., Beverley Hills, Cal.

Peerless Electric Co., Warren, O.

Peerless Foundry Co., Indianapolis, Ind.
Pennsylvania Furnace & Iron Co., Warren, Pa.

Perfect Burner, Lynn, Mass.

Premier Furnace Co., Dowagiac, Mich.
Roberts-Hamilton Co., Minneapolis, Minn.
Robeson Engineering Co., East Orange, N. J.

Round Oak Co., Dowagiac, Mich.

Rudy Furnace Co., Dowagiac, Mich.
Schwitzer-Cummins Co., Indianapolis, Ind.
Sloux City Foundry and Boiler Co., Sloux City, Ia.
Spray-Wheel Air Conditioners, Inc., Denver, Colo.
Swift Corp., Carl E., Holland, Mich.
Texo Sales & Mfg. Co., Cincinnati, O.
Thatcher Furnace Co., Newark, N. J.

U. S. Air Conditioning Corp., Minneapolis, Minn.

Utility Fan & Mfg. Co., Los Angeles, Cal.
Viking Air Conditioning Corp., Cleveland, O.

Waterman-Waterbury Co., Minneapolis, Minn.

Western Blower Co., Seattle, Wash.

Wise Furnace Co., Akron, O.

#### **BLOWER—WASHER UNITS**

BLOWER—WASHER UNITS

American Foundry & Furnace Co., Bloomington, Ill.
American Furnace Co., St. Louis, Mo.
American Machine Products Co., Marshalltown, Ia.
Ames Co., W. R., San Francisco, Cal.
Arcweld Mfg. Co., Inc., Seattle, Wash.
Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.
Bard Mfg. Co., Bryan, O.
Bishop & Babcock Sales Co., Cleveland, O.
Brundage Co., Kalamazoo, Mich.
Buffalo Forge Co., Buffalo, N. Y.
Campbell Heating Co., Des Moines, Ia.
Champion Blower & Forge Co., Lancaster, Pa.
Dall Steel Products Co., Lansing, Mich.
Dowagiac Steel Furnace Co., Dowagiac, Mich.
Economy Baler Co., Ann Arbor, Mich.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.
Falstrom Co., Passaic, N. J.
Fargo Foundry Co., Fargo, N. D.
Furblo Co., Hermansville, Mich.
Gehri Co., Tacoma, Wash.
King Ventilating Co., Owatonna, Minn.
LaCrosse Tractor Co., LaCrosse, Wis.
Lau Blower Co., Dayton, O.
MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.
Mellish & Murray Co., Chicago, Ill.

Meyer Furnace Co., Peoria, Ill.
Montag Stove & Furnace Works, Portland, Ore.

Mueller Furnace Co., L. J., Milwaukee, Wis.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.

Pacific Gas Radiator Co., Los Angeles, Cal.
Robeson Engineering Co., East Orange, N. J.

Round Oak Co., Dowagiac, Mich.
Rudy Furnace Co., Dowagiac, Mich.
Spray-Wheel Air Conditioners, Inc., Denver, Colo.
Stilphen Engineering & Mfg. Co., C. A., Denver, Colo.
Stilphen Engineering & Mfg. Co., C. A., Denver, Colo.
Stilphen Engineering Co., Minneapolis, Minn.

Waterman-Waterbury Co., Minneapolis, Minn.

#### **BLOWERS, FORCED DRAFT**

American Blower Corp., Detroit, Mich.

American Foundry & Furnace Co., Bloomington, Ill.

Arex Co., Chicago, Ill.

Autovent Fan & Blower Co., Chicago, Ill.

Bignall Co., Medina, N. Y.

Blower Application Co., Milwaukee, Wis.

Brown Corp., Syracuse, N. Y.

Buffalo Forge Co., Buffalo, N. Y.

Burdett Mfg. Co., Chicago, Ill.

Burnwell Corp., Allentown, Pa.

Champion Blower & Forge Co., Lancaster, Pa.

Clarage Fan Co., Kalamazoo, Mich.

Coal Carburetor Co., New Brunswick, N. J.

Economy Electric Manufacturing Co., Cicero, Ill.

Electrovent Fan & Mfg. Co., Chicago, Ill.

Falstrom Co., Passato, N. J.

Fuel Savers, Inc., Harrisburg, Pa.

Garden City Fan Co., Chicago, Ill.

General Blower Co., Philadelphia, Pa.

Mohler Co., J. K., Ephrata, Pa.

Muncie Gear Works, Inc., Muncie, Ind.
New York Blower Co., Chicago, Ill.

Pacific Gas Radiator Co., Los Angeles, Cal.

Peerless Electric Co., Warren, O.
Roberts-Hamilton Co., Minneapolis, Minn.

Schwitzer-Cummins Co., Indianapolis, Ind.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Universal Blower Co., Birmingham, Mich.
Wing Mfg. Co., L. J., New York City.

Wise Furnace Co., Akron, O.

#### BLOWERS, FURNACE, CENTRIFUGAL

Agricola Furnace Co., Inc., Gadsden, Ala.

BLOWERS, FURNACE, CENTRIFUGAL

Agricola Furnace Co., Inc., Gadsden, Ala.

Air Conditioning Equipment Co., Minneapolis, Minn.

Air Controls, Inc., Cleveland, O.

American Blower Corp., Detroit, Mich.

American Furnace Co., St. Louis, Mo.

American Furnace Co., St. Louis, Mo.

American Machine Products Co., Marshalltown, Ia.

American Machine Products Co., Marshalltown, Ia.

Ames Co., W. R., San Francisco, Cal.

Arcweld Mfg. Co., Inc., Seattle, Wash.

Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.

Autovent Fan & Blower Co., Chicago, Ill.

Bard Mfg. Co., Bryan, Chio,

Bishop & Babcock Sales Co., Cleveland, O.

Brundage Co., Kalamazoo, Mich.

Buffalo Forge Co., Buffalo, N. Y.

Campbell Heating Co., Des Moines, Ia.

Champler Co., Carp. E. K., Kansas City, Mo.

Campbell Heating Co., Des Moines, Ia.

Chandler Co., Cedar Rapids, Ia.

Chicago Steel Furnace Co., Chicago, Ill.

Clarage Fan Co., Kalamazoo, Mich.

Des Moines Steel Furnace Co., Des Moines, Ia.

Economy Baler Co., Ann Arbor, Mich.

Economy Electric Mfg. Co., St. Louis, Mo.

Falstrom Co., Passalc, N. J.

Furblo Co., Hermansville, Mich.

Garden City Fan Co., Chicago, Ill.

Geheral Blower Co., Philadelphia, Pa.

Grand Rapids Die & Tool Co., Grand Rapids, Mich.

Hall-Neal Furnace Co., Indianapolis, Ind.

Helss Warming & Ventilating Co., Chicago, Ill.

"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.

Ideal Furnace Co., Detroit, Mich.

Jaden Mfg. Co., Inc., F., Hastings, Nebr.

LaCrosse Tractor Co., LaCrosse, Wis.

Lau Blower Co., Dayton, O.

Mahr Mfg. Co., Minneapolis, Minn.

Marshall Furnace Co., Marshall, Mich.

Moyer Furnace Co., Payton, O.

Mahr Mfg. Co., Minneapolis, Minn.

Marshall Furnace Co., Co., See, St., Sep.

Lau Blower Co., Dayton, O.

Mahr Mfg. Co., Minneapolis, Minn.

Nelson Corp., Herman, Moline, Ill.

New York Blower Co., Dayton, O.

Mahr Mfg. Co., Lo., Say, Philadelphia, Pa.

Percies Electric Co., Warren, O.

Percies Electric Co., Warren, O.

Percies Electric Co., Warren, O.

Percies Electric Co., Saxtile, Mich.

Security Stove & M

#### BLOWERS, VENTILATING SYSTEM

(Capacity 4,000 c.f.m. up)

Advance Fan & Blower Co., Detroit, Mich.

Advance Fan & Blower Co., Detroit, Mich.

Alr Controls, Inc., Cleveland, O.
American Blower Corp., Detroit, Mich.
American Coolair Corp., Jacksonville, Fla.

American Foundry & Furnace Co., Bloomington, Ill.
Ames Co., W. R., San Francisco, Cal.
Arcweld Mfg. Co., Inc., Seattle, Wash.

Arex Co., Chicago, Ill.
Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.
Autovent Fan & Blower Co., Chicago, Ill.
Barrett Engineers, Cleveland Heights, O.
Bayley Blower Co., Milwaukee, Wis.
Berns Specialty Co., Chicago, Ill.
Bishop & Babcock Sales Co., Cleveland, O.

Brundage Co., Kalamazoo, Mich.

Buffalo Forge Co., Buffalo, N. Y.
Burt Mfg. Co., Akron, O.
Campbell Heating Co., E. K., Kansas City, Mo.
Champion Blower & Forge Co., Lancaster, Pa.

Clarage Fan Co., Kalamazoo, Mich.
Coppus Engineering Corp., Worcester, Mass.
De Bothezat Ventilating Equipment Division, American Machine & Metals, Inc., New York City
Des Moines Steel Furnace Co., Des Moines, Iowa.
Duriron Co., Inc., Dayton, O. (Acid Resisting)
Economy Electric Mfg. Co., St. Louis, Mo.
Evry-Use Products, Inc., New York City
Falstrom Co., Passaic, N. J.
Fargo Foundry Co., Fargo, N. D.

Furblo Co., Hermansville, Mich.
Garden City Fan Co., Chicago, Ill.
General Blower Co., Philadelphia, Pa.
Grand Rapids Blow Pipe and Dust Arrester Co., Grand
Rapids Blow Pipe and Dust Arrester Co., Grand
Rapids Die & Tool Co., Grand Rapids, Mich.
Hartzell Propeller Fan Co., Piqua, O.
Ilg Electric Ventilating Co., Chicago, Ill.
Industrial Sheet Metal Works, Inc., Detroit, Mich.

Jaden Mfg. Co., Inc., F., Hastings, Nebr.
Johnson Fan & Blower Corp., Chicago, Ill.
LaCrosse Tractor Co., LaCrosse, Wis.

Lau Blower Co., Dayton, O.
MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.
Mechanical Air, Little Rock, Ark.
Mountain States Equipment Co., Denver, Colo.
National Fan & Blower Corp., Subsidiary U. S. Air Condi-

National Air Conditioning Engineering Corp., Kansas City, Mo.

National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.

Northern Blower Co., Cleveland, Ohio.

New York Blower Co., Cleveland, Ohio.

New York Blower Co., Cleveland, Ohio.

New York Blower Co., Cleveland, Ohio.

Negara Blower Co., New York City

Pacific Gas Radiator Co., Los Angeles, Cal.

Puhl & Hepper Mfg. Co., Inc., St. Louis, Mo.

Reynolds Manufacturing Co., Grand Rapids, Mich.

Roberts-Hamilton Co., Minneapolis, Minn.

Nound Oak Co., Dowagiac, Mich.

Schwitzer-Cummins Co., Indianapolis, Ind.

Smith Heater Co., Peter, Detroit, Mich.

Spray-Wheel Air Conditioners, Inc., Denver, Colo.

Star Electric Motor Co., Bloomfield, N. J.

Sturtevant Co., B. F., Hyde Park, Boston, Mass.

Supreme Heater & Ventilating Corp., St. Louis, Mo.

UI. S. Air Conditioning Corp., Minneapolis, Minn.

Utility Fan & Mfg. Co., Los Angeles, Cal.

Victor Electric Products, Inc., Cincinnati, O.

Western Blower Co., Seattle, Wash.

Wing Mfg. Co., L. J., New York City

Wolverine Blower Works, Grand Rapids, Mich.

#### **BLOWER WHEELS**

See Wheels, Blower

#### **BLOW PIPE EQUIPMENT**

See Blast Gates; Collectors, Blow Pipe; Fittings, Blow Pipe

#### **BLOW TORCHES**

See Torches, Brasing, Cutting, Welding, Soldering

#### **BOOSTER FANS**

See Fans, Booster

#### BOOTS, FURNACE PIPE

See Fittings and Accessories, Furnace Pipe

#### BRAKES, METAL WORKERS', HAND

Allsteel Press Co., Inc., Chicago, Ill.
Bertsch & Co., Cambridge City, Ind.

• Dreis & Krump Mfg. Co., Chicago, Ill.
Eiker Mfg. Co., The, Ogallala, Nebr.
Excelsior Tool and Machine Co., East St. Louis, Ill.
Glascock Bros. Mfg. Co., Muncle, Ind.
New Albany Machine Mfg. Co., New Albany, Ind.

• Niagara Machine & Tool Works, Buffalo, N. Y.

• Peck, Stow & Wilcox Co., Southington, Conn.
Steelweld Machinery Co., Cleveland, O.

• Whitney Metal Tool Co., Rockford, Ill.

#### BRAKES, METAL WORKERS', POWER

Allsteel Press Co., Inc., Chicago, Ill.
Bertsch & Co., Cambridge City, Ind.
Cincinnati Shaper Co., Cincinnati, O.

• Dreis & Krump Mfg. Co., Chicago, Ill.
Heartley Machine & Tool, Co., Toledo, O.

• Niagara Machine & Tool Works, Buffalo, N. Y.

Ohl & Co., Geo. A., Newark, N. J.

Peck, Stow & Wilcox Co., Southington, Conn.
Rafter Machine Co., Belleville, N. J.

Whitney Metal Tool Co., Rockford, Ill.

#### **BRAZING TORCHES**

See Torches, Brazing, Cutting, Welding

#### BRUSHES, ACID

Cleveland Brush Factory, Inc., Cleveland, O. Lukens Metal Co., Thos. F., Philadelphia, Pa. Meyer & Bro. Co., F., Peoria, Ill. Milwaukee Brush Mfg. Co., Milwaukee, Wis. Osborn Mfg. Co., Cleveland, O. Potomac Mfg. Co., Philadelphia, Pa. Schaefer Brush Mfg. Co., Milwaukee, Wis.

#### BRUSHES, FURNACE

Cleveland Brush Factory, Inc., Cleveland, O.
Mill-Rose Co., Cleveland, O.
Milwaukee Brush Mfg. Co., Milwaukee, Wis.
Osborn Mfg. Co., Cleveland, O.
Pilley Packing & Flue Brush Mfg. Co., St. Louis, Mo.
Schaefer Brush Mfg. Co., Milwaukee, Wis.
Swift Corp., Carl E., Holland, Mich.
Worcester Brush & Scraper Co., Worcester, Mass.

## BUFFERS, GRINDERS, POLISHERS AND SANDERS, ELECTRIC

Black & Decker Mfg. Co., Towson, Md. Independent Pneumatic Tool Co., Chicago, Ill. Mall Tool Co., Chicago, Ill.
Misener Mfg. Co., Inc., Syracuse, N. Y.

Skilsaw, Inc., Chicago, Ill.
Stanley Electric Tool Div., The Stanley Works, New Britain, • Wodack Electric Tool Corp., Chicago, Ill.

#### BUILDING INSULATION

See Insulation, Building

#### BURNERS, GAS, CONVERSION

BURNERS, GAS, CONVERSION

American Gas Products Corp., New York City.
Barber Gas Burner Co., Cleveland, O.
Beck Engineering Combustion Kompany, St. Louis, Mo.
Bryan Steam Corp., Peru, Ind.
Bryant Corp., C. L., Cleveland, O.
Bryant Heater Co., Cleveland, O.
Burdett Mfg. Co., Chicago, Ill.
Columbia Burner Co., Toledo, O.
Continental Stove Corp., Ironton, O.
Franklin Gas Appliance Co., Cincinnati, O.
Johnson Gas Appliance Co., Cedar Rapids, Iowa.
Leahy Mfg. Co., Los Angeles, Cal.
National Machine Works, Chicago, Ill.
National Mfg. & Engineering Co., Detroit, Mich.
R-S Products Corp., Philadelphia, Pa.
Republic Flow Meters Co., Chicago, Ill.
Roberts-Gordon Appliance Corp., Buffalo, N. Y.
Rotary Mfg. Co., Los Angeles, Cal.
Scott-Newcomb, Inc., St. Louis, Mo.
Security Stove & Mfg. Co., Kansas City, Mo.
Sioux City Foundry and Boller Co., Sioux City, Iowa.
Sonner Burner Co., Winfield, Kan.
Spencer Heater Division, Williamsport, Pa.
Standard Heating & Radiator Co., Pittsburgh, Pa.

#### BURNERS, OIL

BURNERS, OIL

Ace Engineering Co., Chicago, Ill. (Rotary)
Acme Oil Burner Company, Inc., Cedar Rapids, Ia. (Gun)
Airtemp, Inc., Dayton, O.

Aldrich Co., Peoria, Ill.
American Oil Burners & Heating Utilities, Brooklyn, N. Y.
Anchor Post Fence Co., Baltimore, Md. (Gun and rotary)
Areweld Mfg. Co., Inc., Seattle, Wash.
Auburn Burner Corp., Auburn, Ind. (Gun and rotary)

Autocrat Oil Burner Corp., Cedar Rapids, Ia.
Autorat Oil Burner Corp., Cedar Rapids, Ia.
Automatic Burner Corp., Chicago, Ill. (Gun and rotary)
Badger Mfg. Co., Madison, Wis. (Gun)
Ballard, Inc., Arthur H., Boston, Mass.
Beatrice Steel Tank Mfg. Co., Beatrice, Nebr.
Bennett Corp., W. M., Omaha, Nebr. (Gun)
Berryman Oil Burner Co., Chicago, Ill.
Bethlehem Foundry & Machine Co., Bethlehem, Pa. (Gun)
Braden Engineering, Inc., Providence, R. I. (Pressure gun)
Brigham Oil Burner Co., St. Louis, Mo. (Gun and gravity)
Brown Oil Burning Equipment Co., Cambridge, Mass. (Gun and rotary)
Bryan Steam Corp., Peru, Ind. (Rotary and gun)

Caloroil Burner Corp., Hartford, Conn. (Atmospheric, gun, horizontal, rotary, vacuum pressure, wall flame)
Cary Mfg. Co., Waupaca, Wis. (Gravity)
Century Engineering Corp., Cedar Rapids, Ia. (Gun)
Chalmers Oil Burner Co., Minneapolis, Minn. (Gun and

rotary)
Char-Gale Mfg. Co., Minneapolis, Minn.

Chicago Steel Furnace Co., Chicago, Ill.
Cleveland Steel Products Corp., Cleveland, O. (Gun and rotary)

rotary)

Columbus Metal Products, Inc., Columbus, Ohio.

Crystal Refrigerator Co., Fremont, Nebr.

Delco-Frigidaire Conditioning Div., General Motors Sales

Corp., Dayton, O.

D'Elia Oil Burner Co., Inc., Bridgeport, Conn. (Gun)

Easternoil, Inc., Portland, Me. (Gun)

Electrol, Inc., Clifton, N. J.

Elec-Tro-Matic Oil Burner Co., Cedarhurst, L. I., N. Y. (Gun)

Enterprise Oil Burner Co., San Francisco, Cal. (Horizontal rotary)

Electro. Inc., Chiton, N. J.

Electro. Matic Oil Burner Co., Cedarhurst, L. I., N. Y. (Gun)

Enterprise Oil Burner Co., San Francisco, Cal. (Horizontal rotary)

Excello Oil Heating Corp., Omaha, Nebr.

Fargo Foundry Co., Fargo, N. D.

Fairfield Oil Heating Co., Inc., Greenwich, Conn.

Gasoroil Furnace Co., Chicago, Ill.

General Electric Co., Schenectady, N. Y.

General Oil Heating Corp., West New York, N. J. (Gun)

Gilbert & Barker Mfg. Co., Springfield, Mass. (Gun)

Gold Star Oil Burner Mfg. Co., Inc., Yonkers, N. Y. (Gun)

Green Foundry & Furnace Works, Des Molnes, Ia. (Gun)

Grinnell Washing Machine Corp., Grinnell, Ia.

Hall-Neal Furnace Co., Indianapolis, Ind.

Hardinge Oil Burner Corp., Grinnell, Ia.

Hart Oil Burner Corp., Peoria, Ill. (Gun)

Harvey-Whipple, Inc., Springfield, Mass. (Gun)

Hess Warming and Ventilating Co., Chicago, Ill.

Hipoint Corp., Bellefontaine, O.

Holtum Mfg. Co., Freeport, Ill. (Gun)

Home Oil Burner Corp., Hempstead, N. Y. (Gun)

Hobentot Co., Inc., Omaha, Nebr. (Gun and gravity)

Hubpard Co., Minneapolis, Minn. (Gun)

Hupp Oil Burner Co., Inc., Brooklyn, N. Y. (Gun)

Ingle Mfg. Co., San Diego, Cal. (Gravity)

Iowa Foundry Co., Sioux City, Ia.

Jacobsen Mfg. Co., San Diego, Cal. (Gravity)

Johnson Mfg. Co., Waterloo, Ia. (Gun)

Johnston Mfg. Co., Waterloo, Ia. (Gun)

Johnston Mfg. Co., Minneapolis, Minn. (Gun)

Kajbar Burner Corp., Chicago, Ill.

Kelvinator Corp., Detroit, Mich. (Gun)

Kaybar Burner Corp., Chicago, Ill. (Gun)

Kisco Co., Inc., St. Louis, Mo.

Kleen Heet, Inc., Chicago, Ill. (Gun)

Laco Oil Burner Co., Griswold, Ia.

Korth Oil Burner Corp., Roselle Park, N. J. (Rotary and Gun)
Laco Oil Burner Co., Griswold, Ia.
Landwehr Heating Corp., Philadelphia, Pa.
Leahy Mfg. Co., Los Angeles, Cal.
Leeson Co., T. F., Detroit, Mich. (Gun)
Little Burner Co., Inc., H. C., San Rafael, Cal. (Gravity)
Little Burner Co., Lynn, Mass. (Gun)
Mahan Oil Burner & Furnace Co., Elmhurst, Ill. (Gravity)
Malleable Iron Fittings Co., Branford, Conn. (Gun)
Marshall Furnace Co., Marshall, Mich.
May Oil Burner Corp., Baltimore, Md. (Gun)
Mayflower Oil Burner Corp., West New York, N. J. (Gun)

Meyer Furnace Co., Peoria, Ill.
Micro-Westco, Inc., Bettendorf, Iowa.
Morrissey & Co., Chicago, Ill. (Gun)
Motor Wheel Corp., Lansing, Mich. (Gun)
National Airoil Burner Co., Philadelphia, Pa. (Gun)
National Mfg. & Engineering Co., Detroit, Mich.
Nelson Corp., Herman, Moline, Ill.
Nomis Corporation, The, Lafayette, Ind.
Norge Heating & Conditioning Div., Borg-Warner Corp., Detroit, Mich.

Nu-Way Corp., Rock Island, Ill.
Oil Burner Builders, Inc., Bellevue, Ia. (Gun)
Pan American Engineering Corp., Ltd., Berkeley, Cal. (Gun, rotary and turbine)
Peerless Oil Burner Co., Chicago, Ill. (Gravity)
Peoples Oil Burner Co., Lynn, Mass. (Gun)

Perfect Burner Co., Lynn, Mass. (Gun)

Perfect Burner Co., Lynn, Mass. (Gun)

Perfect Burner Co., Cleveland, O.
Petroleum Heat & Power Co., Stamford, Conn. (Rotary, gravity and gun)
Phillips Heating, Ventilating & Mfg. Co., Los Angeles, Cal.

Petroleum Heat & Power Co., Stamford, Conn. (Rotary, gravity and gun)
Phillips Heating, Ventilating & Mfg. Co., Los Angeles, Cal. (Gravity)
Pioneer Oil Burner Co., Cedar Rapids, Ia.
Preferred Utilities Manufacturing Corp., New York City Pressure Oil Burners, Inc., York, Pa. (Gun)
R-S Products Corp., Philadelphia, Pa. (Gun)
Ray Oil Burner Co., San Francisco, Cal. (Gun and rotary)
Reif-Rexoil, Inc., Buffalo, N. Y.
Rotary Mfg. Co., Los Angeles, Cal. (Rotary)

Round Oak Co., Dowagiac, Mich.
Scott-Newcomb, Inc., St. Louis, Mo. (Gun)
Sentry Mfg. Co., Oomaha, Nebr. (Gun)
Shedlov Oil Burners, Inc., Minneapolis, Minn. (Gravity and gun)

gun) Silent Glow Oil Burner Corp., Hartford, Conn.

Silent Sioux City Burner Corp., Orange City, Ia. (Gravity) Simplex Oil Heating Corp., New York City (Gun, rotary and Simplex Oil Heating Corp., New York City (Gun, rotary and turbine)
Skinner Co., E. W., Fitchburg, Mass. (Gravity)
Summerheat Co., South Bend, Ind. (Low pressure)
Sundstrand Engineering Co., Rockford, Ill. (Gun)
Sun-Ray Oil Burner Corp., Rockaway Park, N. Y. (Gun)
Syncro-Flame Burner Corp., Hartford, Conn. (Gun)
Timken Silent Automatic Co., Detroit, Mich. (Gun and rotary)
Todd Combustion Equipment, Inc., Brooklyn, N. Y.
Uni-Fire Co., Detroit, Mich. (Rotary)
United States Burner Corp., Hartford, Conn. (Gun and rotary)
Victor Oil Burner Mfg. Co., Hartford, Conn. (Gravity)
Viking Mfg. Co., Akron, Ohlo.
Volcano Burner Corp., New York City. (Gun)
Wayne Oil Burner Corp., Fort Wayne, Ind. (Gun)
Weiskittel Co., Inc., Harry C., Baltimore, Md.
Westchester Home Equipment Co., Inc., Bronx, N. Y. (Gun)
Westwick & Son, Inc., John, Galena, Ill. (Gun)
Williams Oil-O-Matic Heating Corp., Bloomington, Ill. (Gun)
Woolery Machine Co., Minneapolis, Minn. (Gun)
York Oil Burner Co., Inc., York, Pa. (Gun) turbine)

#### CABINET HEATERS

See Heaters, Cabinet

#### CABINETS AND CASINGS

Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O. Char-Gale Mfg. Co., Minneapolis, Minn.

Columbus Heating & Ventilating Co., Columbus, Ohio. Geuder, Paeschke & Frey Co., Milwaukee, Wis. General Metal Products Co., St. Louis, Mo. Gillian Mfg. Co., Ferndale, Mich.

Lau Blower Co., Dayton, Ohio.
Martin-Parry Corp., York, Pa.
Maysteel Products, Inc., Mayville, Wis.
Mullins Mfg. Corp., Salem, O.
Youngstown Pressed Steel Co., Warren, O.

#### CAPS AND TOPS, CHIMNEY

Accurate Mfg. Works, Chicago, Ill.
 Acme Tin Plate & Roofing Supply Co., Philadelphia, Pa.

Accurate Mfg. Works, Chicago, Ill. Acme Tin Plate & Roofing Supply Co., Philadelphia, Pa. Adams Co., Dubuque, Ia.
Allen Corp., Detroit, Mich. Ames Co., W. R., San Francisco, Cal. Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O. Chicago Metal Mfg. Co., Chicago, Ill. Decatur Iron & Steel Co., Decatur, Ala. Edwards Mfg. Co., Inc., Cincinnati, O. Excelsior Steel Furnace Co., Chicago, Ill. Hirschman Co., Inc., W. F., Buffalo, N. Y. Industrial Sheet Metal Works, Inc., Detroit, Mich. Iwan Brothers, South Bend, Ind. Kleenaire Corp., Stevens Point, Wis. Lamb & Ritchie Co., Cambridge, Mass. Martin Metal Mfg. Co., Wichita, Kan.
Meyer & Bro. Co., F., Peoria, Ill.
Milcor Steel Co., Milwaukee, Wis. Neemes Foundry, Inc., Troy, N. Y. Providence Cornice Co., Providence, R. I. Ryniker Sheet Metal Works, Inc., Billings, Mont. Schoedinger Co., F. O., Columbus, O. Southbridge Roofing Co., Inc., Southbridge, Mass. Sterling Foundry Company, Sterling, Ill. (Cast Iron) Tierney Rotor Ventilator Co., Minneapolis, Minn. Vail Mfg. Co., Fort Wayne, Ind.
CASINGS

#### CASINGS

See Cabinets and Casings

#### CAULKING COMPOUNDS

See Compounds, Caulking

#### CEILINGS, METAL

Berger Mfg. Div. of Truscon Steel Corp., Canton, O.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, Ohio.
Brooklyn Metal Ceiling Co., Brooklyn, N. Y.
Canton Steel Ceiling Mfg. Co., Canton, O.
Edwards Mfg. Co., Inc., Cincinnati, O.
Friedley-Voshardt Co., Chicago, Ill.
International Steel Co., Evansville, Ind.
Klauer Mfg. Co., Dubuque, Ia.
Maysteel Products, Inc., Mayville, Wis.
Mesker & Co., Geo. L., Evansville, Ind.

Milcor Steel Co., Milwaukee, Wis.
Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.
Reeves Steel & Mfg. Co., Dover, O.
St. Paul Corrugating Co., St. Paul, Minn,
Schoedinger Co., F. O., Columbus, O.

OAdvertisement in this issue. See Index to Advertisers, page 192

Tennessee Coal, Iron & Railroad Co., Birmingham, Ala. (Galvanized steel beaded)
Watson Co., Inc., Jas. H., Bradley, Ill.
Wheeling Corrugating Co., Wheeling, W. Va.
Woolwine Metal Products Co., Los Angeles, Cal.

#### CEMENT, ASBESTOS

CEMENT, ASBESTOS

Certain-teed Products Corp., New York City.
Chicago Fire Brick Co., Chicago, Ill.
Clinton Metallic Paint Co., Clinton, N. Y.
Connors Paint Mfg. Co., Wall., Troy, N. Y.
Eagle-Picher Lead Co., Cincinnati, O.
Ehret Magnesia Mfg. Co., Valley Forge, Pa.
Hercules Chemical Co., Inc., New York City
Johns-Manville, New York City.
Keasbey & Mattison Co., Ambler, Pa.

Laclede-Christy Clay Products Co., St. Louis, Mo.
Norristown Magnesia & Asbestos Co., Norristown, Pa.
Ohmlac Paint & Refining Co., Chicago, Ill.
Pecora Paint Co., Philadelphia, Pa.
Preferred Utilities Mfg. Corp., New York City
Ruberold Co., New York City.
Rutland Fire Clay Co., Rutland, Vt.
Sall Mountain Co., Chicago, Ill.
Schundler & Co., Inc., F. E., Long Island City, N. Y.
Smith & Kanzler, Inc., Elizabeth, N. J.
Standard Asbestos Mfg. Co., Chicago, Ill.
Tamms Silica Co., Chicago, Ill.
Thompson & Co., Pittsburgh, Pa.
Wilhelm Co., A., Reading, Pa.
Wilson, Inc., Grant, Chicago, Ill.

#### CEMENT, FURNACE

CEMENT, FURNACE

Acme Refining Co., Cleveland, O.

Armstrong Co., Detroit, Mich.
Barber Co., Inc., Philadelphia, Pa.
Buckeye Products Co., Cincinnati, O.
Carey Co., Philip, Lockland, Cincinnati, O.
Clinton Metallic Paint Co., Clinton, N. Y.
Connors Paint Mfg. Co., Wm., Troy, N. Y.
Continental Products Co., Euclid, O.
Eagle-Picher Lead Co., Cincinnati, O.
Ehret Magnesia Mfg. Co., Valley Forge, Pa.
Fireline Stove & Furnace Lining Co., Chicago, Ill.
Hercules Chemical Co., Inc., New York City.
Hetzel Roofing Products Co., Newark, N. J.
Iowa Paint Mfg. Co., Des Moines, Ia.
Johns-Manville, New York City.
Keasbey & Mattison Co., Ambler, Pa.
Krehbiel, J. H., Chicago, Ill.

Laclede-Christy Clay Products Co., St. Louis, Mo.
Lastik Products Co., Inc., Pittsburgh, Pa.
Pecora Paint Co., Philadelphia, Pa.
Plastic Products Co., Detroit, Mich.
Preferred Utilities Mfg. Corp., New York City.
Pressite Engineering Co., St. Louis, Mo.

Pyrolite Products Co., Cleveland, O.
Ramtite Co., Chicago, Ill.
Rex Clay Products Co., Betroit, Mich.
Ruberoid Co., New York City.
Rutland Fire Clay Co., Rutland, Vt.
Sauerelsen Cements Co., Sharpsburg, Pa.
Schundler & Co., Inc., F. E., Long Island City, N. Y.
Standard Asbestos Mfg. Co., Chicago, Ill.
Standard Asbestos Mfg. Co., Chicago, Ill.
Walsh Refractories Corp., St. Louis, Mo.
Wilhelm Co., A., Reading, Pa.
Williamson Heater Co., Cincinnati, O.
Wilson, Inc., Grant, Chicago; Ill.

#### CEMENT, ROOF

CEMENT, ROOF

Acme Refining Co., Cleveland, O. (Liquid and plastic)
All States Roofers Equipment & Material Co., Chicago, Ill.
Barber Co., Inc., Philadelphia, Pa.
Barrett Co., New York City.
Bird & Son, Inc., East Walpole, Mass.
Calbar Paint & Varnish Co., Philadelphia, Pa.
Carey Co., Philip, Cincinnati, O.
Carter Paint Co., Liberty, Ind.
Certain-teed Products Corp., New York City.
Clinton Metallic Paint Co., Clinton, N. Y.
Connors Paint Mfg. Co., Wm., Troy, N. Y.
Continental Products Co., Euclid, O.
Ehret Magnesia Mfg. Co., Valley Forge, Pa.
Flintkote Co., New York City.
Glidden Co., Cleveland, O.
Hetsel Roofing Products Co., Newark, N. J.
Horn Co., A. C., Long Island City, N. Y.
Iowa Paint Mfg. Co., Des Moines, Ia. (Asphalt)
Johns-Manville, New York City.
Koppers Co., Tar and Chemical Div., Pittsburgh, Pa.
Lastik Products Co., Inc., Pittsburgh, Pa.
Lastik Products Co., Inc., Pittsburgh, Pa.
Miller & Son, C. Arthur, Elmira, N. Y.
National Mfg. Corp., Tonawanda, N. Y.
Ohmlac Paint & Refining Co., Chicago, Ill.
Pecora Paint Co., Philadelphia, Pa. (Asbestos)
Presstite Engineering Co., St. Louis, Mo.

eAdvertisement in this issue.

Ruberold Co., New York City.
Rutland Fire Clay Co., Rutland, Vt.
Thompson & Co., Pittsburgh, Pa.
Tropical Paint & Oil Co., Cleveland, O.
United States Gypsum Co., Chicago, Ill.
Wilhelm Co., A., Reading, Pa.

#### CHAIN, FURNACE

American Chain Co., Inc., Bridgeport, Conn.

Bead Chain Mfg. Co., Bridgeport, Conn.
Bridgeport Chain & Mfg. Co., Bridgeport, Conn.
Chain Products Co., Cleveland, O.
Corbin Screw Corp., New Britain, Conn.
Hart & Cooley Mfg. Co., Chicago, Ill.
Russell Mfg. Co., John M., Naugatuck, Conn.
Turner & Seymour Mfg. Co., Torrington, Conn.

#### **CHANNELS**

See Angles, Bars, Beams, Channels and Tees (Structural Shapes)

#### CLEANERS, VACUUM, FURNACE

American Radiator Co., New York City.
Arco Vacuum Corp., New York City.
Baker Furnace & Cleaner Mfg. Co., Toledo, O.
Barrett Mfg. Co., Kansas City, Mo.

Breuer Electric Mfg. Co., Chicago, Ill.

Brillion Furnace Co., Brillion, Wis.
Christie Cleaner Co., Cincinnati, O.
Densmore-Quinlan Co., Kenosha, Wis.
Dickson & Eddy, New York City.

Electric Vacuum Cleaner Co., Inc., Cleveland, O.

Grand Rapids Furnace Cleaner Co., Grand Rapids, Mich.
Holland Furnace Co., Holland, Mich. (Truck)
Ideal Commutator Dresser Co., Sycamore, Ill.
Kent Co., Inc., Rome, N. Y.
National Super Service Co., Toledo, O.

Premier Division, Electric Vacuum Cleaner Co., Inc., Cleveland, O.

land, O.
Ramey Mfg. Co., Columbus, O.
Root-Connersville Blower Corp., Connersville, Ind.
Spencer Turbine Co., Hartford, Conn.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Swift Corp., Carl E., Holland, Mich.

#### CLIPS, FASTENING, FOR ROOFING

American Sheet Metal Works, New Orleans, La. Bridesburg Foundry Co., Philadelphia, Pa. Edwards Mfg. Co., Inc., Cincinnati, O. eMilcor Steel Co., Milwaukee, Wis. eOsborn Co., J. M. & L. A., Cleveland, O. Pfeifer, Wm., New York City. Southbridge Roofing Co., Inc., Southbridge, Mass.

#### CLIPS AND TIPS, DAMPER

Adams Co., Dubuque, Ia.

Berger Bros. Co., Philadelphia, Pa.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O. Grand Rapids Die & Tool Co., Grand Rapids, Mich.

Griswold Mfg. Co., Erie, Pa.

Hart & Cooley Mfg. Co., Chicago, Ill.
Howes Co., S. M., Charlestown, Boston, Mass.

Mueller Furnace Co., L. J., Milwaukee, Wis.
Stover Mfg. & Engine Co., Freeport, Ill.

United States Register Co., Battle Creek, Mich.

Young Regulator Co., Cleveland, O.

#### COAL BURNERS, AUTOMATIC

See Stokers

#### COATINGS, PROTECTIVE, METAL

Metalizing Co., Los Angeles, Cal. White & Co., Haydn F., Cleveland, Ohio.

COLD AIR FACES, METAL See Faces, Cold Air, Metal

COLD AIR FACES, WOOD

See Faces, Cold Air, Wood

#### COILS, COOLING, DIRECT EXPANSION

Advanced Refrigerating Systems Co., Philadelphia, Pa.

Aerofin Corp., Syracuse, N. Y.
Airecon Industries, Detroit, Mich.

Baker Ice Machine Co., Inc., Omaha, Nebr.
Beacon-Morris Corp., Boston, Mass.
Bush Mfg. Co., Hartford, Conn.

Carbondale Division, Worthington Pump & Machinery Corp.,

Carbondale Division, Worthington Pump & Machinery Corp., Harrison, N. J.
Carrier Corp., Syracuse, N. Y.
Clarage Fan Co., Kalamazoo, Mich.
Delco-Frigidaire Conditioning Div., General Motors Sales Corp., Dayton, O.
Fedders Mfg. Co., Buffalo, N. Y.
Fox Furnace Co., Elyria, Ohio.
Frick Co., Inc., Waynesboro, Pa.
G & O Mfg. Co., New Haven, Conn.
General Refrigeration Corporation, Beloit, Wis.
Kelvinator Corp., Detroit, Mich.
Kauffman Air Conditioning Corp., St. Louis, Mo.
McCord Radiator & Mfg. Co., Detroit, Mich.
McQuay, Inc., Minneapolis, Minn.
Marlo Coil Co., St. Louis, Mo.
Modine Mfg. Co., Racine, Wis.
Nash Refrigeration Co., Inc., Newark, N. J.
Refrigeration Appliances, Inc., Chicago, Ill.
Reliance Refrigeration Machine Co., Chicago, Ill.
Rempe Coil Co., Chicago, Ill.
Rome-Turney Radiator Co., Rome, N. Y.
Servel, Inc., Evansville, Ind.
Standard Galvanizing Co., Chicago, Ill.
Stewart Ice Machine Co., Los Angeles, Cal.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Thermal Units Mfg. Co., Meriden, Conn.

Trane Co., La Crosse, Wis.
Trenton Auto Radiator Wks., Trenton, N. J.
Unit Heater & Cooler Co., Wausau, Wis.
Vilter Mfg. Co., Milwaukee, Wis.
Westinghouse Electric & Mfg. Co., Mansfield, O.
Whitlock Coil Pipe Co., Hartford, Conn.
Wing Mfg. Co., L. J., New York City
Wittenmeier Machinery Co., Chicago, Ill.
XL Refrigerating Co., Inc., Chicago, Ill.
York Ice Machinery Corp., York, Pa.
Young Radiator Co., Racine, Wis.

#### COILS, COOLING, WATER

Advanced Refrigerating Systems Co., Philadelphia, Pa.

Aerofin Corp., Syracuse, N. Y.
Airecon Industries, Detroit, Mich.
American Blower Corp., Detroit, Mich.

Baker Ice Machine Co., Inc., Omaha, Nebr.
Beacon-Morris Corp., Boston, Mass.
Bush Mfg. Co., Hartford, Conn.
Carbondale Division, Worthington Pump & Machinery Corp.,
Hartfson, N. J.
Carrier Corp., Syracuse, N. Y.

Clarage Fan Co., Kalamazoo, Mich.
Delco-Frigidaire Conditioning Div., General Motors Sales
Corp., Dayton, O.

Clarage Fan Co., Kalamazoo, Mich. Delco-Frigidaire Conditioning Div., General Mot Corp., Dayton, O. Fedders Mfg. Co., Buffalo, N. Y. Frick Co., Inc., Waynesboro, Pa.

G & O Mfg. Co., New Haven, Conn. Handelan Washed Air Co., Minneapolis, Minn. Kelvinator Corp., Detroit, Mich. McCord Radiator & Mfg. Co., Detroit, Mich. McQuay, Inc., Minneapolis, Minn. Marlo Coil Co., St. Louis, Mo. Modine Mfg. Co., Racine, Wis. Peerless of America, Inc., Chicago, Ill. Refrigeration Appliances, Inc., Chicago, Ill. Refrigeration Appliances, Inc., Chicago, Ill. Rempe Coil Co., Chicago, Ill. Rome-Turney Radiator Co., Rome, N. Y. Standard Galvanizing Co., Chicago, Ill. Star Radiator Co., Los Angeles, Cal. Sturtevant Co., B. F., Hyde Park, Boston, Mass. Thermal Units Mfg. Co., Meriden, Conn.

Trane Co., La Crosse, Wis. Trenton Auto Radiator Wks., Trenton, N. J. Unit Heater & Cooler Co., Wausau, Wis. Vilter Mfg. Co., Milwaukee, Wis. Whitlock Coll Pipe Co., Hartford, Conn. XL Refrigerating Co., Inc., Chicago, Ill. York Ice Machinery Corp., York, Pa. Young Radiator Co., Racine, Wis.

#### COILS, FIRE POT, HOT WATER

•Air Controls, Inc., Cleveland, O.
American Furnace & Foundry Co., Milan, Mich.
Beacon-Morris Corp., Boston, Mass.
Deshler Foundry & Machine Works, Deshler, O.
Devlin Mfg. Co., Thos., Burlington, N. J.
Dowagiac Steel Furnace Co., Dowagiac, Mich.
Excelso Products Corp., Buffalo, N. Y.
Globe Machinery & Supply Co., Des Moines, Ia.
Harvey-Whipple, Inc., Springfield, Mass.
Hotstream Heater Co., Cleveland, O.
Kitson Co., Philadelphia, Pa.
Liberty Foundry Co., St. Louis, Mo.
Marshall Furnace Co., Marshall, Mich.
Melbye Bros., Inc., Chicago, Ill.

Miller & Son, C. Arthur, Elmira, N. Y.
Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill.

Mueller Furnace Co., L. J., Milwaukee, Wis.
Nugent Sons, Inc., Thos., New York City
Rempe Coil Co., Chicago, Ill.
Rudy Furnace Co., Dowagiac, Mich.

#### COILS, HEATING

• Aerofin Corp., Syracuse, N. Y.

Airecon Industries, Detroit, Mich.

American Radiator Co., New York City
Andrews Lead Co., Inc., Long Island City. N. Y.

• Baker Ice Machine Co., Inc., Omaha, Nebr.

Bayley Blower Co., Milwaukee, Wis.

Bishop & Babcock Sales Co., Cleveland, O.

Bush Mfg. Co., Hartford, Conn.

Carrier Corp., Syracuse, N. Y.

• Clarage Fan Co., Kalamazoo, Mich.

Delco-Frigidaire Conditioning Div., General Motors Sales

Corp., Dayton, O. Clarage Fan Co., Kalamazoo, Mich.
Delco-Frigidaire Conditioning Div., General Mote Corp., Dayton, O.
Economy Electric Mfg. Co., Cicero, Ill.

G & O Mfg. Co., New Haven, Conn.
Kauffman Air Conditioning Corp., St. Louis, Mo.
McCord Radiator & Mfg. Co., Detroit, Mich.
McQuay, Inc., Minneacolis, Minn.
Marlo Coil Co., St. Louis, Mo.
Modine Mfg. Co., Racine, Wis.
Montag Stove & Furnace Works, Portland, Ore.
Nelson Corp., Herman, Moline, Ill.
Nesbitt, Inc., John J., Philadelphia, Pa.
Peerless of America, Inc., Chicago, Ill.
Rempe Coil Co., Chicago, Ill.
Rome-Turney Radiator Co., Rome, N. Y.
Standard Galvanizing Co., Chicago, Ill.
Star Radiator Co., Los Angeles, Cal.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Taco Heaters, Inc., New York, N. Y.
Thermal Units Mfg. Co., Meriden, Conn.

Trenton Auto Radiator Wks., Trenton, N. J.
Unit Heater & Cooler Co., Wausau, Wis.
York Ice Machinery Corp., York, Pa.
Young Radiator Co., Racine, Wis.

#### COLLECTORS, BLOW PIPE

Airtherm Mfg. Co., St. Louis, Mo.

American Air Filter Co., Inc., Louisville, Ky.
Bayley Blower Co., Milwaukee, Wis.

Belanger Fan & Blower Co., Detroit, Mich.
Blower Application Co., Milwaukee, Wis.

Bubar, Hudson H., New York City.

Buffalo Forge Co., Buffalo, N. Y.

Clarage Fan Co., Kalamazoo, Mich.
Day Co., Minneapolis, Minn.

Dracco Corp., Cleveland, Ohio.
Falstrom Co., Passaic, N. J.

Garden City Fan Co., Chicago, Ill.
Goethel Sheet Metal Works, Alfred, Milwaukee, Wis.
Goethel Co., Alfred C., Milwaukee, Wis.
Grand Rapids Blow Pipe & Dust Arrester Co., Grand Rapids,
Mich. Mich.
Industrial Sheet Metal Works, Inc., Detroit, Mich.
Kirk & Blum Mfg. Co., Cincinnati, O.
Lee & Son Co., Thomas, Cincinnati, O.
Mahon Co., R. C., Detroit, Mich.
Mellish & Murray Co., Chicago, Ill.
New York Blower Co., Chicago, Ill.
Northern Blower Co., Cleveland, Ohio.
Puhl & Hepper Mfg. Co., Inc., St. Louis, Mo.
Research Corp., New York City.
Sly Mfg. Co., W. W., Cleveland, O.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Western Blower Co., Seattle, Wash.
Young & Bertke Co., Cincinnati, O. Mich

#### COMBUSTION CONTROLS

See Controls, Combustion, Bonnet and Smoke Pipe

#### COMPOUNDS, CAULKING

Accurate Metal Weather Strip Co., New York City
Acme Refining Co., Cleveland, O.
Alimetal Weatherstrip Co., Chicago, Ill.
American Metal Weather Strip Co., Grand Rapids, Mich.
Asphalt Products Co., Syracuse, N. Y.
Calbar Paint & Varnish Co., Philadelphia, Pa.
Carey Co., Philip, Cincinnati, O.
Clinton Metallic Paint Co., Clinton, N. Y.
Continental Products Co., Euclid, O.
Diamond Metal Weather Strip Co., Columbus, O.
Eagle-Picher Lead Co., Cincinnati, O.
Horn Co., A. C., Long Island City, N. Y.
Iowa Paint Mfg. Co., Des Moines, Ia.

Johns-Manville, New York City
Lastik Products Co., Inc., Pittsburgh, Pa.
Ohmlac Paint & Refining Co., Chicago, Ill.
Pecora Paint Co., Philadelphia, Pa.
Plastic Products Co., Detroit, Mich.
Pyrolite Products Co., Cleveland, O.
Sauereisen Cements Co., Sharpsburg, Pa.
Thompson & Co., Pittsburgh, Pa.
Wilhelm Co., A., Reading, Pa.
Yardley Screen & Weather Strip Co., Columbus, O.

#### COMPOUNDS, GLAZING

Acme Refining Co., Cleveland, O.
Calbar Paint & Varnish Co., Philadelphia, Pa.
Continental Products Co., Euclid, O.
Diamond Metal Weather Strip Co., Columbus, O.
Goodrich Co., B. F., Akron, O.
Horn Co., A. C., Long Island City, N. Y.
Lastik Products Co., Inc., Pittsburgh, Pa.
Pecora Paint Co., Philadelphia, Pa.
Plastic Products Co., Detroit, Mich.
Pyrolite Products Co., Cleveland, O.
Thompson & Co., Pittsburgh, Pa.

#### COMPOUNDS, TINNING

American Solder & Flux Co., Philadelphia, Pa.

Burnley Battery & Mfg. Co., North East, Pa.

Eagle-Picher Lead Co., Cincinnati, O.

Lukens Metal Co., Thos. F., Philadelphia, Pa.

Minn-Koţa Foundry & Mfg. Co., Fargo, N. Dak.

Potomac Mfg. Co., Philadelphia, Pa.

Ruby Chemical Co., Columbus, O.

#### COMPOUNDS, WATER-PROOFING

Acorn Refining Co., Cleveland, Ohio.
American Barlock Co., Inc., Long Island City, N. Y.
Asphalt Products Co., Syracuse, N. Y.
Barber Co., Inc., Philadelphia, Pa.
Belmont Smelting & Refining Works, Inc., Brooklyn, N. Y.
Bird & Son, Inc., East Walpole, Mass.
Carey Co., Philip, Cincinnati, O.
Gerard Chemical Co., Elizabeth, N. J.
Lastik Products Co., Inc., Pittsburgh, Pa.
Pecora Paint Co., Philadelphia, Pa.
Plastic Products Co., Detroit, Mich.
Sauereisen Cements Co., Sharpsburg, Pa.
Self-Vulcanizing Rubber Co., Inc., Chicago, Ill.
Technical Coatings, Inc., New York City.
Thompson & Co., Pittsburgh, Pa.
Wilhelm Co., A., Reading, Pa.

COMPRESSORS, REFRIGERATING Advanced Refrigerating Systems Co., Philadelphia, Pa. Builders Iron Foundry, Providence, R. I. Airtemp, Inc., Dayton, O. American Engineering Co., Philadelphia, Pa. Baker Ice Machine Co., Inc., Omaha, Nebr. Brunner Mfg. Co., Utica, N. Y. Carbondale Division, Worthington Pump & Machinery Corp., Harrison N. J. Baker Ice Machine Co., Inc., Omaha, Nedr.
Brunner Mfg. Co., Utica, N. Y.
Carbondale Division, Worthington Pump'& Machinery Corp.,
Harrison, N. J.
Carrier Corp., Syracuse, N. Y.
Copeland Refrigeration Corp., Sidney, Ohio.
Curtis Refrigerating Machine Co., St. Louis, Mo.
De La Vergne Engine Co., Philadelphia, Pa.
Delco-Frigidaire Conditioning Div., General Motors Sales
Corp., Dayton, O.
Fairbanks, Morse & Co., Chicago, Ill.

Fox Furnace Co., Ellyria, Ohio.
Frick Co., Inc., Waynesboro, Pa.
General Electric Co., Schenectady, N. Y.
General Refrigeration Corporation, Beloit, Wis.
Hardy Mfg. Co., Dayton, O.
Ingersoll-Rand, New York City
Kaufiman Air Conditioning Corp., St. Louis, Mo.
Kellogg Compressor & Mfg. Corp., Rochester, N. Y.
Kelvinator Corp., Detroit, Mich.
Merchant & Evans Co., Philadelphia, Pa.
Mills Novelty Co., Chicago, Ill.
Nash Refrigeration Co., Inc., Newark, N. J.
Norge Commercial Div. of Borg-Warner Corp., Detroit,
Mich.
Reliance Refrigeration Machine Co., Chicago, Ill.
Servel, Inc., Evansville, Ind.
Stewart Ice Machine Co., Los Angeles, Cal.
Tecumseh Products Co., Tecumseh, Mich.
Unifow Mfg. Co., Erle, Pa.

Universal Cooler Corp., Detroit, Mich.
Vilter Mfg. Co., Milwaukee, Wis.
Westinghouse Electric & Mfg. Co., Mansfield, O.
Williams Oil-O-Matic Heating Corp., Bloomington, Ill.
Wittenmeier Machinery Co., Chicago, Ill.
Wolfe Engineering & Mfg. Co., Harrisburg, Pa.
XL Refrigerating Co., Inc., Chicago, Ill.
York Ice Machinery Corp., York, Pa.

#### CONDITIONERS. AIR

See Air Conditioning Units and Furnaces, Air Conditioning

#### CONDUCTOR FITTINGS AND ACCESSORIES

See Fittings and Accessories, Conductor

#### CONDUCTOR PIPE

See Pipe. Conductor

#### CONTROLS, COMBÍNED FAN AND LIMIT

•Barber-Colman Co., Rockford, Ill.
•Cook Electric Co., Chicago, Ill.
Detroit Lubricator Co., Detroit, Mich.
Fulton-Sylphon Co., Knoxville, Tenn.
Edison Electrical Controls Division, Thos. A. Edison, Inc.,
West Orange, N. J.
•Géneral Electric Co., Schenectady, N. Y.
Mercoid Corp., Chicago, Ill.
•Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
•Penn Electric Switch Co., Goshen, Ind.
Perfex Corp., Milwaukee, Wis.
Spencer Thermostat Co., Attleboro, Mass.
Superstat Co., Springfield, Mass.
United Electric Controls Co., South Boston, Mass.
•White Mfg. Co., St. Paul, Minn.

#### CONTROLS, COMBUSTION, BONNET OR SMOKE-PIPE

• Barber-Colman Co., Rockford, Ill.

Bristol Co., Waterbury, Conn.

• Cook Electric Co., Chicago, Ill.

Detroit Lubricator Co., Detroit, Mich.

Edison Electrical Controls Division, Thos. A. Edison, Inc.,

West Orange, N. J.

Hays Corp., Michigan City, Ind.

Jefferson Electric Co., Bellwood, Ill.

Mercoid Corp., Chicago, Ill.

• Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.

• Penn Electric Switch Co., Goshen, Ind.

Perfex Corp., Milwaukee, Wis.

Russell Electric Co., Chicago, Ill.

Teesdale Mfg. Co., Grand Rapids, Mich.

United Electric Controls Co., South Boston, Mass.

• White Mfg. Co., St. Paul, Minn.

#### CONTROLS, EFFECTIVE TEMPERATURE

Barber-Colman Co., Rockford, Ill.
Friez & Sons, Inc., Julien P., Baltimore, Md.
Johnson Service Co., Milwaukee, Wis.
Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
Powers Regulator Co., Chicago, Ill.

#### CONTROLS, FAN

CONTROLS, FAN

Automatic Products Co., Milwaukee, Wis.
Barber-Colman Co., Rockford, Ill.
Cook Electric Co., Chicago, Ill.
Detroit Lubricator Co., Detroit, Mich.
Edison Electrical Controls Division, Thos. A. Edison, Inc.,
West Orange, N. J.
Fulton-Sylphon Co., Knoxville, Tenn.
General Electric Co., Schenectady, N. Y.
Gleason-Avery, Inc., Auburn, N. Y.
Jefferson Electric Co., Bellwood, Ill.
Mercoid Corp., Chicago, Ill.
Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
Pacific Gas Radiator Co., Los Angeles, Cal.
Paragon Electric Co., Chicago, Ill.
Peerless Electric Co., Warren, O.
Penn Electric Switch Co., Goshen, Ind.
Perfex Corp., Milwaukee, Wis.
Russell Electric Co., Chicago, Ill.
Spencer Thermostat Co., Attleboro, Mass.
Superstat Co., Springfield, Mass.
Taylor Instrument Companies, Rochester, N. Y.
United Electric Controls Co., South Boston, Mass.
White Mfg. Co., St. Paul, Minn.
White-Rodgers Electric Co., St. Louis, Mo.

E G G G H ICL

Be Bi Br

#### CONTROLS, HEATING, VENTILATING AND AIR CONDITIONING SYSTEMS, PNEUMATIC

Bristol Co., Waterbury, Conn.
Foxboro Co., Foxboro, Mass.
Johnson Service Co., Milwaukee, Wis.
Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
National Regulator Co., Chicago, Ill.
Powers Regulator Co., Chicago, Ill.
Taylor Instrument Companies, Rochester, N. Y.

#### CONTROLS, LIMIT

- CONTROLS, LIMIT

  Automatic Products Co., Milwaukee, Wis.
  Barber-Colman Co., Rockford, Ill.
  Cook Electric Co., Chicago, Ill.
  Detroit Lubricator Co., Detroit, Mich.
  Edison Electrical Controls Division, Thos. A. Edison, Inc.,
  West Orange, N. J.
  General Controls Co., San Francisco, Cal., and Cleveland, O.
  Gleason-Avery, Inc., Auburn, N. Y.
  Jefferson Electric Co., Bellwood, Ill.
  McCorkle Co., D. H., Berkeley, Cal.
  Mercoid Corp., Chicago, Ill.
  Micro Switch Corp., Freeport, Ill.
  Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
  Pacific Gas Radiator Co., Los Angeles, Cal.
  Penn Electric Switch Co., Goshen, Ind.
  Perfex Corp., Milwaukee, Wis.
  Russell Electric Co., Chicago, Ill.
  Sheer Co., H. M., Quincy, Ill.
  Spencer Thermostat Co., Attleboro, Mass.
  United Electric Controls Co., South Boston, Mass.
  White Mfg. Co., St. Paul, Minn.

#### CONTROLS, OIL BURNER, COMPLETE ASSEMBLY

- Barber-Colman Co., Rockford, Ill.
  Cook Electric Co., Chicago, Ill.
  Detroit Lubricator Co., Detroit, Mich.
  General Electric Co., Schenectady, N. Y.
  McCorkle Co., D. H., Berkeley, Cal.
  Mercoid Corp., Chicago, Ill.
  Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
  Penn Electric Switch Co., Goshen, Ind.
  Perfex Corp., Milwaukee, Wis.
  White-Rodgers Electric Co., St. Louis, Mo.

#### CONTROLS, STOKER, COMPLETE ASSEMBLY

- Barber-Colman Co., Rockford, Ill.
   Cook Electric Co., Chicago, Ill.
   Cook Electric Co., Chicago, Ill.
   Detroit Lubricator Co., Detroit, Mich.
   General Electric Co., Schenectady, N. Y.
  Industrial Engineering Corp., Evansville, Ind.
  Kisco Co., Inc., St. Louis, Mo.
  Mercoid Corp., Chicago, Ill.
   Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
  Paragon Electric Co., Chicago, Ill.
   Penn Electric Switch Co., Goshen, Ind.
  Perfex Corp., Milwaukee, Wis.
  Russell Electric Co., Chicago, Ill.
  Spencer Thermostat Co., Attleboro, Mass
  White-Rodgers Electric Co., St. Louis, Mo.

#### CONTROLS, WINDOW CONDENSATION

Friez & Sons, Inc., Julien P., Baltimore, Md.

nc.,

#### COOLING SURFACE

See Coils, Cooling, Water

#### COPPER TUBING

See Tubing, Copper

#### COPPERS, SOLDERING

- COPPERS, SOLDERING

  Berger Mfg. Co., Div. of Republic Steel Corp., Canton. O. Bernz Co., Inc., Otto, Rochester, N. Y. Downs-Smith Brass & Copper Co., New York City. Electric Materials Co., North East, Pa. Electric Soldering Iron Co., Inc., New York City Everhot Mfg. Co., Maywood, Ill. (Acetylene)

  General Electric Co., Schenectady, N. Y.

  Hussey & Co., C. G., Pittsburgh, Pa. Ideal Commutator Dresser Co., Sycamore, Ill. Linde Air Products Co., New York City. Minn-Kota Foundry & Mfg. Co., Fargo, N. Dak.

  Peck, Stow & Wilcox Co., Southington, Conn. Revere Copper and Brass Incorporated, New York City. Sight Feed Generator Co., Richmond, Ind. Stanley Rule & Level Plant, New Britain, Conn. Turner Brass Works, Sycamore, Ill.

#### CORNICES

American Sheet Metal Works, New Orleans, La.

Berger Bros. Co., Philadelphia, Pa.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.
Biersach & Niedermeyer Co., Milwaukee, Wis.
Brooklyn Metal Ceiling Co., Brooklyn, N. Y.
California Cornice, Steel and Supply Corp., Los Angeles, Cal.
Chicago Metal Mfg. Co., Chicago, Ill.
Danzer Metal Works Co., Hagerstown, Md.
Decatur Iron & Steel Co., Decatur, Ala.

Edwards Mfg. Co., Inc., Cincinnati, O.
Herrmann & Grace Co., Brooklyn, N. Y.
International Steel Co., Evansville, Ind.
La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.
Lamb & Ritchie Co., Cambridge, Mass.
Ledkote Products Co., Long Island City, N. Y.
Martin Metal Mfg. Co., Wichita, Kan.

Milcor Steel Co., Milwaukee, Wis.
Miller & Doing, Inc., Brooklyn, N. Y.
Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.
Park City Cornice Works, Inc., Bridgeport, Conn.
Perkinson & Brown, Chicago, Ill.
Perrin Co., Edward C., Camden, N. J.
Providence Cornice Co., Providence, R. I.
Ryniker Sheet Metal Works, Inc., Billings, Mont.
St. Paul Corrugated Co., St. Paul, Minn.
Schoedinger Co., F. O., Columbus, O.
Southbridge Roofing Co., Inc., Southbridge, Mass.
Van Noorden Co., E., Boston, Mass.
Watson Co., Inc., Jas. H., Bradley, Ill.
Willis Mfg. Co., Galesburg, Ill.
York Corrugating Co., York, Pa.

#### COUPLINGS, FLEXIBLE, POWER TRANSMISSION

Chicago Die Casting Co., Chicago, Ill.

Congress Tool & Die Co., Detroit, Mich.
Crocker-Wheeler Electric Mfg. Co., Ampere, N. J.
De Laval Steam Turbine Co., Trenton, N. J.
Dick Co., Inc., R. & J., Passaic, N. J.
General Blower Co., Philadelphia, Pa.
Lovejoy Flexible Coupling Co., Chicago, Ill.
Medart Co., St. Louis, Mo.
Wood's Sons Co., T. B., Chambersburg, Pa.

#### **CRACKLE FINISH PAINT**

See Paint, Crackle Finish

#### **CRIMPERS**

See Tools, Metal Workers'

#### DAMPER MOTORS

See Motors, Damper, Furnace Draft, Electrical

#### DAMPERS, DUCT

- DAMPERS, DUCT

  Acme Tin Plate & Roofing Supply Co., Philadelphia, Pa. Airecon Industries, Detroit, Mich.

  American Foundry & Furnace Co., Bloomington, Ill.

  Belanger Fan & Blower Co., Detroit, Mich.
  Bishop & Babcock Sales Co., Cleveland, O. Economy Electric Mfg. Co., Cleoro, Ill.
  Excelsior Steel Furnace Co., Chicago, Ill.
  Hampden Cornice Works, Springfield, Mass.
  Howes Co., S. M., Charlestown, Boston, Mass.
  Industrial Sheet Metal Works, Inc., Detroit, Mich.
  Iona Ventilator Co., Inc., Philadelphia, Pa.
  Jacobs Co., B. & J., Cincinnati, O.
  Jamar Co., Walker, Duluth, Minn.
  Johnson Service Co., Milwaukee, Wis.
  Kirk & Blum Mfg. Co., Cincinnati, O.
  Maysteel Products, Inc., Mayville, Wis.
  Mercoid Corp., Chicago, Ill.

  Mueller Furnace Co., L. J., Milwaukee, Wis.
  Ohio Products Co., Cleveland, O.
  Phillips Heating, Ventilating & Mfg. Co., Los Angeles, Cal.

#### DAMPERS, SMOKE PIPE

- DAMPERS, SMOKE PIPE

  Adams Co., Dubuque, Ia.

  Brauer Supply Co., A. G., St. Louis, Mo.
  Burt Mig. Co., Akron, O.
  Grand Rapids Die & Tool Co., Grand Rapids, Mich.

  Griswold Mig. Co., Erie, Pa.

  Hart & Cooley Mig. Co., Chicago, Ill.
  Jacobs Co., B. & J., Cincinnati, O.
  Jewett Stove & Foundry Corp., Buffalo, N. Y.
  Liberty Foundry Co., St. Louis, Mo.
  Littleford Bros., Cincinnati, O.
  Martin Metal Mig. Co., Wichita, Kan.

  Mueller Furnace Co., L. J., Milwaukee, Wis.
  Perfect Burner Co., Lynn, Mass.
  Preferred Utilities Manufacturing Corp., New York City.
  Royal-Apex Mig. Corp., Brooklyn, N. Y.
  Schoedinger, F. O., Co., Columbus, O.
  Stove Mig. & Engine Co., Freeport, Ill.

  Ounited States Register Co., Battle Creek, Mich.
  Walker Mig. & Sales Corp., St. Joseph, Mo.
  Watson Co., Inc., Jas. H., Bradley, Ill.
  Williamson Heater Co., Cincinnati, O.

#### **DEEP WELL PUMPS**

See Pumps, Deep Well

#### DIES AND PRESSES

See Presses and Dies

#### DOORS, HOLLOW METAL

American Sheet Metal Works, New Orleans, La. Bayer Co., A. J., Los Angeles, Cal. Biersach & Niedermeyer Co., Milwaukee, Wis. Edwards Mfg. Co., Inc., Cincinnati, O. Falstrom Co., Passaic, N. J. International Steel Co., Evansville, Ind. Maysteel Products, Inc., Mayville, Wis. Metal Door & Trim Co., La Porte, Ind. Newman Brothers, Inc., Cincinnati, O. Perkinson & Brown, Chicago, Ill. Providence Cornice Co., Providence, R. I. Truscon Steel Co., Youngstown, O.

#### DOORS, KALAMEIN

American Sheet Metal Works, New Orleans, La.
Biersach & Niedermeyer Co., Milwaukee, Wis.
California Cornice, Steel and Supply Corp., Los Angeles, Cal.
Cincinnati Mfg. Co., Cincinnati, O.
Edwards Mfg. Co., Inc., Cincinnati, O.
Empire Door Co., Inc., New York City
Herrmann & Grace Co., Brooklyn, N. Y.
International Steel Co., Evansville, Ind.
Lee & Son Co., Thomas, Cincinnati, O.
Mahon Co., R. C., Detroit, Mich.
Mesker & Co., Geo. L., Evansville, Ind.
Newman Brothers, Inc., Cincinnati, O.
Perkinson & Brown, Chicago, Ill.
Providence Cornice Co., Providence, R. I.
Richmond Fireproof Door Co., Syracuse, N. Y.
Syracuse Fire Door Corp., Syracuse, N. Y.
Van Noorden Co., E., Boston, Mass.
World Kalamein Sash & Door Corp., New York City

#### DOORS AND SHUTTERS, FIRE

DOORS AND SHUTTERS, FIRE

American Sheet Metal Works, New Orleans, La.

Bardes Range & Foundry Co., E. H., Cincinnati, O.

Biersach & Niedermeyer Co., Milwaukee, Wis.

Cornell Iron Works, Inc., Long Island City, N. Y.

Detroit Steel Products Co., Detroit, Mich.

Edwards Mfg. Co., Inc., Cincinnati, O.

Empire Door Co., Inc., New York City.

Falstrom Co., Passaic, N. J.

Herrmann & Grace Co., Brooklyn, N. Y.

Industrial Sheet Metal Works, Inc., Detroit, Mich.

International Steel Co., Evansville, Ind.

Kinnear Mfg. Co., Columbus, O.

Mahon Co., R. C., Detroit, Mich.

Maysteel Products, Inc., Mayville, Wis.

Merchant & Evans Co., Philadelphia, Pa.

Mesker & Co., Geo. L., Evansville, Ind.

Perkinson & Brown, Chicago, Ill.

Providence Cornice Co., Providence, R. I.

Richards-Wilcox Mfg. Co., Aurora, Ill.

Richmond Fireproof Door Co., Richmond, Ind.

Saino Mfg. Co., Inc., F. L., Memphis, Tenn.

St. Paul Corrugating Co., St. Paul, Minn.

Schoedinger, F. O., Co., Columbus, O.

Southbridge Roofing Co., Inc., Southbridge, Mass.

Syracuse Fire Door Corp., Syracuse, N. Y.

Van Noorden Co., E., Boston, Mass.

Western Wire & Iron Works, Inc., Chicago, Ill.

Wheeling Corrugating Co., Wheeling, W. Va.

Willis Mfg. Co., Galesburg, Ill.

#### DRAFT GAGES

See Gages, Draft

#### DRAFT REGULATORS

See Regulators, Furnace Draft, Mechanical

#### DRILLS, ELECTRIC, PORTABLE

Black & Decker Mfg. Co., Towson, Md.
Clark Jr., Electric Co., Jas., Louisville, Ky.
Excelso Products Corp., Buffalo, N. Y.
Ideal Commutator Dresser Co., Sycamore, Ill.
Independent Pneumatic Tool Co., Chicago, Ill.
Mail Tool Co., Chicago, Ill.
Misener Mfg. Co., Inc., Syracuse, N. Y.
Power King Tool Corp., Warsaw, Ind.
Signal Electric Mfg. Co., Menominee, Mich.

Skilsaw, Inc., Chicago, Ill.
Speedway Mfg. Co., Cicero, Ill.
Stanley Electric Tool Div., The Stanley Works, New Britain,
Conn.

• Wodack Electric Tool Corp., Chicago, Ill.

#### DUCTS AND FITTINGS, PREFABRICATED

Acer & Whedon, Inc., Medina, N. Y.
Acme Tin Plate and Roofing Supply Co., Philadelphia, Pa.
Champion Furnace Pipe Co., Peoria, Ili.
Chandler Co., Cedar Rapids, Ia.
Char-Gale Mfg. Co., Minneapolis, Minn.
Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.
Corbman Bros., Inc., Philadelphia, Pa.
Excelsior Steel Furnace Co., Chicago, Ili.
Falstrom Co., Passaic, N. J.
Gerstein & Cooper, South Boston, Mass.
Hénry Furnace & Foundry Co., Cleveland, O.
Lamneck Products, Inc., Columbus, O.
Maysteel Products, Inc., Mayville, Wis.
Meyer & Bro. Co., F., Peoria, Ill.
Milcor Steel Co., Milwaukee, Wis.
Moncrief Furnace Co., Atlanta, Ga.
Reynolds Corp., New York City.

#### EAVES TROUGH FITTINGS AND ACCESSORIES

See Fittings and Accessories, Eaves Trough and Gutter

#### EAVES TROUGH AND GUTTERS

EAVES TROUGH AND GUTTERS

American Sheet Metal Works, New Orleans, La. Ames Co., W. R., San Francisco, Cal. Anderson Mfg. Co., Des Moines, Ia. Barnes Metal Products Co., Chicago, Ill.

Berger Bros. Co., Philadelphia, Pa. Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O. Braden Mfg. Co., Terre Haute, Ind. Bridesburg Foundry Co., Philadelphia, Pa. Chase Brass & Copper Co., Inc., Waterbury, Conn. Chicago Metal Mfg. Co., Chicago, Ill. Cincinnati Sheet Metal & Roofing Co., Cincinnati, O. Danzer Metal Works Co., Hagerstown, Md. Decatur Iron & Steel Co., Decatur, Ala. Downs-Smith Brass & Copper Co., New York City. Edwards Mfg. Co., Inc., Cincinnati, O. Hussey & Co., C. G., Pittsburgh, Pa. Klauer Mfg. Co., Dubuque, Ia. La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis. Lamb & Ritchie Co., Cambridge, Mass. Ledkote Products Co., Long Island City, N. Y. Lyman Co., H. B., Southampton, Mass.

Lyon, Conklin & Co., Inc., Baltimore, Md. Martin Metal Mfg. Co., Wichita, Kan.

Milcor Steel Co., Milwaukee, Wis. (Square Hanging) Miller & Doing, Inc., Brooklyn, N. Y. New Delphos Mfg. Co., Delphos, O. Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.

Osborn Co., J. M. & L. A., Cleveland, O. Providence Cornice Co., Providence, R. I. Reeves Steel & Mfg. Co., Dover, O. Ryniker Sheet Metal Works, Inc., Billings, Mont. St. Paul Corrugating Co., St. Paul, Minn. Schoedinger, F. O., Co., Columbus, O. Sheet Metal Products Co., Peoria, Ill. Southbridge Roofing Co., Inc., Southbridge, Mass. Tiffin Art Metal Co., Tiffin, O. Van Noorden Co., E. Boston, Mass. Watson Co., Inc., Jas. H., Bradley, Ill. Wheeling Corrugating Co., Wheeling, W. Va. Wheeling Metal Products Co., Los Angeles, Cal. York Corrugating Co., York, Pa.

EFFECTIVE TEMPERATURE CONTROLS

#### **EFFECTIVE TEMPERATURE CONTROLS**

See Controls, Effective Temperature

**ELBOW MACHINES** See Machines, Elbow

ELBOWS, BLOW PIPE See Fittings, Blow Pipe

**ELBOWS, CONDUCTOR** See Fittings and Accessories, Conductor

ELBOWS, FURNACE PIPE See Fittings and Accessories, Furnace Pipe

**ELECTRIC DRILLS** 

See Drills, Electric, Portable

**ELECTRIC SHEARS** 

See Shears, Portable, Electric

**ELECTRIC WELDERS** 

See Welders, Arc, Spot

#### **ELECTRICAL RELAYS**

See Relays, Electrical

#### ELECTRODES, ARC WELDING

Air Reduction Sales Co., New York City
Allegheny Steel Co., Brackenridge, Pa.

American Brass Co., Waterbury, Conn.
American Chain Co., Inc., Bridgeport, Conn.
American Steel & Wire Co., Chicago, Ill.
Central Steel & Wire Co., Chicago, Ill.
Cincago Steel & Wire Co., Chicago, Ill.
Crucible Steel Co. of America, New York City.

General Electric Co., Schenectady, N. Y.
Hollup Corp., Chicago, Ill.
Imperial Brass Mfg. Co., Chicago, Ill.
Keasbey & Mattison Co., Ambler, Pa.
Lee & Son Co., K. O., Aberdeen, S. D.
Lincoln Electric Co., Cleveland, O.
Marquette Mfg. Co., Inc., Minneapolis, Minn.
Maurath, Inc., Cleveland, O.
Roebling's Sons Co., John A., Trenton, N. J.

Ryerson & Son, Inc., Jos. T., Chicago, Ill.
Sight Feed Generator Co., Richmond, Ind.
Torchweld Equipment Co., Chicago, Ill.
Universal Power Corp., Cleveland, O.
Westinghouse Electric & Mfg. Co., Mansfield, O.
Wilson Welder & Metals Co., Inc., North Bergen, N. J.

#### **ENAMELS & LACQUERS**

Debevoise Co., Brooklyn, N. Y.
du Pont de Nemours & Co., E. I., R. & H. Chemicals Dept.,
Wilmington, Del.
Hilo Varnish Co., Brooklyn, N. Y.
Maas & Waldstein Co., Newark, N. J.
Pierce & Stevens, Inc., Buffalo, N. Y.
Zapon-Brevolite Division Atlas Powder Co., North Chicago,

#### FACES, COLD AIR, METAL

FACES, COLD AIR, METAL

American Foundry & Furnace Co., Bloomington, Ill.

Auer Register Co., Cleveland, O.
Best Register Co., Milwaukee, Wis.
Diamond Mfs. Co., Wyoming, Pa.
Forest City Foundries Co., Cleveland, O.
Gillian Mfg. Co., Ferndale, Michigan.

Hart & Cooley Mfg. Co., Chicago, Ill.
Hendrick Mfg. Co., Carbondale, Pa.

Independent Register Co., Cleveland, O.
Keith Furnace Co., Des Moines, Ia. (Cast)

Lamneck Products, Inc., Columbus, O.
Liberty Foundry Co., St. Louis, Mo.

Lyon, Conklin & Co., Inc., Baltimore, Md.

Mueller Furnace Co., L. J., Milwaukee, Wis.

Register & Grille Mfg. Co., Inc., Brooklyn, N. Y.
Roberts-Hamilton Co., Minneapolis, Minn.

Rock Island Register Co., Rock Island, Ill.

Tuttle & Bailey, Inc., New Britain, Conn.

United States Register Co., Battle Creek, Mich.

Waterloo Register Co., Waterloo, Ia.
Williamson Heater Co., Cincinnati, O.

#### FACES, COLD AIR, WOOD

American Wood Register Co., Plymouth, Ind.
Antigo Building Supply Co., Antigo, Wis.
Best Register Co., Milwaukee, Wis.
Eaglesfield Ventilator Co., Indianapolis, Ind.
Garber Lumber & Construction Co., Strasburg, O.
Lyon, Conklin & Co., Inc., Baltimore, Md.
Marsh Lumber Co., Dover, O.
McClure Builders' Supply Co., East Palestine, O.
Register & Grille Mfg. Co., Inc., Brooklyn, N. Y.
Rock Island Register Co., Rock Island, Ill.
Tiffin Art Metal Co., Tiffin, O.
United States Register Co., Battle Creek, Mich.
Wooster Art Wood, Inc., Wooster, O.

#### FANS, BOOSTER, COLD AIR RETURN

A-C Mfg. Co., Pontiac, Ill.
Advance Aluminum Castings Corp., Chicago, Ill.
Advance Aluminum Castings Corp., Chicago, Ill.
Aerovent Fan Co., Piqua, O.
Aire-Folle Fan & Blower Company, Detroit, Mich.
American Blower Corp., Detroit, Mich.
Autovent Fan Co., Piqua, O.
Autovent Fan & Blower Co., Chicago, Ill.
Berns Specialty Co., Chicago, Ill.
Brumme Mfg. Co., Chicago, Ill.
Brumme Mfg. Co., Chicago, Ill.
Buffalo Forge Co., Buffalo, N. Y.
Cary Mfg. Co., Waupaca, Wis.
Champion Blower & Forge Co., Lancaster, Pa.
De Bothezat Ventilating Equipment Division, American Machine & Metals, Inc., New York City.
Economy Electric Mfg. Co., Cicero, Ill.
Electrovent Fan & Mfg. Co., Chicago, Ill.

Forct-Air Co., Rockford, Ill.
General Regulator Corp., Chicago, Ill.
International Engineering, Inc., Dayton, O.
Peerless Electric Co., Warren, O.
Roan Mfg. Co., Racine, Wis.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Universal Blower Co., Birmingham, Mich.
Western Blower Co., Seattle, Wash.

#### FANS, BOOSTER, ONE-PIPE WARM AIR

Aire-Foile Fan & Blower Co., Detroit, Mich.
American Blower Corp., Detroit, Mich.
American Foundry & Furnace Co., Bloomington, Ill.
Brumme Mfg. Co., Chicago, Ill.
Champion Blower & Forge Co., Lancaster, Pa.
Economy Electric Mfg. Co., Cicero, Ill.
Forct-Air Co., Rockford, Ill.
Meier Electric & Machine Co., Indianapolis, Ind.
Victor Electric Products, Inc., Cincinnati, O.

FANS, FURNACE, PROPELLER TYPE

Advance Aluminum Castings Corp., Chicago, Ill.
Aerovent Fan Co., Piqua, O.

Aire-Foile Fan & Blower Co., Detroit, Mich.
American Coolair Corp., Jacksonville, Fia.
American Foundry & Furnace Co., Bloomington, Ill.
Antovent Fan & Blower Co., Chicago, Ill.
Autovent Fan & Blower Co., Detroit, Mich.
Bulanger Fan & Blower Co., Detroit, Mich.
Buffalo Forge Co., Buffalo, N. Y.
Campbell Heating Co., Des Moines, Ia.
Campbell Heating Co., Des Moines, Ia.
Campbell Heating Co., Es. K., Kansas City, Mo.
Champion Blower & Forge Co., Lancaster, Pa.

Chicago Steel Furnace Co., Chicago, Ill.
Columbus Heating & Ventilating Co., Columbus, O.
De Bothezat Ventilating Equipment Division, American Machine & Metals, Inc., New York City.
Economy Electric Manufacturing Co., Cicero, Ill.
Electrovent Fan & Mfg. Co., Chicago, Ill.
Forct-Air Co., Rockford, Ill.
Fraser Furnace Co., Holladelphia, Pa.
General Blower Co., Philadelphia, Pa.
General Regulator Corp., Chicago, Ill.
General Blower Co., Chicago, Ill.
Haynes Furnace & Foundry Co., Cleveland, O.
Home Furnace Co., Moiland, Mich.
International Engineering, Inc., Dayton, O.
Johnston Co., Wm. W., Dayton, O.
McPherson Furnace & Supply Co., Portland, Ore.
Majestic Co., Huntington, Ind.
Meier Electric & Machine Co., Indianapolis, Ind.
Mohr-Air Co., Marlon, O.
New York Blower Co., Chicago, Ill.
Peerless Electric Co., Chicago, Ill.
Schwitzer-Cummins Co., Indianapolis, Ind.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Universal Blower Co., Bermingham, Mich.
Outility Fan & Mfg. Co., Los Angeles, Cal.
Victor Electric Products, Inc., Cincinnati, O.
Western Blower Co., Seattle, Wash.
Wing Mfg. Co., L. J., New York City. FANS, FURNACE, PROPELLER TYPE

#### FANS, KITCHEN EXHAUST

FANS, KITCHEN EXHAUST

Aerovent Fan Co., Piqua, O.

Air Conditioning Products Co., Detroit, Mich. Aire-Foile Fan & Blower Co., Detroit, Mich. Aire-Foile Fan & Blower Co., Detroit, Mich. Airmaster Corp., Chicago, Ill.

Allen Corp., Detroit, Mich. American Blower Corp., Detroit, Mich. American Coolair Corp., Jacksonville, Fla.

Arex Co., Chicago, Ill.

Autovent Fan & Blower Co., Chicago, Ill.

Barrett Engineers, Cleveland Heights, O.

Belanger Fan & Blower Co., Detroit, Mich.

Berns Specialty Co., Chicago, Ill.

Bishop & Babcock Sales Co., Cleveland, O.

Buffalo Forge Co., Buffalo, N. Y.

Champion Blower & Forge Co., Lancaster, Pa.

Clarage Fan Co., Kalamazoo, Mich.

De Bothezat Ventilating Equipment Division, American Machine & Metals, Inc., New York City.

Diehl Mfg. Co., Elizabeth, N. J.

Electrovent Corp., Detroit, Mich.

Electrovent Fan & Mfg. Co., Chicago, Ill.

Economy Electric Manufacturing Co., Cicero, Ill.

Emerson Electric Mfg. Co., St. Louis, Mo.

Forct-Air Co., Rockford, Ill.

Garden City Fan Co., Chicago, Ill.

Gas City Glass Co., Gas City, Ind.

General Blower Co., Philadelphia, Pa.

General Electric Co., Schenectady, N. Y.

Index to Advertisers, page 192

General Regulator Corp., Chicago, Ill.
Hirschman Co., Inc., W. F., Buffalo, N. Y.
International Engineering, Inc., Dayton, O.
Jordan & Co., Paul R., Indianapolis, Ind.
King Ventilating Co., Owatonna, Minn.
Meier Electric & Machie Co., Indianapolis, Ind.
Midwest Ventilating Works, Milwaukee, Wis.
Myers Electric Co., Pittsburgh, Pa.
Nelson Corp., Herman, Moline, Ill.
New York Blower Co., Chicago, Ill.
Peerless Electric Co., Warren, O.
Propellair, Inc., Springfield, O.
Pryne & Co., Inc., Los Angeles, Cal.
Reed Unit-Fans, Inc., New Orleans, La.
Robbins & Myers, Inc., Springfield, O.
Russell Insulation Co., F. C., Baltimore, Md.
Signal Electric Mfg. Co., Menominee, Mich.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Universal Blower Co., Birmingham, Mich.
Utility Fan & Mfg. Co., Los Angeles, Cal.
Victor Electric Products, Inc., Cincinnati, O.
Wagner Electric Corp., St. Louis, Mo.
Ward Mfg. Co., Detroit, Mich.
Western Blower Co., Seattle, Wash.
Westinghouse Electric & Mfg. Co., Mansfield, O.
Utility Fan & Mfg. Co., Los Angeles, Cal.

#### FANS, NIGHT AIR COOLING, COMPLETE UNIT

Air Controls Inc., Cleveland, O.
Aire-Foile Fan & Blower Co., Detroit, Mich.
Airmaster Corp., Chicago, Ill.

Allen Corporation, Detroit, Mich.
American Blower Corp., Detroit, Mich.
American Blower Corp., Jacksonville, Fla.
Auburn Automobile Co., Air Cond. Div., Chicago, Ill., and
Connorsville, Ind.
Autovent Fan & Blower Co., Chicago, Ill.
Belanger Fan & Blower Co., Detroit, Mich.
Bishop & Babcock Sales Co., Cleveland, O.

Buffalo Forge Co., Buffalo, N. Y.
Champion Blower & Forge Co., Lancaster, Pa.
Delco-Frigidaire Conditioning Div., General Motors Sales
Corp, Dayton, O.
Economy Electric Mfg. Co., Cicero, Ill.
Electrovent Fan & Mfg. Co., Chicago, Ill.
General Blower Co., Philadelphia, Pa.
General Regulator Corp., Chicago, Ill.
Hirschman Co., Inc., W. F., Buffalo, N. Y.
International Engineering, Inc., Dayton, O.
Iona Ventilating Co., Owatonna, Minn.
Kisco Company, Inc., St. Louis, Mo.

Lau Blower Co., Dayton, O.
Marathon Electric Mfg. Corp., Wausau, Wis.
Meier Electric & Machine Co., Indianapolis, Ind.
Mellish & Murray Co., Chicago, Ill.
New York Blower Co., Chicago, Ill.
Norge Heating & Conditioning Div., Borg-Warner Corp., Detroit, Mich.

Peerless Electric Co., Warren, O.

Norge Heating & Conditioning Div., Borg-Warner troit, Mich.

Peerless Electric Co., Warren, O.
Propellair, Inc., Springfield, O.
Reed Unit-Fans, Inc., New Orleans, La.
Reynolds Corp., New York City.
Robbins & Myers, Inc., Springfield, O.
Russell Insulation Co., F. C., Baltimore, Md.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Universal Blower Co., Birmingham, Mich.

Victor Electric Products, Inc., Cincinnati, O.
Viking Air Conditioning Corp., Cleveland, O.
Wood Industries, Inc., Gar, Detroit, Mich.

#### FANS, VENTILATING, PROPELLER TYPE

(Capacity 4,000 c.f.m. up)

(Capacity 4,000 c.f.m. up)
Advance Aluminum Costing Corp., Chicago, Ill. Aerovent Fan Co., Piqua, O.

Air Conditioning Products Co., Detroit, Mich.
Air Controls, Inc., Cleveland, O.
Aircraft Mfg. Co., Dayton, Ohio.
Air Devices Corp., Meriden, Conn.
Airecon Industries, Detroit, Mich.
Aire-Foile Fan & Blower Co., Detroit, Mich.
Aire-Foile Fan & Blower Co., Detroit, Mich.
Airmaster Corp., Chicago, Ill.

Allen Corp., Detroit, Mich.
American Blower Corp., Detroit, Mich.
American Coolsir Corp., Jacksonville, Fla.
Ames Co., W. R., San Francisco, Cal.

Arex Co., Chicago, Ill.
Bayley Blower Co., Milwaukee, Wis.

Belanger Fan & Blower Co., Detroit, Mich.
Berns' Specialty Co., Chicago, Ill.
Bishop & Babcock Sales Co., Cleveland, O.

Buffalo Forge Co., Buffalo, N. Y.
Burt Mfg. Co., Akron, O.

Champion Blower & Forge Co., Lancaster, Pa.

Clarage Fan Co., Kalamazoo, Mich.
Clay Equipment Corp., Cedar Falls, Ia.

Ocolumbus Heating & Ventilating Co., Columbus, O.
Coppus Engineering Corp., Worcester, Mass.
Davenport Mfg. Co., Meadville, Pa.
De Bothesat Ventilating Equipment Division, American Machine & Metals, Inc., New York City.
Diehl Mfg. Co., Elizabeth, N. J.
Economy Electric Manufacturing Co., Cicero, Ill.
Electrovent Fan & Mfg. Co., Chicago, Ill.
Emerson Electric Mfg. Co., St. Louis, Mo.
Evry-Use Products, Inc., New York City.
Forct-Air Co., Rockford, Ill.
Fresh'nd-Aire Co., Chicago, Ill.
Garden City Fan Co., Chicago, Ill.
Garden City Fan Co., Chicago, Ill.
Garden City Fan Co., Chicago, Ill.
Garden Rapids Blow Pipe and Dust Arrester Co., Grand Rapids, Mich.
Hartzell Propeller Fan Co., Piqua, O.
Hirschman Co., Inc., W. F., Buffalo, N. Y.
Holtum Mfg. Co., Freeport, Ill.
Hudson Equipment Corp., Minneapolis, Minn.
Ilg Electric Ventilating Co., Chicago, Ill.
Johnston & Co., Wm. W., Dayton, O.
Johnson Fan & Blower Corp., Chicago, Ill.
Johnston & Co., Paul R., Indianapolis, Ind.
King Ventilating Co., Owatonna, Minn.
Kisco Company, Inc., St. Louis, Mo.
MaGirl Foundry & Furnace Works, P. H. Bloomington, Ill.
Marathon Electric Mfg. Corp., Wausau, Wis.
Meier Electric & Machine Co., Indianapolis, Ind.
Mountain States Equipment Co., Denver, Colo.
Myers Electric Co. & Machine, Co., Indianapolis, Ind.
Mountain States Equipment Co., Denver, Colo.
Myers Electric Co., Pittsburgh, Pa.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.
Nelson Corp., Herman, Moline, Ill.
New York Blower Co., Chicago, Ill.
Peerless Electric Co., Warren, O.
Propellair, Inc., Springfield, O.
Puhl & Hepper Mfg. Co., Inc., St. Louis, Mo.
Reed Unit-Fans, Inc., New Orleans, La.
Russell Insulation Co., F. C., Baltimore, Md.
Schwitzer-Cummins Co., Indianapolis, Ind.
Signal Electric Mfg. Co., Menominee, Mich.
Signal Electric Products, Inc., Cincinnatt, O.
Viking Air Conditioning Corp., Cleveland, O.
Western Blower Co., Los Angeles, Cal.
Victor Electric Products, Inc., Cincinnatt, O.
Viking Air Conditioning Corp., Cleveland, O

#### FAN (PROPELLER)—FILTER UNITS

•Air Controls, Inc., Cleveland, O.
•Air Conditioning Products Co., Detroit, Mich.
•Belanger Fan & Blower Co., Detroit, Mich.
Champion Blower & Forge Co., Lancaster, Pa.
•Chicago Steel Furnace Co., Chicago, Ill.
Forct-Air Co., Rockford, Ill.
•Henry Furnace & Foundry Co., Cleveland, O.
•International Engineering, Inc., Dayton, O.
•Osborn Co., J. M. & L. A., Cleveland, O.
•Peerless Electric Co., Warren, Ohio.
Propellair, Inc., Springfield, O.
Russell Electric Co., Chicago, Ill.
Russell Insulation Co., The F. C., Baltimore, Md.

#### FILTERS, AIR, AUTOMATIC

• American Air Filter Co., Inc., Louisville, Ky.
Bubar, Hudson H., New York, N. Y.
Burt Air Filter Corp., New York, N. Y.
Coppus Engineering Corp., Worcester, Mass.
Dracco Corp., Cleveland, O.
Hugo Mfg. Co., West Duluth, Minn.
Independent Air Filter Co., Chicago, Ill.
Northern Blower Co., Cleveland, O.
Staynew Filter Corp., Rochester, N. Y.
Universal Air Filter Corp., Duluth, Minn.
Westinghouse Electric & Mfg. Co., East Pittsburgh, Pa.
(Electrostatic Precipitator)

#### FILTERS, AIR, UNIT, DRY

●American Air Filter Co., Inc., Louisville, Ky.

●American Foundry & Furnace Co., Bloomington, Ill.
Amirton Co., Inc., New York City.
Annis, Emmett F., Glendale, Cal.
Bubar, Hudson H., New York, N. Y.
Burt Air Filter Corp., New York, N. Y.
Consolidated Air Conditioning Corp., New York, N. Y. (Odor Coppus Engineering Corp., Worcester, Mass. Davies Air Filter Co., New York, N. Y.

Dracco Corp., Cleveland, O.
Felters Co., Inc., Boston, Mass.
Hugo Mfg. Co., West Duluth, Minn.
Independent Air Filter Co., Chicago, Ill.
Kauffman Air Conditioning Corp., St. Louis, Mo.
Kleenaire Corp., Stevens Point, Wis.
Somers, Inc., H. J., Detroit, Mich.
Staynew Filter Corp., Rochester, N. Y.
Tuttle Air Filter Co., Inc., Louisville, Ky.
Universal Air Filter Corp., Duluth, Minn.

#### FILTERS, AIR, UNIT, VISCOUS

Air-Maze Corp., Cleveland, O.

American Air Filter Co., Inc., Louisville, Ky.
American Radiator Co., New York, N. Y.
Bache & Co., Semon, New York, N. Y.
Bubar, Hudson H., New York, N. Y.
Gehri Company, Tacoma, Wash.
Independent Air Filter Co., Chicago, Ill.
Kauffman Air Conditioning Corp., St. Louis, Mo.
Kleenaire Corp., Stevens Point, Wis.

Owens-Illinois Glass Co., Toledo, O.
Plymouth Cordage Co., N. Plymouth, Mass.
Ripley Co., W. R., Tacoma, Wash.
Tuttle Air Filter Co., Inc., Louisville, Ky.
Wilson & Co., Chicago, Ill.

#### FIRE BRICK

See Refractories

#### FITTINGS AND ACCESSORIES, CONDUCTOR

[Elbows, Heads, Hooks, Shoes, Straps, etc.]

Barnes Metal Products Co., Chicago, Ill.

Berger Bros. Co., Philadelphia, Pa.

Berger Mrs. Co., Div. of Republic Steel Corp., Canton, O. Braden Mfg. Co., Terre Haute, Ind.
Char-Gale Mfg. Co., Minneapolis, Minn.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Chicago Metal Mfg. Co., Chicago, Ill.
Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.
Crary Mfg. Co., Middleport, O. (Cut-off.)
Danzer Metal Works Co., Hagerstown, Md.
Dieckmann Co., Ferdinand, Cincinnati, O.
Owne-Smith Brass & Copper Co., New York City.
Edwards Mfg. Co., Inc., Cincinnati, O.
Hussey & Co., C. G., Pittsburgh, Pa.
Iwan Bros., South Bend, Ind.
Jelliff Mfg. Corp., C. O., Southport, Conn.
Klauer Mfg. Co., Dubuque, Ia.
La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.
Lamb & Ritchie Co., Cambridge, Mass.

Levow, David, New York City.
Lyon, Conklin & Co., Inc., Baltimore, Md.
Martin Metal Mfg. Co., Wichita, Kan.
Maysteel Products, Inc., Mayville, Wis.

Miller & Doing, Inc., Brooklyn, N. Y.
New Delphos Mfg. Co., Delphos, O.
Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.

Osborn Co., J. M. & L. A., Cleveland, O.
Perrin Co., Edward C., Camden, N. J.
Providence Cornice Co., Providence, R. I.
Royal Metal Products Co., Brooklyn, N. Y.
St. Paul Corrugating Co., St. Paul, Minn.
Schoedinger Co., F. O., Columbus, O.
Sheet Metal Products Co., Brooklyn, N. Y.
St. Paul Corrugating Co., St. Paul, Minn.
Schoedinger Co., F. O., Columbus, O.
Sheet Metal Products Co., Peoria, Ill.
Stewart Foundry, O. S., Cleveland, O.
Tiffin Art Metal Co., Tiffin, O.
Watson Co, Inc., Jas. H., Bradley, Ill.
Wheeling Corrugating Co., Wheeling, W. Va.
Willis Mfg. Co., Galesburg, Ill.
Woolwine Metal Products Co., Los Angeles, Cal. (Elbows, Heads, Hooks, Shoes, Straps, etc.)

#### FITTINGS AND ACCESSORIES, EAVES TROUGH AND GUTTER

(Hangers, Strainers, Miters, Ends, Thimbles, etc.)
Abbott Mfg. Co., Painesville, O. (Hangers)
Barnes Metal Products Co., Chicago, Ill.

Berger Bros. Co., Philadelphia, Pa.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.
Bertram Mfg. Co., Chicago, Ill.
Braden Mfg. Co., Terre Haute, Ind.
California Cornice, Steel and Supply Corp., Los Angeles, Cal.
Chicago Metal Mfg. Co., Chicago, Ill.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.
Danzer Metal Works Co., Hagerstown, Md.
Downs-Smith Brass & Copper Co., New York City.
Edwards Mfg. Co., Inc., Cincinnati, O.
Grand Rapids Wire Products Co., Grand Rapids, Mich.

Hussey & Co., C. G., Pittsburgh, Pa. (Copper)
Iwan Brothers, South Bend, Ind.
Klauer Mfg. Co., Dubuque, Ia.

La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis. Lamb & Ritchie Co., Cambridge, Mass.
Ledkote Products Co., Long Island City, N. Y.

Levow, David, New York City.
Lyman Co., H. B., Southampton, Mass.
Lyon, Conklin & Co., Inc., Baltimore, Md.
Martin Metal Mfg. Co., Wichita, Kan.

Milcor Steel Co., Milwaukee, Wis.
New Delphos Mfg. Co., Delphos, O.
Ohlo Wire Products Co., Dover, O. (Hangers)

Osborn Co., J. M. & L. A., Cleveland, O.
Providence Cornice Co., Providence, R. I.
Reeves Steel & Mfg. Co., Dover, O.
Royal-Apex Mfg. Corp., Brooklyn, N. Y.
St. Paul Corrugating Co., St. Paul, Minn.
Sheet Metal Products Co., Peoria, Ill.
Snap-On Mfg. Co., Chicago, Ill. (Hangers)
Southbridge Roofing Co., Inc., Southbridge, Mass.
Tiffin Art Metal Co., Tiffin, O.
U. S. Cistern Filter Mfg. Co., Bloomington, Ill.
Waddell, Bruce, Indianapolis, Ind.
Watson Co., Inc., Jas. H., Bradley, Ill.
Wheeling Corrugating Co., Wheeling, W. Va.
Willis Mfg. Co., Galesburg, Ill.
Woolwine Metal Products Co., Los Angeles, Cal.

#### FITTINGS AND ACCESSORIES, FURNACE PIPE

(Angles, Boots, Elbows, Heads, Joints, Offsets, Tees, etc.)

FITTINGS AND ACCESSORIES, FURNACE PIPE

(Angles, Boots, Elbows, Heads, Joints, Offsets, Tees, etc.)

Acer & Whedon, Inc., Medina, N. Y.

Acme Tin Plate & Roofing Supply Co., Philadelphia, Pa.

Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.

Bergstrom Mfg. Corp., Neenah, Wis.

Braden Mfg. Co., Terre Haute, Ind.

Budke Stampings' Co., Canonsburg, Pa.

Campbell Heating Co., Des Moines, Ia.

Cary Mfg. Co., Waupaca, Wis.

Champion Furnace Pipe Co., Peoria, Ill.

Chicago Metal Mfg. Co., Chicago, Ill.

Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.

Cincinnati Stamping Co., Cincinnati, O.

Corbman Bros., Inc., Philadelphia, Pa.

Excelsior Steel Furace Co., Chicago, Ill.

Farquhar Furnace Co., Wilmington, O.

Henry Furnace & Foundry Co., Cleveland, O.

Holland Furnace Co., Holland, Mich.

Home Furnace Co., Holland, Mich.

Howe & Bassett Co., Inc., Rochester, N. Y. (Boots)

Howes Co., S. M., Charlestown, Boston, Mass.

International Heater Co., Utica, N. Y.

Kalamazoo, Stove Co., Kalamazoo, Mich.

La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.

(Elbows and pipe only)

Lamneck Products, Inc., Columbus, O.

Lyman Co., H. B., Southampton, Mass.

Lyon, Conklin & Co., Inc., Baltimore, Md.

Majestic Co., Huntington, Ind.

Marshall Furnace Co., Marshall, Mich.

Martin Bros., Rochester, N. Y.

Martin Metal Mfg. Co., Wichita, Kan.

Meyer & Bro. Co., F., Peoria, Ill.

Milcor Steel Co., Milwaukee, Wis.

Norman Sheet Metal Mfg. Co., Nevenda, Mo.

Osborn Co., J. M. & L. A., Cleveland, O.

Pacific Gas Radiator Co., Los Angeles, Cal.

Parkersburg Iron & Steel Co., Parkersburg, W. Va.

Payne Furnace & Supply Co., Beverly Hills, Cal.

Peorless Foundry Co., Indianapolis, Ind.

Providence Cornice Co., Providence, R. I.

Revess Steel & Mfg. Co., Opover, O.

Roberts-Hamilton Co., Minneapolis, Minn.

Pook Island Register Co., Battle Creek, Mich.

Wheeling Corrugating Co., Wheeling, W. Va.

Hillamson Heater Co., Cincinnati, O.

FITTINGS AND ACCESSORIES, SMOKE PIPE

#### FITTINGS AND ACCESSORIES, SMOKE PIPE

(Draw-bands, Clean-outs, Collars, Tees, etc.)

(Draw-bands, Clean-outs, Collars, Tees, etc.)

Acer & Whedon, Inc., Medina, N. Y.

Acme Tin Plate & Roofing Supply Co., Philadelphia, Pa.

Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.

Bardes Range & Foundry Co., E. H., Cincinnati, O.

Bergstrom Mfg. Corp., Neenah, Wis.

Braden Mfg. Co., Terre Haute, Ind.

Brauer Supply Co., A. G., St. Louis, Mo.

Cary Mfg. Co., Waupaca, Wis.

Champion Furnace Pipe Co., Peoria, Ill.

Chicago Metal Mfg. Co., Chicago, Ill.

Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.

Cincinnati Stamping Co., Cincinnati, O.

Danzer Metal Works Co., Hagerstown, Md.

Detroit Safety Furnace Pipe Co., Detroit, Mich. Excelsior Steel Furnace Co., Chicago, Ill. Harold Furnace Mfg. Co., Spokane, Wash.

Hart & Cooley Mfg. Co., Chicago, Ill. (Lugs)

Henry Furnace & Foundry Co., Cleveland, O. Home Furnace Co., Holland, Mich. Howes Co., S. M., Charlestown, Boston, Mass. International Heater Co., Utica, N. Y.

La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.

Lamneck Products, Inc., Columbus, O.

Lyman Co., H. B., Southampton, Mass.

Lyon, Conklin & Co., Inc., Baltimore, Md. Majestic Co., Huntington, Ind.

Maple City Furnace Co., Monmouth, Ill. Marshall Furnace Co., Marshall, Mich. Martin Metal Mfg. Co., Wichita, Kan.

Meyer & Bro. Co., F., Peorla, Ill.

Milcor Steel Co., Milwaukee, Wis.

Mueller Furnace Co., L. J., Milwaukee, Wis.

Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.

Osborn Co., J. M. & L. A., Cleveland, O.

Patten Co., J. V., Sycamore, Ill.

Peerless Foundry Co., Indianapolis, Ind.

Providence Cornice Co., Providence, R. I.

Reeves Steel & Mfg. Co., Dover, O.

Roberts-Hamilton Co., Minneapolis, Minn.

Rock Island Register Co., Rock Island, Ill.

Schecter Brothers Co., Philadelphia, Pa.

Schoedinger, F. O., Columbus, O.

Standard Furnace & Supply Co., Omaha, Nebr.

Stratton & Terstegge Co., Louisville, Ky.

Tierney Rotor Ventilator Co., Minneapolis, Minn.

Tiffin Art Metal Co., Tiffin, O.

United States Register Co., Battle Creek, Mich.

Watson Co., Inc., Jas. H., Bradley, Ill.

Wilder Manufacturing Co., Niles, O.

Williamson Heater Co., Cincinnati, O.

Williamson Heater Co., Cincinnati, O.

Wise Furnace Co., Akron, O.

#### FITTINGS AND ACCESSORIES, STOVE PIPE

(Draw-bands, Collars, Tees, etc.)

(Draw-bends, Collers, Tees, etc.)

Acer & Whedon, Inc., Medina, N. Y.
Acme Tin Plate & Roofing Supply Co., Philadelphia, Pa.
Bardes Range & Foundry Co., E. H., Cincinnati, O.
Chicago Metal Mfg. Co., Chicago, Ill.,
Excelsior Steel Furnace Co., Chicago, Ill.
Howes Co., S. M., Charlestown, Boston, Mass.

Milcor Steel Co., Milwaukee, Wis.

Osborn Co., J. M. & L. A., Cleveland, O.
Parkersburg Iron & Steel Co., Parkersburg, W. Va.

Peerless Foundry Co., Indianapolis, Ind.
Providence Cornice Co., Providence, R. I.
Reeves Steel & Mfg. Co., Dover, O.
Roberts-Hamilton Co., Minneapolis, Minn.
Schecter Brothers Co., Philadelphia, Pa.
Schoedinger, F. O., Columbus, O.
Stratton & Terstegge Co., Louisville, Ky.

United States Register Co., Battle Creek, Mich.
Walker Mfg. & Sales Corp., St. Joseph, Mo. (Tees).
Wheeling Corrugating Co., Wheeling, W. Va.
Wilder Manufacturing Co., Niles, O.

#### FITTINGS, BLOW PIPE

(Elbows, Flanges, Hangers, Hoods and Sweeps, Joints, Rings, Tubing)

Acer & Whedon, Inc., Medina, N. Y.
Airtherm Mfg. Co., St. Louis, Mo.
Blower Application Co., Milwaukee, Wis.
Chicago Metal Mfg. Co., Chicago, Ill.
Danzer Metal Works Co., Hagerstown, Md.
Day Co., Minneapolis, Minn.
Falstrom Co., Passaic, N. J.
Goethel Sheet Metal Works, Alfred, Milwaukee, Wis.
Goethel Co., Alfred C., Milwaukee, Wis.
Grand Rapids Blow Pipe & Dust Arrester Co., Grand Rapids,
Mich. Mich.
Industrial Sheet Metal Works, Inc., Detroit, Mich.
Kirk & Blum Mfg. Co., Cincinnati, O.
Lee & Son Co., Thomas, Cincinnati, O.
Mahon Co., R. C., Detroit, Mich.

Meyer & Bro. Co., F., Peoria, Ill.
Providence Cornice Co., Providence, R. I.
Western Blower Co., Seattle, Wash.
Young & Bertke Co., Cincinnati, O.

#### FITTINGS, HUMIDIFIER, WATER LINE

Air Conditioning Supply Co., Cleveland, O.

American Brass Co., Waterbury, Conn.
Bishop Humidifier Co., Detroit, Mich.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Fisher Governor Co., Marshalltown, Ia.
Hays Mfg. Co., Erie, Pa.
Holland Furnace Co., Holland, Mich.
Kleenaire Corp., Stevens Point, Wis.

Maid-O'-Mist, Inc., Chicago, Ill.

 Monmouth Products Co., Cleveland, O.
 Reichert Float & Mfg. Co., Toledo, O.
 Sallada Mfg. Co., Minneapolis, Minn.
 Scovill Mfg. Co., Morency-Van Bureau Div., Sturgis, Mich.
 Skuttle Co., J. L., Detroit, Mich.
 Streamline Pipe & Fittings Div., Mueller Brass Co., Port Huron, Mich. Turney Corp., Muskegon, Mich. Weatherhead Co., Cleveland, O.

#### FLANGES, BLOW PIPE

See Fittings, Blow Pipe

#### FLASHINGS, ROOF, PATENTED

Barrett Co., New York City.

Bridesburg Foundry Co., Philadelphia, Pa.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Chicago Metal Mfg. Co., Chicago, Ill.
Downs-Smith Brass & Copper Co., New York City.
Eagle-Picher Lead Co., Cincinnati, O.
Edwards Mfg. Co., Inc., Cincinnati, O.
Figge Co., Chicago, Ill.

Hussey & Co., C. G., Pittsburgh, Pa.
Lamb & Ritchie Co., Cambridge, Mass.
Ledkote Products Co., Long Island City, N. Y.

Milcor Steel Co., Milwaukee, Wis.
New Delphos Mfg. Co., Delphos, O.
Norman Sheet Metal Mfg. Co., W. F. Nevada, Mo.
Providence Cornice Co., Providence, R. I.
Revere Copper and Brass Incorporated, New York City.
(Patented)

(Patented)

(Patented)
Robertson Co., H. H., Pittsburgh, Pa.
Rochester Lead Works, Inc., Rochester, N. Y.
Schoedinger, F. O., Columbus, O.
Seep-Lok Flashing Co., Inc., Yonkers, N. Y.
Simplex Manufacturing Co., Fond du Lac, Wis.
ThruBond Flashing Corp., New York City.
Van Noorden Co., E., Boston, Mass.
Willis Mfg. Co., Galesburg, Ill. (Copper).
York Corrugating Co., York, Pa.

#### FLASHINGS, THROUGH-WALL, PATENTED

•American Brass Co., Waterbury, Conn. (Copper). Chase Brass & Copper Co., Inc., Waterbury, Conn. Cheney Co., Philadelphia, Pa. (Copper). Fingles, Inc., W. A. Baltimore, Md. Robertson Co., H. H., Pittsburgh, Pa. ThruBond Flashing Corp., New York City. Willis Mfg. Co., Galesburg, Ill. (Galvanized & copper).

#### FLASHINGS, WALL, PATENTED

Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O. Cheney Co., Philadelphia, Pa.
Fingles, Inc., W. A., Baltimore, Md.
La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.

Milcor Steel Co., Milwaukee, Wis.
New Delphos Mfg. Co., Delphos, O.
Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.
Providence Cornice Co., Providence, R. I.
St. Paul Corrugating Co., St. Paul, Minn.
Schoedinger, F. O., Co., Columbus, O.
Willis Mfg. Co., Galesburg, Ill.
York Corrugating Co., York, Pa.

#### FLUE GAS ANALYZERS

See Analyzers, Flue Gas

#### FLUX, SOLDERING

FLUX, SOLDERING

Alumaweld Co. of America, Chicago, Ill.
American Chemical Paint Co., Ambler, Pa.
American Solder & Flux Co., Philadelphia, Pa.
Belmont Smelting & Refining Works, Inc., Brooklyn, N. Y.
Benson Co., Inc., Alex. R., Hudson, N. Y. (Salts, Pastes).

Burnley Battery & Mfg. Co., North East, Pa. (Paste, Salts,
Solution).

Diener Mfg. Co., Geo. W., Chicago, Ill.
Gardiner Metal Co., Chicago, Ill.
Gardiner Metal Co., Chicago, Ill.
General Electric Co., Schenectady, N. Y.
Handy & Harmon, New York City.
Imperial Brass Mfg. Co., Chicago, Ill.
Kester Solder Co., Chicago, Ill.
Kester Solder Co., Chicago, Ill.
Ke-Ti Products Co., Columbus, O.

Langsenkamp Co., F. H., Indianapolis, Ind. (Stainless Steel).
Lukens Metal Co., Thos. F., Philadelphia, Pa.
Milburn Co., Alexander, Baltimore, Md.
Pfanstichl Chemical Co., Waukegan, Ill.
Potomac Mfg. Co., Philadelphia, Pa.
Revere Copper and Brass Incorporated, New York City.
Ruby Chemical Co., Columbus, O. (Liquid and Paste).
Sight Feed Generator Co., Richmond, Ind.
Torchweld Equipment Co., Chicago, Ill.

#### FORCED DRAFT BLOWERS

See Blowers, Forced Draft

#### **FURNACE BLOWERS**

See Blowers, Furnace, Centrifugal

#### **FURNACE-BURNER UNITS**

See Furnaces, Air Conditioning, and Furnaces, Warm Air, Gravity

#### **FURNACE CEMENT**

See Cement, Furnace

#### **FURNACE CHAIN**

See Chain, Furnace

#### **FURNACE COVERING**

See Insulation, Furnace and Pipe

#### **FURNACE FANS**

See Fans, Furnace, Propeller Type

#### **FURNACE FILTERS**

See Filters, Air

#### **FURNACE HUMIDIFIERS**

See Humidifiers, Furnace, Evaporation and Spray

#### FURNACE INSULATION

See Insulation, Furnace and Pipe

#### **FURNACE LINING**

See Refractories

#### **FURNACE PIPE**

See Pipe, Furnace

#### FURNACE PIPE FITTINGS AND ACCESSORIES

See Fittings and Accessories, Furnace Pipe

#### **FURNACE PULLEYS**

See Pulleys, Furnace

#### **FURNACE REGULATORS**

See Regulators, Furnace Draft, Mechanical and Motors, Damper, Furnace Draft, Electrical

#### **FURNACE REPAIRS**

See Repairs, Stove and Furnace

#### **FURNACE VACUUM CLEANERS**

See Cleaners, Vacuum, Furnace

#### FURNACES, AIR CONDITIONING, COAL BURNING

(Matched furnace-fan-filter-humidifier unit)

(Matched furnace-fan-filter-humidifier unit)

Agricola Furnace Co., Inc., Gadsden, Ala.

American Furnace Co., St. Louis, Mo.

American Furnace & Foundry Co., Milan, Mich.

Arcweld Mfg. Co., Inc., Seattle, Wash.

Armstrong Furnace Co., Columbus, O.

Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.

Auburn Automobile Co., Air Cond. Div., Chicago, Ill., and

Connorsville, Ind.

Baker Furnace & Cleaner Mfg. Co., Toledo, O.

Bryant Heater Co., Cleveland, O.

Campbell Heating Co., Des Moines, Ia.

Campbell Heating Co., E. K., Kansas City, Mo.

Chandler Co., Cedar Rapids, Ia.

Columbus Heating & Ventilating Co., Columbus, O.

Dail Steel Products Co., Lansing, Mich.

Dowagiac Steel Furnace Co., Dowagiac, Mich.

Edwards Furnace Co., Wellsboro, Pa.

Enterprise Boiler & Tank Works, Inc., Chicago, Ill.

Excelsior Steel Furnace Co., Chicago, Ill.

Forest City Foundries Co., Cleveland, O.

Fox Furnace Co., Elyria, O.

Green Foundry & Furnace Works, Des Moines, Ia.

Hall-Neal Furnace Co., Indianapolis, Ind.

Henry Furnace & Foundry Co., Cleveland, O.

Hess Warming & Ventilating Co., Chicago, Ill.

Holland Furnace Co., Holland, Mich.

"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.

International Heater Co., Utica, N. Y.

Jackson & Church Co., Saginaw, Mich.

Jackson & Church Co., Saginaw, Mich.

Joliet Heating Corp., Joliet, Ill.
Keith Furnace Co., Des Moines, Ia.
Keisey Heating Co., Syracuse, N. Y.
Koons Furnace Co., Danville, Ill.
LaCrosse Tractor Co., LaCrosse, Wis.
Lennox Furnace Co., Marshalltown, Ia.
Liberty Foundry Co., St. Louis, Mo.
MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.
Majestic Co., Huntington, Ind.
Marshall Furnace Co., Marshall, Mich.
May-Fiebeger Co., Newark, O.

Meyer Furnace Co., Peoria, Ill.
Michigan Tank & Furnace Corp., Detroit, Mich.
Montag Stove & Furnace Corp., Detroit, Mich.
Montag Stove & Furnace Works, Portland, Ore.
Mueller Furnace Co., L. J. Milwaukee, Wis.
McPherson Furnace & Supply Co., Portland, Ore.
National Mfg. & Engineering Co., Detroit, Mich.
Naylor Pipe Co., Chicago, Ill. (Magazine Feed)
Nelson Corp., Herman, Moline, Ill.
Peerless Foundry Co., Indianapolis, Ind.
Pennsylvania Engineering Works, New Castle, Pa.
Pennsylvania Furnace & Iron Co., Warren, Pa.
Pittsburgh Furnace Parts Co., Pittsburgh, Pa.
Premier Furnace Co., Dowagiac, Mich.
Richardson & Boynton Co., New York City.
Robinson Heating & Ventilating Corp., Massillon, O.
Rock Island Stove Co., Rock Island, Ill.
Round Oak Co., Dowagiac, Mich.
Rudy Furnace Co., Dowagiac, Mich.
Rybolt Heater Co., Ashland, O.
Security Stove & Mfg. Co., Kansas City, Mo.
Spencer Heater Division Williamsport, Pa.
Stiglitz Furnace & Foundry Co., Louisville, Ky.
Supreme Heater & Ventilating Corp., St. Louis, Mo.
Thatcher Furnace Co., Newark, N. J.
Twentieth Century Heating & Ventilating Co., Akron, O.

Waterman-Waterbury Co., Minneapolis, Minn.
Williamson Heater Co., Cincinnati, O.
Waterman-Waterbury Co., Minneapolis, Minn.
Williamson Heater Co., Cincinnati, O.

Waterman-Waterbury Co., Minneapolis, Minn.
Williamson Heater Co., Akron, O.

#### FURNACES, AIR CONDITIONING, GAS BURNING

(Matched furnace-fan-filter-humidifier unit)

(Matched furnace-fas-filter-humidifier unit)

Airtemp, Inc., Dayton, O.
Aladdin Heating Corp., Oakland, Cal.

American Foundry & Furnace Co., Bloomington, Ill.
American Furnace Co., St. Louis, Mo.

American Gas Products Corp., New York City.
Associated Air Conditioning Corp., St. Louis, Mo.
Bryant Corp., C. L., Cleveland, O.
Bryant Heater Co., Cleveland, O.
Campbell Heating Co., Des Moines, Ia.
Carrier Corp., Syracuse, N. Y.
Corozone Air Conditioning Corperation, Cleveland, O.

Dail Steel Products Co., Lansing, Mich.
Des Moines Steel Furnace Co., Des Moines, Ia.
Dunham Company, C. A., Chicago, Ill.
Edwards Mfg. Co., Inc., Cincinnati, O.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.
Evans Corp., Geo., Moline, Ill.

Fitzgibbons Boller Co., Inc., New York City.
Forest City Foundries Co., Cleveland, O.

Fox Furnace Co., Elyria, O.

General Electric Co., Schenentady, N. Y.
Green Foundry & Furnace Works, Des Moines, Ia.

Hall-Neal Furnace Co., Indianapolis, Ind.
Henry Furnace & Foundry Co., Cleveland, O.

"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.

Jackson & Church Co., Saginaw, Mich.
Jollet Heating Corp., Jollet, Ill.
Koons Furnace Co., Danville, Ill.
LaCrosse Tractor Co., LaCrosse, Wis.
Lennox Furnace Co., Marshalltown, Ia., and Syracuse, N. Y.
Marvelaire Corporation, West Los Angeles, Cal.
Mayflower-Lewis Corp., St. Paul, Minn.

Meyer Furnace Co., Peoria, Ill.

Michigan Tank & Furnace Corp., Detroit, Mich.
Montag Stove & Furnace Works, Portland, Ore.

Mueller Furnace Co., L. J., Milwaukee, Wis.
National Mfg. & Engineering Co., Detroit, Mich.
Nelson Corp., Herman, Moline, Ill.
Norge Heating & Conditioning Div., Borg-Warner Corp., Detroit, Mich.

Pacific Gas Radiator Co., Los Angeles, Cal.
Payne Furnace & Supply Co., Beverly Hills, Cal.

Norge Heating & Conditioning Div., Borg-warner Control, Mich.

Pacific Gas Radiator Co., Los Angeles, Cal.

Payne Furnace & Supply Co., Beverly Hills, Cal.

Premier Furnace Co., Dowagiac, Mich.
Reynolds Corp., New York City.
Reznor Mfg. Co., Mercer, Pa.
Robinson Heating & Ventilating Corp., Massillon, O.
Rock Island Stove Co., Rock Island, Ill. Rock Island Stove Co., Rock Island, Ill.
Royal Air Conditioning Equipment, Compton, Cal. Rudy Furnace Co., Dowagiac, Mich.

Scott-Newcomb, Inc., St. Louis, Mo. Security Stove & Mfg. Co., Kansas City, Mo. Standard Furnace & Supply Co., Omaha, Nebr. Stiglitz Furnace & Foundry Co., Louisville, Ky.

Surface Combustion Corp., Toledo, O.
Texo Sales & Mfg. Co., Cincinnati, O.
Twentieth Century Heating & Ventilating Co., Akron, O.
Waterman-Waterbury Co., Minneapolis, Minn.
Westinghouse Electric & Manufacturing Co., Mansfield, O.
Williamson Heater Co., Cincinnati, O.
XXth Century Heating & Ventilating Co., Akron, O.

#### FURNACES, AIR CONDITIONING, OIL BURNING, WITH BURNER

(Matched furnace-fan-filter-humidifier unit)

Airtemp, Inc., Dayton, O.
American Air Conditioning Corp., Sebastopol, Cal.
American Furnace & Foundry Co., Milan, Mich.
American Furnace Co., St. Louis, Mo.
Anchor Post Fence Co., Baltimore, Md.
Arcweld Mfg. Co., Inc., Seattle, Wash.
• Autocrat Oil Burner Corp., Cedar Rapids, Ia.
Campbell Heating Co., Des Moines, Ia.
Carrier Corp., Syracuse, N. Y.
• Century Engineering Corp., Cedar Rapids, Ia.

Arcweld Mig. Co., Inc., Geattle, Wash.

Autocrat Oil Burner Corp., Cedar Rapids, Ia.
Campbell Heating Co., Des Moines, Ia.
Carrier Corp., Syracuse, N. Y.

Century Engineering Corp., Cedar Rapids, Ia.
Chicago Steel Furnace Co., Chicago, Ill.
Corozone Air Conditioning Div., General Motors Sales
Corp., Dayton, O.
Dali Steel Products Co., Lansing, Mich.
Deloo-Frigidaire Conditioning Div., General Motors Sales
Corp., Dayton, O.
Des Moines Steel Furnace Co., Des Moines, Ia.
Edwards Mig. Co., Inc., Cincinnati, O.
Electrol, Inc., Clifton, N. J.
Fox Furnace Co., Elyria, O.
Fargo Foundry Co., Fargo, N. D.
Gasoroll Furnace Co., Chicago, Ill.
General Electric Co., Schenectady, N. Y.
Gilbert & Barker Mig. Co., Springfeld, Mass.
Green Foundry & Furnace Works, Des Moines, Ia.
Hall-Neal Furnace Co., Indianapolis, Ind.
Harvey-Whipple, Inc., Springfeld, Mass.
Heil Co., Milwaukee, Wis.
Henry Furnace & Foundry Co., Cleveland, O.
Hess Warming and Ventilating Co., Chicago, Ill.
Hotentot Co., Inc., Omaha. Nebr.
International Heater Co., Utica, N. Y.
Jackson & Church Co., Saginaw, Mich.
Johnson Co., S. T., Daktand, Cal.
Kais Sunrise Works, Detroit, Mich.
Keith Furnace Co., Des Moines, Ia.
Koons Furnace Co., Dearborn, Mich.
Majestic Co., Huntington, Ind.
Marshall Heating Co., Minneapolis, Minn.
May Oil Burner Corp., Baltimore, Md.
Meyer Furnace Co., L. J., Mich.
Little Burner Co., L. J., Mich.
Nelson Corp., Herman, Moline, Ill.
Montag Stove & Furnace Works, Portland, Ore.
Mueller Furnace Co., L. J., Milwaukee, Wis.
National Mig. & Engineering Co., Detroit, Mich.
Nelson Corp., Herman, Moline, Ill.
Nomis Corp., Lafayette, Ind.
Norge Heating & Conditioning Div., Borg-Warner Corp., Detroit, Mich.
Nelson Corp., Herman, Moline, Ill.
Norge Heating & Conditioning Div., Borg-Warner Corp., Detroit, Mich.
Nelson Corp., Horman, Moline, Ill.
Scott-Newcomb, Inc., St. Louis, Mo.

#### FURNACES, AIR CONDITIONING, OIL BURNING, WITHOUT BURNER

(Matched furnace-fan-filter-humidifier unit)

American Foundry & Furnace Co., Bloomington, Ill. American Furnace Co., St. Louis, Mo. American Furnace & Foundry Co., Milan, Mich. Ames Co., W. R., San Francisco, Cal. Arcweld Mfg. Co., Inc., Seattle, Wash. Associated Air Conditioning Corp., St. Louis, Mo. Atlas Heating & Ventilating Co., San Francisco, Cal.

ARTISAN

January, 1938

Auburn Automobile Co., Air Cond. Div., Chicago, Ill., and Connorsville, Ind.
Bard Mfg. Co., Bryan, O.
Campbell Heating Co., Des Moines, Ia.
Dail Steel Products Co., Lansing, Mich.
Des Moines Steel Furnace Co., Des Moines, Ia.
Economy Baler Co., Ann Arbor, Mich.
Evans Corp., Geo., Moline, Ill.
Falstrom Co., Passaic, N. J.
Fargo Foundry Co., Fargo, N. D.
Fitzgibbons Boller Co., Inc., New York City.
Forest City Foundries Co., Cleveland, O.
Fox Furnace Co., Elyria, O.
General Metal Products Co., St. Louis, Mo.
Green Foundry & Furnace Works, Des Moines, Ia.
Hall-Neal Furnace Co., Indianapolis, Ind.
Henry Furnace & Foundry Co., Cleveland, O.
Hess Warming & Ventilating Co., Chicago, Ill.
"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.
International Heater Company, Utica, N. Y.
Jackson & Church Co., Saginaw, Mich.
Jollet Heating Corp., Jollet, Ill.
Keith Furnace Co., Des Moines, Ia.
Koons Furnace Co., Des Moines, Ia.
Koons Furnace Co., Marshalltown, Ia. and Syracuse, N. Y.
Liberty Foundry Co., St. Louis, Mo.
Mayflower-Lewis Corp., St. Paul, Minn.
Meyer Furnace Co., Harington, Ind.
Mayflower-Lewis Corp., St. Paul, Minn.

Meyer Furnace Co., L. J., Milwaukee, Wis.
National Mfg. & Engineering Co., Detroit, Mich.
Nomis Corp., Lafayette, Ind.
Peerless Foundry Co., Indianapolis, Ind.
Premier Furnace Co., Dowagiac, Mich.
Richardson & Boynton Co., New York City.
Rock Island Stove Co., Rock Island, Ill.

Round Oak Co., Dowagiac, Mich.
Rybolt Heater Co., Ashland, O.
Supreme Heater & Ventilating Corp., St. Louis, Mo.

Westwick & Son, Inc., John, Galena, Ill.
Williamson Heater Co., Cincinnati, O.

Waterman-Waterbury Co., Minneapolis, Minn.
Westwick & Son, Inc., John, Galena, Ill.
Williamson Heater Co., Cincinnati, O.

\*\*Waterman-Waterbury Co., O, Minneapolis, Minn.
Westwick & Son, Inc., John, Galena, Ill.
Williamson Heater Co., Cincinnati, O.

\*\*Waterman-Waterbury Co., Minneapolis, Minn.
Westwick & Son, Inc., John, Galena, Ill.
Williamson Heater Co., Cincinnati, O.

\*\*Waterman-Waterbury Co., O., Minneapoli

#### FURNACES, AIR CONDITIONING, FOR STOKER-FIRING

(Complete matched unit with stoker furnished)

• American Foundry & Furnace Co., Bloomington, Ill. Campbell Heating Co., E. K., Kansas City, Mo. Excelsior Steel Furnace Co., Chicago, Ill. • Hall-Neal Furnace Co., Indianapolis, Ind. • Henry Furnace & Foundry Co., Cleveland, O. • Hess Warming and Ventilating Co., Chicago, Ill. Joliet Heating Corp., Joliet, Ill. Kelsey Heating Corp., Joliet, Ill. Kelsey Heating Co., Inc., Syracuse, N. Y. • Meyer Furnace Co., Peoria, Ill. Montag Stove & Furnace Works, Portland, Ore. Nelson Corp., Herman, Moline, Ill.

#### FURNACES, AIR CONDITIONING, FOR STOKER-FIRING

(Complete matched unit with stoker NOT furnished)

(Complete matched unit with stoker NOT furnished)

American Foundry & Furnace Co., Bloomington, Ill.
American Furnace & Foundry Co., Milan, Mich.
Auburn Automobile Co., Air Cond. Div., Chicago, Ill., and Connorsville, Ind.
Campbell Heating Co., E. K., Kansas City, Mo. Campbell Heating Co., Des Moines, Ia.
Excelsior Steel Furnace Co., Chicago, Ill.
Fitzgibbons Boiler Co., Inc., New York City.
Fox Furnace Co., Elyria, O.
Hall-Neal Furnace Co., Indianapolis, Ind.
Henry Furnace & Foundry Co., Cleveland, O.
Heess Warming and Ventilating Co., Chicago, Ill.
"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo. International Heater Co., Utica, N. Y.
Joliet Heating Corp., Joliet, Ill.
Keith Furnace Co., Des Moines, Ia.
Kelsey Heating Co., Inc., Syracuse, N. Y.
Lennox Furnace Co., Marshalltown, Ia.
Meyer Furnace Co., Marshalltown, Ia.
Meyer Furnace Co., Peoria, Ill.

Mueller Furnace Co., I. J., Milwaukee, Wis.
Montag Stove & Furnace Works, Portland, Ore.
Nelson Corp., Herman, Moline, Ill.
Premier Furnace Co., Dowagiac, Mich.
Richardson & Boynton Co., New York City.

Round Oak Co., Dowagiac, Mich.
Waterman-Waterbury Co., Minneapolis, Minn.
Westwick & Son, Inc., John, Galena, Ill.
Williamson Heater Co., Cincinnati, O.

Index to Advertisers, page 192

#### FURNACES, FLOOR

Aladdin Heating Corp., Oakland, Cal.

American Furnace & Foundry Co., Milan, Mich.

Andes Range & Furnace Corp., Geneva, N. Y.

Armstrong Furnace Co., Columbus, O.

Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.

Beck Engineering Combustion Kompany, St. Louis, Mo.

Cocking, Geo. J., Santa Ana, Cal.

Coleman Lamp & Stove Co., Wichita, Kan.

Des Moines Steel Furnace Co., Des Moines, Ia. (Gas)

Dowagiac Steel Furnace Co., Dowagiac, Mich.

Electrogas Furnace & Mfg. Co., San Francisco, Cal. (Gas & Butane)

Dowagiac Steel Furnace Co., Dowagiac, Mich. Electrogas Furnace & Mfg. Co., San Francisco, Cal. (Gas & Butane)

Enterprise Foundry Co., Belleville, Ill.

Estate Stove Co., Hamilton, O. (Gas)

Excelsior Steel Furnace Co., Chicago, Ill.

Foss Heating & Engineering Co., Pasadena, Cal.

Fox Furnace Co., Elyria, O. (Gas)

Fraser Furnace Co., Inc., Stockton, Cal.

Gem City Stove Co., Dayton, O.

Hall-Neal Furnace Co., Indianapolis, Ind.

Heckler Bros., Pittsburgh, Pa. (Gas)

Henry Furnace & Foundry Co., Cleveland, O.

Holland Furnace Co., Holland, Mich.

Johnston Gas Furnace Corp., Los Angeles, Cal.

Koons Furnace Co., Danville, Ill.

Little Burner Co., Inc., H. C., San Rafael, Cal. (Oil burning)

Marshall Furnace Co., Marshall, Mich.

Marvelaire Corp., West Los Angeles, Cal.

Miller Floor Furnace & Mfg. Co., Mt. Vernon, Ill.

Pacific Gas Radiator Co., Los Angeles, Cal.

Payne Furnace & Supply Co., Beverly Hills, Cal.

Pennsylvania Furnace & Iron Co., Warren, Pa.

Rock Island Stove Co., Rock Island, Ill.

Rudy Furnace Co., Dawagiac, Mich.

Security Stove & Mfg. Co., Kansas City, Mo. (Gas)

Stewart Furnace Co., Pittsburgh, Pa. (With gas burner)

Surface Combustion Corp., Toledo, O.

Ward Heater Co., Ltd., Los Angeles, Cal.

Waterman-Waterbury Co., Minneapolis, Minn.

Welded Steel Products Co., Milwaukee, Wis.

#### FURNACES, SOLDERING

Bernz Co., Inc., Otto, Rochester, N. Y.
Burgess Soldering Furnace Co., Columbus, O. (Gasoline)
Clayton & Lambert Mfg. Co., Detroit, Mich.
Diener Mfg. Co., Geo. W., Chicago, Ill.
Electric Soldering Iron Co., Inc., New York City.
Graham & Co., Inc., John H., New York City.
Hones, Inc., Charles A., Baldwin, N. Y.

Johnson Gas Appliance Co., Cedar Rapids, Ia.
Liquefied Gas Appliance Co., Mars, Pa.
Roper Corp., Geo. D., Rockford, Ill.
Turner Brass Works, Sycamore, Ill.
Wall Mfg. Supply Co., P., Pittsburgh, Pa.

#### FURNACES, WARM AIR, GRAVITY, COAL BURNING, CAST IRON

CAST IRON

Agricola Furnace Co., Inc., Gadsden, Ala.

American Foundry & Furnace Co., Bloomington, Ill.
American Furnace & Foundry Co., Milan, Mich.
Andes Range & Furnace Corp., Geneva, N. Y.
Barry Furnace Co., Hamilton, O.
Bergstrom Mfg. Corp., Neenah, Wis.

Brillion Furnace Co., Brillion, Wis.

Claveland Co-Operative Stove Co., Cleveland, O.

Columbus Heating & Ventilating Co., Columbus, O.
Danville Stove & Mfg. Co., Danville, Pa.
Des Moines Stove Repair Co., Des Moines, Ia.
Detroit Michigan Stove Co., Detroit, Mich.
Dowagiac Steel Furnace Co., Dowagiac, Mich.
Edwards Furnace Co., Wellsboro, Pa.
Emrich Co., C., Columbus, O.
Enterprise Boller & Tank Works, Inc., Chicago, Ill.
Excelsior Steel Furnace Co., Chicago, Ill.
Excelsior Steel Furnace Co., Chicago, Ill.
Excelsior Stove & Mfg. Co., Quincy, Ill.
Farris Furnace Co., Springfield, Ill.
Faultless Heater Corp., Cleveland, O.
Floval City Co., Monroe, Mich.
Floyd-Wells Co., Royersford, Pa.
Foote Foundry Co., J. B., Fredericktown, O.
Forest City Foundries Co., Cleveland, O.

For Furnace Co., Elyria, O.
Forest City Foundries Co., Cleveland, O.

For Furnace Co., Elyria, O.
Furnace To., Milwaukee, Wis.
Germer Stove Co., Erle, Pa.
Green Foundry & Furnace Works, Des Moines, Ia.

Hall-Neal Furnace Co., Indianapolis, Ind.
Halstead Iron Foundry, Halsted, Pa.
Harold Furnace Mfg. Co., Spokane, Wash.
Hart & Crouse Co., Inc., Utica, N. Y.
Hart Mfg. Co., Louisville, Ky.
Heckler Bros., Pittsburgh, Pa.

Henry Furnace & Foundry Co., Cleveland, O.
Helsa-Snyder Co., Massillon, O.
Holland Furnace Co., Holland, Mich.
"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.
Home Furnace Co., Holland, Mich.
Home Stove Co., Indianapolis, Ind.
Ideal Furnace Co., Detroit, Mich.
Independence Stove & Furnace Co., Independence, Mo.
International Heater Co., Utica, N. Y.
Iowa Foundry Co., Sloux City, Ia.
Kalamazoo Stove Co., Kalamazoo, Mich.
Kansas City Furnace Co., Kansas City, Mo.
Keith Furnace Co., Des Moines, Ia.
Kelsey Heating Co., Syracuse, N. Y.
Kieln Stove Co., Philadelphia, Pa.
Liberty Foundry Co., St. Louis, Mo.
McPherson Furnace & Supply Co., Portland, Ore.
Magietic Co., Huntington, Ind.
Majestic Co., Huntington, Ind.
Marshall Furnace Co., Monmouth, Ill.
Marshall Furnace Co., Monmouth, Ill.
Marshall Furnace Co., Monmouth, Ill.
Mary-Fiebeger Co., Newark, O.
Meyer Furnace Co., Newark, O.
Montag Stove & Furnace Works, Portland, Ore.
Moore Corp., Joliet, Ill.
Miller Range & Furnace Co., Wm., Cincinnati, O.
Montag Stove & Furnace Works, Portland, Ore.
Moore Corp., Joliet, Ill.
Orbon Stove Co., Belleville, Ill.
Orbon Stove Co., Delleville, Ill.
Orbon Stove Co., Scale, Ill.
Richardson & Boynton Co., New York City.
Robinson Furnace Co., Chicago, Ill.
Rock Island Stove Co., Rock Island, Ill.
Rock Island Stove Co., Rock Island, Ill.
Rock Island Stove Co., Scale, Ill.
Rock Island Furnace Co., Dowagiac, Mich.
Ryboit Heater Co., Choman, Mich.
Ryboit Heater Co., Choman, Nich.
Schull Mfg. Co., Crestline, O.
Schwab Furnace & Mfg. Co

#### FURNACES, WARM AIR, GRAVITY, COAL BURNING, STEEL

STEEL

American Foundry & Furnace Co., Bloomington, Ill.
American Furnace & Foundry Co., Milan, Mich.
Arcweld Mfg. Co., Inc., Seattle, Wash.
Armstrong Furnace & Cleaner Mfg. Co., Toledo, O.
Baker Furnace & Cleaner Mfg. Co., Toledo, O.
Campbell Heating Co., Des Moines, Ia.
Campbell Heating Co., E. K., Kansas City, Mo.
Cole Hot Blast Mfg. Co., Chicago, Ill.

Dail Steel Products Co., Lansing, Mich.
Daniels Mfg. Co., Inc., Sam, Hardwick, Vt.
Deshler Foundry & Mach. Wks., Deshler, O.
Des Moines Stove Repair Co., Des Moines, Ia.
Detroit Michigan Stove Co., Detroit, Mich.
Dowagiac Steel Furnace Co., Dowagiac, Mich.
Enterprise Boiler & Tank Works, Inc., Chicago, Ill.
Excelsior Steel Furnace Co., Chicago, Ill.
Farquhar Furnace Co., Wilmington, O.
Faulitiess Heater Corp., Cleveland, O.
Floral City Co., Monroe, Mich.
Forest City Foundries Co., Cleveland, O.

OFox Furnace Co., Elyria, O.
Gehri Co., Tacoma, Wash.

Hall-Neal Furnace & Foundry Co., Cleveland, O.

Hess Warming & Ventilating Co., Chicago, Ill.
"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.
Home Stove Co., Indianapolis, Ind.
Ideal Furnace Co., Detroit, Mich.
International Heater Co., Utica, N. Y.
Iowa Foundry Co., Sloux City, Ia.

Jackson & Church Co., Saginaw, Mich.
Joliet Heating Corp., Joliet, Ill.

Index to Advertisers, page 192

F

Keith Furnace Co., Des Moines, Ia.
Koons Furnace Co., Danville, Ill.
Kruse & Dewenter Co., Indianapolis, Ind.
LaCrosse Tractor Co., LaCrosse, Wis.
Lee Heating Systems, Youngstown, O.
Lennox Furnace Co., Marshalltown, Ia.
Liberty Foundry Co., St. Louis, Mo.
Lookout Furnace Co., Chattanooga, Tenn.
MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.
Majestic Co., Huntington, Ind.
Majestic Furnace Co., Seattle, Wash.
Marshall Furnace Co., Seattle, Wash.
Marshall Furnace Co., Seattle, Wash.
Marshall Furnace Co., L. J., Milwaukee, Wis.
National Mfg. & Engineering Co., Detroit, Mich.
Nugent Sons, Inc., Thos., New York City.
Patten Co., J. V., Sycamore, Ill.
Peerless Foundry Co., Indianapolis, Ind.
Pennsylvania Engineering Works, New Castle, Pa.
Pennsylvania Engineering Works, New Castle, Pa.
Perfect Burner Co., Lynn, Mass.
Pittsburgh Furnace Parts Co., Pittsburgh, Pa.
Premier Furnace Co., Wausau, Wis.
Richardson & Boynton Co., New York City.
Roberts-Hamilton Co., Minneapolis, Minn.
Robinson Heating & Ventilating Corp., Massillon, O.
Rosebraugh Co., W. W., Salem, Ore.
Pound Oak Co., Dowagiac, Mich.
Rybolt Heater Co., Ashland, O.
Schill Mfg. Co., Crestline, O.
Schwab Furnace & Mfg. Co., Milwaukee, Wis.
Sioux City Foundry and Boiler Co., Sioux City, Ia.
Smuck-Thiele Co., Indianapolis, Ind.
Thatcher Furnace Company, Newark, N. J.
Thompson Mfg. Co., Denver, Colo.
Waterman-Waterbury Co., Minneapolis, Minn.
Welded Steel Products Co., Milwaukee, Wis.
Williamson Heater Co., Cincinnati, O.
Waterman-Waterbury Co., Minneapolis, Minn.
Welded Steel Products Co., Milwaukee, Wis.
Williamson Heater Co., Cincinnati, O.
Waterman-Waterbury Co., Minneapolis, Minn.
Welded Steel Products Co., Milwaukee, Wis.
Williamson Heater Co., Cincinnati, O.
Waterman-Waterbury Beating & Ventilating Co., Akron, O.
Waterman-Waterbury Co., Minneapolis, Minn.
Welded Steel Products Co., Milwaukee, Wis.
Williamson Heater Co., Co., Cincinnati, O.
Woodward & Co., Thos. S., Rochester, N. Y.

\*\*XXth Century Heating & Ventilating Co., Akron, O.

#### FURNACES, WARM AIR, GRAVITY, GAS BURNING, **CAST IRON**

CAST IRON

American Foundry & Furnace Co., Bloomington, Ill.
American Furnace Co., St. Louis, Mo.
Beck Engineering Combustion Kompany, St. Louis, Mo.
Bryant Heater Co., Cleveland, O.
Favorite Mfg. Co., Piqua, O.
Forest City Foundries Co., Cleveland, O.

Fox Furnace Co., Elyria, O.
Green Foundry & Furnace Works, Des Moines, Ia.
Hart Mfg. Co., Louisville, Ky.

Henry Furnace & Foundry Co., Cleveland, O.

"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.
Jackson Sheet Metal Works, Ogden, Utah. (Combination Iron and Steel)
Johnson Gas Furnace Corp., Los Angeles, Cal.
Kelsey Heating Co., Syracuse, N. Y.
Marvelaire Corp., West Los Angeles, Cal.
Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill.

Mueller Furnace Co., L. J., Milwaukee, Wis.
Norge Heating & Conditioning Div., Borg-Warner Corp., Detroit, Mich.

Pacific Gas Radiator Co., Los Angeles, Cal.
Phillips Heating, Ventilating & Mfg. Co., Los Angeles, Cal.
Reznor Mfg. Co., Mercer, Pa.
Rudy Furnace Co., Dowagiac, Mich.
Sloux City Foundry & Boiler Co., Sloux City, Ia.
Standard Furnace & Supply Co., Omaha, Nebr.
Ward Heater Co., Ltd., Los Angeles, Cal.

Wise Furnace Co., Akron, O.

#### FURNACES, WARM AIR, GRAVITY, GAS BURNING, STEEL

#### (Complete with burner)

(Complete with burner)

Aladdin Heating Corp., Oakland, Cal.
American Furnace Co., St. Louis, Mo.

Armstrong Furnace Co., Columbus, O.
Atlas Heating & Ventilating Co., Ltd., San Francisco, Cal.
Bryant Corp., C. L., Cleveland, O.
Burmester Gas Furnace Mfg. Co., Omaha, Nebr. (Sheet Iron)
Calkins & Pearce, Columbus, O.
Cocking, Geo. J., Santa Ana, Cal.

Dail Steel Products Co., Lansing, Mich.
Des Moines Steel Furnace Co., Des Moines, Ia.
Detroit Michigan Stove Co., Detroit, Mich.
Edwards Mfg. Co., Inc., Cincinnati, O.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.
Forest City Foundries Co., Cleveland, O.
Foss Heating & Engineering Co., Pasadena, Cal.

Fox Furnace Co., Elyria, O.

e Hall-Neal Furnace Co., Indianapolis, Ind.
Heckler Bros., Pittsburgh, Pa.
Hess-Snyder Co., Massillon, O.
"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.
Independence Stove & Furnace Co., Independence, Mo.
Johnston Gas Furnace Corp., Los Angeles, Cal.
LaCrosse Tractor Co., LaCrosse, Wis.
Lee Heating Systems, Youngstown, O.
Lennox Furnace Co., Marshalltown, Ia.
Michigan Tank & Furnace Corp., Detroit, Mich.
Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill.
Mucller Furnace Co., L. J., Milwaukee, Wis.
National Mfg. & Engineering Co., Detroit, Mich.
Norge Heating & Conditioning Div. of Borg-Warner Corp.,
Detroit, Mich.
Pacific Gas Radiator Co., Los Angeles, Cal.
Payne Furnace & Supply Co., Beverly Hills, Cal.
Pennsylvania Furnace & Iron Co., Warren, Pa.
Phillips Heating, Ventilating & Mfg. Co., Los Angeles, Cal.
Reznor Mfg. Co., Mercer, Pa.
Robinson Heating & Ventilating Corp., Massillon, O.
Ryniker Sheet Metal Works, Inc., Billings, Mont.
Scott-Newcomb, Inc., St. Louis, Mo.
Security Stove & Mfg. Co., Kansas City, Mo.
Surface Combustion Corp., Toledo, O.
Texo Sales & Mfg. Co., Cincinnati, O.
Thompson Mfg. Co., Denver, Colo.
Twentieth Century Heating & Ventilating Co., Akron, O.
Ward Heater Co., Ltd., Los Angeles, Cal.

Waterman-Waterbury Co., Minneapolis, Minn.
eXXth Century Heating & Ventilating Co., Akron, O.

#### FURNACES, WARM AIR, GRAVITY, OIL BURNING, **CAST IRON**

#### (No burner furnished)

(No burner furnished)
Airtherm Mfg. Co., St. Louis, Mo.
Andes Range & Furnace Corp., Geneva, N. Y.
Chandler Co., Cedar Rapids, Ia.
Detroit Michigan Stove Co., Detroit, Mich.
Edwards Furnace Co., Wellsboro, Pa.
Excelsior Steel Furnace Co., Chicago, Ill.
Forest City Foundries Co., Cleveland, O.
Green Foundry & Furnace Works, Des Moines, Ia.
Hart & Crouse Co., Inc., Utica, N. Y.
Henry Furnace & Foundry Co., Cleveland, O.
Ideal Furnace Co., Detroit, Mich.
International Heater Co., Utica, N. Y.
Keith Furnace Co., Des Moines, Ia.
Kelsey Heating Co., Syracuse, N. Y.
MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.
Marshall Furnace Co., Marshall, Mich.
Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill.
Reif-Rexoil, Inc., Buffalo, N. Y.
Rudy Furnace Co., Dowagiac, Mich.
Schwab Furnace & Mfg. Co., Jumes, Philadelphia, Pa.
Thatcher Furnace Company, Newark, N. J.

## FURNACES, WARM AIR, GRAVITY, OIL BURNING,

#### (No burner furnished)

American Furnace Co., St. Louis, Mo.
American Furnace & Foundry Co., Milan, Mich.
Arcweld Mfg. Co., Inc., Seattle, Wash.

e Armstrong Furnace Co., Columbus, O.
Baker Furnace & Cleaner Mfg. Co., Toledo, O.
Bard Manufacturing Co., Bryan, O.
Campbell Heating Co., E. K., Kansas City, Mo.
Cary Mfg. Co., Waupaca, Wis.

e Dail Steel Products Co., Lansing, Mich.
Des Moines Steel Furnace Co., Des Moines, Ia.
Detroit Michigan Stove Co., Detroit, Mich.
Dowagiac Steel Furnace Co., Dowagiac, Mich.
Economy Baler Co., Ann Arbor, Mich.
Enterprise Boiler & Tank Wks., Inc., Chicago, Ill.
Excelsior Steel Furnace Co., Chicago, Ill.
Excelsior Steel Furnace Co., Chicago, Ill.
Farquhar Furnace Co., Cleveland, O.

e Fox Furnace Co., Elyria, O.
Gasoroil Furnace Co., Indianapolis, Ind.
e Henry Furnace & Foundry Co., Cleveland, O.
e Hess-Snyder Co., Massillon, O.
e Hess Warming & Ventilating Co., Chicago, Ill.
"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.
Ideal Furnace Co., Detroit, Mich.

e Jackson & Church Co., Saginaw, Mich.
Jolet Heating Corp., Joliet, Ill.
Keith Furnace Co., Des Moines, Ia.
Kelsey Heating Co., Syracuse, N. Y.
Koons Furnace Co., Indianapolis, Ind.
Index to Advertisers, page 192

Kruse & Dewenter Co., Indianapolis, Ind.
LaCrosse Tractor Co., LaCrosse, Wis.
Lee Heating Systems, Youngstown, O.
Lennox Furnace Co., Marshalltown, Ia.
Liberty Foundry Co., St. Louis, Mo.
Lookout Furnace Co., Chattanooga, Tenn.
MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.
Marshall Furnace Co., Marshall, Mich.

Meyer Furnace Co., Marshall, Mich.

Michigan Tank & Furnace Works, Portland, Ore.

Mueller Furnace Co., L. J., Milwaukee, Wis.
National Mfg. & Engineering Co., Detroit, Mich.
Oil Burner Builders, Inc., Bellevue, Ia.

Pacific Gas Radiator Co., Los Angeles, Cal.

Peerless Foundry Co., Indianapolis, Ind.

Premier Furnace Co., Dowagiac, Mich.
Rock Island Stove Co., Rock Island, Ill.
Rosebraugh Co., W. W., Salem, Ore.

Round Oak Co., Dowagiac, Mich.

Scott-Newcomb, Inc., St. Louis, Mo.

Schwab Furnace & Mfg. Co., Milwaukee, Wis.
Smuck-Thiele Co., Indianapolis, Ind.
Thatcher Furnace Co., Denver, Col.

Twentieth Century Heating & Ventilating Co., Akron, O.

Waterman-Waterbury Co., Milwaukee, Wis.

Wise Furnace Co., Akron, O.

(XXth Century Heating & Ventilating Co., Akron, O.

Wise Furnace Co., Akron, O.
 XXth Century Heating & Ventilating Co., Akron, O.

#### FURNACES, WARM AIR, GRAVITY, OIL BURNING, CAST IRON

(Complete with burner)

Arcweld Mfg. Co., Inc., Seattle, Wash. Forest City Foundries Co., Cleveland, O. Green Foundry & Furnace Works, Des Moines, Ia. Harvey-Whipple, Inc., Springfield, Mass. Ideal Furnace Co., Detroit, Mich. Keith Furnace Co., Des Moines, Ia. Marshall Furnace Co., Marshall, Mich.

## FURNACES, WARM AIR, GRAVITY, OIL BURNING,

(Complete with burner)

American Air Conditioning Corp., Sebastopol, Cal. American Furnace Co., St. Louis, Mo. Arcweld Mfg. Co., Inc., Seattle, Wash.

•Armstrong Furnace Co., Columbus, O. Auburn Burner Corp., Auburn, Ind.

Baker Furnace & Cleaner Mfg. Co., Toledo, O. Cary Mfg. Co., Waupaca, Wis.

Century Engineering Corp., Cedar Rapids, Ia.
 Des Moines Steel Furnace Co., Des Moines, Ia.
 Edwards Mfg. Co., Inc., Cincinnati, O.

Des Moines Steel Furnace Co., Des Moines, Ia.

Edwards Mfg. Co., Inc., Cincinnati, O.

Forest City Foundries Co., Cleveland, O.

Gilbert & Barker Mfg. Co., Springfield, Mass.

Green Foundry & Furnace Works, Des Moines, Ia.

Hall-Neal Furnace Co., Indianapolis, Ind.

Heil Co., Milwaukee, Wis.

Hotentot Co., Inc., Omaha, Nebr.

Ingle Mfg. Co., San Diego, Cal.

Jackson & Church Co., Saginaw, Mich.

Jollet Heating Corp., Jollet, Ill.

Keith Furnace Co., Des Moines, Ia.

Koons Furnace Co., Danville, Ill.

Kruse Co., Inc., Indianapolis, Ind.

Lee Heating Systems, Youngstown, O.

Little Burner Co., Inc., H. C., San Rafael, Cal.

Lochinvar Corp., Dearborn, Mich.

Marshall Furnace Co., Marshall, Mich.

Meyer Furnace Co., Peoria, Ill.

Montag Stove & Furnace Works, Portland, Ore.

Motor Wheel Corp., Lansing, Mich.

National Mfg. & Engineering Co., Detroit, Mich.

Norge Heating & Conditioning Div., Borg-Warner Corp.,

Detroit, Mich. Detroit, Mich.

Detroit, Mich.

Nu-Way Corp., Rock Island, Ill.
Oil Burner Builders, Inc., Bellevue, Ia.
Perfect Burner Co., Lynn, Mass.

Perfection Stove Co., Cleveland, O.
Quaker Mfg. Co., Chicago, Ill.
Reif-Rexoil, Inc., Buffalo, N. Y.
Scott-Newcomb, Inc., St. Louis, Mo.

Waterman-Waterbury Co., Minneapolis, Minn.
Wayne Oil Burner Corp., Fort Wayne, Ind.
Wood Industries, Inc., Gar, Detroit, Mich.
York Oil Burner Co., Inc., York, Pa.

#### FURNACES, WARM AIR, GRAVITY, STOKER, CAST IRON

(Complete with stoker)

American Foundry & Furnace Co., Bloomington, Ill. Anchor Stove & Range Co., New Albany, Ind. Excelsior Steel Furnace Co., Chicago, Ill.
Henry Furnace & Foundry Co., Cleveland, O. Kelsey Heating Co., Inc., Syracuse, N. Y. Majestic Co., Huntington, Ind.

#### FURNACES, WARM AIR, GRAVITY, STOKER, **CAST IRON**

(No stoker furnished)

Excelsior Steel Furnace Co., Chicago, Ill.

Henry Furnace & Foundry Co., Cleveland, O.
Keith Furnace Co., Des Moines, Ia.
Kelsey Heating Co., Inc., Syracuse, N. Y.
Majestic Co., Huntington, Ind.
Montag Stove & Furnace Works, Portland, Ore.

Mueller Furnace Co., L. J., Milwaukee, Wis.

Premier Furnace Co., Dowagiac, Mich.

#### FURNACES, WARM AIR, GRAVITY, STOKER, STEEL

(Complete with stoker)

Excelsior Steel Furnace Co., Chicago, Ill.

Hall-Neal Furnace Co., Indianapolis, Ind.

Henry Furnace & Foundry Co., Cleveland, O.

Hess Warming & Ventilating Co., Chicago, Ill.

Meyer Furnace Co., Peoria, Ill.

#### FURNACES, WARM AIR, GRAVITY, STOKER, STEEL

(No stoker furnished)

(No stoker furnished)
American Furnace & Foundry Co., Milan, Mich.
Arcweld Mfg. Co., Inc., Seattle, Wash.

Armstrong Furnace Co., Columbus, O.
Excelsior Steel Furnace Co., Chicago, Ill.

Fox Furnace Co., Elyria, O.

Hall-Neal Furnace & Foundry Co., Cleveland, Q.

Heery Furnace & Foundry Co., Chicago, Ill.

"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.
Lenox Furnace Co., Marshalltown, Ia.

Meyer Furnace Co., Peoria, Ill.

Montag Stove & Furnace Works, Portland, Ore.

Mueller Furnace Co., L. J., Milwaukee, Wis.

Premier Furnace Co., Dowagiac, Mich.

Round Oak Co., Dowagiac, Mich.

Waterman-Waterbury Co., Minneapolis, Minn.

#### FURNACES, WARM AIR, HORIZONTAL

FURNACES, WARM AIR, HORIZONTAL

Acme Heating & Ventilating Co., Chicago, Ill.

American Foundry & Furnace Co., Bloomington, Ill.

Columbus Heating & Ventilating Co., Columbus, O.

Floral City Co., Monroe, Mich.

Forest City Foundries Co., Cleveland, O.

Gehri Co., Tacoma, Wash.

Kruse & Dewenter Co., Indianapolis, Ind.

MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.

Majestic Co., Huntington, Ind.

McPherson Furnace & Supply Co., Portland, Ore.

Moncrief Furnace Co., Atlanta, Ga.

Montag Stove & Furnace Works, Portland, Ore.

Mueller Furnace Co., L. J., Milwaukee, Wis.

New York Blower Co., Chicago, Ill.

Rosebraugh Co., W. W., Salem, Ore.

Twentieth Century Heating & Ventilating Co., Akron, O.

Western Furnaces, Inc., Tacoma, Wash.

AXXth Century Heating & Ventilating Co., Akron, O.

#### FURNACES, WARM AIR, PIPELESS, CAST IRON

Agricola Furnace Co., Inc., Gadsden, Ala.

American Furnace Co., Inc., Gadsden, Ala.

American Furnace Co., St. Louis, Mo.

American Furnace & Furnace Co., Milan, Mich.

Andes Range & Furnace Corp., Geneva, N. Y.

Barry Furnace Co., Hamilton, O.

Brillion Furnace Co., Brillion, Wis.

Chandler Co., Cedar Rapids, Ia.

Danville Stove & Mfg. Co., Danville, Pa.

Detroit Michigan Stove Co., Detroit, Mich.

Dowagiac Steel Furnace Co., Dowagiac, Mich.

Edwards Furnace Co., Wellsboro, Pa.

Emrich Co., C., Columbus, O.

Enterprise Boiler & Tank Works, Inc., Chicago, Ill.

Enterprise Foundry Co., Belleville, Ill.

Excelsior Steel Furnace Co., Chicago, Ill.

Excelsior Stove & Mfg. Co., Quincy, Ill.
Favorite Mfg. Co., Plqua, O.
Floral City Co., Monroe, Mich.
Floyd-Wells Co., Royersford, Pa.
Forest City Foundries Co., Cleveland, O.
Fox Furnace Co., Elyria, O.
Green Foundry & Furnace Works, Des Moines, Ia.
Harlold Furnace Mfg. Co., Spokane, Wash.
Hart & Crouse Co., Inc., Utica, N. Y.
Hart Mfg. Co., Louisville, Ky.
Heckler Bros., Plitsburgh, Pa.
Henry Furnace & Foundry Co., Cleveland, O.
"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.
Home Stove Co., Indianapolis, Ind.
Ideal Furnace Co., Detroit, Mich.
International Heater Co., Utica, N. Y.
Johnston Gas Furnace Corp., Los Angeles, Cal. (Gas)
Kalamazoo Stove Co., Kalamazoo, Mich.
Kansas City Furnace Co., Kansas City, Mo.
Keith Furnace Co., Des Moines, Ia.
Kelssy Heating Co., Syracuse, N. Y.
Liberty Foundry Co., St. Louis, Mo.
MaGirl Foundry & Furnace Works, P. H. Bloomington, Ill.
Marshall Furnace Co., Marshall, Mich.
May-Flebeger Co., Newark, O.
Montag Stove & Furnace Works, Portland, Ore.
Moore Corp., Joliet, Ill.
Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill.
Muller Furnace Co., L. J., Milwaukee, Wis.
Orbon Stove Co., Elleville, Ill.
Pittsburgh Furnace Parts Co., Pittsburgh, Pa.
Pittston Stove Co., Pittston, Pa.
Premier Furnace Co., Dowagiac, Mich.
Ravenna Furnace & Heating Co., Ravenna, O.
Richardson & Boynton Co., New York City.
Robinson Furnace Co., Londing, Ill.
Round Oak Co., Dowagiac, Mich.
Ravenna Furnace & Mfg. Co., Mithwaukee, Wis.
Security Stove & Mfg. Co., Kansas City, Mo.
St. Clair Foundry Corp., Centralia, Ill.
Schill Mfg. Co., Crestline, O.
Schwab Furnace & Mfg. Co., Mich.
Rybolt Heater Co., Ashland, O.
St. Clair Foundry Corp., Centralia, Ill.
Schill Mfg. Co., Crestline, O.
Schwab Furnace & Mfg. Co., Milwaukee, Wis.
Security Stove & Mfg. Co., Kansas City, Mo.
Standard Furnace & Foundry Co., Louisville, Ky.
Thatcher Furnace, Supply Co., Omaha, Nebr.
Stiglitz Furnace & Foundry Co., Louisville, Ky.
Thatcher Furnace, Supply Co., Omaha, Nebr.
Stiglitz Furnace & Foundry Co., Boston, Mass.
Washington Stove

#### FURNACES, WARM AIR, PIPELESS, STEEL

FURNACES, WARM AIR, PIPELESS, STEEL

Aladdin Heating Corp., Oakland, Cal.
American Furnace & Foundry Co., Milan, Mich.
Arcweld Mfg. Co., Inc., Seattle, Wash.

• Armstrong Furnace Co., Columbus, O.
Campbell Heating Co., Des Moines, Ia.
Daniels Mfg. Co., Inc., Sam, Hardwick, Vt.
Detroit Michigan Stove Co., Detroit, Mich.
Dowaglac Steel Furnace Co., Dowagiac, Mich.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.
Enterprise Boiler & Tank Works, Inc., Chicago, Ill.
Floral City Co., Monroe, Mich.
Forest City Foundries Co., Cleveland, O.

• Hall-Neal Furnace Co., Indianapolis, Ind.
Hart Mfg. Co., Louisville, Ky.

• Henry Furnace & Foundry Co., Cleveland, O.

• Hess Warming & Ventilating Co., Chicago, Ill.

"Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.
Home Stove Co., Indianapolis, Ind.
Ideal Furnace Co., Detroit, Mich.
Ingle Mfg. Co., San Diego, Cal.
International Heater Co., Utica, N. Y.
Keith Furnace Co., Des Moines, Ia.
Kelsey Heating Co. Syracuse, N. Y.
Klein Stove Co., Philadelphia, Pa.
Koons Furnace Co., Danville, Ill.
Kruse & Dewenter Co., Indianapolis, Ind.
LaCrosse Tractor Co., LaCrosse, Wis.
Lennox Furnace Co., Marshalltown, Ia.
Liberty Foundry & Furnace Works, P. H., Bloomington, Ill.
Majestic Furnace Co., Seattle, Wash.
Marshall Furnace Co., Seattle, Wash.
Marshall Furnace Co., Belleville, Ill.

• Montag Stove & Furnace Works, Portland, Ore.
Nugent Sons, Inc., Thos., New York City
Orbon Stove Co., Belleville, Ill.
• Pacific Gas Radiator Co., Los Angeles, Cal.
• Payne Furnace & Supply Co., Beverly Hills, Cal.

●Peerless Foundry Co., Indianapolis, Ind.
Pennsylvania Furnace & Iron Co., Warren, Pa.
Pittsburgh Furnace Parts Co., Pittsburgh, Pa.
Roberts-Hamilton Co., Minneapolis, Minn.
Robinson Heating & Ventilating Corp., Massillon, O.
Rosebraugh Co., W. W., Salem, Ore.
Round Oak Co., Dowagiac, Mich.
Schill Mfg. Co., Crestline, O.
Stanton Heater Co., Martins Ferry, O.
Stiglitz Furnace & Foundry Co., Louisville, Ky.
Thompson Mfg. Co., Denver, Colo.
●Twentieth Century Heating & Ventilating Co., Akron, O.
Ward Heater Co., Ltd., Los Angeles, Cal.
●Waterman-Waterbury Co., Minneapolis, Minn.
●Wise Furnace Co., Akron, O.

●XXth Century Heating & Ventilating Co., Akron, O.

#### GAGES, DRAFT

GAGES, DRAFI

Bacharach Industrial Instrument Co., Pittsburgh, Pa.
Bailey Meter Co., Cleveland, O.
Bristol Co., Waterbury, Conn.

Brown Instrument Co., Div. of Minneapolis-Honeywell Regulator Co., Philadelphia, Pa.
Cole-Sullivan Engineering Co., Minneapolis, Minn.
Ellison Draft Gage Co., Chicago, Ill.
Foxboro Co., Foxboro, Mass.
Friez & Sons, Inc., Julien P., Baltimore, Md.
Hays Corp., Michigan City, Ind.
Hill Co., E. Vernon, Chicago, Ill.
Hotstream Heater Co., The, Cleveland, O.
Manning, Maxwell & Moore, Inc., Bridgeport, Conn.
Moeller Instrument Co., Brooklyn, N. Y.
Precision Thermometer & Instrument Co., Philadelphia, Pa.
Preferred Utilities Mfg. Corp., New York City.

#### GAS BURNERS

See Burners, Gas, Conversion

#### GAS PRESSURE REGULATING VALVES

See Valves, Gas Pressure Regulating

#### **GLAZING COMPOUNDS**

See Compounds, Glazing

#### GRILLES, HEATING AND VENTILATING

Aircraft Mfg. Co., Dayton, O.
American Blower Corp., Detroit, Mich.

• American Foundry & Furnace Co., Bloomington, Ill.
American Instrument Co., Silver Springs, Md. (Low velocity

American Foundry & Furnace Co., Bloomington, Ill. American Instrument Co., Silver Springs, Md. (Low velocity air diffusers)
American Warming & Ventilating Co., Toledo, O. Anemostat Corporation of America, New York City. (High velocity air diffusers)
Auer Register Co., Cleveland, O.
Barber-Colman Co., Rockford, Ill.
Best Register Co., Milwaukee, Wis. Carrier Corp., Syracuse, N. Y.
Central Wire & Iron Works, Des Moines, Ia.
Chase Brass & Copper Co., Inc., Waterbury, Conn. Chicago Perforating Co., Chicago, Ill.
Cincinnati Mfg. Co., Cincinnati, O.
Cross Engineering Co., Carbondale, Pa.
Decatur Iron & Steel Co., Decatur, Ala.
Diamond Mfg. Co., Wyoming, Pa.
Eckenroth Register Co., San Francisco, Cal.
Erdle Perforating Co., Rochester, N. Y.
Gilbian Mfg. Co., Ferndale, Mich.
Globe Machine & Stamping Co., Cleveland, O.
Harrington & King Perforating Co., Chicago, Ill.
Hendrick Mfg. Co., Carbondale, Pa.
Independent Register Co., Cleveland, O.
Johnson & Chapman Co., Chicago, Ill.
Lamneck Products, Inc., Columbus, O.
Manhattan Perforated Metal Co., Inc., Long Island City, N. Y.
Metalace Corp., South Boston, Mass.

Metalace Corp., South Boston, Mass.

Mueller Furnace Co., L. J., Milwaukee, Wis.
Mundt & Sons, Charles, Jersey City, N. J.
Newman Brothers, Inc., Cincinnati, O.
Payne Furnace & Supply Co., Beverly Hills, Cal.
Register & Grille Mfg. Co., Inc., Brooklyn, N. Y.
Reliable Perforating Co., Chicago, Ill.
Roberts-Hamilton Co., Minneapolis, Minn.
Rock Island Register Co., Rock Island, Ill.
Trane Co., La Crosse, Wis.
Tuttle & Balley, Inc., New Britain, Conn.
United States Register Co., Battle Creek, Mich.
Waterloo Register Co., Waterloo, Ia.
Western Wire & Iron Works, Inc., Chicago, Ill.
Wickwire Spencer Steel Co., New York City.

#### **GUARDS, SNOW**

Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O. Chase Brass & Copper Co., Inc., Waterbury, Conn. Danzer Metal Works Co., The, Hagerstown, Md. Downs-Smith Brass & Copper Co., New York City. Folsom Snow Guard Co., Boston, Mass.

Hussey & Co., C. G., Pittsburgh, Pa. (Copper)

Levow, David, New York City.
Maysteel Products, Inc., Mayville, Wis. Southbridge Roofing Co., Inc., Southbridge, Mass. Western Wire & Iron Works, Inc., Chicago, Ill. Wickwire Spencer Steel Co., New York City.

#### GUNS, SPRAY, PAINT

Binks Mfg. Co., Chicago, Ill.
De Vilbiss Co., Toledo, O.
Electric Sprayit Co., Milwaukee, Wis.
Imperial Brass Mfg. Co., Chicago, Ill.
Spray Engineering Co., Somerville, Mass.

#### GUNS, SPRAY, METALS

Binks Mfg. Co., Chicago, Ill. Metals Coating Co. of America, Philadelphia, Pa.

#### GUTTERS

See Eaves Trough and Gutters

#### HEAT TRANSFER SURFACE

See Coils, Cooling, Direct Expansion; Coils, Heating; Coils, Cooling, Water

## HEATERS, CABINET

HEATERS, CABINET

Agricola Furnace Co., Inc., Gadsden, Ala.
American Furnace Co., St. Louis, Mo. (Gas and Oil).

American Gas Products Corp., New York City.
American Gas Products Corp., New York City.
American Raddator Co., New York City.
Beck Engineering Combustion Kompany, St. Louis, Mo.
Cary Mfg. Co., Waupaca, Wis.
Colonial Stove Co., Specialities Div., Philadelphia, Pa. (Gas)
Continental Stove Corp., Ironton, O. (Gas).
Corozone Air Conditioning Corp., Cleveland, O. (Gas).
Corozone Air Conditioning Corp., Cleveland, O. (Gas).
Donley Brothers Co., Cleveland, O.
Emrich Co., C., Columbus, O.
Excelsior Stove & Mfg. Co., Quincy, Ill.
Floyd-Wells Co., Royersford, Pa.
Fox Engineering Co., Boston, Mass.

Fox Furnace Co., Elyria, O.
Hart Mfg. Co., Louisville, Ky. (Coal and Gas).
Hayes Custer Stove Co., Bloomington, Ill.
Home Stove Co., Indianapolis, Ind.
Independence Stove & Furnace Co., Independence, Mo.
Ingle Mfg. Co., San Diego, Cal.
Kalamazoo, Stove Co., Kalamazoo, Mich.
Little Burner Co., Inc., H. C., San Rafael, Cal. (Oil Burning).

\*\*Acceptance of Corp., Dearborn, Mich. (Oil Burning).
Maysteel Products, Inc., Mayville, Wis.
Montag Stove & Furnace Works, Portland, Ore.
Moore Corp., Joliet, Ill.
Motor Wheel Corp., Lansing, Mich.
Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill. (Coal, Oil and Gas).

Norge Heating & Conditioning Div. of Borg-Warner Corp., Detroit, Mich. (Oil).
Odin Stove Mfg. Co., Brie, Pa. (Oil Fired).
Orbon Stove Co., Belleville, Ill.

\*\*Pacific Gas Raddator Co., Los Angeles, Cal.
Patten Co., J. V., Sycamore, Ill. (Coal and Gas).

\*\*Payne Furnace & Supply Co., Beverly Hills, Cal.

\*\*Perfection Stove Co., Chicago, Ill. (Oil).
Resnor Mfg. Co., Akron, O. (Oil).
Ward Heater Co., Ld. Los Angeles, Cal.

#### HEATERS, SCHOOL ROOM

Agricola Furnace Co., Inc., Gadsden, Ala.

• American Foundry & Furnace Co., Bloomington, Ill.

American Furnace & Foundry Co., Milan, Mich.

Rock Island Stove Co., Rock Island, Ill.

Round Oak Co., Dowagiac, Mich.
Rudy Furnace Co., Dowagiac, Mich.
St. Clair Foundry Corp., Centralia, Ill.
Silent Sioux Oil Burner Corp., Orange City, Ia. (Oil).
Sioux City Foundry and Boiler Co., Sioux City, Ia.
Standard Foundry & Furnace Co., DeKalb, Ill.
Standard Furnace & Supply Co., Omaha, Nebr.

\*Twentieth Century Heating & Ventilating Co., Akron, O.

\*Waterman-Waterbury Co., Minneapolis, Minn.
Western Blower Co., Seattle, Wash.
Williamson Heater Co., Cincinnati, O.

\*Wise Furnace Co., Akron, O.

\*XXth Century Heating & Ventilating Co., Akron, O.

## HEATING COILS

See Coils, Heating

#### HUMIDIFIER FITTINGS

See Fittings, Humidifier, Water Line

#### **HUMIDIFIER VALVES**

See Valves, Humidifier, Water Level

#### HUMIDIFIERS, FURNACE, EVAPORATION, AUTOMATIC

AUTOMATIC

Agricola Furnace Co., Inc., Gadsden, Ala.
Air Conditioning Supply Co., The, Cleveland, O.

Air Controls, Inc., Cleveland, O.
American Air Conditioning Co., Minneapolis, Minn.

American Foundry & Furnace Co., Bloomington, Ill.
American Furnace & Foundry Co., Milan, Mich.

Automatic Humidifier Co., Cedar Falls, Ia.
Bishop Humidifier Co., Detroit, Mich.
Bryant Heater Co., Cleveland, O.
Cary Mfg. Co., Waupaca, Wis.

Chandler Co., Cedar Rapids, Ia.
Clarm Mechanical Devices Co., Lima, O.
Des Moines Steel Furnace Co., Des Moines, Ia.
Dowagiac Steel Furnace Co., Dowagiac, Mich.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.
Excelsior Steel Furnace Co., Chicago, Ill.
Falstrom Co., Passaic, N. J.

Fox Furnace Co., Elyria, O.
Green Foundry & Furnace Works, Des Moines, Ia.

Hall-Neal Furnace Co., Indianapolis, Ind.
Health-O-Mist Humidifier Mfg. Co., Columbus, Wis.

Henry Furnace & Foundry Co., Cleveland, O.
Home Furnace Co., Holland, Mich.
Ideal Furnace Co., Detroit, Mich.
Iowa Foundry Co., Sioux City, Ia.

Jan

SIST

SI

Da Da Da H

e Johnson Gas Appliance Co., Cedar Rapids, Ia. Kleenaire Corp., Stevens Point, Wis. Kraker, Henry, Holland, Mich. Little Burner Co., Inc., H. C., San Rafael, Cal. Maid-O'-Mist, Inc., Chicago, Ill. Marshall Furnace Co., Peorla, Ill.

Monmouth Products Co., Cleveland, O.

Mueller Furnace Co., L. J., Milwaukee, Wis. Pennsylvania Furnace & Iron Co., Warren, Pa. Perfect Burner Co., Lynn, Mass.

Premier Furnace Co., Dowagiac, Mich. R-S Products Corp., Philadelphia, Pa. Richardson & Boynton Co., New York City. Roberts-Hamilton Co., Minneapolis, Minn.

Round Oak Co., Dowagiac, Mich. Rudy Furnace Co., Dowagiac, Mich. Sallada Mfg. Co., Minneapolis, Minn. Security Stove & Mfg. Co., Kansas City, Mo. Sioux City Foundry and Boiler Co., Sioux City, Ia. Skilbeck Mfg. Co., Kenosha, Wis. Skuttle Co., J. L., Detroit, Mich. Somers, Inc., H. J., Detroit, Mich. Somers, Inc., H. J., Detroit, Mich. Soray Engineering Co., Somerville, Mass. Thatcher Furnace Co., Newark, N. J. Universal Blower Co., Birmingham, Mich. Van Osdol Mfg. Co., Indianapolis, Ind. Viking Air Conditioning Corp., Cleveland, O. Waterman-Waterbury Co., Minneapolis, Minn. Western Blower Co., Seattle, Wash. Wisconsin Humidifier Co., Milwaukee, Wis.

HUMIDIFIERS, FURNACE, SPRAY, AUTOMATIC

HUMIDIFIERS, FURNACE, SPRAY, AUTOM

American Foundry & Furnace Co., Bloomington, Ill.
American Machine Products Co., Marshalltown, Ia.
Binks Mfg. Co., Chicago, Ill.
Bishop & Babcock Sales Co., Cleveland, O.
Brundage Co., Kalamazoo, Mich.
Bryant Corp., C. L., Cleveland, O.
Bryant Heater Co., Cleveland, O.
Bryant Heater Co., Cleveland, O.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.

Fox Furnace Co., Elyria, O.
Handelan Washed Air Co., Minneapolis, Minn.
Lennox Furnace Co., Marshalltown, Ia.

Meyer Furnace Co., Peoria, Ill.

Mueller Furnace Co., Peoria, Ill.

Mueller Furnace Co., Elyria, O.
Ill Burner Builders, Inc., Bellevue, Ia.
Parks-Cramer Co., Fitchburg, Mass.
Rega Mfg. Co., Rochester, N. Y.
Research Corp., New York City.
Russell Electric Co., Chicago, Ill.
Somers, Inc., H. J., Detroit, Mich.
Southworth Machine Co., Portland, Me.
Supreme Electric Products Corp., Rochester, N. Y.
Thatcher Furnace Co., Newark, N. J.
Thermal Units Mfg. Co., Meriden, Conn.
United American Bosch Corp., Springfield, Mass.

OU. S. Air Conditioning Corp., Minneapolis, Minn.

## **HUMIDISTATS**

Automatic Products Co., Milwaukee, Wis.
Barber-Colman Co., Rockford, Ill.
Bristol Co., Waterbury, Conn.
Detroit Lubricator Co., Detroit, Mich.
Friez & Sons, Inc., Julien P., Baltimore, Md. (Human hair). element)
H-B Instrument Co., Inc., Philadelphia, Pa.
Johnson Service Co., Milwaukee, Wis. (Hair, Membrane, Wood)

Johnson S Wood)

Johnson Tool Co., East Providence, R. I. Mayflower-Lewis Corp., St. Paul, Minn. (Hygroscopic paper element)

element)

Minneapolis-Honeywell Regulator Co., Minneapolis, Minn. (Human hair)

Penn Electric Switch Co., Goshen, Ind. (Parchment)
Perfex Corp., Milwaukee, Wis.
Ripley Co., W. R. Tacoma, Wash. (Flexing)
Spencer Thermostat Co., Attleboro, Mass.
Standard Engineering Works, Pawtucket, R. I.
Taylor Instrument Companies, Rochester, N. Y.

#### **HUMIDITY CONTROLS**

See Humidistats

#### **HUMIDITY RECORDERS**

See Recorders, Humidity

#### **HYGROMETERS**

Bristol Co., Waterbury, Conn.
Brown Instrument Co., Div. of Minneapolis-Honeywell Regulator Co., Philadelphia, Pa.
Friez & Sons, Inc., Julien P., Baltimore, Md.
Johnson Service Co., Milwaukee, Wis.
Taylor Instrument Companies, Rochester, N. Y.

#### INDICATORS, SOUND LEVEL

General Electric Co., Schenectady, N. Y.
 Johns-Manville, New York City.

#### INSULATION, BUILDING

INSULATION, BUILDING

Acme Asbestos Covering & Flooring Co., Chicago, Ill. Alfol Insulation Co., New York City.
Alton Mineral Wool Co., Alton, Ill.
Aluminum Co. of America, Pittsburgh, Pa. (Aluminum foil) American Flange & Mfg. Co., Inc., New York City.
Armstrong Cork Products Co., Lancaster, Pa. (Cork) Bache Co., Semon, New York City. (Glass wool) Barrett Co., New York City. (Tar felt)
Bird & Son, Inc., East Walpole, Mass.
Cabot, Inc., Samuel, Boston, Mass.
Cabot, Inc., Samuel, Boston, Mass.
Carey Co., Philip, Lockland, Cincinnatl, O.
Colotax Corp., Chicago, Ill.
Certain-teed Products Corp., New York City. (Rigid fibre)
Cork Insport Corp., New York City. (Corkboard)
Cork Insulation Co., Inc., New York City. (Cork)
Cornell Wood Products Co., Chicago, Ill.
Eagle Picher Lead Co., Cincinnatl, O. (Rockwool)
Ehret Magnesia Mfg. Co., Valley Forge, Pa.
General Insulating & Mfg. Co., Alexandria, Inc. (Blanket)
General Insulation Co., Sandusky, O.
Insulite Co., Minnespolis, Minn.
Johns-Manville, New York City. (Rock wool, fibre board)
Keasbey & Mattison Co., Chicago, Ill.
Misonite Corp., Chicago, Ill.
Mineral Felt Co., Toledo, O.
Mineral Insulation Co., Chicago, Rill.
Mineral Felt Co., Toledo, O.
Mineral Insulation Co., Chicago, Rill.
Mundet Cork Corp., New York City. (Cork)
National Gypsum Co., Buffalo, N. Y.
Norristown Magnesia & Asbestos Co., Norristown, Pa.

\*\*Owens-Illinois Glass Co., Toledo, O.
Pacific States Felt & Mfg. Co., Inc., San Francisco, Cal.
Reynolds Corp., New York City. (Rock wool)
Russell Insulation Co., E., Baltimore, Md.
Schundler & Co., Inc., F. E., Long Island City, N Y.
Smith & Kanzler, Inc., Elizabeth, N. J.
Specialty Converters, Inc., Chicago, Ill.
Standard Lime & Stone Co., Baltimore, Md.
Therminsul Corp. of America, Kalamasoo, Mich.
Truscon Steel Co., Youngstown, O

#### INSULATION, DUCT

Acme Asbestos Covering & Flooring Co., Chicago, Ill.
Alfol Insulation Co., New York City.
American Flange & Mfg. Co., Inc., New York City.
American Hair & Felt Co., Chicago, Ill.
Armstrong Cork Products Co., Lancaster, Pa.
Cabot, Inc., Samuel, Boston, Mass.
Carey Co., Philip, Cincinnati, O.
Celotex Corp., Chicago, Ill.
Cork Import Corp., New York City. (Cork)
Eagle-Picher Lead Co., Cincinnati, O. (Rockwool blankets)
Ehret Magnesia Mfg. Co., Valley Forge, Pa.
General Insulating & Mfg. Co., Alexandria, Ind.
General Insulating Products Co., Brooklyn, N. Y. (Acoustic rockwool) General Insulating & Mig. Co., Archiver and General Insulating Products Co., Brooklyn, N. Y. (Acoustic rockwool)
Insulite Co., Minneapolis, Minn.
Johns-Manville, New York City. (Rock cork)
Masonite Corp., Chicago, Ill.
Maysteel Products, Inc., Mayville, Wis.
Mineral Felt Co., Toledo, O.
Mineral Insulation Co., Chicago Ridge, Ill.
Mundet Cork Corp., New York City. (Cork)

Owens-Illinois Glass Co., Toledo, O.
Pacific States Felt & Mfg. Co., Inc., San Francisco, Cal.
Presstite Engineering Co., St. Louis, Mo.
Robertson Co., H. H., Pittsburgh, Pa.
Rock Wool Products Co., Inc., Wabash, Ind.
Ruberoid Co., New York City. (Asbestos cellular and laminated sheets)
Russell Insulation Co., F. C., Baltimore, Md.
Sall Mountain Co., Chicago, Ill.
Schundler & Co., Inc., F. E., Long Island City, N. Y.
Self-Vulcanizing Rubber Co., Inc., Chicago, Ill. Smith & Kanzler, Inc., Elizabeth, N. J.
Sprayo-Flake Co., Chicago, Ill.
Standard Asbestos Mfg. Co., Chicago, Ill.
Therminsul Corp. of America, Kalamazoo, Mich.
Union Fibre Co., Inc., Winona, Minn.
United Cork Companies, Kearny, N. J.
Western Felt Works, Chicago, Ill.
Wilson & Co., Inc., Chicago, Ill. (Hairbestos)
Wilson, Inc., Grant, Chicago, Ill.
Zonolite Corp. of Montana, Detroit, Mich.

#### INSULATION, FURNACE AND PIPE

INSULATION, FURNACE AND PIPE

Alfol Insulation Co., New York City.
Carey Co., Philip, Lockland, Cincinnati, O.
General Insulating & Mfg. Co., Alexandria, Ind. (Blanket)
Eagle Picher Lead Co., Cincinnati, O. (Vercel Blocks)
Ehret Magnesia Mfg. Co., Valley Forge, Pa.
Johns-Manville, New York City. (All types)
Keasbey & Mattison Co., Ambler, Pa.
Mineral Insulation Co., Chicago Ridge, Ill.
Norristown Magnesia & Asbestos Co., Norristown, Pa.
Pacific States Felt & Mfg. Co., Inc., San Francisco, Cal.
Rock Wool Products Co., Inc., Wabash, Ind. (Rock Wool)
Ruberold Co., New York City. (Asbestos & Magnesia)
Schundler & Co., Inc., F. E., Long Island City, N. Y.
Smith & Kanzler, Inc., Elizabeth, N. J.
Standard Asbestos Mfg. Co., Chicago, Ill.
Standard Lime & Stone Co., Baltimore, Md.
Therminsul Corp., Kalamazoo, Mich.
Union Fibre Co., Inc., Winona, Minn.
Wilson, Inc., Grant, Chicago, Ill.
Zonolite Corp. of Montana, Detroit, Mich.

#### INSULATION, SOUND DEADENING, DUCT

insulation, sound deadening, duct

American Hair & Felt Co., Chicago, Ill.
Berry, Jr., F. E., & Co., Inc., Boston, Mass.
Burgess Battery Co., Chicago, Ill.
Cabot, Inc., Samuel, Boston, Mass.
Carey Co., Philip, Cincinnati, O.
Celotex Corp., Chicago, Ill.
Cork Import Corp., New York City. (Corkboard).
Cork Insulation Co., Inc., New York City. (Cork.)
Ehret Magnesla Mfg. Co., Valley Forge, Pa.
Felters Co., Inc., Boston, Mass.
General Insulating Products Co., Brooklyn, N. Y.
Johns-Manville, New York City.
Keasbey & Mattison Co., Ambler, Pa.
Maysteel Products, Inc., Mayville, Wis.
Mineral Felt Co., Toledo, O.
Mortell Co., J. W., Chicago, Ill.
Nelson Mfg. Co., B. F., Minneapolis, Minn.
Pacific States Felt & Mfg. Co., Inc., San Francisco, Cal.
Presstite Engineering Co., St. Louis, Mo.
Russell Insulation Co., F. C., Baltimore, Md.
Schundler & Co., Inc., F. E., Long Island City, N. Y.
Smith & Kansler, Inc., Elizabeth, N. J.
Sprayko-Flake Co., Chicago, Ill.
Therminsul Corp., Kalamazoo, Mich.
Western Felt Works, Chicago, Ill.
Wilson, Inc., Grant, Chicago, Ill.
Wilson, Inc., Grant, Chicago, Ill.
Wilson, Inc., Grant, Chicago, Ill.

#### LEADER STRAPS

See Fittings and Accessories, Conductor

## LIFTS, SKYLIGHT

Danzer Metal Works Co., Hagerstown, Md.
Dayton Greenhouse Mfg. Co., Dayton, O.
Hudson Equipment Corp., Minneapolis, Minn.
Levow, David, New York City. (Gearing)
Park City Cornice Works, Inc., Bridgeport, Conn.
Royal-Apex Mfg. Corp., Brooklyn, N. Y.
Schoedinger, F. O., Co., Columbus, O.
Van Noorden Co., E., Boston, Mass.
Weiss & Co., H., New York City.
Willis Mfg. Co., Galesburg, Ill.

#### LININGS

See Refractories

#### LOUVRES AND SHUTTERS

- Air Conditioning Products Co., Detroit, Mich. Airecon Industries, Detroit, Mich.
  Aire-Foile Fan & Blower Co., Detroit, Mich.
  Allen Corp., Detroit, Mich.
  American Coolair Corp., Jacksonville, Fla.
  American Foundry & Furnace Co., Bloomington, Ill. American Sheet Metal Works, New Orleans, La.
  American Warming & Ventilating Co., Toledo, O. Ames Co., W. R., San Francisco, Cal.

- ARTISAN

  Andrews Lead Co., Inc., Long Island City, N. Y.

  Arex Co., Chicago, Ill.

  Autovent Fan & Blower Co., Chicago, Ill.

  Barber-Colman Co., Rockford, Ill.

  Bishop & Babcock Sales Co., Cleveland, O.

  Buffalo Forge Co., Buffalo, N. Y.

  Burt Mfg. Co., Akron, O.

  Campbell Heating Co., E. K., Kansas City, Mo. Champlon Blower & Forge Co., Lancaster, Pa.

  Chicago Metal Mfg. Co., Chicago, Ill.

  Clay Equipment Corp., Cedar Falls, Ia.

  Danzer Metal Works Co., Hagerstown, Md.

  Decatur Iron & Steel Co., Decatur, Ala.

  Diamond Mfg. Co., Wyoming, Pa.

  Economy Electric Manufacturing Co., Cicero, Ill.

  Elgo Shutter & Mfg. Co., Detroit, Mich.

  Falstrom Co., Passaic, N. J.

  General Regulator Corp., Chicago, Ill.

  Gillian Mfg. Co., Ferndale, Mich.

  Herrmann & Grace Co., Brooklyn, N. Y.

  Hirschman Co., Inc., W. F., Buffalo, N. Y.

  Jacobs Co., B. & J., Cincinnati, O.

  Jordan & Co., Paul R., Indianapolis, Ind.

  Kirk & Blum Mfg. Co., Cincinnati, O.

  Kleenaire Corp., Stevens Point, Wis.

  Lamb & Ritchie Co., Cambridge, Mass.

  Ledkote Products Co., Long Island City, N. Y.

  Martin Metal Mfg. Co., Wichita, Kan.

  Maysteel Products, Inc., Mayville, Wis.

  Mountain States Equipment Co., Denver, Colo.

  Myers Electric Co., Pittsburgh, Pa.

  Perkinson & Brown, Chicago, Ill.

  Providence Cornice Co., Providence, R. I.

  Richmond Fireproof Door Co., Richmond, Ind.

  Robertson Co., H. H., Pittsburgh, Pa.

  Ryniker Sheet Metal Works, Inc., Billings, Mont.

  Schoedinger Co., F. O., Columbus, O.

  Tiffin Art Metal Co., Tiffin, O.

  Tuttle & Bailey, Inc., New Britain, Conn.

  United States Register Co., Battle Creek, Mich.

  Van Noorden Co., E., Boston, Mass.

  Waterloo Register Co., Waterloo, Ia.

  White Co., Kelvin & Wilfred B., Boston, Mass.

  Waterloo Register Co., York, Pa.

#### MACHINERY, REBUILT AND USED

- ◆Interstate Machinery Co., Inc., Chicago, Ill.
  ◆Maplewood Machinery Co., Inc., Chicago, Ill.
  ◆Osborn Co., J. M. & L. A., Cleveland, O.
  ◆Ward Machinery Co., Chicago, Ill.

#### MACHINES, CRIMPING

Bertsch & Co., Cambridge City, Ind.
Excelsior Tool and Machine Co., East St. Louis, Ill.

Maplewood Machinery Co., Inc., Chicago, Ill.
New Albany Machine Mfg. Co., New Albany, Ind.

Niagara Machine & Tool Works, Buffalo, N. Y.
Packham Crimper Co., Mechanicsburg, O.
Peck, Stow & Wilcox Co., Southington, Conn.
Schatz Mfg. Co., Poughkeepsie, N. Y.
Swaine Mfg. Co., Fred J., St. Louis, Mo.
Yoder Co., Cleveland, O.

#### MACHINES, ELBOW

- Maplewood Machinery Co., Inc., Chicago, Ill.
  Niagara Machine & Tool Works, Buffalo, N. Y.
  Peck, Stow & Wilcox Co., Southington, Conn. Schatz Mfg. Co., Poughkeepsie, N. Y.

#### MACHINES, FLANGING

"Original" Metal Forming Machine Co., Seattle, Wash. • Ward Machinery Co., Chicago, Ill. (Hand)

#### MACHINES, NIBBLING

- Campbell, Andrew C., Division of American Chain & Cable Co., Inc., Bridgeport, Conn.
  Hendley & Whittemore Co., Beloit, Wis.
  Libert Machine Co., Green Bay, Wis.
  National Machine Tool Co., Racine, Wis.
  Pels & Co., Inc., Henry, New York City.
  Rock River Machine Co., Inc., Janesville, Wis.
  Savage Co., W. J., Knoxville, Tenn.
  Schatz Mfg. Co., Poughkeepsie, N. Y.

#### MACHINES, PITTSBURGH LOCK FORMING

• Ward Machinery Co., Chicago, Ill. (Power)

#### MACHINES, SEAMING

Callahan Can Machine Co., Inc., Brooklyn, N. Y.

Maplewood Machinery Co., Inc., Chicago, Ill.

Niagara Machine & Tool Works, Buffalo, N. Y.

Peck, Stow & Wilcox Co., Southington, Conn.
Quickwork Co., St. Mary's, O.
Schatz Mfg. Co., Poughkeepsie, N. Y.
Swaine Mfg. Co., Fred J., St. Louis, Mo.
Yoder Co., Cleveland, O.

#### MACHINES, SLITTING

Bertsch & Co., Cambridge City, Ind.
Callahan Can Machine Co., Inc., Brooklyn, N. Y.
Hendley & Whittemore Co., Beloit, Wis.
Maplewood Machinery Co., Inc., Chicago, Ill.
Niagara Machine & Tool Works, Buffalo, N. Y.
Peck, Stow & Wilcox Co., Southington, Conn.
Quickwork Co., St. Mary's, O.
Swaine Mfg. Co., Fred J., St. Louis, Mo.
Yoder Co., Cleveland, O.

#### MACHINES, WIRING

Callahan Can Machine Co., Inc., Brooklyn, N. Y. Cleveland Punch & Shear Works Co., Cleveland, O.

Maplewood Machinery Co., Inc., Chicago, Ill.

Niagara Machine & Tool Works, Buffalo, N. Y.

Peck, Stow & Wilcox Co., Southington, Conn. Quickwork Co., St. Mary's, O.

Schatz Mfg. Co., Poughkeepsie, N. Y.

Swaine Mfg. Co., Fred J., St. Louis, Mo.

Yoder Co., Cleveland, O.

#### MAGNETIC SWITCHES

See Switches, Magnetic

#### METALS, PERFORATED, SHEET AND PLATE

Chase Brass & Copper Co., Inc., Waterbury, Conn.
Chicago Perforating Co., Chicago, Ill.
Cross Engineering Co., Carbondale, Pa.
Crucible Steel Co., of America, New York City.
Diamond Mfg. Co., Wyoming, Pa.
Erdle Perforating Co., Rochester, N. Y.
Gillian Mfg. Co., Ferndale, Mich.
Hall Metal Products Co., Long Beach, Cal.
Harrington & King Perforating Co., Chicago, Ill.
Hendrick Mfg. Co., Carbondale, Pa.
International Nickel Co., Inc., New York City. (Monel and Nickel)

Nickel)

Johnston & Chapman Co., Chicago, Ill. Littleford Bros., Cincinnati, O. Manhattan Perforated Metal Co., Inc., Long Island City,

Manhattan Perforated Metal Co., Inc., Long Island C. N. Y.

Metalace Corp., South Boston, Mass.

Mundt & Sons, Charles, Jersey City, N. J.

Nortmann-Duffke Co., Milwaukee, Wis.

Reliable Perforating Co., Chicago, Ill.

Revere Copper and Brass Incorporated, New York City.

Standard Stamping & Perforating Co., Chicago, Ill.

Western Wire & Iron Works, Inc., Chicago, Ill.

Wickwire Spencer Steel Co., New York City.

#### METAL SPRAY GUNS

See Guns, Spray, Metals

#### METAL STAMPINGS

See Stampings, Metal

#### METERS, AIR VELOCITY, DIRECT READING

Detroit Air Meter Co., Detroit, Mich. Friez & Sons, Inc., Julien P., Baltimore, Md.
•Illinois Testing Laboratories, Inc., Chicago, Ill.

## MOTORS, DAMPER, DUCT

Automatic Products Co., Milwaukee, Wis.
Barber-Colman Co., Rockford, Ill.
Cook Electric Co., Chicago, Ill.
Detroit Lubricator Co., Detroit, Mich.
General Controls Co., San Francisco, Cal., and Cleveland, O. Janette Mfg. Co., Chicago, Ill.
Mercoid Corp., Chicago, Ill.
Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
Parfox Corp. Milwaukee Wis

Minneaponis-noneyweir Regulator
 Perfex Corp., Milwaukee, Wis.
 Russell Electric Co., Chicago, Ill.
 Sheer Co., H. M., Quincy, Ill.
 White Mfg. Co., St. Paul, Minn.

## MOTORS, DAMPER, FURNACE DRAFT, ELECTRICAL

Automatic Products Co., Milwaukee, Wis.
Barber-Colman Co., Rockford, Ill.
Cook Electric Co., Chicago, Ill.
Crise Elec. Mfg. Co., Mount Vernon, O.
Detroit Lubricator Co., Detroit, Mich.
General Controls Co., San Francisco, Cal., and Cleveland, O.
Gleason-Avery, Inc., Auburn, N. Y.
Goese Mfg. Co., Milwaukee, Wis.
Mercoid Corp., Chicago, Ill.
Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
Modern Heat Regulator Co., Cleveland, O.
Perfex Corp., Milwaukee, Wis.
Ploneer Heat Regulator Division, Master Electric Co., Dayton, O.

ton, O.
Russell Electric Co., Chicago, Ill.
Sheer Co., H. M., Quincy, Ill.
•White Mfg. Co., St. Paul, Minn.

#### MOTORS, ELECTRIC, FRACTIONAL H. P.

MOTORS, ELECTRIC, FRACTIONAL H. P.

Allis Co., Louis, Milwaukee, Wis.
Baldor Electric Co., St. Louis, Mo.

Barber-Colman Co., Rockford, Ill. (A. C.)
Black & Decker Mfg. Co., Towson, Md.
Bodine Electric Co., Chicago, Ill.
Brown-Brockmeyer Co., Inc., Dayton, O.
Burke Electric Co., Erie, Pa.

Century Electric Co., Erie, Pa.

Century Electric Co., Inc., Newark, N. J.
Delco Products Division, General Motors Corp., Dayton, O.
Diehl Mfg. Co., Elizabeth, N. J.
Duro Co., Dayton, O.
Emerson Electric Mfg. Co., St. Louis, Mo.

General Electric Co., Bohenectady, N. Y.
Harnischfeger Corp., Milwaukee, Wis.
Holtzer-Cabot Electric Co., Boston, Mass.
Howell Electric Motors Co., Howell, Mich.
Imperial Electric Co., Dayton, O.
Janette Mfg. Co., Chicago, Ill.
Leland Electric Co., Dayton, O.
Ohio Electric Mfg. Co., Cleveland, O.

Peerless Electric Co., Warren, O.
Robbins & Myers, Inc., Springfield, O.
Signal Electric Mfg. Co., Menominee, Mich.
Speedway Mfg. Co., Cleero, Ill.

Victor Electric Products, Inc., Cincinnatl, O.
Wagner Electric Corp., St. Louis, Mo.
Westinghouse Electric & Mfg. Co., Mansfield, O.

## MOTORS, ELECTRIC, I H. P. AND OVER

MOTORS, ELECTRIC, I H. P. AND OVER

Allis Co., Louis, Milwaukee, Wis.
Allis-Chalmers Mfg. Co., Milwaukee, Wis.
Baldor Electric Co., St. Louis, Mo.
Brown-Brockmeyer Co., Inc., Dayton, O.
Burke Electric Co., Erie, Pa.

Century Electric Co., St. Louis, Mo.
Continental Electric Co., Inc., Newark, N. J.
Crocker-Wheeler Elec. Mfg. Co., Ampere, N. J.
Delco Products Division, General Motors Corp., Dayton, O.
Diehl Mfg. Co., Elizabeth, N. J.
Duro Co., Dayton, O.
Emerson Electric Mfg. Co., St. Louis, Mo.
Fairbanks, Morse & Co., Chicago, Ill.

General Electric Co., Schenectady, N. Y.
Harnischfeger Corp., Milwaukee, Wis.
Holtzer-Cabot Electric Co., Boston, Mass.
Howell Electric Motors Co., Howell, Mich.
Ideal Electric & Mfg. Co., Mansfield, O.
Imperial Electric Co., Chicago, Ill.
Leland Electric Co., Dayton, O.
Lincoln Electric Co., Dayton, O.
Lincoln Electric Co., Dayton, O.
Reliance Electric & Engineering Co., Cleveland, O.
Robbins & Myers, Inc., Springfield, O.
Star Electric Motor Co., Bloomfield, N. J.
Wagner Electric Corp., St. Louis, Mo.
Westinghouse Electric & Mfg. Co., Mansfield, O.

# MOULDING AND TRIM, ORNAMENTAL, for CABI-NETS and CASINGS

NEIS and CASINGS

Allmetal Weatherstrip Co., Chicago, Ill.
Aluminum Co. of America, Pittsburgh, Pa.
Brasco Mfg. Co., Harvey, Ill.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Empire Door Co., Inc., New York City.
Falstrom Co., Passaic, N. J.
Friedley-Voshardt Co., Chicago, Ill.
Gillian Mfg. Co., Ferndale, Mich.
Herron-Zimmers Moulding Co., Detroit, Mich.
Ledkote Products Co., Long Island City, N. Y.
Mesker & Co., Geo. L., Evansville, Ind.
Miller & Doing, Inc., Brooklyn, N. Y.
Perrin Co., Edward C., Camden, N. J.

38

0.

ay-

O.

#### NAILS, ALUMINUM

Aluminum Company of America, Pittsburgh, Pa. Hassall, Inc., John, Brooklyn, N. Y. Townsend Co., New Brighton, Pa.

#### NAILS, COPPER

American Steel & Wire Co., Chicago, Ill.
Angell Nail & Chaplet Co., Cleveland, O.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Columbia Steel Co., San Francisco, Cal.
Copperweld Steel Co., Glassport, Pa.
Hassall, Inc., John, Brooklyn, N. Y.
Hussey & Co., C. G., Pittsburgh, Pa.
Maze Co., W. H., Peru, Ill.
Royal Metal Products Co., Brooklyn, N. Y.
Townsend Co., New Brighton, Pa.
Turner & Seymour Mfg. Co., Torrington, Conn.

#### NAILS, HARDENED MASONRY

American Steel Co., Pittsburgh, Pa.
American Steel & Wire Co., Chicago, Ill.
Rawlplug Co., Inc., New York City.
Ruberoid Co., New York City.
Townsend Co., New Brighton, Pa.
Wheeling Corrugating Co., Wheeling, W. Va.
Wheeling Steel Corp., Wheeling, W. Va.

#### NAILS, ROOFING

NAILS, ROOFING

American Steel & Wire Co., Chicago, Ill.
Angell Nail & Chaplet Co., Cleveland, O.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.
Bethlehem Steel Co., Bethlehem, Pa.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Columbia Steel Co., San Francisco, Cal.
Continental Steel Corp., Kokomo, Ind.
Deniston Co., Chicago, Ill.
Dickson Weatherproof Nail Co., Evanston, Ill. (Lead Headed)
Edwards Mfg. Co., Inc., Cincinnati, O.
Gulf States Steel Co., Birmingham, Ala.
Hassall, Inc., John, Brooklyn, N. Y.

Hussey & Co., C. G., Pittsburgh, Pa.
Jones & Laughlin Steel Corp., Pittsburgh, Pa.
Malleable Iron Fittings Co., Branford, Conn.
Maze Co., W. H., Peru, Ill.
National Lead Co., New York City.

Republic Steel Corp., Cleveland, O.
Tennessee Coal, Iron & Railroad Co., Birmingham, Ala.
Townsend Co., New Brighton, Pa.
Turner & Seymour Mfg. Co., Torrington, Conn.
Wheeling Corrugating Co., Wheeling, W. Va.

Youngstown Sheet & Tube Co., Youngstown, O.

#### NAILS, SCREW, HARDENED

National Screw & Mfg. Co., Cleveland, O.
Parker-Kalon Corp., New York City.
Republic Steel Corp., Cleveland, O.
Townsend Co., New Brighton, Pa.

#### NAILS, STAINLESS STEEL

Anti-Corrosive Metal Products Co, Inc., Castleton-on-Hudson, N. Y.

Republic Steel Corp., Cleveland, O.
Turner & Seymour Mfg. Co., Torrington, Conn.

#### NAILS, ZINC COATED

NAILS, ZINC COATED

American Steel & Wire Co., Chicago, Ill.
American Zinc Products Co., Greencastle, Ind.
Angell Nail & Chaplet Co., Cleveland, O.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.
Bethlehem Steel Co., Bethlehem, Pa.
Columbia Steel Co., San Francisco, Cal.
Continental Steel Corp., Kokomo, Ind.
Gulf States Steel Co., Birmingham, Ala.
Hassall, Inc., John, Brooklyn, N. Y.
Jones & Laughlin Steel Corp., Pittsburgh, Pa.
Malleable Iron Fittings Co., Branford, Conn.
Maze Co., W. H., Peru, Ill.
Tennessee Coal, Iron & Railroad Co., Birmingham, Ala.
(Galvanized)
Townsend Co., New Brighton, Pa.
Wheeling Corrugating Co., Wheeling, W. Va.
Wheeling Steel Corp., Wheeling, W. Va.
eYoungstown Sheet & Tube Co., Youngstown, O.

#### **NIGHT AIR FANS**

See Fans, Night Air Cooling

#### NOZZLES, SPRAY

Balloffett Dies & Nozzle Co., Inc., Guttenberg, N. J.
Binks Mfg. Co., Chicago, Ill.
Bishop & Babcock Sales Co., Cleveland, O.

Buffalo Forge Co., Buffalo, N. Y.
Detroit Lubricator Co., Detroit, Mich.

Friez & Sons, Inc., Julien P., Baltimore, Md.
Grinnell Co., Inc., Providence, R. I.
Harsch Co., Inc., H., Maplewood, N. J.
Howell Mfg. Co., Kansas City, Mo.
Hubbard Co., Minneapolis, Minn.
Johnson Tool Co., Inc., East Providence, R. I.

Marley Co., Kansas City, Mo.

Martocello & Co., Jos. A., Philadelphia, Pa.
Monarch Mfg. Works, Inc., Philadelphia, Pa.
National Air Conditioning Engineering Corp., Kansas City,
Mo. MO.
Preferred Utilities Mfg. Corp., New York City.
Rega Mfg. Co., Rochester, N. Y.
Spray Engineering Co., Somerville, Mass.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Supreme Electric Products Corp., Rochester, N. Y. Trane Co., LaCrosse, Wis.

#### OFFSETS, FURNACE PIPE

See Fittings and Accessories, Furnace Pipe

#### OIL BURNER CONTROLS

See Controls, Oil Burner

#### OIL BURNERS

See Burners, Oil

#### **OZONIZERS**

Auburn Automobile Co., Air Cond. Div., Chicago, Ill., and Auburn Automobile Co., Air Cond. Div., Chica Connorsville, Ind.
Corozone Air Conditioning Corp., Cleveland, O. Electroaire Corp., Chicago, Ill.
Fresh'nd-Aire Co., Chicago, Ill.
Montgomery Bros., San Francisco, Cal.
Polar Air, Inc., Dallas, Tex.
Sealkote Corp., Chicago, Ill.
Triox Engineering Co., St. Louis, Mo.

## PAINT, ALUMINUM

Acme Refining Co., Cleveland, O.
Aluminum Company of America, Pittsburgh, Pa.
Asphalt Products Co., Syracuse, N. Y.
Calbar Paint & Varnish Co., Philadelphia, Pa.
Carter Paint Co., Liberty, Ind.
Connors Paint Mfg. Co., Wm., Troy, N. Y.
Continental Products Co., Euclid, O.
Cork Import Corp., New York City.
Gerard Chemical Co., Elizabeth, N. J.
Glidden Co., Cleveland, O.
Hague & Co., Inc., Alfred, Brooklyn, N. Y.
Heath & Milligan Mfg. Co. Div. of Glidden Co., Chicago,
Ill. Ill.
Horn Co., A. C., Long Island City, N. Y.
Iowa Paint Mfg. Co., Des Moines, Ia.
Koppers Co., Tar and Chemical Div., Pittsburgh, Pa.
Lastik Products Co., Inc., Pittsburgh, Pa.
National Mfg. Corp., Tonawanda, N. Y.
Ohmlac Paint & Refining Co., Chicago, Ill.
Pyrolite Products Co., Cleveland, O.
Reynolds Corp., New York City.
Roxalin Flexible Lacquer Co., Elizabeth, N. J.
Technical Coatings, Inc., New York City.
Thompson & Co., Pittsburgh, Pa.
Tropical Paint & Oil Co., Cleveland, O.
Wilhelm Co., A., Reading, Pa. III.

#### PAINT, ASBESTOS

Barber Co., Inc., Philadelphia, Pa.
Calbar Paint & Varnish Co., Philadelphia, Pa.
Carter Paint Co., Liberty, Ind.
Connors Paint Mfg. Co., Wm., Troy, N. Y.
Flintkote Co., New York City.
Glidden Co., Cleveland, O.
Hague & Co., Inc., Alfred, Brooklyn, N. Y.
Heath & Milligan Mfg. Co., Div. of Glidden Co., Chicago, Heath & Milligan Mfg. Co., Div. of Glidden Co., Ill.

Hetzel Roofing Products Co., Newark, N. J.

Horn Co., A. C., Long Island City, N. Y.

Iowa Paint Mfg. Co., Des Moines, Ia.

Lastik Products Co., Inc., Pittsburgh, Pa.

Metropolitan Refining Co., Long Island City, N. Y.

Miller & Son, C. Arthur, Elmira, N. Y.

National Mfg. Corp., Tonawanda, N. Y. Ohmlac Paint & Refining Co., Chicago, Ill.

Pyrolite Products Co., Cleveland, O. Ruberoid Co., New York City.
Sauereisen Cements Co., Sharpsburg, Pa. Tamms Silica Co., Chicago, Ill.
Thompson & Co., Pittsburgh, Pa.
Tropical Paint & Oil Co., Cleveland, O. Wilhelm Co., A., Reading, Pa.
Wilson, Inc., Grant, Chicago, Ill.

#### PAINT, CONCRETE, WATERPROOFING

Acme Refining Co., Cleveland, O.
Asphalt Products Co., Syracuse, N. Y.
Barber Co., Inc., Philadelphia, Pa.
Barrett Co., New York City.
Cabot, Inc., Samuel, Boston, Mass.
Calbar Paint & Varnish Co., Philadelphia, Pa.
Connors Paint Mfg. Co., Wm., Troy, N. Y.
Flintkote Co., New York City.
Gerard Chemical Co., Elizabeth, N. J.
Glidden Co., Cleveland, O.
Goodrich Co., B. F., Akron, O.
Hague & Co., Inc., Alfred, Brooklyn, N. Y.
Heath & Milligan Mfg. Co., Div. of Glidden Co., Chicago,
III. Hague & Co., As., Man. Mfg. Co., Div. of Glidden Co., Heath & Milligan Mfg. Co., Div. of Glidden Co., III.

Horn Co., A. C., Long Island City, N. Y.

Iowa Paint Mfg. Co., Des Moines, Ia.

Koppers Co., Tar and Chemical Div., Pittsburgh, Pa.

Lastik Products Co., Inc., Pittsburgh, Pa.

Metropolitan Refining Co., Long Island City, N. Y.

Ohmlac Paint & Refining Co., Chicago, III.

Pecora Paint Co., Philadelphia, Pa.

Pyrolite Products Co., Cleveland, O.

Ruberoid Co., New York City.

Self-Vulcanizing Rubber Co., Inc., Chicago, III.

Tamms Silica Co., Chicago, III.

Thompson & Co., Pittsburgh, Pa.

Tropical Paint & Oil Co., Cleveland, O.

Truscon Laboratories, Detroit, Mich.

United States Gypsum Co., Chicago, III.

Wilhelm Co., A., Reading, Pa.

#### PAINT, COPPER

American Coppercote, Inc., Brooklyn, N. Y.

#### PAINT, CRACKLE FINISH

Glidden Co., Cleveland, O. Hague & Co., Inc., Alfred, Brooklyn, N. Y. Heath & Milligan Mfg. Co., Div. of Glidden Co., Chicago, III.

Iowa Paint Mfg. Co., Des Moines, Ia.

Roxalin Flexible Lacquer Co., Elizabeth, N. J.

Tropical Paint & Oil Co., Cleveland, O.

Wattenamel Co., Summit, Ill.

Wilhelm Co., A., Reading, Pa.

Zapon-Brevolite Division, Atlas Powder Co., North Chicago, Ill.

#### PAINT, HOT SURFACES

Acme Refining Co., Cleveland, O.
American Chemical Paint Co., Ambler, Pa.
Barrett Co., New York City.
Cabot, Inc., Samuel, Boston, Mass.
Calbar Paint & Varnish Co., Philadelphia, Pa.
Carey Co., Philip, Lockland, Cincinnati, O.
Carter Paint Co., Liberty, Ind.
Continental Products Co., Euclid, O.
Gerard Chemical Co., Elizabeth, N. J.
Glidden Co., Cleveland, O.
Hague & Co., Inc., Alfred, Brooklyn, N. Y.
Heath & Milligan Mfg. Co., Div. of Glidden Co., Chicago, Ill. 111. Hetzel Roofing Products Co., Newark, N. J. Horn Co., A. C., Long Island City, N. Y. Iowa Paint Mfg. Co., Des Moines, Ia. • Laclede-Christy Clay Products Co., St. Louis, Mo. Laclede-Christy Clay Products Co., St. Louis, Mo. Metropolitan Refining Co., Long Island City, N. Y. National Mfg. Corp., Tonawanda, N. Y. Ohmiac Paint & Refining Co., Chicago, Ill.
Pyrolite Products Co., Cleveland, O. Roxalin Flexible Lacquer Co., Elizabeth, N. J. Sauereisen Cements Co., Sharpsburg, Pa. Technical Coatings, Inc., New York City. Thompson & Co., Pittsburgh, Pa. Tropical Paint & Oil Co., Cleveland, O. Walsh Refractories Corp., St. Louis, Mo. Wilhelm Co., A., Reading, Pa.

## PAINT, ROOFING

Acme Refining Co., Cleveland, O. Asphalt Products Co., Syracuse, N. Y.

Barber Co., Inc., Philadelphia, Pa. (Asphalt).
Barrett Co., New York City. (Pitch).
Bird & Son, Inc., East Walpole, Mass.
Cabot, Inc., Samuel, Boston, Mass.
Calbar Paint & Varnish Co., Philadelphia, Pa.
Carey Co., Philip, Lockland, Cincinnati, O.
Certain-teed Products Corp., New York City.
Clinton Metallic Paint Co., Clinton, N. Y. (Red Metallic and Venetian).
Continental Preducts Co., Euclid, O. (All kinds).
Glidden Co., Cleveland, O.
Heath & Milligan Mfg. Co., Division of Glidden Co., Chicago, Ill. (All kinds).
Horn Co., A. C., Long Island City, N. Y.
Iowa Paint Mfg. Co., Des Moines, Ia. (Asphalt).
Koppers Co., Tar and Chemical Div., Pittsburgh, Pa. (Bituminous).
Lastik Products Co., Inc., Pittsburgh, Pa. (Asphalt, Tar). Lastik Products Co., Inc., Pittsburgh, Pa. (Asphalt, Tar).
Ohmlac Paint & Refining Co., Chicago, Ill. (Asphalt).
Pecora Paint Co., Philadelphia, Pa.

ePyrolite Products Co., Cleveland, O. (Asbestos, Asphalt and Tar)
Ruberoid Co., New York City. (Asphalt and Tar).
Rutland Fire Clay Co., Rutland, Vt. (Asphalt).
Thompson & Co., Pittsburgh, Pa.
Wilhelm Co., A., Reading, Pa.

## PAINT SPRAY GUNS

See Guns, Spray, Paint

#### PAPER, ASBESTOS

Carey Co., Philip, Lockland, Cincinnati, O. Ehret Magnesia Mfg. Co., Valley Forge, Pa. Johns-Manville, New York City.
Norristown Magnesia & Asbestos Co., Norristown, Pa. Pacific States Felt & Mfg. Co., Inc., San Francisco, Cal. Ruberoid Co., New York City.
Sail Mountain Co., Chicago, Ill.
Smith & Kantzler, Inc., Elizabeth. N. J. Standard Asbestos Mfg. Co., Chicago, Ill. Wilson, Inc., Grant, Chicago, Ill.

#### PASTE, ASBESTOS PAPER

Clark Stek-O Corp., Rochester, N. Y.
Ehret Magnesia Mfg. Co., Valley Forge, Pa.
Keasbey & Mattison Co., Ambler, Pa.
•Meyer & Bro. Co., F., Peoria, Ill.
Norristown Magnesia & Asbestos Co., Norristown, Pa.
Ruberold Co., New York City
Rutland Fire Clay Co., Rutland, Vt.
•Sall Mountain Co., Chicago, Ill.
Smith & Kanzler, Inc., Elizabeth, N. J.
Standard Asbestos Mfg. Co., Chicago, Ill.
Wilson, Inc., Grant, Chicago, Ill.

#### PERFORATED METALS

See Metals, Perforated, Sheet and Plate

## PIPE, CONDUCTOR

PIPE, CONDUCTOR

Ames Co., W. R., San Francisco, Cal.
Barnes Metal Products Co., Chicago, Ill.

Berger Bros. Co., Philadelphia, Pa.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.
Braden Mfg. Co., Terre Haute, Ind.
Budke Stamping Co., Canonsburg, Pa.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Chicago Metal Mfg. Co., Chicago, Ill.
Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.
Danzer Metal Works Co., Hagerstown, Md.
Decatur Iron & Steel Co., Decatur, Ala.
Downs-Smith Brass & Copper Co., New York City.

Hussey & Co., C. G., Pittsburgh, Pa. (Copper)
La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.
Lumb & Ritchie Co., Cambridge, Mass.

Lyon, Conklin & Co., Inc., Baltimore, Md.
Martin Metal Mfg. Co., Wichita, Kan.

Milcor Steel Co., Milwaukee, Wis.
Miller & Doing, Inc., Brooklyn, N. Y.
New Delphos Mfg. Co., Delphos, O.
Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.
Osborn Co., J. M. & L. A., Cleveland, O.
Providence Cornice Co., Providence, R. I.
Reeves Steel & Mfg. Co., Dover, O.
Schoedinger Co., F. O., Columbus, O.
Sheet Metal Products Co., Peoria, Ill.
Southbridge Roofing Co., Inc., Southbridge, Mass.
Southern States Iron Roofing Co., Savannah, Ga.
Tiffin Art Metal Co., Tiffin, O.
Watson Co., Inc., Jas, H., Bradley, Ill.
Wheeling Corrugating Co., Wheeling, W. Va.
Wilder Manufacturing Co., Wheeling, W. Va.
Wilder Manufacturing Co., Vork, Pa.

38

llie

hi-

and

#### PIPE, FURNACE

PIPE, FURNACE

Acer & Whedon, Inc., Medina, N. Y.
Acme Tin Plate & Roofing Supply Co., Philadelphia, Pa.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.
Braden Mfg. Co., Terre Haute, Ind.
Budke Stamping Co., Canonsburg, Pa.
Chicago Furnace Supply Co., Chicago, Ill.
Chicinnati Sheet Metal & Roofing Co., Cincinnati, O.
Cincinnati Stamping Co., Cincinnati, O.
Cincinnati Stamping Co., Cincinnati, O.
Corbman Bros., Inc., Philadelphia, Pa.
Danzer Metal Works Co., Hagerstown, Md.
Detroit Safety Furnace Pipe Co., Detroit, Mich.
Edwards Furnace Co., Wellsboro, Pa.
Excelsior Steel Furnace Co., Chicago, Ill.
Excelsior Steel Furnace Works, Des Moines, Ia.

Henry Furnace & Foundry Co., Cleveland, O.
Home Furnace & Foundry Co., Cleveland, O.
Home Furnace Co., Holland, Mich.
Howes Co., S. M., Charlestown, Boston, Mass.
International Heater Co., Utica, N. Y.
La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.
Lammeck Products, Inc., Columbus, O.
Lennox Furnace Co., Marshalltown, Ia.

Lyon, Conklin & Co., Inc., Baltimore, Md.
Majestic Co., Huntington, Ind.
Maple City Furnace Co., Monmouth, Ill.
Martin Bros., Rochester, N. Y.
Martin Metal Mfg. Co., Wichita, Kan.

Meyer & Bro. Co., F., Peoria, Ill.

Milcor Steel Co., Milwaukee, Wis.
Norman Sheet Metal Mfg. Co., V. F., Nevada, Mo.

Osborn Co., J. M. & L. A., Cleveland, O.
Parkersburg Iron & Steel Co., Parkersburg, W. Va.

Payne Furnace & Supply Co., Beverly Hills, Cal.

Peerless Foundry Co., Indianapolis, Ind.
Phillips Heating, Ventilating & Mfg. Co., Los Angeles, Cal.
Providence Cornice Co., Providence, R. I.
Reeves Steel & Mfg. Co., Obover, O.
Roberts-Hamilton Co., Minneapolis, Minn.
Scheeter Brothers Co., Philadelphia, Pa.
Schoedinger Co., F. O., Columbus, O.
Standard Furnace & Supply Co., Boverly Hills, Co.
United States Register Co., Battle Creek, Mich.
Wheeling Corrugating Co., Wheeling, W. Va.
Williamson Heater Co., Cincinnati, O.

#### PIPE, SMOKE

PIPE, SMOKE

Acer & Whedon, Inc., Medina, N. Y.
Acme Tin Plate & Roofing Supply Co., Philadelphia, Pa.
Alrtherm Mfg. Co., St. Louis, Mo.
Allegheny Steel Co., Brackenridge, Pa.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.
Braden Mfg. Co., Terre Haute, Ind.
Bros Boiler & Mfg. Co., Wm., Minneapolis, Minn.
Budke Stamping Co., Canonsburg, Pa.
Campbell Heating Co., Des Moines, Ia.
Chicago Metal Mfg. Co., Chicago, Ill.
Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.
Cincinnati Stamping Co., Cincinnati, O.
Danzer Metal Works Co., Hagerstown, Md.
Detroit Safety Furnace Pipe Co., Detroit, Mich.
Edwards Furnace Co., Wellsboro, Pa.
Excelsior Steel Furnace Co., Chicago, Ill.
Excelsior Stove & Mfg. Co., Quincy, Ill.
Faultless Castings Co., Greencastle, Ind. (Cast Iron)
Galva Heater Co., Galva, Ill. (Cast Iron)
Green Foundry & Furnace Works, Des Moines, Ia.

Henry Furnace & Foundry Co., Cleveland, O.
Home Furnace Co., Holland, Mich.
Howes Co., S. M., Charlestown, Boston, Mass.
International Heater Co., Utica, N. Y.
La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.

Lamneck Products, Inc., Columbus, O.
Lennox Furnace Co., Marshalltown, Ia.

Lyon, Conklin & Co., Inc., Baltimore, Md.
Majestic Co., Huntington, Ind.
Martin Bros., Rochester, N. Y.
Martin Metal Mfg. Co., Wichita, Kan.

Meyer & Bro. Co., F., Peorla, Ill.

Milcor Steel Co., Milwaukee, Wis.

Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.

Osborn Co., J. M. & L. A., Cleveland, O.
Parkersburg Iron & Steel Co., Parkersburg, W. Va.
Patten Co., J. V., Sycamore, Ill.

Peerless Foundry Co., Indianapolis, Ind.
Phillips Heating, Ventilating & Mfg. Co., Los Angeles, Cal.
Cal.

Providence Cornice Co., Providence, R. I.
Puhl & Hepper Mfg. Co., Inc., St. Louis, Mo.

Providence Cornice Co., Providence, R. I. Puhl & Hepper Mfg. Co., Inc., St. Louis, Mo. Reeves Steel & Mfg. Co., Dover, O. Roberts-Hamilton Co., Mineapolis, Minn.

Rudy Furnace Co., Dowagiac, Mich.
Schecter Brothers Co., Philadelphia, Pa.
Schoedinger Co., F. O., Columbus, O.
Standard Furnace & Supply Co., Omaha, Nebr.
Sterling Foundry Co., Sterling, Ill. (Cast Iron)
Ster-Na-Man Foundry Co., Springfield, Ill. (Cast Iron)
Tiffin Art Metal Co., Tiffin, O.

• United States Register Co., Battle Creek, Mich.
• Waterloo Register Co., Waterloo, Ia. (Cast Iron)
Wilder Manufacturing Company, Niles, O.
Williamson Heater Co., Cincinnati, O.
• Wise Furnace Co., Akron, O.

#### PIPE, STOVE

Acer & Whedon, Inc., Medina, N. Y.
Acme Tin Plate & Roofing Co., Philadelphia, Pa.
Budke Stamping Co., Canonsburg, Pa.
Chicago Metal Mfg. Co., Chicago, Ill.
Decatur Iron & Steel Co., Decatur, Ala.
Eclipse Metal Mfg. Co., Eden, N. Y.
Excelsior Steel Furnace Co., Chicago, Ill.
Excelsior Steel Furnace Co., Chicago, Ill.
Excelsior Stove & Mfg. Co., Quincy, Ill.
Howes Co., S. M., Charlestown, Boston, Mass.

Lyon, Conklin & Co., Inc., Baltimore, Md.
Martin Bros., Rochester, N. Y.

Milcor Steel Co., Milwaukee, Wis.

Osborn Co., J. M. & L. A., Cleveland, O.

Peerless Foundry Co., Indianapolis, Ind.
Providence Cornice Co., Providence, R. I.
Reeves Steel & Mfg. Co., Dover, O.
Schecter Brothers Co., Philadelphia, Pa.
Schoedinger Co., F. O., Columbus, O.
Wheeling Corrugating Co., Wheeling, W. Va.
Wilder Manufacturing Company, Niles, O.

#### PIPE, INSULATION

See Insulation, Furnace and Pipe

#### PIPELESS FURNACES

See Furnaces, Warm Air, Pipeless

PIPE AND FITTINGS, SHEET METAL See Ducts and Fittings, Prefabricated

#### PLATE, BEARING, STUDDING SPACE

Adjustable Bearing Plate Co., St. Louis, Mo.

#### PLATES, ALLOY

Allegheny Steel Co., Brackenridge, Pa. Aluminum Company of America, Pittsburgh, Pa. (Alumi-

num)

• American Brass Co., Waterbury, Conn. (All copper alloys)
• American Rolling Mill Co., Middletown, O. (Stainless steel)
Bethlehem Steel Co., Bethlehem, Pa.
Crucible Steel Co., of America, New York City.
Gulf States Steel Co., Birmingham, Ala. (Copper, Steel)
Ingersoll Steel & Disc Div., Borg-Warner Corp., Chicago, Ill.
Lukens Steel Co., Coatesville, Pa.
• Republic Steel Corp., Cleveland, O. (Light gauge steel)
Revere Copper and Brass Incorporated, New York City.
• Ryerson & Son, Inc., Jos. T., Chicago, Ill.
• Youngstown Sheet & Tube Co., Youngstown, O.

#### PLATES, STEEL

•American Rolling Mill Ca., Middletown, O.
Bethlehem Steel Co., Bethlehem, Pa.
•Carnegie-Illinois Steel Co., Pittsburgh, Pa.
Crucible Steel Co. of America, New York City.
Decatur Iron & Steel Co., Decatur, Ala.
Granite City Steel Co., Granite City, Ill.
Guif States Steel Co., Birmingham, Ala.
Ingersoll Steel & Disc Div., Borg-Warner Corp., Chicago, Ill.
Inland Steel Co., Chicago, Ill.
International Steel Co., Evansville, Ind.
Jones & Laughlin Steel Corp., Pittsburgh, Pa.
Koppers Co., Tar and Chemical Div., Pittsburgh, Pa.
Lukens Steel Co., Coatesville, Pa.
Otis Steel Co., Cleveland, O.
•Republic Steel Corp., Cleveland, O.
•Ryerson & Son, Inc., Jos. T., Chicago, Ill.
•United States Steel Corp., Pittsburgh, Pa.
Wood Steel Co., Alan, Conshohocken, Pa.
•Youngstown Sheet & Tube Co., Youngstown, O.

#### PLATES, WROUGHT IRON

Byers Co., A. M., Pittsburgh, Pa. Reading Iron Co., Reading, Pa.

OAdvertisement in this issue. See Index to Advertisers, page 192

#### PREFRABRICATED DUCTS

See Ducts and Fittings, Prefabricated

#### PRESSES AND DIES

Bertsch & Co., Cambridge City, Ind.
Bliss Co., E. W., Toledo, O.
Callahan Can Machine Co., Inc., Brooklyn, N. Y.
Cleveland Punch & Shear Works Co., Cleveland, O.

• Dreis & Krump Mfg. Co., Chicago, Ill.
Grand Rapids Die & Tool Co., Grand Rapids, Mich.
Henry & Wright Mfg. Co., Hartford, Conn.

• Marshalltown Mfg. Co., Marshalltown, Ia.
McGee-Parry Machine Wks., Salt Lake City, Utah.
Minster Machine Co., Minster, O.
New Albany Machine Mfg. Co., New Albany, Ind.

• Niagara Machine & Tool Works, Buffalo, N. Y.

• Peck, Stow & Wilcox Co., Southington, Conn.
Perkins Machine Co., Warren, Mass.
Schatz Mfg. Co., Poughkeepsie, N. Y.
Spun Steel Corp., Canton, O.
Zeh & Hahnemann Co., Newark, N. J.

#### PRESSURE REGULATING VALVES, GAS

See Valves, Gas Pressure Regulating

## PROTECTORS, DOWNSPOUT

See Fittings and Accessories, Conductor

#### **PSYCHROMETERS**

Bristol Co., Waterbury, Conn.
Brown Instrument Co., Div. Minneapolis-Honeywell Regulator Co., Philadelphia, Pa.
Friez & Sons, Inc., Julien P., Baltimore, Md.
G. M. Manufacturing Co., New York City.
H-B Instrument Co., Inc., Philadelphia, Pa.
Hill Co., Chicago, Ill.
Moeller Instrument Co., Brooklyn, N. Y.
Precision Thermometer & Instrument Co., Philadelphia, Pa.
Tagliabue Mfg. Co., C. J., Brooklyn, N. Y.
Taylor Instrument Companies, Rochester, N. Y.

#### PULLEYS, FAN AND MOTOR

Allis-Chalmers Mfg. Co., Milwaukee, Wis.

• American Foundry & Furnace Co., Bloomington, Ill.

Allis-Chalmers Mfg. Co., Milwaukee, Wis.

American Foundry & Furnace Co., Bloomington, Ill.
American Pulley Co., Philadelphia, Pa.
Browning Manufacturing Co., Inc., Ohio Valley Pulley
Works, Division, Maysville, Ky.
Chicago Die Casting Co., Chicago, Ill.

Congress Tool & Die Co., Detroit, Mich.
Dick Co., Inc., R. & J., Passaic, N. J.
Dodge Mfg. Corp., Mishawaka, Ind.
Duro Metal Products Co., Chicago, Ill.
Goldens' Fdry. & Mach. Co., Columbus, Ga.
Horton Mfg. Co., Minneapolis, Minn.
Jones Fdry. & Mach. Co., W. A., Chicago, Ill.

Lau Blower Co., Dayton, O.

Maurey Mfg. Corp., Chicago, Ill.
McGee-Parry Machine Wks., Salt Lake City, Utah.
Medart Co., St. Louis, Mo.
Moloch Fdry. & Mach. Co., Kaukauna, Wis.
Pyott Fdry. & Mach. Co., Chicago, Ill.
Reynolds Mfg. Co., Grand Rapids, Mich.
Rockwood Mfg. Co., Indianapolis, Ind.
Rosedale Fdry. & Mach. Co., N. S. Pittsburgh, Pa.
Smith, Inc., Winfield H., Springfield, N. Y.
Spun Steel Corp., Canton, O.
Steel and Tubes, Inc., Cleveland, O. (Stamping)
Swift Mfg. Co., Detroit, Mich.
Wood's Sons Co., T. B., Chambersburg, Pa.

#### PULLEYS, FURNACE

American Foundry & Furnace Co., Bloomington, Ill.
Hart & Cooley Mfg. Co., Chicago, Ill.
Mueller Furnace Co., L. J., Milwaukee, Wis.
Rosedale Fdry. & Mach. Co., N. S., Pittsburgh, Pa.
Stover Mfg. & Engine Co., Freeport, Ill.
United States Register Co., Battle Creek, Mich.

# PUMPS, DEEP-WELL

American-Marsh Pumps, Inc., Battle Creek, Mich. Caldwell, Farley M., Fort Wayne, Ind.

Chandler Co., Cedar Rapids, Ia.
Crane Co., Chicago, Ill.
Dayton Pump & Mfg. Co., Dayton, O.
Decatur Pump Co., Decatur, Ill.
Deming Co., Salem, O.
Fairbanks, Morse & Co., Chicago, Ill.
Goulds Pumps, Inc., Seneca Falls, N. Y.

Hell Co., Milwaukee, Wis.

Meier Electric & Machine Co., Indianapolis, Ind.
Micro-Westco, Inc., Bettendorf, Ia.
Myers & Bro. Co., F. E., Ashland, O.
Pomona Pump Co., Pomona, Cal.
Red Jacket Mfg. Co., Davenport. Ia.
Roper Corp., Geo. D., Rockford, Ill.
Union Steam Pump Co., Battle Creek, Mich.
Uniflow Mfg. Co., Erie, Pa.
United Motors Service, Detroit, Mich.
Victor Equipment Co., Los Angeles, Cal.
Worthington Pump & Machinery Corp., Harrison, N. J.

#### PUMPS, SHALLOW-WELL

Chandler Co., Cedar Rapids, Ia.
Crane Co., Chicago, Ill.
Dayton Pump & Mfg. Co., Dayton, O.
Decatur Pump Co., Decatur, Ill.
Deming Co., Salem, O.
Fairbanks, Morse & Co., Chicago, Ill.
Goulds Pumps, Inc., Seneca Falls, N. Y.
Hell Co., Milwaukee, Wis.
Meier Electric & Machine Co., Indianapolis, Ind.
Micro-Westco, Inc., Bettendorf, Ia.
Morris Machine Works, Baldwinsville, N. Y.
Myers & Bro. Co., F. E., Ashland, Ohio.
Roots-Connersville Blower Corp., Connersville, Ind.
Roper Corp., Geo. D. Rockford, Ill.
Uniflow Mfg. Co., Erie, Pa.
United Motors Service, Detroit, Mich.
Victor Equipment Co., Los Angeles, Cal.
Viking Pump Co., Cedar Falls, Ia.
Worthington Pump & Machinery Corp., Harrison, N. J. • Chandler Co., Cedar Rapids, Ia.

## PUMPS, WATER CIRCULATING

PUMPS, WATER CIRCULATING

Aldrich Pump Co., Allentown, Pa.
Allis-Chalmers Mfg. Co., Milwaukee, Wis.
American-Marsh Pumps, Inc., Battle Creek, Mich.
Bell & Gossett, Chicago, Ill.
Buffalo Pumps, Inc., Buffalo, N. Y.
Chicago Pump Co., Chicago, Ill.
Decatur Pump Co., Decatur, Ill.
Deming Co., Salem, O.
De Laval Steam Turbine Co., Trenton, N. J.
Economy Pumping Machinery Co., Inc., Chicago, Ill.
Fairbanks, Morse & Co., Chicago, Ill.
Frederick Iron & Steel Co., Frederick, Md.
General Blower Co., Philadelphia, Pa.
Goulds Pumps, Inc., Seneca Falls, N. Y.
Ingersoll-Rand, New York City.
Janette Mfg. Co., Chicago, Ill.
Lecourtenay Co., Newark, N. J.
Lewis & Co., Inc., Chas. S., St. Louis, Mo.
Micro-Westco, Inc., Chas. S., St. Louis, Mo.
Micro-Westco, Inc., Chas. S., St. Louis, Mo.
Micro-Westco, Inc., Chas. S., St. Louis, Mo.
Nachine Works, Baldwinsville. N. Y.
Myers & Bro. Co., F. E., Ashland, O.
Nash Engineering Co., South Norwalk, Conn.
National Steam Pump Co., Upper Sandusky, O.
Palmer Electric Co., Detroit, Mich.
Quimby Pump Co., Inc., Newark, N. J.
Rock River Machine Co., Inc., Janesville, Wis.
Roots-Connersville Blower Corp., Connersville, Ind.
Roper Corp., Geo. D., Rockford, Ill.
Schwitzer-Cummins Co., Indianapolis, Ind.
Swaby Mfg. Co., Chicago, Ill.
Taco Heaters, Inc., New York City.

Trane Co., LaCrosse, Wis.
Trimount Rotary Power, Co., East Dedham, Mass.
Uniflow Mfg. Co., Chicago, Ill.
Taco Heaters, Inc., New York City.

Trane Co., LaCrosse, Wis.
Trimount Rotary Power, Co., East Dedham, Mass.
Uniflow Mfg. Co., Chicago, Ill.
Weinman Pump Co., Colam Falls, Ia.
Watts Regulator Co., Lawrence, Mass.
Weil Pump Co., Chicago, Ill.
Weinman Pump Co., Chicago, Ill.
Weinman Pump Co., Columbus, O.
Worthington Pump & Machinery Corp., Harrison, N. J.
Yeomans Bros. Co., Chicago, Ill.

## PUNCHES AND SHEARS COMBINED

Allsteel Press Co., Inc., Chicago, Ill.
Armstrong-Blum Mfg. Co., Chicago, Ill.
Beatty Machine & Mfg. Co., Hammond, Ind.
Bertsch & Co., Cambridge City, Ind.
Buffalo Forge Co., Buffalo, N. Y.
Cleveland Punch & Shear Works Co., Cleveland, O.
Excelsior Tool & Machine Co., East St. Louis, Ill.
G.D.S. Machinery & Supply Co., New York City.
Heartley Machine & Tool Co., Toledo, O.
Hendley & Whittemore Co., Beloit, Wis.

Kidder Mfg. Co., Inc., J. F., Burlington, Vt.

Niagara Machine & Tool Works, Buffalo, N. Y.

Peck, Stow & Wilcox Co., Southington, Conn.
Pels & Co., Inc., Henry, New York City.
Rock River Machine Co., Inc., Janesville, Wis.
Schatz Mfg. Co., Poughkeepsie, N. Y.

#### PUNCHES, BENCH

Allsteel Press Co., Inc., Chicago, Ill.
Armstrong-Blum Mfg. Co., Chicago, Ill.
Buffalo Forge Co., Buffalo, N. Y.
Champion Blower & Forge Co., Lancaster, Pa.
Clough, A. W., Meriden, Conn.
Excelsior Tool and Machine Co., East St. Louis, Ill.
Heartley Machine & Tool Co., Toledo, O.
Hendley & Whittemore Co., Beloit, Wis.
Kidder Mfg. Co., Inc., J. F., Burlington, Vt.
New Albany Machine Mfg. Co., New Albany, Ind.
Nlagara Machine & Tool Works, Buffalo, N. Y.
Peck, Stow & Wilcox Co., Southington, Conn.
Rock River Machine Co., Inc., Janesville, Wis.
Schatz Mfg. Co., Poughkeepsle, N. Y.
Whitney Mfg. Co., W. A., Rockford, Ill.

#### PUNCHES, COMBINATION HAND AND BENCH

Allsteel Press Co., Inc., Chicago, Ill.
Armstrong-Blum Mfg. Co., Chicago, Ill.
Champion Blower & Forge Co., Lancaster, Pa.
Heartley Machine & Tool Co., Toledo, O.
Hendley & Whittemore Co., Beloit, Wis.
Niagara Machine & Tool Works, Buffalo, N. Y.
Peck, Stow & Wilcox Co., Southington, Conn.
Perkins Machine Co., Warren, Mass.
Rock River Machine Co., Inc., Janesville, Wis.
Schatz Mfg. Co., Poughkeepsie, N. Y.
Whitney Mfg. Co., W. A., Rockford, Ill.
Whitney Metal Tool Co., Rockford, Ill.

#### PUNCHES, HAND

PUNCHES, HAND

Allsteel Press Co., Inc., Chicago, Ill.
Armstrong-Blum Mfg. Co., Chicago, Ill.
Bertsch & Co., Cambridge City, Ind.
Bollsert, M., Oakland, Cal.

Buffalo Forge Co., Buffalo, N. Y.
Champion Blower & Forge Co., Lancaster, Pa.
Cleveland Punch & Shear Works Co., Cleveland, O.
Clough, A. W., Meriden, Conn.
Heartley Machine & Tool Co., Toledo, O.
Hendley & Whittemore Co., Beloit, Wis.
Johnson, Inc., William, Newark, N. J.

\*Kidder Mfg. Co., Inc., J. F., Burlington, Vt.

\*Niagara Machine & Tool Works, Buffalo, N. Y.

\*Parker-Kalon Corp., New York City.

\*Peck, Stow & Wilcox Co., Southington, Conn.
Pels & Co., Inc., Henry, New York City.
Rock River Machine Co., Inc., Janesville, Wis.
Schatz Mfg. Co., Poughkeepsie, N. Y.
Service Machine Co., Elizabeth, N. J.

\*Whitney Mfg. Co., W. A., Rockford, Ill.

\*Whitney Metal Tool Co., Rockford, Ill.

#### PUNCHES, POWER

PUNCHES, POWER

Allsteel Press Co., Inc., Chicago, Ill.
Beatty Machine & Mfg. Co., Hammond, Ind.
Bertsch & Co., Cambridge City, Ind.
Bliss Co., E. W., Toledo, O.

Buffalo Forge Co., Buffalo, N. Y.
Callahan Can Machine Co., Inc., Brooklyn, N. Y.
Cleveland Punch & Shear Works Co., Cleveland, O.
Excelsior Tool and Machine Co., East St. Louis, Ill.
Heartley Machine & Tool Co., Toledo, O.
Hendley & Whittemore Co., Beloit, Wis.
Henry & Wright Mfg. Co., Hartford, Conn.
New Albany Machine Mfg. Co., New Albany, Ind.

Niagara Machine & Tool Works, Buffalo, N. Y.
Peck, Stow & Wilcox Co., Southington, Conn.
Pels & Co., Inc., Henry, New York City.
Perkins Machine Co., Warren, Mass.
Rock River Machine Co., Inc., Janesville, Wis.
Schatz Mfg. Co., Poughkeepsie, N. Y.
Service Machine Co., Elizabeth, N. J.
Swaine Mfg. Co., Fred J., St. Louis, Mo.

Whitney Metal Tool Co., Rockford, Ill.
Zeh & Hahnemann Co., Newark, N. J.

#### QUADRANTS, DAMPER

• American Foundry & Furnace Co., Bloomington, Ill.
California Cornice, Steel and Supply Corp., Los Angeles, Cal.
• Goese Mfg. Co., Milwaukee, Wis.
• Hart & Cooley Mfg. Co., Chicago, Ill.
Jamar Co., Walker, Duluth, Minn.
Littleford Bros., Cincinnati, O.
Northern Weatherstrip Co., Duluth, Minn.
Ohio Products Co., Cleveland, O.
• Parker-Kalon Corp., New York City.
Schoedinger Co., F. O., Columbus, O.
• Young Regulator Co., Cleveland, O.

## REBUILT MACHINERY

See Machinery, Rebuilt and Used

#### RECORDERS, HUMIDITY

Bristol Co., Waterbury, Conn.
Brown Instrument Co., Div. of Minneapolis-Honeywell Reg.
Co., Philadelphia, Pa.
Friez & Sons, Inc., Julien P., Baltimore, Md.
G. M. Manufacturing Co., New York City.
H-B Instrument Co., Inc., Philadelphia, Pa.
Leeds & Northrup Co., Philadelphia, Pa.
Tagliabue Mfg. Co., C. J., Brooklyn, N. Y.
Taylor Instrument Companies, Rochester, N. Y.

#### RECORDERS, TEMPERATURE

Bristol Co., Waterbury, Conn.
Brown Instrument Co., Div. of Minneapolis-Honeywell Reg.
Co., Philadelphia, Pa.
Friez & Sons, Inc., Julien P., Baltimore, Md.
G. M. Manufacturing Co., New York City.
H-B Instrument Co., Inc., Philadelphia, Pa.
Leeds & Northrup Co., Philadelphia, Pa.
Manning, Maxwell & Moore, Inc., Bridgeport, Conn.
Practical Instrument Co., Chicago, Ill.
Preferred Utilities Mfg. Corp., New York City.
Tagliabue Mfg. Co., C. J., Brooklyn, N. Y.
Taylor Instrument Companies, Rochester, N. Y.

#### REFRACTORIES

Chapman Clay Co., Zanesville, O.
Chicago Fire Brick Co., Chicago, Ill.
Cleveland Fire Brick Co., Cleveland, O.
Fireline Stove & Furnace Lining Co., Chicago, Ill. (Plastic)
firepot lining)
Johns-Manville, New York City. (Cement and monolithic)
Keasbey & Mattison Co., Ambler, Pa.
Laclede-Christy Clay Products Co., St. Louis, Mo. (Fire
brick and high temperature mortars)
Preferred Utilities Mfg. Corp., New York City.

Pyrolite Products Co., Cleveland, O.
Rex Clay Products Co., Detroit, Mich.
Schundler & Co., Inc., F. E., Long Island City, N. Y.
Standard Fuel Engineering Co., Detroit, Mich.
Walsh Refractories Corp., St. Louis, Mo.

#### REGISTER SHIELDS

See Shields, Warm Air Register

#### REFRIGERATING UNITS

See Compressors, Refrigerating

## REGISTERS, DIRECTIONAL FLOW

Anemostat Corporation of America, New York City. (High Velocity Air Diffusers)

• Auer Register Co., Cleveland, O.

• Barber-Colman Co., Rockford, Ill.

• Eckenroth Register Co., San Francisco, Cal.

Elsey Metal Specialties Co., Detroit, Mich.

Gillian Mfg. Co., Ferndale, Mich.

• Hart & Cooley Mfg. Co., Chicago, Ill.

Hendrick Mfg. Co., Carbondale, Pa.

• Independent Register Co., Cleveland, O.

• National Fan & Blower Corp., Chicago, Ill.

• Register & Grille Mfg. Co., Brooklyn, N. Y.

• Tuttle & Bailey, Inc., New Britain, Conn.

• United States Register Co., Battle Creek, Mich.

• Waterloo Register Co., Waterloo, Ia.

#### REGISTERS, HEATING AND VENTILATING

American Foundry & Furnace Co., Bloomington, Ill.
 Anemostat Corporation of America, New York City. (High

American Foundry & Furnace Co., Bloomington, Ill. Anemostat Corporation of America, New York City Velocity Air Diffusers)
Auer Register Co., Cleveland, O.
Barber-Colman Co., Rockford, Ill. Bergstrom Mfg. Co., Neenah, Wis. Best Register Co., Milwaukee, Wis. Diamond Mfg. Co., Wyoming, Pa.
Eckenroth Register Co., San Francisco, Cal. Forest City Foundries Co., Cleveland, O. Gillian Mfg. Co., Ferndale, Mich.
Hart & Cooley Mfg. Co., Chicago, Ill. Hendrick Mfg. Co., Carbondale, Pa.
Independent Register Co., Cleveland, O.
Liberty Foundry Co., St. Louis, Mo. Maysteel Products, Inc., Columbus, O. Liberty Foundry Co., St. Louis, Mo.
Mweller Furnace Co., L. J., Milwaukee, Wis. Newman Brothers, Inc., Cincinnati, O.
Pacific Gas Radiator Co., Los Angeles, Cal.
Register & Grille Mfg. Co., Inc., Brooklyn, N. Y. Roberts-Hamilton Co., Minneapolis, Minn.
Rock Island Register Co., Rock Island, Ill. Springman Metal Specialty Co., Detroit, Mich. Standard Stamping & Perforating Co., Chicago, Ill.
Tuttle & Balley, Inc., New Britain, Conn.
United States Register Co., Waterloo, Ia.
Index to Advertisers, page 192

OAdvertisement in this issue. See Index to Advertisers, page 192

Ju

R

## REGULATORS, DRAFT, SMOKE PIPE

Anderson Products, Inc., Cambridge, Mass.
Bristol Co., Waterbury, Conn.
Cole Draft Governor Sales Co., Chicago, Ill.
Cole-Sullivan Engineering Co., Minneapolis, Minn.
Dutcher Heating Co., Canton, Mass.
Field Mfg. Co., Chicago, Ill.
Gold Seal Furnace Co., Minneapolis, Minn. (Automatic)
Harvey-Whipple, Inc., Springfield, Mass.
Hotentot Co., Inc., Omaha, Nebr.
Hotstream Heater Co., Cleveland. O. (Automatic)
James Regulator Co., Inc., Pottsville, Pa.
Parker-Kalon Corp., New York City. (Dial Damper).
Piatt Products Corp., Lansing, Mich. (6 and 9-inch)
Polk Mfg. Co., Madison, Wis.
Preferred Utilities Mfg. Corp., New York City.
Simplex Mfg. Co., Fond du Lac, Wis.
Walker Mfg. & Sales Corp., St. Joseph, Mo.

## REGULATORS, FURNACE DRAFT, MECHANICAL

Air Conditioning Supply Co., Cleveland, O.

Automatic Humidifier Co., Cedar Falls, Ia.

Automatic Products Co., Milwaukee, Wis.

Barber-Colman Co., Rockford, Ill.

Cole-Sullivan Engineering Co., Minneapolis, Minn.

Dutcher Heating Co., Canton, Mass.

Gleason-Avery, Inc., Auburn, N. Y.

Gold Seal Furnace Co., Minneapolis, Minn.

Hart & Cooley Mfg. Co., Chicago, Ill.

Hays Corp., Michigan City, Ind.

Mercoid Corp., Chicago, Ill.

Minneapolis Automatic Draft Regulator Co., Minneapolis,

Minn.

Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.

 Minneapolis-Honeywell Regulator Co., Minneapolis, Minn. Safe Automatic Heat Control Co., Detroit, Mich. Tillery's Little Janitor Clock Co., Newark, N. J. Uni-Therm, Inc., Elyria, O.

#### RELAYS, ELECTRICAL

RELAYS, ELECTRICAL

Allen-Bradley Co., Milwaukee, Wis.
Automatic Switch Co., New York City.
Bender Warrick Corp., Birmingham, Mich.
Benjamin Elec. Mfg. Co., Des Plaines, Ill.
Clark Controller Co., Cleveland, O.

Cook Electric Co., Chicago, Ill.
Cutler-Hammer, Inc., Milwaukee, Wis.
Detroit Lubricator Co., Detroit, Mich.
Dunn, Inc., Struthers, Philadelphia, Pa.
Electric Controller & Mfg. Co., Cleveland, O.
Friez & Sons, Inc., Julien P., Baltimore, Md.
General Controls Co., San Francisco, Cal., and Cleveland, O.
General Electric Co., Schenectady, N. Y.
Gleason-Avery, Inc., Auburn, N. Y.
Guardian Electric Mfg. Co., Chicago, Ill.
H-B Instrument Co., Inc., Philadelphia, Pa.
Hart Mfg. Co., Hartford, Conn.
Industrial Engineering Corp., Evansville, Ind.
McCorkle Co., D. H., Berkeley, Calif.
Mercoid Corp., Chicago, Ill.
Micro Switch Corp., Freeport, Ill.

Minneapolls-Honeywell Regulator Co., Minneapolis, Minn.
Monitor Controller Co., Baltimore, Md.
Penn Electric Switch Co., Goshen, Ind.
Perfex Corp., Milwaukee, Wis.
Precision Thermometer & Instrument Co., Philadelphia, Pa.
Sheer Co., H. M., Quincy, Ill.
Taylor Instrument Companies, Rochester, N. Y.
Ward Leonard Electric Co., Mt. Vernon, N. Y.
Westinghouse Electric & Mfg. Co., East Pittsburgh, Pa.
Weston Electrical Instrument Corp., Newark, N. J.

#### REPAIRS, STOVE AND FURNACE

REPAIRS, STOVE AND FURNACE

Adams Co., Dubuque, Ia.

Associated Heater Parts Co., Chicago, Ill.

Banner Repair Parts Co., Youngstown, O.

Bardes Range & Foundry Co., E. H., Cincinnati, O.

Brauer Supply Co., A. G., St. Louis, Mo.

Capitol Furnace & Stove Repair Co., Indianapolis, Ind.

Cantral Furnace & Stove Repair Co., St. Louis, Mo.

Cincinnati Stamping Co., Cincinnati, O.

Des Moines Stove Repair Co., Des Moines, Ia.

Detroit Michigan Stove Co., Detroit, Mich.

Edwards Furnace Co., Wellsboro, Pa.

Faultless Heater Corp., Cleveland, O.

Forest City Foundries Co., Cleveland, O.

Henry Furnace & Foundry Co., Cleveland, O.

Keith Furnace Co., Des Moines, Ia.

Marshall Furnace Co., Des Moines, Ia.

Marshall Furnace Co., Marshall, Mich.

Metzner Stove Repair Co., Kansas City, Mo.

Miller & Son, C. Arthur, Elmira, N. Y. (Furnace)

Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill.

National Foundry & Furnace Co., Dayton, O.

Northwestern Stove Repair Co., Chicago, Ill.

Peerless Foundry Co., Indianapolis, Ind.

Peninsular Stove Co., Detroit, Mich.

Pittsburgh Furnace Parts Co., Pittsburgh, Pa.

• Round Oak Co., Dowagiac, Mich.
Security Stove & Mfg. Co., Kansas City, Mo.
Shamblen Furnace Parts Co., Pittsburgh, Pa.
• Standard Foundry & Furnace Co., De Kalb, Ill.
Stiglitz Furnace & Foundry Co., Louisville, Ky.
Wayne Pattern & Foundry Co., Fort Wayne, Ind.
Williamson Heater Co., Cincinnati, O.

#### RIDGE ROLLS AND RIDGING

Ames Co., W. R., San Francisco, Cal.
Barnes Metal Products Co., Chicago, Ill.

Berger Bros. Co., Philadelphia, Pa.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O. Chase Brass & Copper Co., Inc., Waterbury, Conn. Cincinnati Sheet Metal & Roofing Co., Cincinnati, O. Danzer Metal Works Co., Hagerstown, Md.
Decatur Iron & Steel Co., Decatur. Ala.
Downs-Smith Brass & Copper Co., New York City.
Edwards Mfg. Co., Inc., Cincinnati, O.
Gulf States Steel Co., Birmingham, Ala.

Hussey & Co., C. G., Pittsburgh, Pa. (Copper)
Inland Steel Co., Chicago, Ill.
Klauer Mfg. Co., Dubuque, Ia.
La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.
Lamb & Ritchie Co., Cambridge, Mass.

Lyon, Conklin & Co., Inc., Baltimore, Md.
Martin Metal Mfg. Co., Wichita, Kan.

Meyer & Bro. Co., F., Peoria, Ill.

Milicor Steel Co., Milwaukee, Wis.
New Delphos Mfg. Co., Delphos, O.
Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.

Osborn Co., J. M., & L. A., Cleveland, O.
Providence Cornice Co., Providence, R. I.
Reeves Steel & Mfg. Co., Dover, O.

Republic Steel Corp., Cleveland, O.
Ryniker Sheet Metal Works, Inc., Billings, Mont.
Schoedinger Co., F. O., Coumbus, O.
Southbridge Roofing Co., Inc., Southbridge, Mass.
Southern States Iron Roofing Co., Savanah, Ga.
Tiffin Art Metal Co., Tiffin, O.
Van Noorden Co., E., Boston, Mass.
Wheeling Corrugating Co., Wheeling, W. Va.
Willis Mfg. Co., Galesburg, Ill.
Woolwine Metal Products Co., Los Angeles, Cal.

e Youngstown Sheet & Tube Co., Youngstown, O.

#### RINGS, HANGER, BLOW PIPE

See Fittings, Blow Pipe

#### RIVETS, ALLOY

Allegheny Steel Co., Brackenridge, Pa. (Stainless)
Bethlehem Steel Co., Bethlehem, Pa.
Clark Bros. Bolt Co., Milldale, Conn.
Duriron Co., Inc., Dayton, O. (Steel, chromium-nickel)

Republic Steel Corp., Cleveland, O. (Stainless steel and steel)
Townsend Co. New Brighton, Pa. Townsend Co., New Brighton, Pa.

## RIVETS, ALUMINUM

Aluminum Company of America, Pittsburgh, Pa. Bridgeport Screw Co., Bridgeport, Conn. Chicago Rivet & Mach. Co., Cicero, Ill. Continental Screw Co., New Bedford, Mass. Hassall, Inc., John, Brooklyn, N. Y. Townsend Co., New Brigton, Pa.

#### RIVETS, BRASS, COPPER AND IRON

Abbott Mfg. Co., Painesville, O.
Atlas Bolt & Screw Co., Cleveland, O.
Bethlehem Steel Co., Bethlehem, Pa.
Bridgeport Screw Co., Bridgeport, Conn.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Chicago Rivet & Mach. Co., Cicero, Ill.
Continental Screw Co., New Bedford, Mass.
Hassall, Inc., John, Brooklyn, N. Y.

Hussey & Co., C. G., Pittsburgh, Pa.
Inland Steel Co., Chicago, Ill.
National Screw & Mfg. Co., Cleveland, O.
Revere Copper and Brass Incorporated, New York City.
(Brass and Copper)
Townsend Co., New Brighton, Pa.

#### ROD, WELDING

Air Reduction Sales Co., New York City. Aluminum Company of America, Pittsburgh, Pa. (Alumi-Aluminum Company of America, Fittsburgh, Fa. (num)

•American Brass Co., Waterbury, Conn.

American Chain Co., Inc., Bridgeport, Conn.

American Steel Co., Pittsburgh, Pa.

American Steel & Wire Co., Chicago, Ill.

Bridgeport Brass Co., Bridgeport, Conn.

Central Steel & Wire Co., Chicago, Ill.

Chase Brass & Copper Co., Inc., Waterbury, Conn.

Chicago Steel & Wire Co., Chicago, Ill.

is.

nd

Consolidated Screw Co., New Bedford, Mass.
Crucible Steel Co. of America, New York City.
Handy & Harmon, New York City.
Imperial Brass Mfg. Co., Chicago, Ill.
International Nickel Co., Inc., New York City. (Monel)
Lee & Son Co., K. O., Aberdeen, S. D.
Linde Air Products Co., New York City.
Maurath, Inc., Cleveland, O.
Milburn Co., Alexander, Baltimore, Md.
Page Steel & Wire Co., Monessen, Pa. (Stainless Steel)
Revere Copper and Brass Incorporated, New York City.
Sight Feed Generator Co., Richmond, Ind.
Torchweld Equipment Co., Chicago, Ill.
Una Welding, Inc., Cleveland, O.
Westinghouse Electric & Mfg. Co., East Pittsburgh, Pa.
Wickwire Spencer Steel Co., New York City.

•Youngstown Sheet & Tube Co., Youngstown, O.

## ROLLS (HAND AND POWER), FORMING, BENDING

Bertsch & Co., Cambridge City, Ind.
Hendley & Whittemore Co., Beloit, Wis.

• Maplewood Machinery Co., Inc., Chicago, Ill.

• Niagara Machine & Tool Works, Buffalo, N. Y.

• Peck, Stow & Wilcox Co., Southington, Conn.
Schatz Mfg. Co., Poughkeepsie, N. Y.

#### ROOFING, ALUMINUM

Biersach & Niedermeyer Co., Milwaukee, Wis. Fingles, Inc., W. A. Baltimore, Md. Southern States Iron Rfg. Co., Savannah, Ga.

#### ROOFING, BUILT-UP

•American Brass Co., Waterbury, Conn.
Barber Co., Inc., Philadelphia, Pa.
Barrett Co., New York City.
Bird & Son, Inc., East Walpole, Mass.
Cabot, Inc., Samuel, Boston, Mass.
Carey Co., Philip, Lockland, Cincinnati, O.
Certain-teed Products Corp., New York City.
Flintkote Co., New York City.
Johns-Manville, New York City.
Koppers Co., Tar and Chemical Div., Pittsburgh, Pa. (Pitch and Felt)
Logan-Long Co., Chicago, Ill.
National Mfg. Corp., Tonawanda, N. Y.
Reilly Tar & Chemical Co., Indianapolis, Ind.
Ruberoid Co., New York City.
United States Gypsum Co., Chicago, Ill.

#### ROOFING, COPPER

•American Brass Co., Waterbury, Conn.
Braden Mfg. Co., Terre Haute, Ind.
Bridgeport Brass Co., Bridgeport, Conn.
Chase Brass & Copper Co., Bridgeport, Conn.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Danzer Metal Works Co., Hagerstown, Md.
Downs-Smith Brass & Copper Co., New York City.
Edwards Mfg. Co., Inc., Cincinnati, O. (Metal Shingles, Spanish Tile)
Fingles, Inc., W. A., Baltimore, Md.
Hermann & Grace Co., Brooklyn, N. Y.
•Hussey & Co., C. G., Pittsburgh, Pa.
•Meyer & Bro. Co., F., Peoria, Ill.
•Milcor Steel Co., Miiwaukee, Wis.
National Brass & Copper Co., Inc., Pittsburgh, Pa.
New Haven Copper Co., Seymour, Conn.
Revere Copper and Brass Incorporated, New York City.
Southern States Iron Roofing Co., Savannah, Ga. Southern States Iron Roofing Co., Savannah, Ga. Tiffin Art Metal Co., Tiffin, O. Wheeling Metal & Mfg. Co., Wheeling, W. Va.

#### ROOFING, IRON AND STEEL

ROOFING, IRON AND STEEL

Allegheny Steel Co., Brackenridge, Pa. (Stainless)

• American Rolling Mill Co., Middletown, O.

Ames Co., W. R., San Francisco, Cal.

Apollo Steel Co., Apollo, Pa.

Beatrice Steel Tank Mfg. Co., Beatrice, Nebr.

Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.

Bethlehem Steel Co., Bethlehem, Pa.

Biersach & Niedermeyer Co., Milwaukee, Wis.

Braden Mfg. Co., Terre Haute, Ind.

Budke Stamping Co., Canonsburg, Pa.

Byers Co., A. M., Pittsburgh, Pa. (Wrought Iron)

• Carnegle-Illinois Steel Co., Pittsburgh, Pa.

Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.

Columbia Steel Co., San Francisco, Cal. (Steel)

Danzer Metal Works Co., Hagerstown, Md.

Edwards Mfg. Co., Inc., Cincinnati, O.

Fingles, Inc., W. A., Baltimore, Md.

Globe Iron Roofing & Corrugating Co., Cincinnati, O.

Guif States Steel Co., Birmingham, Ala.

Inland Steel Co., Chicago, Ill. (Steel)

Jones & Laughlin Steel Corp., Pittsburgh, Pa.

Klauer Mfg. Co., Dubuque, Ia.
Kor-Lok Company, Cleveland, O.
La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.
Lyon, Conklin & Co., Inc., Baltimore, Md.
Martin Metal Mfg. Co., Wichita, Kan.
Meyer & Bro. Co., F., Peoria, Ill.
Milcor Steel Co., Milwaukee, Wis.
New Delphos Mfg. Co., Delphos, O.
Newport Rolling Mill Co., Newport, Ky.
Niles Rolling Mill Co., Niles, O.
Parkersburg Iron & Steel Co., Parkersburg, W. Va.
Reeves Steel & Mfg. Co., Dover, O.
Republic Steel Corp., Cleveland, O.
Robertson Co., H. H., Pittsburgh, Pa.
St. Paul Corrugating Co., St. Paul, Minn.
Southbridge Roofing Co., Inc., Southbridge, Mass.
Southern States Iron Rfg. Co., Savannah, Ga.
Tennessee Coal, Iron & Railroad Co., Birmingham, Ala.
(Steel) (Steel)

(Steel)
Tiffin Art Metal Co., Tiffin, O.
Truscon Steel Co., Youngstown, O.
United States Steel Corp., Pittsburgh, Pa.
Van Noorden Co., E., Boston, Mass.
Wheeling Corrugating Co., Wheeling, W. Va.
Wheeling Metal & Mfg. Co., Wheeling, W. Va.
Wheeling Steel Corp., Wheeling, W. Va.
York Corrugating Co., York, Pa.

Youngstown Sheet & Tube Co., Youngstown, O.

#### ROOFING, LEAD

Biersach & Niedermeyer Co., Milwaukee, Wis. Downs-Smith Brass & Copper Co., New York City. Fingles, Inc., W. A., Baltimore, Md. National Lead Co., New York City. Rochester Lead Works, Rochester, N. Y. Southbridge Roofing Co., Inc., Southbridge, Mass.

#### ROOFING PAINT

See Paint, Roofing

#### ROOFING, SLATE

Bangor-Washington Slate Co., Bangor, Pa. Chapman Slate Co., Bethlehem, Pa. Jackson-Bangor Slate Co., Pen Argyl, Pa. North Bangor Slate Co., Bangor, Pa. Rising & Nelson Slate Co., West Pawlet, Vt. Sheldon Slate Co., F. C., Granville, N. Y. Structural Slate Co., Pen Argyl, Pa. Vendor Slate Co., Inc., Nazareth, Pa. Vermont Structural Slate Co., Fair Haven, Vt.

#### ROOFING, TILE (CLAY & CONCRETE)

Hood Co., B. Mifflin, Daisy, Tenn. (Clay). Ludowici-Celadon Co., Chicago, Ill. Lyon, Conklin & Co., Inc., Baltimore, Md. Murray Tile Co., Cloverport, Ky.

#### ROOFING, TIN

Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O. Biersach & Niedermeyer Co., Milwaukee, Wis.

Carnegie-Illinois Steel Co., Pittsburgh, Pa.
Follansbee Bros. Co., Pittsburgh, Pa.

Milcor Steel Co., Milwaukee, Wis.
Southbridge Roofing Co., Inc., Southbridge, Mass.
Southern States Iron Rfg. Co., Savannah, Ga.

Taylor Co., N. & G., Div. Republic Steel Co., Cumberland Md.

United States Steel Corp., Pittsburgh, Pa. United States Steel Corp., Pittsburgh, Pa.
 Wheeling Corrugating Co., Wheeling, W. Va.
 Wheeling Steel Corp., Wheeling, W. Va.

## ROOFING, ZINC

American Zinc Products Co., Greencastle, Ind.
Barnes Metal Products Co., Chicago, Ill.
Illinois Zinc Co., Peru, Ill.
Matthiessen & Hegeler Zinc Co., La Salle, Ill.
Southern States Iren Rfg. Co., Savannah, Ga.
Van Noorden Co., E., Boston, Mass.
Wheeling Corrugating Co., Wheeling, W. Va. (Coated)
Wheeling Steel Corp., Wheeling, W. Va. (Coated)

#### SAVERS, HEAT

Bedard Mfg. Co., Minneapolis, Minn. (Smoke Pipe) Cary Mfg Co., Waupaca, Wis. Chinook, Inc., St. Paul, Minn.

Condensation Engineering Corp., Chicago, Ill. Crown Fuel Saver Co., Richmond, Ind. Gerhardt, W. F., Richmond, Va.

Harvey-Whipple, Inc., Springfield, Mass.
LaCrosse Tractor Co., LaCrosse, Wis.
Meyers Fuel Saver Co., Inc., Janesville, Wis.
Roberts-Hamilton Co., Minneapolis, Minn.
Wolff Coal Saver Co., Chicago, Ill.
Woolery Machine Co., Minneapolis, Minn.

#### SAWS, BAND, SHEET METAL CUTTING

Continental Machine Specialties, Inc., 1301 Washington Ave., South, Minneapolis, Minn. (Rotary)
Robertson Machine & Fdry Co., Buffalo, N. Y.
Tannewitz Works, Grand Rapids, Mich.
Wells Mfg. Corp., Three Rivers, Mich.

#### SCREWS, DRIVE

American Screw Co., Providence, R. I.
Anti-Corrosive Metal Products Co., Inc., Castleton-on-Hudson, N. Y. (Stainless Steel)
Continental Screw Co., New Bedford, Mass.
Corbin Screw Corp., New Britain, Conn.
Deniston Co., Chicago, Iil.
Hassall, Inc., John, Brooklyn, N. Y.
National Screw & Mfg. Co., Cleveland, O.

Parker-Kalon Corp., New York City (Hardened Metallic)
Turner & Seymour Mfg. Co., Torrington, Conn.

#### SCREWS, SELF-TAPPING

Continental Screw Co., New Bedford, Mass. National Screw & Mfg. Co., Cleveland, O. Parker-Kalon Corp., New York City. Shakeproof Lock Washer Co., Chicago, Ill.

#### SCREWS, SHEET METAL

Allegheny Steel Co., Brackenridge Pa. (Stainless)
Aluminum Co. of America, Pittsburgh, Pa. (Aluminum)
American Screw Co., Providence, R. I.
Anti-Corrosive Metal Products Co., Inc., Castleton-on-Hudson, N. Y. (Stainless Steel)
Continental Screw Co., New Bedford, Mass.
Hassall, Inc., John, Brooklyn, N. Y.
National Screw & Mfg. Co., Cleveland, O.

Parker-Kalon Corp., New York City.

#### SHALLOW WELL PUMPS

See Pumps, Shallow Well

#### SHAPES, STRUCTURAL

See Angles, Bars, Beams, Channels and Tees (Structural Shapes)

#### SHEARS, HAND AND BENCH

See Snips and Shears, Bench and Hand

#### SHEARS AND PUNCHES COMBINED

See Punches and Shears Combined

#### SHEARS, PORTABLE, ELECTRIC

G. D. S. Machinery & Supply Co., New York City Glascock Bros. Mfg. Co., Muncie, Ind. • Skilsaw, Inc., Chicago, Ill. Stanley Electric Tool Div., The Stanley Works, New Britain, Conn.

#### SHEARS, POWER

SHEARS, POWER

Allsteel Press Co., Inc., Chicago, Ill.
Beatty Machine & Mfg. Co., Hammond, Ind.
Bertsch & Co., Cambridge City, Ind.
Bliss Co., E. W., Toledo, O.

Buffalo Forge Co., Buffalo, N. Y.
Cincinnati Shaper Co., Cincinnati, O.
Cleveland Punch & Shear Works Co., Cleveland, O.

Dreis & Krump Mfg. Co., Chicago, Ill.
Excelsior Tool and Machine Co., East St. Louis, Ill.
Heartley Machine & Tool Co., Toledo, O.
Hendley & Whittemore Co., Beloit, Wis.

Libert Machine Co., Green Bay, Wis. (Rapid Cutting)

Marshalltown Mfg. Co., Marshalltown, Ia.
New Albany Machine Mfg. Co., New Albany, Ind.

Niagara Machine & Tool Works, Buffalo, N. Y.

Peck, Stow & Wilcox Co., Southington, Conn.
Pels & Co., Inc., Henry, New York City
Quickwork Co., St. Marys, O.
Rock River Machine Co., Inc., Janesville, Wis.
Schatz Mfg. Co., Poughkeepsie, N. Y.
Wiedemann Machine Co., Philadelphia, Pa.
Yoder Co., Cleveland, O.

#### SHEET METAL PARTS

See Mouldings and Trim; also Stampings, Metal

#### SHEETS, ALLOY

Allegheny Steel Co., Brackenridge, Pa.

American Brass Co., Waterbury, Conn. (Copper Alloys)

American Rolling Mill Co., Middletown, O. (Stainless Steel)

Carnegie-Illinois Steel Co., Pittsburgh, Pa. (Copper, High Finish and Stainless Steel)

Crucible Steel Co. of America, New York City Duriron Co., Inc., Dayton, O. (Chromium-Nickel)

Inland Steel Co., Chicago, Ill.

International Nickel Co., Inc., New York City (Monel).

Lukens Steel Co., Coatesville, Pa.

Newport Rolling Mill Co., Newport, Ky. (Pure Iron-Copper Alloy)

Newport Rolling Mill Co., Newport, Ky. (Pure Fron-Calloy)

Republic Steel Corp., Cleveland, O. (Steel)
Sharon Steel Corp., Sharon, Pa.

United States Steel Corp., Pittsburgh, Pa.
Wheeling Steel Corp., Wheeling, W. Va. (Cop-R-Loy)

Youngstown Sheet & Tube Co., Youngstown, O.

#### SHEETS, ALUMINUM

Aluminum Company of America, Pittsburgh, Pa. Fairmont Aluminum Co., Fairmont, W. Va.

#### SHEETS, CLAD

Allegheny Steel Co., Brackenridge, Pa.
Crucible Steel Co. of America, New York City
International Nickel Co., Inc., New York City (Nickel Clad)
Lukens Steel Co., Coatesville, Pa.

#### SHEETS, COPPER

American Brass Co., Waterbury, Conn.
Bridgeport Brass Co., Bridgeport, Conn.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Hussey & Co., C. G., Pittsburgh, Pa.
National Brass & Copper Co., Inc., Pittsburgh, Pa.
New Haven Copper Co., Seymour, Conn.
Revere Copper and Brass Incorporated, New York City.
U. S. Brass & Copper Co., Hyde Park, Mass.

## SHEETS, COPPER BEARING STEEL

SHEETS, COPPER BEARING STEEL

American Rolling Mill Co., Middletown, O.
Apollo Steel Co., Apollo, Pa.
Bethlehem Steel Co., Bethlehem, Pa.
Carnegie-Illinois Steel Co., Pittsburgh, Pa.
Columbia Steel Co., San Francisco, Cal.
Granite City Steel Co., Granite City, Ill.
Gulf States Steel Co., Birmingham, Ala.
Inland Steel Co., Chicago, Ill.
Jones & Laughlin Steel Corporation, Pittsburgh, Pa.
Lukens Steel Co., Coacesville, Pa.
Mahoning Valley Steel Co., Niles, O.
New Delphos Mfg. Co., Delphos, O. (Galvanized Steel)
Newport Rolling Mill Co., Newport, Ky.
Niles Rolling Mill Co., Newport, Ky.
Niles Rolling Mill Co., Niles, O.
Otis Steel Co., Cleveland, O.
Reeves Steel & Mfg. Co., Dover, O.

Republic Steel Corp., Cleveland, O.
Superior Sheet Steel Co., Canton, O.
Tennessee Coal, Iron & Railroad Co., Birmingham, Ala.

United States Steel Corp., Pittsburgh, Pa.
Weirton Steel Co., Weirton, W. Va.
Wheeling Corrugating Co., Wheeling, W. Va.
Wheeling Metal & Mfg. Co., Wheeling, W. Va.
Wheeling Steel Corp., Wheeling, W. Va.
Wheeling Steel Corp., Wheeling, W. Va.

Or Voungstown Sheet & Tube Co., Youngstown, O.

## SHEETS, COPPER, LEAD COATED

● American Brass Co., Waterbury, Conn.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
● Hussey & Co., C. G., Pittsburgh, Pa.
Ledkote Products Co., Long Island City, N. Y.
National Brass & Copper Co., Inc., Pittsburgh, Pa.
New Haven Copper Co., Seymour, Conn.
Revere Copper and Brass Incorporated, New York City.
U. S. Brass & Copper Co., Hyde Park, Mass.
Wheeling Metal & Mfg. Co., Wheeling, W. Va.

## SHEETS, GALVANNEALED

Bethlehem Steel Co., Bethlehem, Pa.

Carnegie-Illinois Steel Co., Pittsburgh, Pa.
Continental Steel Corp., Kokomo, Ind.
Granite City Steel Co., Granite City, Ill.
Inland Steel Co., Chicago, Ill.
Newport Rolling Mill Co., Newport, Ky.

Republic Steel Corp., Cleveland, O. Sharon Steel Corp., Sharon, Pa.
Superior Sheet Steel Co., Canton, O. Tennessee Coal, Iron & Railroad Co., Birmingham, Ala.
United States Steel Corp., Pittsburgh, Pa.
Youngstown Sheet & Tube Co., Youngstown, O.

#### SHEETS, LEAD

Andrews Lead Co., Inc., Long Island City, N. Y.
Belmont Smelting & Refining Works, Inc., Brooklyn, N. Y.
Eagle Picher Lead Co., Cincinnati, O.
Flemm Lead Co., Inc., Long Island City, N. Y.
Lissberger & Son, Inc., Marks, Long Island City, N. Y.
National Lead Co., New York City.
Rochester Lead Works, Rochester, N. Y.
Standard Rolling Mills, Inc., Brooklyn, N. Y.

#### SHEETS, SPECIAL METAL

(Nickel Zinc, Chrome Zinc, Nickel Coated Copper, Chromium Coated Copper, Nickel Coated Steel, Chromium Coated Steel, Chromium Coated Nickel Silver, Zinc Brass, Zinc Copper, etc.)

American Nickeloid Co., Peru, Ill.
Bridgeport Brass Co., Bridgeport, Conn.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Chase Brass & Copper Co., Inc., Waterbury, Conn.

Hussey & Co., C. G., Pittsburgh, Pa.
Ingersoll Steel & Disc Div. Borg-Warner Corp., Chicago, Ill.
Lukens Steel Co., Coatesville, Pa.
Lustro Coated Sheets Co., Pittsburgh, Pa.
Lyon, Conklin & Co., Inc., Baltimore, Md.
Maysteel Products, Inc., Mayville, Wis.
National Sheet Metal Co., Peru, Ill.
Revere Copper and Brass Incorporated, New York City.
Wilder Manufacturing Company, Niles, O.

#### SHEETS, STAINLESS

Allegheny Steel Co., Brackenridge, Pa.

American Rolling Mill Co., Middletown, O.
Bethlehem Steel Co., Bethlehem, Pa.

Carnegie-Illinois Steel Co., Pittsburgh, Pa.

Crucible Steel Co. of America, New York City (Two-Ply)
Ingersoll Steel & Disc Div. Borg-Warner Corp., Chicago, Ill.

Ingersoil Steel & Disc Div. Borg-warner Corp., Chicago, Ill.
(Two-ply)
International Nickel Co., New York City (Monel)
Jessop Steel Co., Washington, Pa.
Ludium Steel Co., Watervliet, N. Y.
Republic Steel Corp., Youngstown, O.
Ryerson & Son, Inc., Jos. T., Chicago, Ill.
Sharon Steel Corp., Sharon, Pa.
Superior Steel Corp., Pittsburgh, Pa.
United States Steel Corp., Pittsburgh, Pa.
Universal-Cyclops Steel Corp., Bridgeville, Pa., and Titusville, Pa. ville. Pa.

#### SHEETS, STEEL

(Polished and Blue, Corrugated and Plain, Black, Terne and Galvanized)

(Polished and Blue, Corrugated and Plain, Black, Terne and Galvanized)

Allegheny Steel Co., Brackenridge, Pa.

American Rolling Mill Co., Middletown, O.
Apollo Steel Co., Div. of Republic Steel Corp., Canton, O.
Bethlehem Steel Co., Bethlehem, Pa.

Carnegie-Illinois Steel Co., Pittsburgh, Pa.
Columbia Steel Corp., Kokomo, Ind.
Crucible Steel Company of America, New York City.
Empire Sheet & Tin Plate Co., Mansfield, O.
Follansbee Brothers Co., Pittsburgh, Pa.
Granite City Steel Co., Granite City, Ill.
Gulf States Steel Co., Birmingham, Ala.
Inland Steel Co., Chicago, Ill.
Jones & Laughlin Steel Corp., Pittsburgh, Pa.
Lukens Steel Co., Coatesville, Pa.

Lyon, Conklin & Co., Inc., Baltimore, Md.
Mahoning Valley Steel Co., Niles, O.
Newport Rolling Mill Co., Niles, O.
Otis Steel Co., Cleveland, O.
Parkersburg Iron & Steel Co., Parkersburg, W. Va.
Reading Iron Co., Philadelphia, Pa. (Genuine Wrought Iron)
Reeves Steel & Mfg. Co., Dover, O.

Republic Steel Corp., Cleveland, O.

Prerson & Son, Inc., Jos. T., Chicago, Ill.
Superior Sheet Steel Co., Canton, O.
Tennessee Coal, Iron & Railroad Co., Birmingham, Ala.

United States Steel Corp., Pittsburgh, Pa.
Weirton Steel Co., Weirton, W. Va.
Wheeling Corrugating Co., Wheeling, W. Va.
Wheeling Steel Corp., Wheeling, W. Va.
Wheeling Steel Corp., Wheeling, W. Va.
Wheeling Steel Co., Alan, Conshohocken, Pa.

Youngstown Sheet & Tube Co., Youngstown, O.

#### SHEETS, TIN

Belmont Smelting & Refining Works, Inc., Brooklyn, N. Y. Bethlehem Steel Co., Bethlehem, Pa.

Carnegie-Illinois Steel Co., Pittsburgh, Pa. Eagle Picher Lead Co., Cincinnati, O. Empire Sheet & Tin Plate Co., Mansfield, O. Follansbee Brothers Co., Pittsburgh, Pa. Granite City Steel Co., Granite City, Ill. Inland Steel Co., Chicago, Ill. Jones & Laughlin Steel Corp., Pittsburgh, Pa. (Tinned)

Lyon, Conklin & Co., Inc., Baltimore, Md. National Lead Co., New York City. Rochester Lead Works, Inc., Rochester, N. Y.

Ryerson & Son, Inc., Jos. T., Chicago, Ill. Standard Rolling Mills, Inc., Brooklyn, N. Y.

United States Steel Corp., Pittsburgh, Pa. Wheeling Corrugating Co., Wheeling, W. Va. Weirton Steel Co., Weirton, W. Va. Wheeling Steel Corp., Wheeling, W. Va.

Youngstown Sheet & Tube Co., Youngstown, O.

#### SHEETS, ZINC

American Nickeloid Co., Peru, Ill.

American Zinc Products Co., Greencastle, Ind.

Belmont Smelting & Refining Works, Inc., Brooklyn, N. Y.

Hegeler Zinc Co., Danville, Ill.

Illinois Zinc Co., Peru, Ill.

Matthiessen & Hegeler Zinc Co., La Salle, Ill.

New Jersey Zinc Sales Co., New York City.

Wheeling Corrugating Co., Wheeling, W. Va. (Coated)

Wheeling Steel Corp., Wheeling, W. Va. (Coated)

#### SHIELDS, WARM AIR REGISTER

Gammeter Co., W. F., Cadiz, O. (with Humidifier) Gillian Mfg. Co., Ferndale, Mich.
Kauffman Air Conditioning Corp., St. Louis, Mo.
Patent Novelty Co., Fulton, Ill. (With Humidifier)
Pentecost & Craft Co., Terre Haute, Ind.
Schoedinger, F. O., Co., Columbus, O.
Somers, Inc., H. J., Detroit, Mich.

## SHINGLES AND TILE, METAL

SHINGLES AND TILE, METAL

Berger Mfg. Co., Div. of Republic Steel Corp., Canton. O. Cincinnati Sheet Metal & Roofing Co., Cincinnati, O. Columbian Enameling & Stamping Co., Terre Haute, Ind. Edwards Mfg. Co., Inc., Cincinnati, O. Fingles, Inc., W. A., Baltimore, Md. Globe Iron Roofing & Corrugating Co., Cincinnati, O. Gulf States Steel Co., Birmingham, Ala.

International Steel Co., Evansville, Ind.

Milcor Steel Co., Milwaukee, Wis.

Miller & Doing, Inc., Brooklyn, N. Y.

New Haven Copper Co., Seymour, Conn. (Copper)

Newport Rolling Mill Co., Newport, Ky.

Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.

Reeves Steel & Mfg. Co., Dover, O.

St. Paul Corrugating Co., St. Paul, Minn.

Southern States Iron Roofing Co., Savannah, Ga.

Tiffin Art Metal Co., Tiffin, O.

Wheeling Corrugating Co., Wheeling, W. Va.

Wheeling Metal & Mfg. Co., Wheeling, W. Va.

#### SHUTTERS

See Louvres and Shutters

#### **SKYLIGHTS**

SKYLIGHTS

American Barlock Co., Inc., Long Island City, N. Y. American Sheet Metal Works, New Orleans, La. Anderson Mfg. Co., Des Moines, Ia. Beatrice Steel Tank Mfg. Co., Beatrice, Nebr. Biersach & Niedermeyer Co., Milwaukee, Wis. California Cornice, Steel and Supply Corp., Los Angeles, Cal. Chicago Metal Mfg. Co., Chicago, Ill. Cincinnati Sheet Metal & Roofing Co., Cincinnati, O. Danzer Metal Works Co., Hagerstown, Md. Decatur Iron & Steel Co., Decatur, Ala. Drouve Co., G., Fairfield, Conn. Edwards Mfg. Co., Inc., Cincinnati, O. Falstrom Co., Passaic, N. J. Fingles, Inc., W. A., Baltimore, Md. General Sheet Metal Works, Inc., Bridgeport, Conn. Goethel Co., Alfred C., Milwaukee, Wis. Herrmann & Grace Co., Brooklyn, N. Y. Hirschman Co., Inc., W. F., Buffalo, N. Y. Hudson Equipment Corp., Minneapolis, Minn. International Steel Co., Evansville, Ind. Klauer Mfg. Co., Dubuque, Ia. Lee & Son Co., Thomas, Cincinnati, O. Martin Metal Mfg. Co., Wichita, Kan.

• Meyer & Bro. Co., F., Peoria, Ill. Midwest Aluminum Products, Inc., Milwaukee, Wis. Index to Advertisers, page 192

Midwest Ventilating Works, Milwaukee, Wis.

Milcor Steel Co., Milwaukee, Wis.
Mohler Co., The J. K., Ephrata, Pa.
Norman Sheet Metal Mfg. Co., W. F., Nevada, Mo.
Park City Cornice Works, Inc., Bridgeport, Conn.
Perkinson & Brown, Chicago, Ill.
Providence Cornice Co., Providence, R. I.
Robertson Co., H. H., Pittsburgh, Pa.
Ryniker Sheet Metal Works, Inc., Billings, Mont.
St. Paul Corrugating Co., St. Paul, Minn.
Schoedinger, F. O., Co., Columbus, O.
Southbridge Roofing Co., Inc., Southbridge, Mass.
Southern States Iron Roofing Co., Savannah, Ga.
Van Noorden Co., E., Boston, Mass.
Vent-O-Lite Co., Chicago, Ill. (Ventilating)
Ward Co., H. H., Chester, Pa.
Watson Co., Inc., Jas. H., Bradley, Ill.
Wheeling Metal & Mfg. Co., Wheeling, W. Va.
Willis Mfg. Co., Galesburg, Ill.
Windshield Scupper Co., Div. Sargent Bldg. Specialties Co.,
New York City (Scuppers)
York Corrugating Co., York, Pa.

SKYLIGHT LIFTS See Lifts, Skylight

SMOKE PIPE See Pipe, Smoke

SMOKE PIPE DAMPERS See Dampers, Smoke Pipe

SMOKE PIPE FITTINGS See Fittings and Accessories, Smoke Pipe

#### SNIPS AND SHEARS, BENCH AND HAND

Armstrong-Blum Mfg. Co., Chicago, Ill.

Bartlett Mfg. Co., Detroit, Mich.

Beverly Throatless Shear Co., Chicago, Ill.

Bremil Mfg. Co., Erie, Pa. (Shears)
Clauss Shear Co., Fremont, O.
G. D. S. Machinery & Supply Co., New York City.
Grobet File Corp. of America, New York City.

Marshalltown Mfg. Co., Marshalltown, Ia.

Niagara Machine & Tool Works, Buffalo, N. Y.

Peck, Stow & Wilcox Co., Southington, Conn.
Rupp Forge & Shear Co., Cleveland, O.

Viking Shear Co., Erie, Pa.

Wiss & Sons Co., J., Newark, N. J.

#### SOLDER

Allen Co., L. B., Chicago, Ill.
Alumaweld Co. of America, Chicago, Ill.
Alumaweld Co. of America, Chicago, Ill.
American Brass Co., Waterbury, Conn.
Andrews Lead Co., Inc., Long Island City, N. Y.
Belmont Smelting & Refining Works, Inc., Brooklyn, N. Y.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.
Consolidated Metals Corp., Detroit, Mich.
Downs-Smith Brass & Copper Co., New York City.
Eagle-Picher Co., Cincinnati, O. (Bar and Wire)
Empire Metal Co., Syracuse, N. Y.
Gardiner Metal Co., Chicago, Ill.
Handy & Harmon, New York City.
Johnston Tin Foll & Metal Co., St. Louis, Mo.
Kester Solder Co., Chicago, Ill.
Lissberger & Son, Inc., Marks, Long Island City, N. Y.
Lukens Metal Co., Thos. F., Philadelphia, Pa.
Merchant & Evans Co., Philadelphia, Pa.
National Lead Co., New York City.
New Delphos Mfg. Co., Delphos, O.
Ruby Chemical Co., Columbus, O. (Acid and Rosin Core)
eRyerson & Son, Inc., Joseph T., Chicago, Ill.
Standard Rolling Mills, Inc., Brooklyn, N. Y.
Wagner, C. DeWitt, Cedar Rapids, Ia. (Aluminum)

SOLDERING COPPERS See Coppers, Soldering

SOLDERING FLUX See Flux, Soldering

SOLDERING FURNACES See Furnaces, Soldering

SOLDERING IRONS See Coppers, Soldering SOLDERING TORCHES

See Torches, Soldering

SOLENOID VALVES See Valves, Solenoid

SOUND DEADENERS

See Insulation, Sound Deadening, Ducts

SOUND LEVEL INDICATORS See Indicators, Sound Level

> SPRAY GUNS See Guns, Spray

SPOT WELDERS See Welders, Spot

SPRAY NOZZLES See Nozzles, Spray

STEEL CEILINGS See Ceilings, Metal

STAMPINGS, METAL

STAMPINGS, METAL

Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O. Bossert Corp., Utica, N. Y.

Budke Stamping Co., Cannonsburg, Pa.
Chase Brass & Copper Co., Inc., Waterbury, Conn.

Dail Steel Products Co., Lansing, Mich.
Dayton Rogers Mfg. Co., Minneapolis, Minn.
Friediey-Voshardt Co., Chicago, Ill.
General Metal Products Co., St. Louis, Mo.
Geuder, Paeschke & Frey Co., Milwaukee, Wis.
Gillian Mfg. Co., Ferndale, Mich.
Globe Machine & Stamping Co., Cleveland, O.
Lukens Steel Co., Coatesville, Pa.
Martin-Parry Corp., York, Pa.
Maysteel Products, Inc., Mayville, Wis.

Meyer & Bro. Co., F., Peoria, Ill.

Osborn Co., J. M. & L. A., Cleveland, O.
Perrin Company, Edward C., Camden, N. J.
Royal-Apex Mfg. Corp., Brooklyn, N. Y.
Standard Stamping & Perforating Co., Chicago, Ill.
Wrought Washer Mfg. Co., Milwaukee, Wis.
Youngstown Pressed Steel Co., Warren, O.

#### STOKER CONTROLS

See Controls, Stoker

#### STOKERS, DOMESTIC

STOKERS, DOMESTIC

Advance Appliance Co., Peoria, Ill.
Alrtemp, Inc., Dayton, O.
Anchor Stove & Range Co., New Albany, Ind.
Apex Tool Co., Inc., Bridgeport, Conn.
Athens Plow Co., Athens, Tenn.
Auburn Stoker Co., Auburn, Ind.
Automatic Stoker Corp., Indianapolis, Ind.
Bardes Range & Foundry Co., E. H., Cincinnati, O.
Beckley Perforating Co., Garwood, N. J.
Bluffton Mfg. Co., Findlay, O.
Bros Boller & Mfg. Co., Wm., Minneapolis, Minn.
Brownell Co., Dayton, O.
Burnham Stoker Co., Vancouver, Wash.
Burnwell Corp., Allentown, Pa.

Butler Mfg. Co., Kansas City, Mo.
Butler Street Foundry & Iron Co., Chicago, Ill.
Chicago Automatic Stoker Co., Not Inc., Chicago, Ill.
Christensen Machine Co., Salt Lake City, Utah.
Columbus Metal Products, Inc., Columbus, O.
Conco-Sampsel Stoker Corp., Mendota, Ill.
Cooper & Cooper, Inc., Pittsfield, Mass.
Dickson & Eddy, New York City.
Domestic Stoker Co., New York City.
Econocol Stoker Div. of Cotta Transmission Corp., Rockford, Ill.
Eddy Stoker Corp., Chicago, Ill. III.

Eddy Stoker Corp., Chicago, III.

Fairbanks, Morse & Co., Chicago, III.

Finnell Rotary Stokers, Inc., Elkhart, Ind.

Flynn and Emrich Co., Baltimore, Md.

Frederick Iron & Steel Co., Frederick, Md.

Fuel Savers, Inc., Harrisburg, Pa.

Furnaceslave, Inc., Indianapolis, Ind.

Gehl Bros. Mfg. Co., West Bend, Wis.

General Machine Co., Inc., New York City.

Germer Stove Co., Erie, Pa.

eHall-Neal Furnace Co., Indianapolis, Ind.

Hamilton Automatic Stoker Corp., Hamilton, O.

Advertisement in this issue. See Index to Advertisers, page 192

Heating Assurance, Inc., Spokane, Wash.
Heritage Stoker Sales, Inc., Chicago, Ill.
Hess Warming and Ventilating Co., Chicago, Ill.
Holcomb & Hoke Mfg. Co., Indianapolis, Ind.
Illinois Iron & Bolt Co., Chicago, Ill.
Iron Fireman Mfg. Co., Cleveland, O.
Jacobson Machine Works, Inc., A. E., Minneapolis, Minn.
Kelvinator Corp., Detroit, Mich.

eKol-Master Corp., Oregon, Ill.
Leach Co., Oshkosh, Wis.
Liberty Coal Burner Co., St. Louis, Mo.
Link Belt Co., Chicago, Ill.
eMeyer Furnace Co., Peoria, Ill.
Model Mfg. Co., Richmond, Va.
Moloch Foundry & Machine Co., Kaukauna, Wis.
Morrissey & Co., Chicago, Ill.
Morse Chain Co., Ithaca, N. Y.
Motorstokor Div. of Hershey Machine & Foundry Co., Manheim, Pa.

Morse Chain Co., Ithaca, N. Y.

Motorstokor Div. of Hershey Machine & Foundry Co., Manheim, Pa.

Muncie Gear Works, Inc., Muncie, Ind.

National Steam Pump Co., Upper Sandusky, O.

Nelson Corp., Herman, Moline, Ill.

Nomis Corp., Lafayette, Ind.

Norge Heating & Conditioning Div., Borg-Warner Corp., Detroit, Mich.

Ormsby-Gray Combustion Service, Inc., St. Louis, Mo.

Perfectaire Corp., Baltimore, Md.

Plymouth Industries, Inc., Plymouth, Ind.

Pulvokol, Inc., Minneapolis, Minn. (Pulverized Coal Burner)

Racine Stoker Mfg. Co., Racine, Wis.

Redi-Automatic Coal Burners, Inc., Spokane, Wash.

Risdon Stoker Corp., Seattle, Wash.

Schwab Furnace & Mfg. Co., Milwaukee, Wis.

Schwitzer-Cummins Co., Indianapolis, Ind.

Scott-Newcomb, Inc., St. Louis, Mo.

Sinker-Davis Co., Indianapolis, Ind.

Stoc-Coke, Inc., Indianapolis, Ind.

Stok-A-Fire Co., St. Louis, Mo.

Stokerette Mfg. Co., Chicago, Ill.

Stokermatic Co., Salt Lake City, Utah.

Stokers, Inc., Detroit, Mich.

Tropic-Air Stoker Co., Canton, O.

Whiting Corp., Harvey, Ill.

Will-Burt Co., Orrville, O.

Winkler Mfg. Corp., Lebanon, Ind.

#### STOKERS, INDUSTRIAL AND COMMERCIAL

STOKERS, INDUSTRIAL AND COMMERCIAL

Advanced Engineering Co., Philadelphia, Pa.

American Coal Burner Co., Chicago, Ill.

Anchor Stove & Range Co., New Albany, Ind.

Auburn Stoker Co., Auburn, Ind.

Bluffton Mfg. Co., Findlay, O.

Bros Boller & Mfg. Co., Wm., Minneapolis, Minn.

Brownell Co., Dayton, O.

Butler Mfg. Co., Kansas City, Mo.

Butler Street Foundry & Iron Co., Chicago, Ill.

Canton Stoker Corp., Canton, O.

Carnes, Inc., John R., Lima, O.

Chicago Automatic Stoker Co., Not Inc., Chicago, Ill.

Christensen Machine Co., Salt Lake City, Utah.

Columbus Metal Products, Inc., Columbus, O.

Combustion Engineering Co., Inc., New York City.

Conco-Sampsel Stoker Corp., Mendota, Ill.

Delta Stoker Co., North Chicago, Ill.

Detroit Stoker Co., Detroit, Mich.

Diamond Castings Co., Johnsonburg, Pa.

Domestic Stoker Co., New York City.

Econocol Stoker Div. of Cotta Transmission Corp., Rockford,

Ill.

Eddy, Stoker Corp., Chicago, Ill.

Econocol Stoker Div. of Cotta Transmission Corp., Rockford III.

Eddy Stoker Corp., Chicago, III.
Fairbanks, Morse & Co., Chicago, III.
Flynn & Emrich Co., Baltimore, Md.
Frederick Iron & Steel Co., Frederick, Md.
Frederick Iron & Steel Co., West Bend, Wis.
Hamilton Automatic Stoker Corp., Hamilton, O.
Hare Stoker Corp., Detroit, Mich.
Heating Assurance, Inc., Spokane, Wash.
Her-Born Eng. & Mfg. Co., Sandusky, O.
Heritage Stoker Sales, Inc., Chicago, III.
Holcomb & Hoke Mfg. Co., Indianapolis, Ind.
Illinois Iron & Bolt Co., Chicago, III.
Iron Fireman Mfg. Co., Cleveland, O.
Jacobson Machine Works, Inc., A. E., Minneapolis, Minn.
Johnston & Jennings Co., Cleveland, O.
Jordan & Co., Paul R., Indianapolis, Ind.

eKol-Master Corp., Oregon, III.
Leach Co., Chicago, III.
McClave-Brocks Co., Scranton, Pa.
Marlon Machine Foundry & Supply Co., Marion, Ind.
Model Mfg. Co., Richmond, Va.
Moloch Foundry & Machine Co., Kaukauna, Wis.
Morrissey & Co., Chicago, III.
Motorstoker Div. of Hershey Machine & Foundry Co.,
Manheim, Pa.

National Steam Pump Co., Upper Sandusky, O.
Neemes Foundry, Inc., Troy, N. Y.
Nomis Corp., Lafayette, Ind.
Ormsby-Gray Combustion Service, Inc., St. Louis, Mo.
Over-Spred Stoker Co., Ottawa, Ill.
Patterson Foundry & Machine Co., East Liverpool, O.
Perfectaire Corp., Baltimore, Md.
Perfection Grate & Stoker Co., Springfield, Mass.
Plymouth Industries, Inc., Plymouth, Ind.
Redi-Automatic Coal Burners, Inc., Spokane, Wash.
Rosedale Fdry. & Mach. Co., N. S., Pittsburgh, Pa.
Schwitzer-Cummins Co., Indianapolis, Ind.
Steel Products Engineering Co., Springfield, O.
Stok-a-Fire Co., St. Louis, Mo.
Stoker Products, Inc., Decatur, Ill.
Stoker Products, Inc., Decatur, Ill.
Stokers, Inc., Detroit, Mich.
Tropic-Air Stoker Co., Canton, O.
Westinghouse Electric & Mfg. Co., East Pittsburgh, Pa.
Whiting Corp., Harvey, Ill.
Will-Burt Co., Orrville, O.
Winkler Mfg. Corp., Lebanon, Ind.

#### STOVE PIPE

See Pipe, Stove

#### STRAINERS, CONDUCTOR

See Fittings and Accessories, Conductor

#### STRAPS, LEADER

See Fittings and Accessories, Conductor

#### STRUCTURAL SHAPES

See Angles, Bars, Beams, Channels and Tees (Structural Shapes)

#### SWITCHES, MAGNETIC

SWITCHES, MAGNETIC

Alien-Bradley Co., Milwaukee. Wis.
Automatic Switch Co., New York City.
Bender Warrick Corp., Birmingham, Mich.
Clark Controller Co., Cleveland, O.

Cook Electric Co., Chicago, Ill.
Cutler-Hammer, Inc., Milwaukee, Wis.
Detroit Lubricator Co., Detroit, Mich.
Dunn, Inc., Struthers, Philadelphia, Pa.
Electric Controller & Mfg. Co., Cleveland, O.
Guardian Electric Mfg. Co., Chicago, Ill.
H-B Instrument Co., Inc., Philadelphia, Pa.
Hart Mfg. Co., Hartford, Conn. (Mercury Tube).
Industrial Engineering Corp., Evansville, Ind.
Micro Switch Corp., Freeport, Ill.

Minneapolis-Honeyweil Regulator Co., Minneapolis, Minn.
Monitor Controller Co., Baltimore, Md.
Penn Electric Switch Co., Goshen, Ind.
Perfex Corp., Milwaukee, Wis.
Ranco, Inc., Columbus, O.
Square D Co., Detroit, Mich.
Trumbull Electric Mfg. Co., Plainville, Conn.
Ward Leonard Electric Co., Mt. Vernon, N. Y.
Westinghouse Electric & Mfg. Co., Mansfield, O.

## SWITCHES, MANUAL

Allen-Bradley Co., Milwaukee, Wis.
Bender Warrick Corp., Birmingham, Mich.
Cutler-Hammer, Inc., Milwaukee, Wis.
Electric Controller & Mfg. Co., Cleveland, O.
Industrial Engineering Corp., Evansville, Ind.
Micro Switch Corp., Freeport, Ill.
Square D Co., Detroit, Mich.
Trumbull Electric Mfg. Co., Plainville, Conn.
Westinghouse Electric & Mfg. Co., Mansfield, O.

#### SWITCHES, TIME

Conco-Sampsel Stoker Corp., Mendota, Ill.

Gleason-Avery, Inc., Auburn, N. Y.
Guardian Electric Mfg. Co., Chicago, Ill.
Hansen Mfg. Co., Princeton, Ind.
Industrial Engineering Corp., Evansville, Ind.
Mercoid Corp., Chicago, Ill.
Micro Switch Corp., Freeport, Ill.
Paragon Electric Co., Chicago, Ill.

Penn Electric Switch Co., Goshen, Ind.
Rhodes, Inc., M. H., Hartford, Conn.
Sangamo Electric Co., Springfield, Ill.
Spencer Thermostat Co., Attleboro, Mass.
Tagliabue Mfg. Co., C. J., Brookiyn, N. Y.
Tork Clock Co., Inc., Mt. Vernon, N. Y.
Ward Leonard Electric Co., Mt. Vernon, N. Y.

#### TEES, FURNACE PIPE

See Fittings and Accessories, Furnace Pipe

#### TEMPERATURE CONTROLS

See Thermostats

#### TEMPERATURE RECORDERS

See Recorders, Temperature

#### TINPLATE

See Sheets, Tin

#### TIPS, DAMPER

See Clips and Tips, Damper

## THERMOMETERS, INDICATING

THERMOMETERS, INDICATING

Bristol Co., Waterbury, Conn.
Brown Instrument Co., Div. of Minneapolis-Honeywell Reg.
Co., Philadelphia, Pa.
Builders Iron Foundry, Providence, R. I.
Cooper Oven Thermometer Co., Pequabuck, Conn.
Fee & Stemwedel, Inc., Chicago, Ill.
Friez & Sons, Inc., Julien P., Baltimore, Md.
G. M. Mfg. Co., New York City.
H-B Instrument Co., Inc., Philadelphia, Pa.
ellilinois Testing Laboratories, Inc., Chicago, Ill.
Leeds & Northrup Co., Philadelphia, Pa.
Manning, Maxwell & Moore, Inc., Bridgeport, Conn.
Micro Switch Corp., Freeport, Ill.
Moeller Instrument Co., Brooklyn, N. Y.
Precision Thermometer & Instrument Co., Philadelphia, Pa.
Preferred Utilities Mfg. Corp., New York City.
Tagliabue Mfg. Co., C. J., Brooklyn, N. Y.
Taylor Instrument Companies, Rochester, N. Y.
Uehling Instrument Co., Paterson, N. J.
Weston Electrical Instrument Corp., Newark, N. J.

#### **THERMOSTATS**

HERMOSTATS

Automatic Products Co., Milwaukee, Wis.
Barber-Colman Co., Rockford, Ill.
Bristol Co., Waterbury, Conn.
Cook Electric Co., Chicago, Ill.
Crise Electric Co., Mount Vernon. O.
Detroit Lubricator Co., Detroit, Mich.
Dickson & Eddy, New York City.
Dunn, Inc., Struthers, Philadelphia, Pa.
Friez & Sons, Inc., Julien P., Baltimore, Md.
General Controls Co., San Francisco, Cal. and Cleveland, O.
Gleason-Avery, Inc., Auburn, N. Y.
Johnson Service Co., Milwaukee, Wis.
H-B Instrument Co., Inc., Philadelphia, Pa.
Hart Mfg. Co., Hartford, Conn. (Direct Break).
McCorkle Co., D. H., Berkeley, Calif.
Mercoid Corp., Chicago, Ill.
Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
National Regulator Co., Chicago, Ill.
Penn Electric Switch Co., Goshen, Ind.
Perfex Corp., Milwaukee, Wis.
Ploneer Heat Regulator Division, Master Electric Co., Dayton, O.
Powers Regulator Co. Chicago, Ill.

Pioneer Heat Regulator Division, Master Electric Co., Day
ton, O.
Powers Regulator Co., Chicago, Ill.
Precision Thermometer & Instrument Co., Philadelphia, Pa.
Ranco, Inc., Columbus, O.
Rega Mfg. Co., Rochester, N. Y.
Robertshaw-Thermostat Co., Youngwood, Pa.
Russell Electric Co., Chicago, Ill.
Sheer Co., H. M., Quincy, Ill.
Spencer Thermostat Co., Attleboro, Mass.
Tagliabue Mfg. Co., Brooklyn, N. Y.
United Electric Controls Co., South Boston, Mass.

•White Mfg. Co., St. Paul, Minn.
White-Rodgers Electric Co., St. Louis, Mo.
Wilcolator Co., Newark, N. J.

## THERMOSTATS, HEAT ACCELERATED OR ANTICIPATING

●Cook Electric Co., Chicago, Ill.

●Detroit Lubricator Co., Detroit, Mich.
Friez & Sons, Inc., Julien P., Baltimore, Md.

●Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.

●Pacific Gas Radiator Co., Los Angeles, Cal.

●Penn Electric Switch Co., Goshen, Ind.

Perfex Corp., Milwaukee, Wis.

Spencer Thermostat Co., Attleboro, Mass.

#### THROUGH WALL FLASHINGS

See Flashings, Through Wall

#### TIME SWITCHES

See Switches, Time

#### TIMERS, ELECTRICAL

Dunn, Inc., Struthers, Philadelphia, Pa.
Guardian Electric Mfg. Co., Chicago, Ill.
Industrial Engineering Corp., Evansville, Ind.

Penn Electric Switch Co., Goshen, Ind.
Spencer Thermostat Co., Attleboro, Mass.
Welding Timer Mfg. Co., Newark, N. J. (Welding).
Zenith Electric Co., Inc., Chicago, Ill.

#### TINNING FLUXES

See Compounds, Tinning

#### TOOLS, METAL WORKERS'

TOOLS, METAL WORKERS'

Bersted Co., Martin, Chicago, Ill. (Mallets)
Champion Tool Co., Los Angeles, Cal. (Crimper).
Chicago Rawhide Mfg. Co., Chicago, Ill. (Mallets)
Crescent Tool Co., Jamestown, N. Y.
Fowler Pem Co., Emeryville, Cal.
Greene Tweed Co., New York City.
Grob Brothers, Grafton, Wis. (Die Making Machinery)
Grobet File Corp. of America, New York City.

Hub Specialty Co., Somerville, Mass. (Awl)
Miller Rubber Co., Inc., Akron, O.
Misener Mfg. Co., Inc., Akron, O.
Misener Mfg. Co., Inc., Syracuse, N. Y. (Rotary Hack Saw)
National Machine Tool Co., Racine, Wis.

Niagara Machine & Tool Works, Buffalo, N. Y.

Peck, Stow & Wilcox Co., Southington, Conn.
Pencilsharp Awl & Tool Co., Evansville, Ind. (Scratch Awls).

Poe, Ralph W., Canton, Ill. (Sheet Metal Cutters)
Rock River Machine Co., Inc., Janesville, Wis.

Skilsaw, Inc., Chicago, Ill.
Stanley Rule & Level Plant, New Britain, Conn.

Whitney Mfg. Co., W. A., Rockford, Ill.

#### TOOLS, ROOFERS'

Aeroil Burner Co., Inc., West New York, N. J. (Military

Pots).

Fots).

Eiermann Floor Scraper Co., Brooklyn, N. Y. (Tar).

Littleford Bros., Cincinnati, O.

Milcor Steel Co., Milwaukee, Wis.

Miagara Machine & Tool Works, Buffalo, N. Y.

Peck, Stow & Wilcox Co., Southington, Conn.

Pencilsharp Awl & Tool Co., Evansville, Ind.

#### TOPS, CHIMNEY

See Caps and Tops, Chimney

#### TORCHES, BRAZING, CUTTING, WELDING, **OXY-ACETYLENE**

Air Reduction Sales Co., New York City.
Bastlan-Blessing Co., Chicago, Ill.
Bernz Co., Inc., Otto, Rochester, N. Y. (Brazing)
Burdett Mfg. Co., Chicago, Ill.
Gasweld & Airway, Inc., Chicago, Ill.
Harris Calorific Co., Cleveland, O.
Imperial Brass Mfg. Co., Chicago, Ill.
Linde Air Products Co., New York City.
Milburn Co., Alexander, Baltimore, Md.
Miller Equipment Co., Cincinnati, O.
Modern Engineering Co., St. Louis, Mo.
Sight Feed Generator Co., Richmond, Ind.
Smith Welding Equipment Corp., Minneapolis. Minn.
Torchweld Equipment Co., Chicago, Ill.
Welding Apparatus Co., Chicago, Ill.

#### TORCHES, SOLDERING

Bernz Co., Inc., Otto, Rochester, N. Y.
Clayton & Lambert Mfg. Co., Detroit, Mich.
Detroit Torch & Mfg. Co., Detroit, Mich.
Diener Mfg. Co., Geo. W., Chicago, Ill.
Everhot Mfg. Co., Maywood, Ill.
Gasweld & Airway, Inc., Chicago, Ill.
Graham & Co., Inc., John H., New York City.
Harris Calorific Co., Cleveland, O.
Ideal Commutator Dresser Co., Sycamore, Ill.
Imperial Brass Mfg. Co., Chicago, Ill.

Johnson Gas Appliance Co., Cedar Rapids, Ia.
Milburn Co., Alexander, Baltimore, Md.
Miller Equipment Co., Cincinnati, O.
Sight Feed Generator Co., Richmond, Ind.
Smith Welding Equipment Corp., Minneapolis, Minn.
Torchweld Equipment Co., Chicago, Ill.
Turner Brass Works, Sycamore, Ill.
Wall Mfg. Supply Co., P., Pittsburgh, Pa.
Welding Apparatus Co., Chicago, Ill.

#### TRANSFORMERS, LOW VOLTAGE

American Transformer Co., Newark, N. J.

Barber-Colman Co., Rockford, Ill.

Cook Electric Co., Chicago, Ill.
Detroit Lubricator Co., Detroit, Mich.
Friez & Sons, Inc., Julien P., Baltimore, Md.
General Controls Co., San Francisco, Cal.
Jefferson Electric Co., Bellwood, Ill.

Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
Russell Electric Co., Chicago, Ill.
Taylor-Winfield Corp., Warren, O.
Wagner Electric Corp., St. Louis, Mo.
Webster Electric Co., Racine, Wis.

White Mfg. Co., St. Paul, Minn.

#### TRANSMISSION DRIVES

See Belts and Pulleys

#### TRIM, ORNAMENTAL

See Moulding and Trim, Ornamental

#### TUBING, COPPER

• American Brass Co., Waterbury, Conn.
Bridgeport Brass Co., Bridgeport, Conn.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Colonial Stove Co., Specialties Division, Philadelphia, Pa.
(Non Ferrous, Semi-rigid)
• Hussey & Co., C. G., Pittsburgh, Pa.
Imperial Brass Mfg. Co., Chicago, Ill.
Revere Copper and Brass Incorporated, New York City.
Streamline Pipe & Fittings, Div. of Mueller Brass Co., Port
Huron, Mich.
Wolverine Tube Co., Detroit, Mich.

## UNITS, AIR CONDITIONING

See Air Conditioning Units

#### UNITS, WINDOW VENTILATOR AND FILTER

•American Air Filter Co., Inc., Louisville, Ky. Amirton Co., New York, N. Y. Burrowes Corp., Portland, Me. Coppus Engineering Corp., Worcester, Mass. Davies Air Filter Co., New York, N. Y. Economy Electric Mfg. Co., Chicago, Ill. Falstrom Co., Passaic, N. J. Kaiseraire Products Sales Co., Chicago, Ill. Kisco Co., Inc., St. Louis, Mo. National Laboratories, Inc., Boston, Mass. Perfex Corp., Unit Heater Div., Milwaukee, Wis. Reed Unit-Fans, Inc., New Orleans, La. Schwitzer-Cummins Co., Indianapolis, Ind. Somers, Inc., H. J., Detroit, Mich. Standard Air Conditioning, Inc., New York, N. Y. Staynew Filter Corp., Rochester, N. Y. Truscon Steel Co., Youngstown, O. Unified Air Conditioner Co., Duluth, Minn. Young Radiator Co., Racine, Wis.

#### VACUUM CLEANERS FOR FURNACES

See Cleaners, Vacuum, Furnace

#### VALVES, GAS PRESSURE REGULATING

Atlas Valve Co., Newark, N. J.

Barber Gas Burner Co., Cleveland, O.
Bryant Corp., C. L., Cleveland, O.
Bryant Heater Co., Cleveland, O.
Bryant Heater Co., Cleveland, O.
Detroit Lubricator Co., Detroit, Mich.
Fisher Governor Co., Marshalltown, Ia.
Fox Engineering Co., Boston, Mass.
Friez & Sons, Inc., Julien P., Baltimore, Md.
General Controls Co., San Francisco, Cal. and Cleveland, O.
Hotstream Heater Co., Cleveland, O.
Mercold Corp., Chicago, Ill.

Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
Pacific Gas Radiator Co., Los Angeles, Cal.

Payne Furnace & Supply Co., Beverly Hills, Cal.
Pittsburgh Equitable Meter Co., Pittsburgh, Pa.
Roberts-Gordon Appliance Corp., Buffalo, N. Y.
Tagliabue Mfg. Co., C. J., Brooklyn, N. Y.

#### VALVES, HUMIDIFIER, WATER LEVEL

Air Conditioning Supply Co., Cleveland, O.

Automatic Humidifier Co., Cedar Falls, Ia.

Chandler Co., Cedar Rapids, Ia.

Detroit Lubricator Co., Detroit, Mich.
Fisher Governor Co., Marshalltown, Ia.

G. & S. Tool Co., Detroit, Mich.

McDonnell & Miller, Chicago, Ill.

Maid-O'-Mist, Inc., Chicago, Ill.

Monmouth Products Co., Cleveland, O.
Parks-Cramer Co., Fitchburg, Mass.
Scovill Mfg. Co., Morency-Van Buren Div., Sturgis, Mich.
Skuttle Co., J. L., Detroit, Mich.
Supreme Electric Products Corp., Rochester, N. Y.
Turney Corp., Muskegon, Mich.
Universal Blower Co., Birmingham, Mich.
Wisconsin Humidifier Co., Milwaukee, Wis.

#### VALVES, SOLENOID

Alco Valve Co., Inc., St. Louis, Mo.

Automatic Products Co., Milwaukee, Wis.
Automatic Switch Co., New York City.

Barber-Colman Co., Rockford, Ill.
Cutler-Hammer, Inc., Milwaukee, Wis.
Detroit Lubricator Co., Detroit, Mich.
Electric Valve Mfg. Co., Inc., New York City.
Electrimatic Corp., Chicago, Ill.
Friez & Sons, Inc., Julien P., Baltimore, Md.
General Controls Co., San Francisco, Cal., and Cleveland, O.
General Electric Co., Schenectady, N. Y.
Guardian Electric Mfg. Co., Chicago, Ill.
McCorkle Co., D. H., Berkeley, Cal.
Mercoid Corp., Chicago, Ill.

Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.

Pacific Gas Radiator Co., Los Angeles, Cal.

Payne Furnace & Supply Co., Beverly Hills, Cal.
Perfex Corp., Milwaukee, Wis.
Supreme Electric Products Corp., Rochester, N. Y.

#### VENETIAN BLINDS See Blinds, Venetian

VENTILATING FANS

See Fans, Ventilating

#### VENTILATORS, CEILING

VENTILATORS, CEILING

Airmaster Corp., Chicago, Ill.
American Blower Corp., Detroit, Mich.

•Auer Register Co., Cleveland, O.
Autovent Fan & Blower Co., Chicago, Ill.
Best Register Co., Milwaukee, Wis.
Burt Mfg. Co., Akron, O.
Champion Blower & Forge Co., Lancaster, Pa.
Danzer Metal Works Co., Hagerstown, Md.
Decatur Iron & Steel Co., Decatur, Ala.
Falstrom Co., Passaic, N. J.
Gillian Mfg. Co., Ferndale, Mich.

•Hart & Cooley Mfg. Co., Chicago, Ill.
Hudson Equipment Corp., Minneapolis, Minn.

•Lamneck Products, Inc., Columbus, O.
Martin Metal Mfg. Co., Wichita, Kan.

•Milcor Steel Co., Milwaukee, Wis.
Miller & Doing, Inc., Brooklyn, N. Y.
Tiffin Art Metal Co., Tiffin, O.

•Tuttle & Bailey, Inc., New Britain, Conn.

•United States Register Co., Battle Creek, Mich.
Universal Blower Co., Birmingham, Mich.

#### VENTILATORS, MUSHROOM

Aeolus Dickinson, Chicago, Ill.
American Blower Corp., Detroit, Mich.
Best Register Co., Milwaukee, Wis.
Burt Mfg. Co., Akron, O.
Falstrom Co., Passaic, N. J.
Industrial Sheet Metal Works, Inc., Detroit, Mich.
Knowles Mushroom Ventilator Co., New York City.

Mueller Furnace Co., L. J., Milwaukee, Wis.

Tuttle & Bailey, Inc., New Britain, Conn.

#### VENTILATORS, ROOF, FAN

VENTILATORS, ROOF, FAN

Aeolus Dickinson, Chicago, Ill.

Air Controls, Inc., Cleveland, O.
Airmaster Corp., Chicago, Ill.

Allen Corp., Detroit, Mich.
American Blower Corp., Detroit, Mich.
American Blower Corp., Jacksonville, Fla.

American Foundry & Furnace Co., Bloomington, Ill.
American-Larson Ventilating Co., Pittsburgh, Pa.

Arex Co., Chicago, Ill.
Autovent Fan & Blower Co., Chicago, Ill.

Belanger Fan & Blower Co., Detroit, Mich.
Bishop & Babcock Sales Co., Cleveland, O.
Blower Application Co., Milwaukee, Wis.
Burt Mfg. Co., Akron, O.
Century Fan & Ventilator Corp., New York City.
Champion Blower & Forge Co., Lancaster, Pa.

Clarage Fan Co., Kalamazoo, Mich.
DeBothezat Ventilating Equipment Division, American Machine & Metals, Inc., New York City.
Economy Electric Mfg. Co., Cicero, Ill.
Electrovent Fan & Mfg. Co., Chicago, Ill.

Falstrom Co., Passaic, N. J.
Fingles, Inc., W. A., Baltimore, Md.
General Regulator Corp., Chicago, Ill.
Goethel Co., Alfred C., Milwaukee, Wis.
Hirschman Co., Inc., W. F., Buffalo, N. Y.
Howes Co., S. M., Charlestown, Boston, Mass.
Ilg Electric Ventilating Co., Chicago, Ill.
Industrial Sheet Metal Works, Inc., Detroit, Mich.
International Engineering Inc., Dayton, O.
Iona Ventilator Co., Inc., Philadelphia, Pa.
Jamar Co., Walker, Duluth, Minn.
Johnson Fan & Blower Corp., Chicago, Ill.
Jordan & Co., Paul R., Indianapolis, Ind.
Lau Blower Co., Dayton, O.
Mack Ventilator Co., Saugus, Mass.
Marathon Electric Mfg. Corp., Wausau, Wis.
Mohler Co., J. K., Ephrata, Pa.
Myers Electric Co., Pittsburgh, Pa.
New York Blower Co., Chicago, Ill.
Puhl & Hepper Mfg. Co., Inc., St. Louis, Mo.
Reed Unit-Fans, Inc., New Orleans, La.
Royal Ventilator Co., Philadelphia, Pa.
Russell Insulation Co., F. C., Baltimore, Md.
Schwitser-Cummins Co., Indianapolis, Ind.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Uno Ventilator Co., Cliftondale, Mass.
Viking Air Conditioning Corp., Cleveland, O.
Western Rotary Ventilator Co., Inc., Los Angeles, Cal.
Wing Mfg. Co., L. J., New York City.

## VENTILATORS, ROOF, GRAVITY

· Accurate Mfg. Works, Chicago, Ill.

VENTILATORS, ROOF, GRAVITY

Accurate Mfg. Works, Chicago, Ill.
Aeolus Dickinson, Chicago, Ill.
Aritherm Mfg. Co., St. Louis, Mo.
Allen Corp., Detroit, Mich.
American Foundry & Furnace Co., Bloomington, Ill.
American-Larson Ventilating Co., Pittsburgh, Pa.
American Sheet Metal Works, New Orleans, La.
Anderson Mfg. Co., Des Moines, Ia.
Arex Co., Chicago, Ill.
Berger Broa. Co., Philadelphia, Pa.
Burt Mfg. Co., Akron, O.
Century Fan & Ventilator Corp., New York City.
Chicago Metal Mfg. Co., Chicago, Ill.
Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.
Clay Equipment Corp., Cedar Falls, Ia.
Danser Metal Works Co., Hagerstown, Md.
Day Co., The, Minneapolis, Minn.
Decatur Iron & Steel Co., Decatur, Ala.
Edwards Mfg. Co., Inc., Cincinnati, O.
Falstrom Co., Passaic, N. J.
Fingles, Inc., W. A., Baltimore, Md.
General Sheet Metal Works, Inc., Bridgeport, Conn.
Globe Ventilator Co., Troy, N. Y.
Goethel Co., Alfred C., Milwaukee, Wis.
Hirschman Co., Inc., W. F., Buffalo, N. Y.
Howes' Co., S. M., Charlestown, Boston, Mass.
Hudson Equipment Corp., Minneapolis, Minn.
Industrial Sheet Metal Works, Inc., Detroit, Mich.
International Steel Co., Evansville, Ind.
Iona Ventilator Co., Inc., Philadelphia, Pa.
Iwan Brothers, South Bend, Ind.
Jamar Co., Walker, Duluth, Minn.
Jordan & Co., Paul R., Indianapolis, Ind.
Kernchen Co., Chicago, Ill.
King Ventilating Co., Owatonna, Minn.
Kileenaire Corp., Stevens Point, Wis.
LaCrosse Steel Roofing & Corrugating Co., LaCrosse, Wis.
Lacrosse Steel Roofing Co., Gricanati, O.
Lee & Son Co., Thomas, Cincinnati, O.
Leevow, David, New York City.
Martin Metal Mfg. Co., Wichita, Kan.
Mellish & Murray Co., Chicago, Ill.
Midwest Ventilating Works, Milwaukee, Wis.
Milwaukee, Wis.
Milwaukee, Wis.
Milwaukee, Wis.
Novy Ven

Watson Co., Inc., Jas. H., Bradley, Ill. Western Rotary Ventilator Co., Inc., Los Angeles, Cal. Willis Mfg. Co., Galesburg, Ill. York Corrugating Co., York, Pa.

#### WARM AIR REGISTER SHIELDS See Shields, Warm Air Register

## WASHERS, AIR, FURNACE

WASHERS, AIR, FURNACE

Air Conditioning Equipment Corp., Minneapolis, Minn.
Aladdin Heating Corp., Oakland, Cal.
American Furnace Co., St. Louis, Mo.
Ames Co., W. R., San Francisco, Cal.
Arcweld Mfg. Co., Inc., Seattle, Wash.
Belanger Fan & Blower Co., Detroit, Mich.
Bishop & Babcock Sales Co., Cleveland, O.
Brundage Co., Kalamazoo, Mich.
Campbell Heating Co., Des Moines, Ia.
Columbus Heating & Ventilating Co., Columbus, O.
Economy Baler Co., Ann Arbor, Mich.
Gehri Co., Tacoma, Wash.
Green Foundry & Furnace Works, Des Moines, Ia.
Hoersting & Holtmann Co., Dayton, O.
Jackson & Church Co., Saginaw, Mich.
Kelsey Heating Co., Byracuse, N. Y.
LaCrosse Tractor Co., LaCrosse, Wis.
Lau Blower Co., Dayton, O.
MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.
Mueller Furnace Co., La J., Milwaukee, Wis.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.
Pacific Gas Radiator Co., Los Angeles, Cal.
Premier Furnace Co., Dowagiac, Mich.
Round Oak Co., Dowagiac, Mich.
Spencer Air Conditioning Service, Denver, Colo.
Spray-Wheel Air Conditioning Service, Denver, Colo.
Texo Sales & Mfg. Co., Cincinnati, O.
U. S. Air Conditioning Corp., Minneapolis, Minn.
Wasterman-Waterbury Co., Minneapolis, Minn.
Wasterman-Waterbury Co., Minneapolis, Minn.
Western Blower Co., Seattle, Wash.

#### WASHERS, AIR, HEATING AND VENTILATING (Capacity 4,000 c.f.m. and up)

(Capacity 4,000 c.f.m. and up)

American Blower Corp., Detroit, Mich.

•American Foundry & Furnace Co., Bloomington, Ill.

Ames Co., W. R., San Francisco, Cal.

Autovent Fan & Blower Co., Chicago, Ill.

Bayley Blower Co., Milwaukee, Wis.

•Belanger Fan & Blower Co., Detroit, Mich.

Betz Unit Air Cooler Co., Kansas City, Mo.

Bishop & Babcock Sales Co., Cleveland, O.

Blower Application Co., Milwaukee, Wis.

Bubar, Hudson H., New York City.

•Buffalo Forge Co., Buffalo, N. Y.

Campbell Heating Co., E. K., Kansas City, Mo.

•Clarage Fan Co., Kalamazoo, Mich.

•Columbus Heating & Ventilating Co., Columbus, O.

Clarage Fan Co., Kalamazoo, Mich.
Columbus Heating & Ventilating Co., Columbus, O.
Electrogas Furnace & Mfg. Co., San Francisco, Cal.
Electrovent Fan & Mfg. Co., Chicago, Il.
Furblo Co., Hermansville, Mich.
Industrial Sheet Metal Works, Inc., Detroit, Mich.
King Ventilating Co., Owatonna, Minn.
MaGirl Foundry & Furnace Works, P. H., Bloomington, Ill.
Mellish & Murray Co., Chicago, Ill.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.
National Air Conditioning Engineering Corp., Kansas City, Mo.

Mo.

New York Blower Co., Chicago, Ill.

Northern Blower Co., Cleveland, O.

Pacific Gas Radiator Co., Los Angeles, Cal.

Parks-Cramer Co., Fitchburg, Mass.

Reliance Refrigeration Machine Co., Chicago, Ill.

Spray-Wheel Air Conditioners, Inc., Denver, Colo.

Sturtevant Co., B. F., Hyde Park, Boston, Mass.

Supreme Heater & Ventilating Corp., St. Louis, Mo.

Texo Sales & Mfg. Co., Cincinnati, O.

Trane Co., La Crosse, Wis.

U. S. Air Conditioning Corp., Minneapolis, Minn.

Utica Radiator Corp., Utica, N. Y.

Utility Fan & Mfg. Co., Los Angeles, Cal.

Western Blower Co., Seattle, Wash.

York Ice Machinery Corp., York, Pa.

# WATER CIRCULATING PUMPS

See Pumps, Water Circulating

## WATER COILS

See Coils, Cooling Water

#### WATER-PROOFING COMPOUNDS

See Compounds, Water-proofing

#### WATER HEATERS

See Coils, Fire Pot, Hot Water

#### WEATHER STRIPS, METAL

Accurate Metal Weather Strip Co., New York City. Allmetal Weatherstrip Co., Chicago, Ill. American Metal Weather Strip Co., Grand Rapids, Mich. Athey Co., Chicago, Ill. Athey Co., Chicago, Ill.

Burrowes Corp., Portland, Me.
Chamberlin Metal Weather Strip Co., Detroit, Mich.
Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.
Diamond Metal Weather Strip Co., Boulder, Colo.
Jamar Co., Walker, Duluth, Minn.
Johnson Metal Products Co., Erie, Pa.
Kane Mfg. Corp., Kane, Pa.
Metal Products Co., Cincinnati, O.
Monarch Metal Weatherstrip Corp., St. Louis, Mo.
Nowman Brothers, Inc., Cincinnati, O.
Northern Weatherstrip Co., Duluth, Minn.
Pacific States Felt & Mfg. Co., Inc., San Francisco, Cal.
Vento Steel Sash Co., Muskegon, Mich.
Yardley Screen & Weather Strip Co., Columbus, O.

#### WELDERS, ARC

WELDERS, ARC

Agnew Electric Welder Co., Milford, Mich.
Air Reduction Sales Co., New York City.
Alter-Arc Mfg. Co., Lawton, Okla.
Burke Electric Co., Erie, Pa.
Commonwealth Mfg. Corp., Cincinnati, O.

Crise Electric Mfg. Co., Mt. Vernon, O.

Eisler Engineering Co., Newark, N. J.
Electric Arc Cutting & Welding Co., Newark, N. J.
General Equipment Co., Wichita, Kan.

General Equipment Co., Schenectady, N. Y.
Giant Grip Mfg. Co., Oshkosh, Wis.
Hammett Mfg. Co., Oshkosh, Wis.
Hammett Mfg. Co., Kansas City, Mo. (A. C.)
Hampton Elec. Tool Co., Pittsburgh, Pa.
Harnischfeger Corp., Milwaukee, Wis.
Hobart Brothers Co., Troy, O.
Lee & Son Co., K. O., Aberdeen, S. D.
Lincoin Electric Co., Cleveland, O.
Maple Valley Mfg. Co., Mapleton, Ia.
Marquette Mfg. Co., Inc., Minneapolis, Minn.
Master Welders, Kansas City, Mo. (A.C.)
Micro Products Co., Peoria, Ill.
Miller Electric Mfg. Co., Appleton, Wis. (Portable)
Ohio Welder Co., Middlefield, O.
Owen-Dyneto Corp., Syracuse, N. Y.
Pier Equipment Manufacturing Co., Benton Harbor, Mich.
Star Electric Motor Co., Bloomfield, N. J.
Tatro Brothers, Inc., Decorah, Ia.
Thomson-Gibb Electric Welding Co., Lynn, Mass.
Una Welding, Inc., Cleveland, O.
Vulcan Elec. Mfg. Co., St. Louis, Mo.
Weldex, Inc., Detroit, Mich.
Welding Apparatus Co., Chicago, Ill.
Westinghouse Electric & Mfg. Co., East Pittsburgh, Pa.
Will-Weld Mfg. Co., Inc., Omaha, Nebr. (A.C.)
Wilson Welder & Metals Co., Inc., North Bergen, N. J.

## WELDERS, SPOT

WELDERS, SPOT

Acme Electric Welder Co., Huntington Park, Cal.
Commonwealth Mfg. Corp., Cincinnati, O.
Eisler Engineering Co., Newark, N. J.
Electric Arc Cutting & Welding Co., Newark, N. J.
Federal Machine & Welder Co., Warren, O.
General Electric Co., Schenectady, N. Y.
Glascock Bros. Mfg. Co., Muncie, Ind.
Hammett Manufacturing Co., Kansas City, Mo. (Portable).
Micro Products Co., Peoria, Ill.
Pier Equipment Manufacturing Co., Benton Harbor, Mich.
(Foot operated and motor driven)
Steen-Dyer Mfg. Co., Kansas City, Mo.
Taylor-Hall Welding Corp., Worcester, Mass.
Taylor-Winfield Corp., Warren, O. (Butt and Seam)
Thomson-Gibb Electric Welding Co., Lynn, Mass.

#### WELDING EQUIPMENT, OXY-ACETYLENE

Air Reduction Sales Co., New York City.

• Automatic Gasflux Co., Cleveland, O.

Bastian-Blessing Co., Chicago, Ill.

Burdett Mfg. Co., Chicago, Ill.

Carbo-Oxygen Co., Pittsburgh, Pa.
Gasweld & Airway, Inc., Chicago, Ill.
Harris Calorific Co., Cleveland, O.
Imperial Brass Mfg. Co., Chicago, Ill.
Linde Air Products Co., New York City.
Milburn Co., Alexander, Baltimore, Md.
Sight Feed Generator Co., Richmond, Ind.
Smith Welding Equipment Corp., Minneapolis, Minn.
Torchweld Equipment Co., Chicago, Ill.
Victor Equipment Co., Los Angeles, Cal.
Welding Apparatus Co., Chicago, Ill.

#### WELDING ROD

See Rod, Welding

#### WELDING TORCHES

See Torches, Brasing, Cutting, Welding

#### WHEELS, BLOWER

Advance Aluminum Castings Corp., Chicago, Ill.

Air Controls, Inc., Cleveland, O.
American Blower Corp., Detroit, Mich.
Autovent Fan & Blower Co., Chicago, Ill.
Bayley Blower Co., Milwaukee, Wis.

Buffalo Forge Co., Buffalo, N. Y.
Champion Blower & Forge Co., Lancaster, Pa.

Clarage Fan Co., Kalamazoo, Mich.
Economy Electric Manufacturing Co., Cicero, Ill.

Furblo Co., Hermansville, Mich.
Jaden Mfg. Co., Inc., F., Hastings, Nebr.
Janette Mfg. Co., Chicago, Ill.

Lau Blower Co., Dayton, O.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., Minneapolis, Minn.

Schwitzer-Cummins Co., Indianapolis, Ind.
Sturtevant Co., B. F., Hyde Park, Boston, Mass.
Torrington Mfg. Co., Torrington, Conn.

U. S. Air Conditioning Corp., Minneapolis, Minn.

Outility Fan & Mfg. Co., Los Angeles, Cal.
Viking Air Conditioning Corp., Cleveland, O. Advance Aluminum Castings Corp., Chicago, Ill.

## WINDOW VENTILATOR-FILTER UNITS

See Units, Window Ventilator and Filter

#### WINDOWS, HOLLOW METAL

American Sheet Metal Works, New Orleans, La.
Berger Mfg. Co., Div. of Republic Steel Corp., Canton, O.
Biersach & Neidermeyer Co., Milwaukee, Wis.
Falstrom Co., Passaic, N. J.
Herrmann & Grace Co., Brooklyn; N. Y.
International Steel Co., Evansville, Ind.
Newman Brothers, Inc., Cincinnati, O.
Perkinson & Brown, Chicago, Ill.
Providence Cornice Co., Providence, R. I.
Russell Insulation Co., F. G., Baltimore, Md.
Truscon Steel Co., Youngstown, O.
Willis Mfg. Co., Galesburg, Ill.

## WIRE, PLAIN, GALVANIZED AND COPPERED

Allegheny Steel Co., Brackenridge, Pa. (Stainless).
Aluminum Co. of America, Pittsburgh, Pa. (Aluminum).
American Nickeloid Co., Peru, Ill. (Chrome, nickel coated).
American Steel & Wire Co., Chicago, Ill.
Bethlehem Steel Co., Bethlehem, Pa. (Plain, galvanized).
California Wire Cloth Co., Cakland, Cal. (Cloth).
Central Steel & Wire Co., Chicago, Ill.
Chase Brass & Copper Co., Inc., Waterbury, Conn.
Chicago Steel & Wire Co., Chicago, Ill.
Columbia Steel Co., San Francisco, Cal.
Continental Steel Corp., Kokomo, Ind. (Plain, galvanized steel) Continental Steel Corp., Kokomo, Ind. (Plain, galvanised steel)
Copperweld Steel Co., Glassport, Pa. (Copper covered steel):
Guif States Steel Co., Birmingham, Ala.
Jones & Laughlin Steel Corp., Pittsburgh, Pa.
Ludlow-Saylor Wire Co., St. Louis, Mo. (Cloth).
Page Steel & Wire Co., Monessen, Pa.
eRepublic Steel Corp., Cleveland, O. (Steel).
Roebling's Sons Co., John A., Trenton, N. J.
Tennessee Coal, Iron & Railroad Co., Birmingham, Ala.
Townsend Co., New Brighton, Pa. (Plain and coppered).
Western Wire & Iron Works, Inc., Chicago, Ill.
Wheeling Metal & Mfg. Co., Wheeling, W. Va.
Wickwire Spencer Steel Co., New York City.
eYoungstown Sheet & Tube Co., Youngstown, O.

#### Section of

# American Artisan

# 1938 DIRECTORY OF WARM AIR HEATING, RESIDENTIAL AIR CONDITIONING AND SHEET METAL PRODUCTS

# Section 2—TRADE NAMES

- ABC-Fan Bearings, Ventilators. American Blower Corp., Detroit, Mich.
- ABC-Oil Burners. Automatic Burner Corp., Chicago, Ill.
- AC-Bearings, Blowers, Blower Wheels. Air Controls, Inc., Cleveland, O.
- A-C-E-Furnace Blowers. Utility Fan & Mfg. Co., Los Angeles, Cal.
- AGP—Air Conditioning Furnaces and Gas Conversion Burners. American Gas Products Corp., New York City.
- A-P—Humidistats, Regulators, Thermostats, Valves, Automatic Products Co., Milwaukee, Wis.
- Ablo-Waterproofing Compounds. American Barlock Co., Inc., Long Island City, N. Y.
- Abrasoweld-Arc Welding Electrodes. Lincoln Electric Co., Cleveland, O.
- Acco-Lastic—Caulking Compounds. Accurate Metal Weather Strip Co., New York, N. Y.
- Ace—Arc and Spot Welders. Pier Equipment Mfg. Co., Benton Harbor, Mich.
- Acidseal-Paint, B. F. Goodrich Co., Akron, O.
- fin-Air Conditioning Units, Coils. Airecon Industries, Inc., Detroit. Acofin-
- Acousti-Pad-Insulation. Burgess Battery Co., Chicago, Ill.
- Action Air-Blowers. Brown Corp., Syracuse, N. Y.
- Adams—Dampers, Jas. H. Watson Co., Inc., Bradley, Ill.
- Aeracool—Fan Blades, Fans, Louvres, Ventilators. Myers Electric Co.,
- Pittsburgh, Pa. Aeratherm—Thermostats. Minneapolis-Honeywell Regulator Co., Minneapolis, Minn.
- Aerocrat—Air Conditioning Units, Blowers and Blower Units, Fans, Furnaces, Washers. W. R. Ames Co., San Francisco, Cal.
- opel—Kitchen Exhaust Fans. Am ican Blower Corp., Detroit, Mich.
- Aeroplane—Ventilators. Paul R. Jordan & Co., Indianapolis, Ind.
- Aeroplex—Blowers. Bayley Blower Co., Milwaukee, Wis.
- & Co., Indianapolis, Ind. Aeropull-Ventilators.
- Aerovalve—Ventilators. Knowles Mush-room Ventilator Co., New York, N. Y.
- Afco -Furnaces. American Furnace Co., St. Louis, Mo.
- Affoo-Dampers, Grilles, Louvres, Quadrants, Registers. American Foundry & Furnace Co., Bloomington, Ill.
- Agathon—Plates and Sheets. Steel Corp., Cleveland, O. Republic
- Air-Acoustic Insulation. Johns-Man-ville, New York City.
- Airco-Electrodes and Welding Rods.
  Air Reduction Sales Co., New York.
- Airco-DB-Welding Equipment. Air Reduction Sales Co., New York, N. Y.

- Burning Furnaces. Ray Oil Burner Co., San Francisco, Cal. Aire-Ray-Ator-
- Airex Ventilating Fans, Blowers.

  Mountain States Equipment Co., Denver, Colo.
- Air-Plo—Dampers and Ventilators. Bel-anger Fan & Blower Co., Detroit.
- p-Flo—Air Conditioning Units, Blower Units. Lennox Furnace Co., Marshalltown, Iowa. Aire-Flo-Air
- Furnaces. Aladdin Heating Corp., Oakland, Cal.
- Airfoil—Fans and Fan Blades. Aerovent Fan Co., Piqua, O.
- Airguide—Thermometers. Fee & Stem-wedel, Inc., Chicago, Ill.
- Airite-Furnaces. Trane Co., La Crosse, Wis.
- Airklenzer—Furnace Air Conditioning Unit. Round Oak Co., Dowagiac, Unit. Mich.
- Airline-Furnaces. Joliet Heating Corp., Joliet, Ill.
- -Registers & Grilles. Tuttle & Bailey, Inc., New Britain, Conn.
- Air-Marvels—Attic Fans. General Blower Co., Philadelphia, Pa. Airmaster—Air Conditioning Units. Thatcher Co., Newark, N. J.
- Air-Master-Grilles. Co., Waterloo, Ia. Waterloo Register
- Airmst-Filters. American Co., Inc., Louisville, Ky. Air Filter
- Airnotl-Oil Burners & Heating Utilities, Brook-lyn, N. Y. Burners.
- Air-O-Matic—Air Conditioning System, Boiler Type, Williams Oil-O-Matic Heating Corp., Bloomington, Ill.
- Air-O-Mist-Humidifiers. Sallada Mfg.
- Co., Minneapolis, Minn. Airplex—Filters. Davies Air Filter Corp., New York, N. Y.
- Airpyrator-Blowers. Burnwell Corp., Allentown, Pa.
- Airseal-Insulation. Rock Wool Products Co., Inc., Wabash, Ind.
- rulo—Concrete Waterproofing Paint. Self-Vulcanizing Rubber Co., Inc., Chicago, Ill.
- Ajaz-Pipe, Roofing. Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.
- steel Co., Decatur, Ala.
- Alaska-Coils, Star Radiator Co., Los Angeles, Cal. Albron-Aluminum Paint, Aluminum Co.
- of America, Pittsburgh, Pa. -Roof Ventilators. Allen Corp., De-
- troit, Mich.
- Aluminum Products. Aluminum Company of America, Pittsburgh.
- Alglas—Skylights. American Barlo Co., Inc., Long Island City, N. Y.
- Alladin-Arc Welders. Commonwealth Mfg. Corp., Cincinnati, O.
- All American-Cabinet Heaters. Hayes Custer Stove Co., Bloomington, Ill.

- Allegheny—Air Conditioning Furnaces.
  Pittsburgh Furnace Parts Co., Pittsburgh, Pa.
- All-Season—Directional Flow Register. Eckenroth Register Co., San Francisco, Cal.
- All-Year-Air Conditioning Units.
  Auburn Automobile Co., Air Conditioning Div., Chicago, Ill.
- Almar-Corner Lock Forming Machine. Ward Machinery Co., Chicago, Ill.
- Almetal—Fire Doors. Merchant & Evans Co., Philadelphia, Pa.
- Alnor—Thermometers. Illinois Testing Laboratories, Inc., Chicago, Ill.
- Alumbrite-Paint. Thompson & Co., Pittsburgh, Pa.
- milite—Aluminum Venetian Blinds. Chicago Venetian Blind Co., Chicago. Alumilite—Aluminum
- Aluminweld-Arc Welding Electrodes. Lincoln Electric Co., Cleveland, O.
- Always Beliable—Soldering Furnaces, Torches. Otto Bernz Co., Inc., Rochester, N. Y.
- Ambrac—Sheets, Welding Rod. American Brass Co., Waterbury, Conn. Amco—Flux. American Solder & Flux Co., Philadelphia, Pa.
- Amco-Nozzles. Grinnell Co., Inc., Providence, R. I.
- American-Draft Gages. Consolidated Ashcroft Hancock Co., Inc., Bridge-port, Conn.
- erican—Furnaces. Ryniker Shee Metal Works, Inc., Billings, Mont.

BB

BC

- American—Smoke Pipe Dampers. Gris-wold Mfg. Co., Erie, Pa.
- American—Temperature Recorders. Man-ning, Maxwell & Moore, Inc., Bridgeport, Conn.
- Amirglass—Air Fil New York City. Filters. Amirton Co.,
- Am-Pe-Co-Blower Units. American Ma-chine Products Co., Marshalltown, Iowa.
- -Copper and Brass Products. can Brass Co., Waterbury, Anaconda American Conn.
- Anchor-Air Conditioning Units Furnaces, Oil Burners. Fargo Foundry Co., Fargo, N. D.
- Anchor-Roofing Nails. W. H. Maze Co.,
- Peru, Ill. Anchor-Roofing Paint. A. Wilhelm Co., Reading, Ps.
- Anchor Brand-Nails, Rivets. Townsend Co., New Brighton, Pa.
- Anderson—Spray Nozzles. B. F. Sturte-vant Co., Hyde Park, Mass.
- Anode—Arc Welding Electrodes. coln Electric Co., Cleveland, O.
- Anti-Pluvius-Skylights. G. Drouve Co., Fairfield, Conn.
- Apoo-Caulking Compounds, Roofing Paint. Asphalt Products Co., Syra-cuse, N. Y.
- Apex—Dampers, Quadrants. Ohio Products Co., Cleveland, O.
- Apex—Hangers, Elbows and Fittings. Royal-Apex Mfg. Corp., Brooklyn.

Apollo-Roofing. Carnegie-Illinois Steel Co., Pittsburgh, Pa.

Appoloy-Copper Steel. Apollo Steel Company, Apollo, Pa.

Aqua Bar-Furnace Cement. Continental Products Co., Euclid. O.

Arc-Eng-Air Conditioning Registers. Register & Grille Mfg. Co., Inc., Brooklyn, N. Y.

Arco-Air Conditioning Units, Air Filt-ers, Cleaners. American Radiator Co., New York, N. Y.

Arco-Vecto—Heaters. American Radiator Co., New York, N. Y.

Arin-Louvres. Arex Co., Chicago, Ill. Aristocrat-Fans. Torrington Mfg. Co., Torrington, Conn.

Aristocrat-Registers. Auer Register Co., Cleveland, O.

Armco-Plates, Sheets. America ling Mill Co., Middletown, O. American Rol-

Armorize-Paint. Carter Paint Co., Liberty, Ind.

Arrow-Ventilators. Uno Ventilator Co., Cliftondale, Mass.

Shingles. Cincinati Sheet Metal & Roofing Co., Cincinnati, O. —Faces. Wooster Art Wood, Inc.,

Wooster, O.

o-Relays, Switches, Valves. Automatic Switch Co., New York, N. Y. Arteraft

Aspro-Water - proofing Paint. A Products Co., Syracuse, N. Y. Asphalt

Atomist—Humidifiers. American Foundry & Furnace Co., Bloomington, Ill.

Automatic Butler—Stokers. Butler Mfg. Co., Kansas City, Mo.

Automatic Drip-Humidifiers. Automatic Humidifier Co., Cedar Falls, Iowa.

Automatic June—Humidifiers, Valves, Monmouth Products Co., Cleveland. Automatic Water-Tender — Humidifier

Valves. Air Conditioning Supply Co., Cleveland, Ohio.

Automatik—Furnaces. Premier Furnace Co., Dowagiac, Mich.

#### B

-Fittings and Accessories. Berger Bros. Co., Philadelphia, Pa.

-Closet-Type Gas-Fired Air Conditioning Unit. Surface Combustion tioning Unit. Surf Corp., Toledo, Ohio.

B-W-Relays, Switches. Bender Warrick Corp., Birmingham, Mich.

Badger—Machines, Metal Workers'
Tools, Pumps. Rock River Machine
Co., Inc., Janesville, Wis.

Ball Bearing—Damper Quadrants. Par-ker-Kalon Corp., New York, N. Y.

Balmi-Aire Air Conditioning Units. U.S. Air Conditioning Corp., Minneapolis, Minn.

kheat—Oil Burners. S. T. Johnson Co., Oakland, Cal. Bankheat-

Barber Colman Co., -Motors. Rockford, Ill.

Barry—Couplings, Pulleys. R. & J. Dick Co., Inc., Passaic, N. J.

ton—Gas and Oil Burners, Air Conditioning and Gravity Furnaces. National Mfg. & Engineering Co., Detroit, Mich.

Beaver-Insulation. Certain-teed Prod-ucts Corp., New York, N. Y.

-Roofing. Samuel Cabot, Inc., Boston, Mass.

Beloit—Machines, Punches, Tools. Hendley & Whittemore Co., Beloit, Wis.

co-Oil Burners. W. M. Bennett Corp., Omaha, Nebr.

Benefactor—Furnaces. Hess Warming & Ventilating Co., Chicago, Ill.

Bengal-Furnaces, Heaters. Floyd-Wells

Co., Royersford, Pa.

Bennett-Allison—Oil Burners. W. M. Bennett Corp., Omaha, Nebr.

Berloy-Building Products. Berger Mfg. Co., Div. Republic Steel Corp., Canton, O.

Bertossa—Air Conditioning and Warm Air Furnaces. Jackson & Church Co., Saginaw, Mich.

Beth-Cu-Loy-Sheets. Bethlehem Steel Co., Bethlehem, Pa.

ttendorf-Oil Burners. Micro-Westco, Inc., Bettendorf, Iowa.

Big Sioux-Furnaces. Iowa Foundry Co., Sioux City, Iowa.

Bildrite—Building Insulation. Insulite Co., Minneapolis, Minn.

Black Diamond-Built-up Roofing. Barrett Co., New York, N. Y.

Black Diamond—Furnaces, Heaters. Ma-ple City Furnace Co., Monmouth, Ill. Blo-Matic-Stokers. Her-Born Engineering & Mfg. Co., Sandusky, O.

Blue Streak—Blowers, Heaters, Humidi-fiers, Washers. Western Blower Co., Seattle, Wash.

Boiler Plate—Furnaces. W Heater Co., Cincinnati, O. Williamson

Bon-Air-Air Conditioning Units, Blower Units, Furnaces. Rudy Furnace Co., Dowagiac, Mich.

mer—Furnaces, Heaters. Hess-Sny-der Co., Massillon, O.

Braden-Everedy—Furnaces, Oil Burners, Air Conditioning Units, Oil Burner Builders, Inc., Bellevue, Ia.

Branford-Oil Burners. Malleable Iron Fittings Co., Branford, Conn.

ez-Air—Fans. Buffalo Forge Co., Buffalo, N. Y.

Brevolite-Crackle Finish Paint. Zapon-Brevolite Division Atlas Powder Co., North Chicago, Ill.

Brookceil-Metal Ceilings. Brooklyn Metal Ceiling Co., Brooklyn, N.

Browne—Furnaces, Oil Burners, Phillips Heating, Ventilating & Mfg. Co., Los Angeles, Cal.

Bull Dog-Snips and Shears. Wiss & Sons Co., Newark, N. J.

Bung-Lo—Floor and Warm Air Fur-naces. Geo. J. Cocking, Santa Ana, Cal.

Burke-Pumps. Decatur Pump Co., Decatur, Ill.

Burmester—Furnaces, Oil Burners. Hot-entot Co., Inc., Omaha, Nebr.

Butler-Furnaces. Ramey Mfg. Co., Columbus, O.

#### C

Stokers. Combustion Engineering Co., Inc., New York, N. Y.

C-E Coxe—Stokers. Combustion Engineering Co., Inc., New York City.

C-E Skelly-Stokers. Combustion Engineering Co., Inc., New York City.

C-H—Relays, Switches and Valves. Cut-ler-Hammer, Inc., Milwaukee, Wis. CID-Pumps. Goulds Pumps, Inc., Sen-

eca Falls, N. Y. Cadet—Cabinet Heaters. Independence Stove & Furnace Co., Independence, Mo.

itfex—Thermostatic Bi-Metals. Callite Product Co., Union City, N. J.

Calorider-Humidifiers. Research Corp., New York, N. Y.

Calwico—Wire Cloth California Wire Cloth Co., Oakland, Cal.

Camel—Valves. C. L. Bryant Corp., Cleveland, O. Capital-Furnaces, Heaters.

Farris Fur-

nace Co., Springfield, Ill. Capitol—Air Conditioning Units, United States Radiator Corp., Detroit, Mich.

Capitol-Insulation. Standard Lime & Stone Co., Baltimore, Md.

Capitol—Weather Strips. Diamond Metal Weather Strip Co., Columbus, O.

Carola-Heaters. Cary Mfg. Co., Waupaca, Wis.

Case-Schaffer—Furnaces. Wes naces, Inc., Tacoma, Wash. Western Fur-

Castalu-Blower Wheels. Advance Aluminum Castings Corp., Chicago, Ill.

Caulk-O-Seal—Caulking and Glazing Compounds. Calbar Paint & Varnish Co., Philadelphia, Pa.

Cel-Lux—Insulation. Norristown Mag-nesia & Asbestos Co., Norristown, Pa.

-Paint. Thompson & Co., Pittsburgh, Pa.

Cementkote—Paint. Tropical Paint & Oil Co., Cleveland, O.

ucts Co., Syracuse, N. Y. Cempro

Challenge—Furnaces. Standard Foundry & Furnace Co., DeKalb, Ill.

Chamberlin-Automatic Humidifler. Chandler Co., Cedar Rapids, Ia.

Charavay—Blowers, Fans. Hartzell Propeller Fan Co., Piqua, O.

Chicago—Brakes and Presses. I Krump Mfg. Co., Chicago, Ill.

Chicastic Castable—Refractory. Chicago Fire Brick Co., Chicago, Ill.

Chico Brikset—High Temperature Cement. Chicago Fire Brick Co., Chicago, Ill.

Chief-Furnaces. Joliet Heating Corp. Joliet, Ill.

Chieftain—Cabinet Heaters. Independence Stove & Furnace Co., Independence, Mo.

Chieftain — Refrigerating Compressors. Tecumseh Products Co., Tecumseh, Mich.

Chinook—Heating Coils. Bayley Blower Co., Milwaukee, Wis.

Chincokfin—Heating Coils. Ba Blower Co., Milwaukee, Wis.

Christie—Furnace Vacuum Cleaners. Cincinnati Sheet Metal & Roofing Co., Cincinnati, O.

omweld-Arc Welding Electrodes Lincoln Electric Co., Cleveland, O.

Chronat-Furnace and Boiler Repairs. National Edry. & Furnace Co., Dayton, O.

Chronotherm—Thermostats. Minne apolis-Honeywell Regulator Co. Minneapolis, Minn.

Cibulas—Skylights, Ventilators. General Sheet Metal Works, Inc., Bridgeport, Conn.

CirCOOLator—Fans and Ventilators. Viking Air Conditioning Corpora-tion, Cleveland, O.

Clamp On-Humidifier Fittings. Sallada Mfg. Co., Minneapolis, Minn. Classio-Registers. Auer Register Co.,

Cleveland, O. Cleanaire-Blower - Filters.

Foundry Co., Indianapolis, Ind. Climate-Changer—Air Conditioning Fur-naces, Air Conditioning Units. Trane Co., LaCrosse, Wis.

Climate Maker—Air Conditioning Units, Furnaces. American Foundry & Fur-nace Co., Bloomington, Ill.

Climate Master-Oil Burning Air Conditioning Furnace. Hess Warming

tioning Furnace. Hess War & Ventilating Co., Chicago, Ill. Climator—Air Conditioning Units, Blower Units, Washers. L. J. Mueller Furnace Co., Milwaukee.

Clinton-Grilles. Wickwire Spencer Steel Co., New York City.

Coal Master — Stoker-fired Furnace. Round Oak Co., Dowagiac, Mich.

Colalloy-Non-Ferrous semi-rigid tub-Colonial Stove Co., Philadelphia, Pa.

Colonial-Blower-Filter Furnaces, Green Foundry & Furnace Works, Des Moines, Iowa.

Colonial-Conductor Heads and Fittings. Royal-Apex Mfg. Corp., Brooklyn.

Colonial-Registers. Auer Register Co., Cleveland, O.

Colortipt—Arc Welding Electrodes. Wilson Welder & Metals Co., Inc., North Bergen, N. J.

Columbus—Ventilators. F. O. Schoedinger Co., Columbus, O.

Combustioneer—Stokers. Steel Products Engineering Co., Springfield, O.

Comet—Fans, Ventilators. New York Blower Co., Chicago, Ill.

Comfort—Furnaces. J. B. Foote Foundry Co., Fredericktown, O.

Comfort—Furnaces. Standard Furnace & Supply Co., Omaha, Nebr.

Comfortaire—Air Conditioning U.
Joliet Heating Corp., Joliet, Ill.

Comfortaire-Stokers. Hamilton Automatic Stoker Corp., Hamilton, O.

Comfortmaker—Air Conditioning Units, Furnaces, Joliet Heating Corp., Joliet. Ill.

Comfort Master-Air Conditioning Units. Thatcher Co., Newark, N. J.

Comfortrol—Air Conditioning Units, Blowers and Blower Units, Fur-naces, Humidifiers, Washers. Water-man-Waterbury Co., Minneapolis.

Comfortrol-Effective Temperature Control. Julien P. Friez & Sons, Inc., Baltimore, Md.

Compact—Air Conditioning Units, Blowers. Bishop & Babcock Sales Co., Cleveland, O.

Compact—Oil Burners. The Aldrich Co., Peoria, Ill.

Compass-Belts. Goodyear Tire & Rubber Co., Akron, O.

Condor-Belts. Manhattan Rubber Mfg. Div. of Raybestos - Manhattan, Inc., Passaic, N. J.

Controlaire—Furnaces. "Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.

Control-O-Gas—Valves. Payne Furnace & Supply Co., Beverly Hills, Cal.

Convector—Furnace. L. J. Mueller Furnace Co., Milwaukee, Wis.

Coolair-Blowers, Fans. American Coolair Corp., Jacksonville, Fla.

Coppercote—Copper Paint, American Coppercote, Inc., Brooklyn, N. Y.

Copperior-Sheets. Superior Sheet Steel Co., Canton, O.

Cop-B-Loy—Copper Bearing Steel Sheets. Wheeling Steel Corp., Wheeling, W.

inco—Insulation. Cork Insulation Co., Inc., New York, N. Y.

Corkboard—Duct Insulation. Armstrong Cork Products Co., Lancaster, Pa.

Coroaire—Air Conditioning Furnaces and Heaters. Corozone Air Conditioning Corp., Cleveland, O.

Crawford-Furnaces. Walker & Pratt Mfg. Co., Boston, Mass.

Crescent—Gas-fired Conditioners and Furnaces. Green Foundry & Fur-nace Works, Des Moines, Iowa.

Crescent-Oil Burners. Caloroil Burner Corp., Hartford, Conn.

Crescent—Skylights, Ventilators. American Sheet Metal Works, New Or-

Crescent-Ventilators. F. Meyer & Bro. Co., Peoria, Ill.

Orimpedge—Eaves Trough, Gutters. Milcor Steel Co., Milwaukee, Wis.

#### D

D&B.—Vacuum Furnace Cleaners, Sto-kers, Thermostats. Dickson & Eddy, New York City.

D-Q-Furnace Vacuum Cleaners. Dens-more-Quinlan Co., Kenosha, Wis.

Dadoo-Automatic Damper. Dutcher Heating Co., Canton, Mass.

Dailaire—Air Conditioning Units, Blowers and Blower Units, Furnaces.

Dail Steel Products Co., Lansing, Mich.

Dakota-Air Conditioning Units Furnaces, Blowers. Fargo Foundry Co., Fargo, N. D.

Daptoblu—Gas Burners. Beck Engineer-ing Combustion Kompany, St. Louis.

Dayton—Air Conditioning Units. International Engineering, Inc., Dayton. Deflecto-Ventilators. The Day Co., Min-

neapolis, Minn.

DeLuxe—Air Conditioning Furnaces
Williamson Heater Co., Cincinnati.

DeLuxe—Ozonizers. Corozone Air Conditioning Corp., Cleveland, O.

Dens-Pac-Asbestos Cement. Norristown Magnesia & Asbestos Co., Norristown, Pa.

Dependable—Paint. Heath & Milligan Mfg. Co., Chicago, Ill.

Dial Damper-Draft Regulators, Parker-Kalon Corp., New York City.

Diamond—Compounds. Thompson & Co., Pittsburgh, Pa. Diamond-Smoke Pipe Dampers. Adams

Co., Dubuque, Ia. Diamond H.—Relays, Switches, Ther-mostats. Hart Mfg. Co., Hartford,

Conn.

Dickbelt—Flat Belts. R. & J. Dick Co., Passaic, N. J.

Dickinson—Dampers, Scuppers, Ventila-tors, Aeolus Dickinson, Chicago, Ill.

Dickrops-V-type Belts. R. & J. Dick Co., Passaic, N. J.

Directaire—Air Conditioning Furnaces.
Fitzgibbons Boiler Co., Inc., New
York City.

Doe—Oil Burners, Bethlehem Foundry & Machine Co., Bethlehem, Pa.

Donmore—Oil Burners. Columbus Metal Products, Inc., Columbus, Ohio.

Double Diamond—Humidistats, Psychrometers, Humidity and Temperature Recorders. Relays, Switches, Thermometers. H-B Instrument Company, Philadelphia, Pa.

Double Duty—Filters. Independent Air Filter Co., Chicago, Ill.

Double-Duty-Oil Burners. Aldrich Co., Peoria, Ill. Double Badiator-Furnaces.

Furnace Co., L. J., Milwaukee, Wis. Reeves Steel & Mfg.

Dover-Hangers. Rec Co., Dover, Ohio.

Dover-Imperial—Eaves Trough Hangers. Ohio Wire Products Co., Dover, O.

Dow—Pipe. Sterling Foundry Co., Sterling, Ill. Dowagiac-Furnaces. Rudy Furnace Co.,

Dowagiac, Mich. Piatt Prod-

Draftmaster—Regulators. Piatucts Corp., Lansing, Mich. Draftester-Draft Gages. Cole-Sullivan

Engineering Co., Minneapolis, Minn.

Draft-O-Stat-Draft Regulators. Hot-stream Heater Company, Cleveland.

Dreadnaught—Soldering Furnaces,
Torches. P. Wall Mfg. Supply Co.,
Pittsburgh, Pa.
Dridrum—Filters. American Air Filter

Co., Inc., Louisville, Ky. Drifilter—Filters. American Air Filter Co., Inc., Louisville, Ky.

Dri-Lap—Roofing. Globe Iron Roofing & Corrugating Co., Cincinnati, O.

Dri-N-Tite-Cement. A. C. Horn Co., Long Island City, N. Y.

Drou-Ve-Lite—Skylights. G. Drouve Co., Fairfield, Conn.

Dual-Air—Ventilators, General Regula-tor Corp., Chicago, Ill.

Dual Control—Portable Welders, Miller

Electric Mfg. Co., Appleton, Wis.

Dualator—Air Conditioning Units. Bryant Heater Co., Cleveland, O.
Dul-Kote—Sheets. Tennessee Coal, Iron

& Railroad Co., Birmingham, Ala.

Dunco—Relays, Switches, Thermostats and Timers. Struthers Dunn, Inc., Philadelphia, Pa.

Duotherm—Air Conditioning Units. Clarage Fan Co., Kalamazoo, Mich.

Duo-Therm—Cabinet Heaters, Oil Burners, Furnaces. Motor Wheel Corp., ers, Furnaces. Lansing, Mich.

Duplex—Flashings. Chase Brass & Copper Co., Inc., Waterbury, Conn.

Duplex—Furnace Vacuum Cleaners. Ramey Mfg. Co., Columbus, O.

Dura—Furnaces, Heaters. nace Co., Hamilton, O. Barry Fur-

DuraBilt-Floor Registers and Cold Air Faces. Auer Register Co., Cleve-land, Ohio.

Dur-A-Ble—Furnaces. "Home Comfort" Furnace & Mfg. Co., St. Louis, Mo.

Durimet-Sheets. Duriron Co. Inc., Day-

Duronze—Sheets, Bridgeport Brass Co., Bridgeport, Conn.

DustStop—Filters. Owens - Illinois Glass Co., Toledo, O.

Dux-Bac—Shingles.
Milwaukee, Wis. Milcor Steel Co.,

Milwaukee, ...

Dux-Sulation—Insulation, Duct and Dandening. Grant Wilson, Sound Deadening. Inc., Chicago, Ill.

Dwedox-Welding Rod. Central Steel & Wire Co., Chicago, Ill.

#### E

E-E-Hung-Eaves Trough. Jas. H. Wat-son Co., Inc., Bradley, Ill.

Eagle—Air Filters, Duct Insulation. Felters Co., Inc., Boston.

Earle—Ventilators. Berger Bros. Co., Philadelphia, Pa.

Easy Edger—Flanging Machine. Ward Machinery Co., Chicago, Ill. Easy-Plo—Welding Rod. Handy & Har-mon, New York, N. Y.

Easy-Slip—Eaves Trough and Gutters.
La Crosse Steel Roofing & Corrugating Co., La Crosse, Wis.

Econo-O-Miser—Oil Burners. Syncro-Flame Burner Corp., Hartford, Conn.

Economy—Air Conditioning Units, Heaters. International Heater Co., Utica,

Economy—Blow Pipe Hoods. K Blum Mfg. Co., Cincinnati, O.

Economy-Registers. Auer Register Co., Cleveland, O.

Economy-Stokers. Christensen Machine Co., Salt Lake City, Utah.

Economy-Ventilators. Arex Co., Chicago, Ill.

Edmanco—Ceilings, Shingles, Sheet Metal Products. Edwards Mfg. Co., Inc., Cincinnati, O.

Effico—Louvres, Skylights, Ventilators.
W. F. Hirschman Co., Inc., Buffalo.

Ekcoo-Furnaces, Washers, E. K. Campbell Heating Co., Kansas City. Elastikote Paint. Tropical Paint & Oil Co., Cleveland, O.

El Dryol-Waterproofing Compound. Gerard Chemical Co., Elizabeth, N. J.

Electric Furnace Man—Domestic Stoker. General Machine Co., Inc., New York City.

tric Janitor—Regulators. Minneapolis-Honeywell Regulator Co., Minneapolis, Minn. Electric

Electrik-Ice—Refrigerating Compressors. Uniflow Mfg. Company, Erie,

PI

Electro—Sheet Roofing. American Brass Co., Waterbury, Conn.

Electrol-Air—Air Conditioning Furnaces.
Associated Air Conditioning Corp.,
St. Louis, Mo.

Electro Way-Fans. Ward Mfg. Co., Detroit, Mich.

38

ar-

op-

ur-

Mo.

ау-

Co.,

Co.,

on,

1 &

Co.,

ard

ers.

ro-

nn.

at-

ica.

8

ine

hi-

K

ity.

Oil

Ge

ork

lin-

888

rp.,

De-

Electrozone—Ozonizers. Triox Eng. Co., St. Louis, Mo.

Glykol—Waterproofing Compound. Gerard Chemical Co., Elizabeth, N. J. Elite-Registers. Auer Register Co.,

Cleveland, O.

o-Valves. Pittsburgh Equitable Meter Co., Pittsburgh, Pa.

Emerald Cord—Belts. Goodyear Tire & Rubber Co., Akron, O.

Enamelite—Duct Insulation. Pres Engineering Co., St. Louis, Mo.

Enduro—Sheets. Republic Steel Corp., Cleveland, O.

o-Perforated Metals. Erdle forating Co., Rochester, N. Y. Equator—Heaters. Lennox Furnace Co., Marshalltown, Iowa.

Esico-Electric Soldering Coppers. Electric Soldering Iron Co., Inc., New

York, N. Y. Eskimo—Coils. Star Radiator Co., Los Angeles, Cal.

Eternium-Paint. Barrett Co., New York

Eureka—Furnaces. Home Stove Co., Indianapolis, Ind.

Evansway—Furnaces. George Evans Corp., Moline, Ill.

Evco-Valves. Electric Valve Mfg. Co., New York, N. Y.

Everdur-Plates, Sheets, Structural Shapes, Welding Rod. American Brass Co., Waterbury, Conn.

Everedy—Humidifiers, Oil Burners. Oil Burner Builders, Inc., Bellevue, Ia.

Everlast—Air Conditioning Units, Furnaces. Pacific Gas Radiator Co., Los Angeles, Cal.

PAU-Forced Air Furnace Unit. Payne Furnace & Supply Co., Beverly Hills, Cal.

P & E-Underfeed Stokers. Flynn & Emrich Co., Baltimore, Md.

Pabrikated—Grilles, Registers. Independent Register Co., Cleveland, O.

Pairweather—Air Conditioning Units, Blowers and Blower Units, Washers. Blowers and Blower Units, Wasi Furblo Co., Hermansville, Mich.

Palco-Sheets. Fairmount Aluminum Co., Fairmont, W. Va.

Parquaire — Air Conditioning Units, Blower Units. Farquhar Furnace Co., Wilmington, O.

ParQuar—Furnaces. Farquhar Furnace Co., Wilmington, O.

Paultless-Furnaces, Heaters. Standard Furnace & Supply Co., Omaha, Nebr.

Favorite—Furnace and Smoke Pipe Fit-tings and Accessories. Williamson Heater Co., Cincinnati, O.

Peatherin—Coils. L. J. Wing Mfg. Co., New York, N. Y.

P Electric—Fan Roof Ventilators. W. F. Hirschman Co., Inc., Buffalo, N. Y. Perroclad—Building Insulation. Trus-con Steel Co., Youngstown, O.

rocraft—Grilles. Tuttle & Bailey, Inc., New Britain, Conn. Perrocraft-

Perrogrid-Grilles. Tuttle & Bailey, Inc., New Britain, Conn.

Perro-Therm—Insulation, American Flange & Mfg. Co., Inc., New York. Perroweld—Arc Welding Electrodes. Lincoln Electric Co., Cleveland, O.

Piberglas — Insulation. Owens-Illinois Glass Co., Toledo, Ohio.

Fibrofelt-Insulation. Union Fibre Co., Inc., Winona, Minn.

Pilteraire-Air Filters. Wilson & Co., Chicago, Ill.

Pilteraire Window Ventilator-filter units. Davies Air Filter Co., New York City.

Piltered Aire—Blowers and Blower Units. American Foundry & Fur-nace Co., Bloomington, Πl.

Findlay-Stokers. Bluffton Mfg. Co., Findlay, O.

Pine Air—Air Conditioning Units. Norge Heating & Conditioning Div., Borg-Warner Corp., Detroit, Mich.

Pirecrete—Refractories. Johns-Manville, New York, N. Y.

Pireite-Cement. Johns - Manville, New York, N. Y.

Pire-King-Stokers. Sinker-Davis Co., Indianapolis, Ind.

Pire Tender-Stokers. Holcomb & Hoke Mfg. Co., Indianapolis, Ind.

Pirma—Ventilators. W. F. Hirschman Co., Inc., Buffalo, N. Y.

Pitchburg—Oil Burners. E. W. Skinner Co., Fitchburg, Mass.

rite—Conductor, Eaves Trough and Gutter Fittings and Accessories, Skylight Lifts, Snow Guards, Ventilators. David Levow, New York.

Pitzgibbonsaire—Air Conditioning Unit. Fitzgibbons Boiler Co., Inc., New York City.

t—Cement. National Mfg. Corp., Tonawanda, N. Y. Fixit-Cement.

Pleetweld—Arc Welding Electrodes. Lincoln Electric Co., Cleveland, O.

Pleur de Lis—Conductor Heads and Fit-tings. Royal-Apex Mfg. Corp., Brooklyn, N. Y.

Plexarc—Arc Welders. Westinghouse Electric & Mfg. Co., East Pittsburgh.

-Solder. Merchant & Evans Co., Philadelphia, Pa.

Plo-Warm—Coal, Oil, Gas and Stoker-Fired Furnaces. Williamson Heater Co., Cincinnati, Ohio.

Fluid Heat—Air Conditioning Units, Furnaces, Oil Burners. Anchor Post Fence Co., Baltimore, Md.

Porbes Syphonaire—Ventilators. West-ern Rotary Ventilator Co., Inc., Los Angeles, Cal.

Porbes Tri-Peller—Fans. Western Ro-tary Ventilator Co., Inc., Los An-geles, Cal.

Posco—Cornices, Metal Ceilings, Skylights, etc. F. O. Schoedinger Co., Columbus, O.

Pranklin-Stokers. Columbus Metal Products, Inc., Columbus, O. -Grilles. Trane Co., LaCrosse,

Free-Man--Stokers. Illinois Iron & Bolt Co., Chicago, Ill.

Preeport-Oil Burners. Holtum Mfg. Co., Freeport, Ill.

Preezem—Blowers. Peterson Freezem Mfg. Co., Kansas City, Mo.

Front End-Paint. Barrett Co., New York, N. Y.

Front Bank—Furnaces. Liberty Foundry Co., St. Louis, Mo.

Furnastender-Stoker. Steel Products Engineering Co., Springfield, O.

Purnastoker-Stokers. Steel Products Engineering Co., Springfield, O.

Fyr-feeder—Stokers. American Coal Burner Company, Chicago, Ill.

Pyr-Fly-Oil Burners. Aldrich Co., Pe-oria, Ill.

#### G

G. E.—Air Conditioning Units, Controls, Motors, Welders. General Electric Co., New York City and Schenectady.

G-F-K-Gas Conversion Burners, Sioux City Foundry and Boiler Co., Sioux City,, Iowa.

G & M Stokermatic—Stokers. T Stokermatic Co., Salt Lake City.

G-M-Cabinets, Casings, Faces, Grilles, Louvres, Shutters, Perforated Metals, Ornamental Mouldings and Trim, Registers, Register Shields, Metal Stampings, Ventilators. Gil-lian Mfg. Co., Ferndale, Mich.

GR-Air Conditioning Units and Coils. General Refrigeration Corp., Beloit, Wis.

Gale—Oil Burners, Cabinets, Ducts, Fittings, Accessories, Char-Gale Mfg. Co., Minneapolis, Minn.

Garland—Furnaces, Heaters, Repairs. Detroit-Michigan Stove Co., Detroit.

Garrick-Regulators. Hays Corp., Michigan City, Ind.

Gascol-Combination Coal and Gas Furnaces Stewart Furnace Co., Pittsburgh, Pa.

Gas-Era-Furnaces. L. J. Mueller Furnace Co., Milwaukee, Wis.

Gastite—Furnaces. Waterman - Water-bury Co., Minneapolis, Minn.

Furnaces. Robinson Furnace Co.,

Chicago, Ill. Gem-Soldering Furnaces. Burgess Soldering Furnace Co., Columbus, O.

-Arc Welders. General Equipment Co., Wichita, Kan.

Genasco—Cement, Paint, Roofing, Shin-gles, Waterproofing Compounds. Barber Co., Philadelphia, Pa.

General—Heaters. Agricola Furnace Co., Inc., Gadsden, Ala.

Generator-Coils. Hotstream Heater Co., Cleveland, O.

Genii-Oil Burner. Nu - Way Corp.,

Rock Island, Ill. Genuine Detroit—Controls. De bricator Co., Detroit, Mich. Detroit Lu-

Giant-Oil Burners. Aldrich Co., Peoria,

Giant Nite—Fans, Ventilators. Russell Electric Co., Chicago, Ill.

Gibraltar—Heaters. P. H. MaGirl Foundry & Furnace Works, Bloomington, Ill.

arco—Furnaces, Air Conditioning Units. Gilbert & Barker Mfg. Co., Springfield, Mass.

Gilt Edge—Flat Belts. J. l Sons, Philadelphia, Pa. J. E. Rhoads &

Gilt Edge—Furnaces and Stokers, Schwab Furnace & Mfg. Co., Cedar Grove, Wis.

-Insluation. General Insulating & Mfg. Co., Alexandria, Ind.

Globe—Eaves Trough and Gutters, Roofing, Sheets, Shingles and Tile. New Port Rolling Mill Co., New-

Gohi-Eaves Trough & Gutters, Roofing. Newport Rolling Mill Co., Newport,

Ky.

Golden Rod—Air Conditioning Units,
Blowers. F. Jaden Mfg. Co., Inc.,
Hastings, Nebr.

Ridge Rolls and

Golden Star-Furnaces, Ridge Rolls and Ridging. J. M. & L. A. Osborn Co., Cleveland, O.

Goss-Humidistats, W. R. Ripley Co., Tacoma, Wash.

Gray-Nibbling Machine. W. J. Savage Co., Knoxville, Tenn.

Graylite-Building and Duct Insulation.

Insulite Co., Minneapolis, Minn. GR-Lipman — Refrigerating Compressors. General Refrigeration Corp.,

Beloit, Wis. Grid-Heating and Cooling Coils. Unit Heater & Cooler Co., Wausau, Wis.

Grillometer—Direct Reading Air Velocity Meter. Detroit Air Meter Co., ity Meter. De Detroit, Mich.

Gulfsteel—Nails, Plates, Ridge Rolls and Ridging, Roofing, Sheets, Struc-tural Shapes, Wire. Gulf States Steel Co., Birmingham, Ala.

C—Chain, Clips and Tips, Faces, Grilles, Pulleys, Quadrants, Regis-ters, Regulators, Ventilators. Hart & Cooley Mfg. Co., Chicago, Ill.

Haals-Louvres. American Sheet Metal Works, New Orleans, La.

Haf-Saver—Air Conditioning Furnace Units. Knox Stove Works, Knox-Units. Knoville, Tenn.

HairBestos-Insulation. Wilson & Co., Inc., Chicago, Ill.

Haircraft-Insulation. Wilson & Co., Inc., Chicago, Ill.

Handnib-Punches. National Machine Tool Co., Racine, Wis.

Handy-Furnace and Smoke Pipe, Prefabricated Ducts and Fittings, Ven-tilators. F. Meyer & Bro. Co., Peoria, Ill.

Handy-Andy-Clinker Tong. Northwest-ern Stove Repair Co., Chicago, Ill.

Handy Change—Arc Welders. Maple Valley Mfg. Co., Mapleton, Iowa. Happy Thought-Heaters. Pittston Stove

Co., Pittston, Pa. Hardweld-Arc Welding Electrodes. Lin-

coln Electric Co., Cleveland, O.

Health Air—Blowers, Furnaces, Humidifiers, Washers, Economy Baler Co.,
Ann Arbor, Mich.

Health-aire Attic Ventilators. Johnson Fan & Blower Corp., Chicago, Ill.

Healthmaster—Air Conditioning Units, Blowers, Ducts and Fittings, Fur-naces, Heaters. Chandler Co., Cedar Rapids, Iowa.

Heat-Aid—Furnace Linings. Py. Products Co., Cleveland, Ohio. Pyrolite

Reat-Hustler-Fans. American Foundry & Furnace Co., Bloomington, Ill.

Heat-Pak-Oil Burners. Aldrich Co., Peoria, Ill.

Heatrola-Heaters. Estate Stove Co., Hamilton, O.

Heatseal—Insulation. Ehret Mfg. Co., Valley Forge, Pa. Ehret Magnesia

Heatseal—Oil Burners. Crystal Refrigerator Co., Fremont, Nebr.

Heatset—Regulators. Automatic Humid-ifier Co., Cedar Falls, Ia.

Heaver—Furnaces. Danville Stove & Mfg. Co., Danville, Pa.

Heavyduty—Damper Quadrants. Parker-Kalon Corp., New York, N. Y.

Heetrozone, The—Air Conditioning Units.
American Air Conditioning Co.,
Minneapolis, Minn.

Hellite—Refractories. Johns - Manville, New York, N. Y.

Hercules-Arc Welders. Commonwealth Mfg. Corp., Cincinati, O.

Hercules Fan Roof Ventilators. W. F. Hirschman Co., Inc., Buffalo, N. Y.

Hercules—Furnaces. Johnston Gas Furnace Corp., Los Angeles, Cal. Hercules—Heavy Duty Furnace. Lennox Furnace Co., Inc., Marshalltown, 1a.

Hermetic-Furnaces. Favorite Mfg. Co., Piqua, O.

Hero—Furnaces. Standard Foundry & Furnace Co., DeKalb, Ill. Hero-Heaters. J. V. Patten Co., Syca-

more, Ill. Highflex--Belts. B. F. Goodrich Co., Ak-

ron, O. Highway-Copper Iron. Apollo Steel Co.,

Apollo, Pa. Hitonoast-Grilles. Tuttle & Bailey, Inc.,

New Britain, Conn.

Hivelair Grilles. Tuttle & Bailey, Inc., New Britain, Conn. **Hodell**—Furnace Chain. Chain Products

Co., Cleveland, O. Hoffman - Oil Burners. Shedlov Oil

Burners, Inc., Minneapolis, Minn.

Hold Heat—Soldering Coppers. Brass Works, Sycamore, Ill.

**Every Series**Electric Co., Chicago, Ill. ers. Russell

Holtite-Phillips Screws and Bolts. Continental Screw Co., New Bedford, Mass.

Home—Furnaces. Rock Island Stove Co., Rock Island, Ill.

ae — Weather Strips. Chamberlin Metal Weather Strip Co., Detroit.

Hot Blast - Soldering Furnaces and Torches. To camore, Ill. Turner Brass Works, Sy-

Rotco—Air Conditioning Units, Furnaces, Oil Burners.
Inc., Omaha, Nebr.

Hot-Kold-Furnaces. Edwards Mfg. Co., Inc., Cincinnati, O.

Hot Spot—Electric Welders. Acme Electric Welder Co., Huntington Park, Cal.

Hot Wave-Coils. Rudy Furnace Co., Dowagac, Mich.

Howle—Heat Savers. Condensation Engineering Corp., Chicago, Ill.

Hoyt-Roofing. National Lead Co., New York, N. Y.

Huber—Overfeed Stokers. Flynn & Emrich Co., Baltimore, Md.

Humidair—Humidifiers, Washers. American Foundry & Furnace Co., Bloom-

ington, Ill.

Humidiguide Hygrometer. Taylor In-strument Companies, Rochester, strument N. Y.

Humidostat Humidistats. Johnson Service Co., Milwaukee, Wis.

**Enmitherm**—Air Conditioning Units. Grinnell Co., Inc., Providence, R. I.

Humitrol—Humidity Controls. Mayflow-er-Lewis Corp., St. Paul, Minn.

Hydron—Thermostatic Bi-Metals. Clifford Mfg. Co., Boston, Mass.

Hydronon—Concrete Waterproofing Paint. Barrett Co., New York City.

Hydro - Proof — Water - proofing Com-pounds. Asphalt Products Co., Syra-cuse, N. Y.

**Hy-Duty**—Fan Bearings, Fans, Blowers, Pumps, Ventilators, Wheels. Schwitzer-Cummins Co., Indianapolis, Ind.

Hy-Power—Furnaces. Rudy Furnace Co., Dowagiac, Mich.

Hy-Power—Snips and Shears. Wiss & Sons Co., J., Newark, N. J.

Hyro-Dampers, Handles, Punches, Regulators. Parker-Kalon Corp., New York, N. Y.

Hytest-Paint. National Mfg. Co., Ton-awanda, N. Y.

Ice-O-Matic-Compressors. Williams Oil-O-Matic Heating Corp., Blooming-ton, Ill.

Ideal-Air Conditionng Units. Heating & Conditioning Div.—Borg-Warner Corp., Detroit, Mich.

Ideal-Eaves Trough and Gutters, Jas. H. Watson tings, Pipe, etc. Jan Co., Inc., Bradley, Ill.

Ideal—Roofing Nails. Tennessee Coal, Iron & Railroad Co., Birmingham,

Ideal King-Furnaces. Kansas City Furnace Co., Kansas City, Mo.

Timers. Industrial Engineering Corp., Evansville, Ind.

Ilgair—Fans. Ilg Electric Ventilating Co., Chicago, Ill.

Ilg-Kold-Air Conditioning Units. I Electric Ventilating Co., Chicago.

Imperial—Hangers, Berger Bros, Co. Philadelphia, Pa.

In-Cel-Wood-Insulation. Cornell Wood Products Co., Chicago, Ill.

-Welding Rod. International Nickel Co., Inc., New York City.

Indian—Furnaces. Rudy Furnace Co., Dowagiac, Mich.

IngAclad—Sheets. Ingersoll Steel & Disc Div., Borg-Warner Corp., Chicago.

Insaluma-Insulating Fire Brick. Chicago Fire Brick Co., Chicago, Ill.

Insa-Lute—Furnace Cement. Sauereisen Cements Co., Pittsburgh, Pa.
 Ins-Light—Building and Duct Insulation. Insulite Co., Minneapolis.

Insulwool—Sound Deadening Duct Insulation (blanket). General Insulating Products Co., Brooklyn, N. Y.

Interlock—Conductor Pipe. Milcor Steel Co., Milwaukee, Wis.

Invisible Joint—Metal Ceilings. Milcor Steel Co., Milwaukee, Wis.

Ironset—Furnace Cement. Fireline Stove & Furnace Lining Co., Chicago, Ill.

Ironside-Paint. Thompson & Co., Pittsburgh, Pa.

Ironton—Gas Burners, Heaters. nental Stove Corp., Ironton, O.

Isl City—Registers. Rock Is ister Co., Rock Island, Ill. Rock Island Reg-

Iso-Tem—Automatic Heat Control. Tem
 Products Co., Youngstown, Ohio.

 Iso-Tem—Furnace Control. Air Conditioning Supply Co., Cleveland, Ohio.

J-M-Insulation, Roofing. Johns - Man-ville, New York, N. Y.

J.M.C .- Oil Burners. Johnson Mfg. Co., Waterloo, Iowa.

Jack Prost-Insulation. Barrett Co., New York City.

Janitrol—Air Conditioning Units, Furnaces, Gas Burners. Surface Combustion Corp., Toledo, O.

Jennings—Pumps. Nash Engineering Co., South Norwalk, Conn. Jetair—Grilles. Tuttle & Bailey, Inc., New Britain, Conn.

Jewel—Furnaces, Heaters, Repairs. D troit-Michigan Stove Co., Detroit.

Jiffee—Coils. Hotstream Heater Co., Cleveland, O.

Jointite-Insulation. Mundet Cork Corp., New York, N. Y.

Juneaire—Air Conditioning Units, Furn-naces. American Foundry & Fur-nace Co., Bloomington, Ill.

Juniata—Soldering Flux. Geo. W. Die-ner Mfg. Co., Chicago, Ill.

Junior-Ozonizers, Corozone Air Conditioning Corp., Cleveland, O.

Junior-Aire Oil-Burning Air Condition-ing Furnace. Lochinvar Corp., Dear-born, Mich.

Justrite Duct Fittings. Corbman Bros., Inc., Philadelphia, Pa.

Justrite L-Bo—Furnace Pipe & Fittings. Corbman Bros., Inc., Philadelphia.

K

E.S.V.'s-Ventilators. Kernchen Co., Chicago, Ill.

RableKord—Belts. I Philadelphia. Pa. L. H. Gilmer Co.,

Kant Klog-Nozzles. Howell Manufac-turing Co., Kansas City, Mo.

Kant Erush—Roof Strainers. Grand Rapids Wire Products Co., Grand Rapids, Mich.

Kentucky-Eaves Trough and Gutters, Roofing, Sheets. Newport Rolling Mill Co., Newport, Ky.

**Kero-Therm**—Cabinet Heaters. Motor Wheel Corp., Heater Div., Lansing, Mich.

**Keystone**—Heaters, J. V. Patten Co., Sycamore, Ill.

Keystone-Sheets. Carnegie Illinois Steel Corp., Pittsburgh, Pa.

Klixon—Controls, Switches, Thermostats, Timers. Spencer Thermostat Co., Attleboro, Mass.

Kitchenaire-Fans. Allen Corp., Detroit.

Knock-Out—Arc Welding Electrodes, Welding Rod, Arc Welders. K. O. Lee & Son Co., Aberdeen, S. D.

38

sen

la-

In-

eel

m

ti-

g.

em

di-

io.

n-

0.,

W

m-

ng

C.,

0.,

p.,

6-

li-

C-

b

g

١.,

Knowles—Air Conditioning Furnace. Marshall Heating Co., Minneapolis.

Knox-Smoke Pipe. Waterloo Register Co., Waterloo, Ia.

Independent Air Kom-Pak-Filters. Filter Co., Chicago, Ill.

Konical-Ventilators. Milcor Steel Co., Milwaukee, Wis.

**Xooler-Aire**—Blower - Washer Combinations. U. S. Air Conditioning Corp., Minneapolis, Minn.

Koppax-Paint. Koppers Co., Pittsburgh, Pa.

Kristokrak-Enamels and Lacquers. Zapon-Brevolite Division Atlas Pow-der Co., North Chicago, Ill.

Kruko-Furnaces. Kruse Co., Inc., Indianapolis, Ind.

Kuehn's—Gutters, Ridge Rolls and Ridg-ing. Milcor Steel Co., Milwaukee. Kwiklok—Humidifier Fittings. Air Conditioning Supply Co., Cleveland.

Kwikturn—Humidifler Fittings, Air Con-ditioning Supply Co., Cleveland.

#### L

L. A .- Motors. Louis Allis Co., Milwaukee, Wis.

& M-Instruments. Leeds & Northrup Co., Philadelphia, Pa.

L & B-Conductor Pipe. Lamb & Ritchie Co., Cambridge, Mass.

L-R-Flexible Couplings. Lovejoy Flexible Coupling Co., Chicago, Ill.
L-U-Gravity Roof Ventilators. W. F.

Hirschman Co., Inc., Buffalo, N. Y.

La Condishundaire — Air Conditioning Units. Merrill Co., Inc., Boston.

Lakeside—Blowers. Furblo Co., Her-mansville, Mich.

col—Stainless Steel Soldering Flux. F. H. Langsenkamp Co., Indianapolis, Ind.

Laurel-Repairs. Detroit-Michigan Stove Co., Detroit, Mich.

rson—Heaters. Continental Stove Corp., Ironton, O.

Leader—Oil Burners. Pressure Oil Burners, Inc., York, Pa.
Lehigh—Furnaces, Heaters. Pittston Stove Co., Pittston, Pa.

LeBoy—Fan and Gravity Roof Ventila-tors. W. F. Hirschman Co., Inc., Buffalo, N. Y.

Liberty-Paint. Carter Paint Co., Liberty, Ind.

Lifetime—Furnace Pipe Fittings & Accessories. Campbell Heating Co.,

Des Moines, Ia.

Lightweld—Arc Welding Electrodes.

Lincoln Electric Co., Cleveland, O.

Lima-Stokers. John R. Carnes, Inc., Lima, O.

Lincoln—Furnaces. American Foundry & Furnace Co., Bloomington, Ill.

Linc-Weld-Motors. Lincoln Electric Co., Cleveland, O.

Linoboard-Insulation. Union Fibre Co., Inc., Winona, Minn.

Linofelt Insulation. Union Fibre Co., Inc., Winona, Minn.

Liquidelastigum-Paint. Barrett Co., New York City.

Little Blacksmith—Punches. J. F. Kidder Mfg. Co., Inc., Burlington, Vt.
Little Giant—Time Switches. Tork Clock
Co., Inc., Mt. Vernon, N. Y.

Little Janitor-Regulators. Tillery's Little Janitor Clock Co., Newark, N. J.

Llenroc-Fire Doors. Cornell Iron Works, Inc., Long Island City, N. Y.

Lloyd's—Stainless Steel Soldering Flux. Alumaweld Co. of America, Chicago.

Lo-Blast-Gas Conversion Burners. National Machine Works, Chicago, Ill.

Lo-Boy-Stokers. Whiting Corp., Harvey, Ill.

Lockjoint—Stove Pipe. Milcor Steel Co., Milwaukee, Wis.

LokJoint-Building Insulation. Insulite Co., Minneapolis, Minn.

Lornate—Chimney Caps & Tops, Venti-lators. W. F. Hirschman Co., Inc., Buffalo, N. Y.

Lostoker-Stokers. Detroit Stoker Co., Detroit, Mich.

Luco—Acid Brushes, Compounds, Flux, Solder. Thos. F. Lukens Metal Co., Philadelphia, Pa.

Luminall—Paint. National Mfg. Co., Tonawanda, N. Y.

Lumino-Paint. Koppers Co., Pittsburgh, Pa.

E.—Air Conditioning Units. C. A. Dunham Co., Chicago, Ill.

M & E-Compressors, Solder. Merchant & Evans Co., Philadelphia, Pa.

& H—Zinc Sheets. Matthiessen & Hegeler Zinc Co., LaSalle, Ill.

M & M-Humidifier Valves. McDonnell & Miller, Chicago, Ill. Controls, Switches, Thermometers. Micro Switch Corp., Freeport, Ill.

M-VB — Humidifler Fittings. Scovill Mfg. Co., Morency-Van Buren Div., Sturgis, Mich.

Macheta—Fans and Fan Blades. Aerovent Fan Co., Piqua, O.

Mack-Heaters. J. V. Patten Co., Sycamore, Ill.

Magic—Chimney Caps and Tops. Providence Cornice Co., Providence, R. I.

Majestic-Flashings, Roofing, Skylights, Ventilators, W. A. Fingles, Inc., Ventilators. W Baltimore, Md.

Manganweld—Are Welding Electrodes.
Lincoln Electric Co., Cleveland, O.

Mark Time—Time Switches. A Rhodes, Inc., Hartford, Conn.

Martin — Dampers, Furnaces. Phillips Heating, Ventilating & Mfg. Co., Heating, Ventilati Los Angeles, Cal.

Marvel—Punches. Armstrong-Blum Mfg. Co., Chicago, Ill.

Massachusetts—Blowers, Fans. Bishop & Babcock Sales Co., Cleveland, O.

Master—Cabinet Heaters. Independence Stove & Furnace Co., Independence,

Master-Controls. White Mfg. Co., St. Paul. Minn.

Master-Hangers and Fittings, Royal-Apex Mfg. Corp., Brooklyn, N. Y.

Master Plux—Soldering Flux. J. M. & L. A. Osborn Co., Cleveland, O.

Master Kraft—Air Conditioning Units, Oil Burners. Harvey-Whipple, Inc., Springfield, Mass.

Master Stoker-Stokers. Muncie Gear

Works, Inc., Muncie, Ind.

Wastr-Lok—Pipe Fittings. Parkersburg
Iron & Steel Co., Parkersburg, W.

Va.

flower — Air Conditioning Units, Refrigerating Compressors. Hardy Mfg. Co., Dayton, O. Mayflower -

McIlvaine-Oil Burners. Landwehr Heating Corp., Philadelphia, Pa.

Melloblu—Gas Burners. Beck Engin-eering Combustion Kompany, St. eering Con Louis, Mo.

Mellow — Furnaces. I. Co., St. Louis, Mo. Liberty Foundry

Metalace—Registers. American Foundry & Furnace Co., Bloomington, Ill.

MetaLane Metal Weather Strips. Mon-arch Metal Weatherstrip Corp., St. Louis, Mo.

Metallation-Insulation. Reynolds Corp., New York, N. Y.

Metal Master—Brakes, Shears, Welders. Glascock Bros. Mfg. Co., Muncie, Ind.

Metalmaster—Rotary Saw. Continental Machine Specialties, Inc., Minneapolis, Minn.

Met-L-All — Weather Strips. Products Co., Cincinnati, O.

Metrotherm-Thermostats. General Controls Co., San Francisco, Cal.

Microstat Thermostats. Julien P. Friez & Sons, Inc., Baltimore, Md.

Midas Spot Welders. Commonwealth Mfg. Corp., Cincinnati, O.

Midget-Ozonizers, Corozone Air Conditioning Corp., Cleveland, O.

Midget Marvel—Arc Welders. Westing-house Electric & Mfg. Co., East Pittsburgh, Pa.

s, Jr.—Propeller Furnace Fans. Henry Furnace & Foundry Co., Cleveland, O.

Milwaukee — Ventilators. Milcor Steel Co., Milwaukee, Wis.

Mistoil-Oil Burners. Wayne Oil Burner Corp., Fort Wayne, Ind.

Mistolator—Oil Burners, Automati: Burner Corp., Chicago, Ill.

Model-Furnaces, Heaters. Home Stove Co., Indianapolis, Ind.

Model ▲—Furnaces, Heaters. Williamson Heater Co., Cincinnati, O.

Moderator—Air Conditioning Units. Clarage Fan Co., Kalamazoo, Mich. Moderne—Blowers, Furnaces. Agricola

Furnace Co., Inc., Gadsden, Ala.

ModernAire—Warm Air Furnaces. Des Moines Stove Repair Co., Des Moines, Iowa.

Moderne-Aire—Furnaces, Air Conditioning Units, Blowers. Agricola Furnace Co., Gadsden, Ala.

Modern Hearth - Furnaces. Thompson Mfg. Co., Denver, Colo.

Modernistic-Heaters. Agricola Furnace Co., Inc., Gadsden, Ala.

Moditherm—Air Conditioning Units. Clarage Fan Co., Kalamazoo, Mich. Modutrol—Controls. Minneapolis-Honey-

well Regulator Co., Minneapolis.

Moistair Blended Iron—Furnaces. Round Oak Co., Dowagiac, Mich.

Moistair Boiler Plate-Furnaces. Round Oak Co., Dowagiac, Mich.

-Furnaces. Kruse & Dewenter Co., Indianapolis, Ind.

Moncrief-Furnaces, Furnace Repairs, Prefabricated Ducts. Henry Fur-nace & Foundry Co., Cleveland, O.

Morning Air—Furnaces. Jackson Sheet Metal Wks., Ogden, Utah.

Motex-Fan Bearings and Solder. solidated Metals Corp., Detroit.

Moto-Heat—Oil Burners. Brigham Oil Burner Co., St. Louis, Mo. Muelleraire—Air Conditioning Units. L. J. Mueller Furnace Co., Mil-

waukee, Wis. Multiclone—Collectors. Research Corp., New York, N. Y.

Multi-Panel—Filters. American Air Filter Co., Inc., Louisville, Ky.

Multitherm—Air Conditioning Units.
Clarage Fan Co., Kalamazoo, Mich.

Multi-V-Filters. Staynew Filter Corp., Rochester, N. Y.

Munro-Pipe. Martin Bros., Rochester, N. Y.

Nairoil—Oil Burners. National Burner Co., Philadelphia, Pa. National Airoil

Wational — Air Conditioning Units, Washers, P. H. Magirl Foundry & Furnace Wks., Bloomington, Ill.

National—Damper Clips and Tips, U. S. Register Co., Battle Creek, Mich.

National—Furnaces, Heaters. Excelsion Stove & Mfg. Co., Quincy, Ill.

National Mfg. Corp., Watroco-Paint. Tonawanda, N. Y.

- NaturZone-Insulation. Wilson & Co., Inc., Chicago, Ill.
- Nelco-Duct Insulation. B. F. Mfg. Co., Minneapolis, Minn. B. F. Nelson
- Nelson-Bertossa Air Conditioning Units, Furr troit, Mich. Furnaces. Nelson Co., De-
- Welson Stokers. Heating Assurance, Inc., Spokane, Wash. Wesbit—Furnaces. Standard Furnace &
- Supply Co., Omaha, Nebr.
- New American—Smoke Pipe Dampers.
  Griswold Mfg. Co., Erie, Pa.

  New Gibraltor—Heaters. P. H. MaGirl
  Foundry & Furnace Wks., Bloom-Foundry & ington, Ill.
- Newmanco Kalamein Doors, Grilles, Registers. Newman Brothers, Inc., Cincinnati, O.
- Newport—Instruments. Johnson Co., Inc., East Providence, R. I. Johnson Tool
- Miagara-Air Conditioning Units, Fur-Forest City Foundries Co., naces. Cleveland, O.
- Niteair—Night Air Cooling Fans. Lau Blower Co., Dayton, Ohio.
- Nitroil-Nozzles. Hubbard Co., Minneapolis, Mina.
- Wokol-Oil Burners. Petroleum Heat & Power Co., Stamford, Conn.
- Non-Con-Dux Cement, Insulation. Paint, Paper, Paste. Grant Wilson, Inc., Chicago, Ill.
- No Noise—Blowers. American Foundry & Furnace Co., Bloomington, Ill.
- Worblo—Blowers, Collectors and Air Washers. Northern Blower Co., Cleveland, Ohio.
- Moroo-Furnaces, Furnace Cement, Pipe and Fittings, Registers and Grilles, Air Conditioning, Tank Heaters, Stoves, etc. Northwestern Stove Stoves, etc. Northwes Repair Co., Chicago, Ill.
- Forfolk—Blower Filters, Furnaces, Heaters, Humidifiers. Sioux City Foundry and Boiler Co., Sioux City.
- Northland-Heaters. J. V. Patten Co., Sycamore, Ill.
- Northwestern-Furnaces. Western Furnaces, Inc., Tacoma, Wash.
- Mor'wester-Blowers, Grand Rapids Die & Tool Co., Grand Rapids, Mich.
- Morwol-Insulation. Norristown Mag-nesia & Asbestos Co., Norristown, Ps.
- Mo-Sag—Register Shields. Pentecost & Craft Co., Terre Haute, Ind.
   Mo. Streak Registers. Rock Island
- Register Co., Rock Island, Ill.
- No-Ve-U-Door Ventilators. Wa Register Co., Waterloo, Iowa, Waterloo
- Wovoid—Aluminum Paint, Bases, Insulation. Cork Import Corp., New York, N. Y.
- Nu-Air—Air Conditioning Units, Room Type, Summer and Year Around Blades and Fans. Meier Electric & Machine Co., Indianapolis, Ind.
- Nu-Air-Ventilators. Milcor Steel Co., Milwaukee, Wis.
- Mu-Alpina—Gravity Roof Ventilators. Milcor Steel Co., Milwaukee, Wis.
- Dry Furnace Cement. Products Co., Cleveland, O. Pyrolite Nu-Dry .
- Nugget-Cabinet Heaters. Independence Stove & Furnace Co., Independence, Mo.
- Mu-Notch—Ventilators. Knowles Mushrom Ventilator Co., New York, N. Y.
- Mutipe-Gas Conversion Burners. lumbia Burner Company, Toledo.
- Nu-Way Evans—Warm Air Conditioners. Nu-Way Corp., Rock Island, Ill.

- Ohio-Buckeye—Stove Pipe. Reeves Steel & Mfg. Co., Dover, Ohio.

  Ohio Lock—Furnace and Stove Pipe. Reeves Steel & Mfg. Co., Dover, Ohio.

- Oil Economy—Oil Burning tioning Furnace. In Heater Co., Utica, N. Y. -Oil - Burning Air - Condi-International
- Oil-Eighty—Boiler Burner Unit. Fitz-gibbons Boiler Co., Inc., New York. Oil Master—Furnaces. Round Oak Co.,
- Dowagiac, Mich.
- Oil Master Airklenzer—Air Conditioning Furnace. Round Oak Co., Dowagiac, Mich.
- Oil-O-Matic—Oil Burners. Williams Oil-O-Matic Heating Corp., Bloomington, Ill.
- OK-Conductor Strainers. U. S. Cistern Filter Mfg. Co., Bloomington, Ill.
- Oil-n-Aire—Oil Burners. Aldrich Co., Peoria, Ill.
- Olympic-Furnaces. Washington Stove Works, Everett, Wash.
- Open Dome—Furnaces. American Furnace & Foundry Co., Milan, Mich.
- Orient-Furnaces. Smuck-Thiele Co., Indianapolis, Ind.
- Orsatomat—Flue Gas Analyzer. Hays Corp., Michigan City, Ind.
- Oshkosh-Stokers. Leach Co., Oshkosh,
- OutoWall--Registers. Rock Island Register Co., Rock Island, Ill.
- Ovaltube—Gas Burners, Beck Engineer-ing Combustion Kompany, St. Louis.
- Oxweld-Welding Apparatus. Linde Air Products Co., New York, N. Y.
- Ozite—Duct Insulation. American Hair & Felt Co., Chicago, Ill.

- P. & H.—Motors. H Milwaukee, Wis. Harnischfeger Corp.,
- & H. Hansen—Arc Welders. Har-nischfeger Corp., Milwaukee, Wis.
- Pacifelt—Insulation. Pacific States Felt & Mfg. Co., Inc., San Francisco.

  Pacific—Furnaces. W. W. Rosebraugh Co., Salem, Ore.
- Pacific Breeze -Fans. Pryne & Co., Inc., Los Angeles, Cal.
- Packingless Pumps. Chandler Co., Cedar Rapids, Ia.
- Palco Bark-Insulation. Pacific Lumber Co., San Francisco, Cal.
- Paramount—Flashings. Rochester Lead Works, Inc., Rochester, N. Y.
- Paramount Hollow Metal Windows. Willis Mfg. Co., Galesburg, Ill.
- co—Skylight Lifts. Park City Cornice Works, Inc., Bridgeport, Conn.
- Patrola—Heaters. J. V. Patten Co., Sycamore, Ill.
- Roofing Clips. Patterson -American Sheet Metal Works, New Orleans.
- Pebble-Grilles. American Foundry & Furnace Co., Blomington, Ill.
- Pebble-Registers. Auer Register Co., Cleveland, O.
- Peerless-Blowers, Collectors, New York Blower Co., Chicago, Ill. Peerless-Eaves Trough Hangers.
- bott Mfg. Co., Painesville, O. Penco-Air Conditioning Units. Pennsylvania Furnace & Iron Co., War-
- ren. Pa.
- Penn-Mont-Slate Structural Slate Co., Pen Argyl, Pa.
- Penntrol-Controls. Penn Electric Switch Co., Goshen, Ind.
- fect—Furnaces, Humidifiers. Ric ardson & Boynton Co., New York.
- Perfect-Pit-Metal Ceilings, Milcor Steel Co., Milwaukee, Wis. Permopad - Filters Independent Air
- Filter Co., Chicago, Ill. Perry—Damper Clips and Tips. Gris-wold Mfg. Co., Erie, Pa.
- Oil Burners. Aldrich Co., Peoria, Pet-
- Petro-Oil Burners. Petroleum Heat & Power Co., Stamford, Conn.

- to—Metal Workers' Machines and Tools. Peck, Stow & Wilcox Co., Southington, Conn.
- Phaeton Heaters. Excelso Products Corp., Buffalo, N. Y.
- Pioneer-Oil Burners, Scott-Newcomb, Inc., St. Louis, Mo.
- Plastic Cork-Duct Insulation. tite Engineering Co., St. Louis, Mo.
- Plastic Elastigum Cement. Barrett Co., New York City.
- Plastic PB-Cement. Barrett Co., New York City.
- Plastikon-Glazing Compounds. B. F. Goodrich Co., Akron, O. Pleasant Home-Furnaces. Peerless
- Foundry Co., Inc., Indianapolis, Ind. Plexiform-Blowers. Bayley Blower Co.,
- Milwaukee, Wis. Plicast-Refractories. Plibrico Jointless
- Firebrick Co., Chicago, Ill. Plymco-Air Filters. Plymouth Coage Co., North Plymouth, Mass. Plymouth Cord-
- r Giant—Air Conditioning Units.
  Giant Manufacturing Co., Council
- Bluffs, Iowa.

  celite—Tile. Columbian Enameling & Stamping Co., Inc., Terre Haute, Ind. Porcelite-Tile.
- -Furnaces. XXth Century Heat-
- rage—Furnaces. XXth Century Heating & Ventilating Co., Akron, O.
  sitive Arc Arc Welders. Welding
  Apparatus Co., Chicago, Ill.
  smier Arc Welding Electrodes,
  Welding Rod. American Steel &
  Wire Co., Chicago, Ill. Premier
- Premier-Furnace Vacuum Cleaner. Electric Vacuum Cleaner Co., Inc., Cleveland, O.
- mier—Sheets. Re Co., Dover, Ohio. Reeves Steel & Mfg.
- mier Weather Strips. American Metal Weather Strip Co., Grand Rapids, Mich.
- sstico-Furnace and Roof Cement. Presstite Engineering Co., St. Louis.
- Probert-Kalamein Doors. California Cornice, Steel and Supply Corp., Los Angeles, Cal.
- Protection Soldering Furnaces and Torches. Clayton & Lambert Mfg.
- Co., Detroit, Mich.

  Protector—Snow Guards. David Levow, New York City.
- Protectomotor—Filters, Staynew Filter Corp., Rochester, N. Y.
- Plastoid—Compounds, Furnace Cement.
  Plastic Products Co., Detroit, Mich.
  Power—Flat Belts. J. E. Rhoads & Sons, Philadelphia, Pa.
- Premier Automatik—Stoker Fired Air Conditioning Furnaces. Meyer Fur-
- nace Co., Dowagiac, Mich. Welding Prest-O-Lite - Oxy-Acetylene Equipment. Linde Air Products Co.,
- York, N. Y. Prest-O-Weld — Oxy-Acetylene Welding Equipment. Linde Air Products Co., New York, N. Y.
- Protector—Snow Guards. David Levow, New York, N. Y. Protex-Protective Coating for Metal. Haydn F. White & Co., Cleveland.
- Pulverzone Stokers, American Coal Burner Co., Chicago, Ill.
- Punkah—Louvres. White Co., Ko and Wilfred B., Boston, Mass. Kelvin
- Pure-Air-Furnaces. Enterprise Boil & Tank Works, Inc., Chicago, Ill. Enterprise Boiler
- Pure-Aire—Blower-Filter Units. Utility Fan & Mfg. Co., Los Angeles, Cal.
- Purox—Oxy-Acetylene Welding Equipment. Linde Air Products Co., New York, N. Y.
- Pyrofelt—Building and Duct Insulation. The Mineral Felt Co., Toledo, O.

Quaker City—Fittings and Accessories, Conductor, Eaves Trough and Gut-ter, Pipe. Berger Bros. Co., Philadelphia, Pa.

Quick Cleaner—Furnace Brushes. Pilley Packing & Flue Brush Mfg. Co., St. Louis, Mo.

Quiet May—Air Conditioning Furnaces, Oil Burners. May Oil Burner Corp., Baltimore, Md.

R. & G.—Cold Air Faces, Grilles, Registers. Register & Grille Mfg. Co., Inc., Brooklyn, N. Y.

Robbins & My-R & M-Fans, Motors. ers, Inc., Springfield, O.

RBO-Fan Bearings. Roller Bearing Co. of America, Trenton, N. J.

R.M.C.—Burners. Rotary Mfg. Co., Los Angeles, Cal.

B-U-P-Fans and Ventilators. Red Unit-Fans, Inc., New Orleans, La.

Bace A. C. Furnace (Gas). Royal Air Conditioning Equipment, Compton,

olite—Refractories. Pyrolite Products Co., Cleveland, Ohio. **Badolite** 

Bainbow Mist—Nozzles. Peterson Freez-em Mfg. Co., Kansas City, Mo.

Ralpo-Sheet Metal Cutters. Ralph W. Poe, Canton, Ill.

Rawl-Drive—Hardened Masonry Nails. Rawlplug Co., Inc., New York City.

1 Host-Oil Burners. Harry C. Weiskittel Co., Inc., Baltimore, Md.

Band-Motors. Howell Electric Motors Co., Howell, Mich.

Redi-Wail—Eaves Trough Hangers. Ab-bott Mfg. Co., Painesville, O. Redox-Paint. Thompson & Co., Pitts-

burgh, Pa.

Red Spindle—Dampers. Stover Mfg. & Engine Co., Freeport, Ill.

Red Top — Insulation. Owens-Illinois Glass Co., Toledo, O.

Red Top-Insulation. United States Gypsum Co., Chicago, Ill.

Red Top-Thermostats. ment Company, Philadelphia, Pa.

Beed—Filters. American Air Filter Co., Inc., Louisville, Ky. ReFreshaire-Winter Air Conditioning

Units, Room Type. Co., South Bend, Ind. Summerheat

Reg - Gril - Co—Registers. Register & Grille Mfg. Co., Inc., Brooklyn, N. Y.

Oxy-Acetylene Welding Equip-ent. Bastian-Blessing Co., Chiment. cago, Ill.

laloy-Stove and Furnace Repairs. Pittsburgh Furnace Parts Co., Pittsburgh, Pa.

y-Filters. W. R. Ripley Co., Tacoma, Wash.

Control-Grilles. Tuttle & Bailey, Inc., New Britain, Conn.

Benu-Filters. American Air Filter Co., Inc., Louisville, Ky.

Bepublic—Gas Conversion Burners. Autogas Corp., Chicago, Ill. Research-Belts. Graton & Knight Co.,

Worcester, Mass. -Furnaces. Calkins & Pearce, Co-

lumbus, O. Bez-Airate Fans, Ventilators. Air Con-

trols, Inc., Cleveland, O. Air-Pak-Blower Units.

trols, Inc., Cleveland, O.

Rexoil — Air Conditioning Units, Oil Burners, Furnaces. Reif-Rexoil, Inc., Buffalo, N. Y.

Bezistal - Stainless Steels. Crucible Steel Co., of America, New York.

Bival—Copper and Zinc Straps. David Levow, New York, N. Y.

Riverside—Furnaces. Rock Island Stove Co., Rock Island, Ill.

ektex-Insulation. Philip Carey Co., Lockland, Cincinnati, O.

Roberts-Hamilton Co., Minneapolis.

Roofkoter—Paint. Tropical Paint & Oil Co., Cleveland, O.

- Furnaces. Moncrief Furnace Co., Atlanta, Ga.

Roto-Clone-Dust Collectors. Air Filter Co., Inc., Louisville, Ky.

Rotojet—Nozzles. Binks Mfg. Co., Chi-

cago, Ill. Royal — Air Conditioning Units, Furnaces. Hart & Crouse Co., Inc., Utica, N. Y.

Royal — Caulking Compounds, Cement, Paint. A. Whilhelm Co., Reading, Pa.

Royal—Dampers, Hangers, Strainers and Fittings. Royal-Apex Mfg. Corp., Brooklyn, N. Y.

Boyalair—Air Conditioning Units, Furnaces. Rock Island Stove Co., Rock Island, Ill.

Royalastio—Asbestos Cement. A. Wilhelm Co., Reading, Pa.

Royalbestos-Furnace Cement. A. Wilhelm Co., Reading, Pa.

Royal Blue—Acid and Furnace Brushes. Schaefer Brush Mfg. Co., Milwaukee, Wis.

Royalseal-Asbestos Paint. A. Wilhelm Co., Reading, Pa.

alt—Paint. Alfred Hague & Co., Inc., Brooklyn, N. Y.

Rubyfluid—Solder, Soldering Flux, Tin-ning Compounds. Ruby Chemical Co., Columbus, O.

Rusco—Air Conditioning Units. Russell Insulation Co., F. C., Baltimore, Md.

S.A.C .- Air Conditioning Units. Standard Air Co York, N. Y. Conditioning, Inc., New

- Furnaces. Surface Combustion Corp., Toledo, O.

 S-E—Gravity Roof Ventilators, W. F. Hirschman Co., Inc., Buffalo, N. Y.
 S-F—Arc Welding Electrodes, Soldering Coppers and Flux, Torches, Welding Rod. Sight Feed Generator Co., Richmond, Ind.

SF-Victor — Torches, Oxy-Acetylene Welding Equipment, Sight Feed Generator Co., Richmond, Ind.

S. L. S.—Cement. Barrett Co., New York. -Air Conditioning Units, Furnaces. Scott-Newcomb, Inc., St. Louis, Mo.

Saftrol-Controls. Penn Electric Switch Co., Goshen, Ind.

Louis-Stoker. Ormsby-Gray Combustion Service, Inc., St. Louis, Mo. Saf-ty-Mallets. Martin Bersted Co.,

Chicago, Ill.

Salmo—Cement, Insulation, Pipe Coverings. Sall Mountain Co., Chicago, Ill. noo—Cement. Standard Asbestos Mfg. Co., Chicago, Ill.

Sampsell-Time Switches. Conco-Samp-

sel Stoker Corp., Mendota, Ill. Sanidaire—Humidifiers. U. S. Air Condi-

tioning Corp., Minneapolis, Minn. Sanitary-Furnaces. Smuck-Thiele Co.,

Indianapolis, Ind. Satis-Fyre-Oil Burners. Shedlov Oil Burners, Inc., Minneapolis, Minn.

Savage-Stokers. Model Mfg. Co., Richmond, Va.

Sav-T-Heat-Air Conditioning Furnaces. C. A. Dunham Co., Chicago, Ill.

Schmidt — Soldering and Brazing Torches. Minn-Kota Foundry & Mfg. Co., Fargo, N. D.

Scroll-Pivoter—Snips and Shears. Wiss & Sons Co., J., Newark, N. J.

Scruplex-Ventilators. L. J. Wing Mfg. Co., New York, N. Y.

Idheet Oil Burners. Caloroil Burner Corp., Hartford, Conn.

Sealdslab-Duct Insulation. Insulite Co., Minneapolis, Minn.

Seal of Quality—Roofing. Columbia Steel Co., San Francisco, Cal.

Seal-Tite-Roof Cement, Asbestos Paint. Arthur Miller & Son, Elmira, N. Y.

mless—Furnaces. Waterman-Water-bury Co., Minneapolis, Minn. Seamless-

Selectair-Air Conditioning Oil Furnace. S. T. Johnson Co., Oakland, Cal.

Self-Cleaning-Furnaces. Moore Corp., Joliet, Ill. Selflock-Furnace Pipe Fittings and Ac-

cessories. Milcor Steel Co., Milwaukee, Wis. Selfvulo-Waterproofing Compounds,

Duct Insulation, Paint. Self-Vul-canizing Rubber Co., Inc., Chicago.

Sensitrol-Electrical Relays. Electrical Instrument Corp., Newark, N. J.

Shield-Aro—Welders. Lincoln Electric Co., Cleveland, O. Shower-Proof-Paint, Calbar Paint &

Varnish Co., Philadelphia, Pa.

Shur-Lock - Pipe. Berger Bros. Co., Philadelphia, Pa. Silcrome-Sheets.

Ludlum Steel Co., Watervliet, N. Y.

Silent-Furnace Blowers. tioning Equipment Co., Minneapolis.

Silent Air-Air Conditioning Units, Fans and Blades. Belanger Fan & Blow-er Co., Detroit, Mich.

Silentair—Air Conditioning Units, Blow-ers, Filters, Washers. Gehri Co., Tacoma, Wash.

Silent-Auburn—Air Conditioning Units Oil Burners, Furnaces. Auburn Burner Corp., Auburn, Ind.

Silent Automatic—Dampers, Louvres. Shutters. Airecon Industries, Inc., Detroit, Mich.

Silere—Air Conditioning Units, Fans, Louvres, Shutters. Aire-Foile Fan & Blower Company, Detroit, Mich.

Silentblu-Gas Burners. Beck Engineer-ing Combustion Kompany, St. Louis.

Sil-Phos-Welding Rod, Handy & Har-mon, New York, N. Y.

Silver-Seal—Aluminum Paint. A Products Co., Syracuse, N. Y. Asphalt

Simplex-Humidifiers. Henry Kraker, Holland, Mich.

Simplex-Humidifiers. Sallada Mfg. Co., Minneapolis, Minn.

Simplex-Oil Burners. Pan American Engineering Corp., Ltd., Berkeley, Cal.

Simplex-Stoker. Stoker Products, Inc., Decatur, Ill.

Simplex-Weather Strips. An Metal Weather Strip Co., American Rapids, Mich.

Sim-trol-Smoke Pipe Draft Regulators. Simplex Mfg. Co., Fond du Lac, Wis.

Simplex Mig. Co., Fond Sirocco—Air Conditioning Units, Blow-Fond Grilles, Washers, Wheels. ers, Fans, Grilles, Washers, Whee American Blower Corp., Detroit.

Sixinone—Air Conditioning Units, Coils. Handelan Washer Air Co., Minne-apolis, Minn.

Blower Slip-Lock-Blowers, Viking Air Cleveland, O. Conditioning Corp.,

Snaplok—Furnace and Stove Pipe. Reeves Steel & Mfg. Co., Dover, Ohio.

Snug-Pit-Coils. Hotstream Heater Co., Cleveland, O.

Solar-Furnaces. American Foundry & Furnace Co., Bloomington, Ill. Solar Comfort — Air-Conditioning and Warm Air Furnaces. "Home Com-fort" Furnace & Mfg. Co., St. Louis.

Sound - Pruf — Vibration Eliminating Bases. W. D. Fabling Co., Los An-Bases. W. geles, Cal.

Speco—Soldering Flux. Pfanstiehl Chemical Co., Waukegan, Ill.

Speedage-Belts. L. H. Gilmer Co., Philadelphia, Pa.

Spee Dee—Colls. Air Controls, Inc., Cleveland, O.

Sphinx—Burners, Furnaces, Humidifiers. C. L. Bryant Corp., Cleveland, O.

spider Web-Filters. Wilson & Co., Inc., Chicago, Ill.

Spiroidal-Furnace Fans. Russell Electric Co., Chicago, Ill.

Spraymaker—Humidifiers. Lennox Fur-nace Co., Marshalltown, Iowa.

Spra-Rite-Nozzles. Binks Mfg. Co., Chicago, Ill.

Sprincolite—Pulleys. American Pulley Co., Philadelphia, Pa. Springair—Air Conditioning Units. S. M. Howes Co., Charlestown, Boston.

Stable-Arc Welding Electrodes, Arc Welders. Lincoln Electric Co., Cleveland, O.

Stainweld—Arc Welding Electrodes. Lin-coln Electric Co., Cleveland, O.

Stamco—Furnace Pipe, Fittings. Cincinnati Stamping Co., Cincinnati, O.

Standard—Furnaces. A Corp., Oakland, Cal. Aladdin Heating Standard-Furnaces. Home Furnace Co.,

Holland, Mich.

Standard—Furnaces, Heaters. Furnace Co., Springfield, Ili.

-Furnaces. Arcweld Mfg. Co., Inc., Seattle, Wash.

Star-Solder. Eagle-Picher Lead Co., Cincinnati, O.

Star—Soldering Furnaces. Burgess Soldering Furnace Co., Columbus, O.
Star—Ventilators. Merchant & Evans
Co., Philadelphia, Pa.

Arns—Registers. Springman Metal Specialty Co., Detroit, Mich. Stearns-

Sterling-Washers. Texo Sales & Mfg. Co., Cincinnati, O.

Ster-Na-Man-Smoke Pipe Fittings and Accessories. A. G. Co., St. Louis, Mo. G. Brauer Supply

Stewart Furnaces. Fuller-Warren Co., Milwaukee, Wis.

Stoker-King-Stokers. Sto porated, Detroit, Mich. Stokers Incor-

Stoker-Ola-Stokers. Advance Appliance Co., Peoria, Ill.

Stoker "X"—Stokers. Perfectaire Corp.,

Baltimore, Md.

Stokobilt—Air Conditioning and Gravity
Furnaces. American Foundry &
Furnace Co., Bloomington, Ill.

Stokol-Stokers. Schwitzer-Cummins Co., Indianapolis, Ind.

Stokolair-Air Conditioning Units, Blower-Filter Units. Schwitzer-Cummins Co., Indianapolis, Ind.

Stowe—Stokers. Johnston & Jennings Co., Cleveland, O.

Streamaire—Coils. Young Radiator Co., Racine, Wis.

onghold—Flat belts. J. E. Rhoads & Sons, Philadelphia, Pa. Stronghold-

Sunbeam — Air Conditioning Units, Blower-Filter Units, Direct Expan-sion Coils, Refrigerating Compres-sors, Furnaces Stoker-Fired Fur-naces, Heaters. Fox Furnace Co., Elyria, O.

Sunnyaire — Air Conditioning Units, Blower-Filter Units, Furnaces, Heat-ers. Texo Sales & Mfg. Co., Cincinnati, O.

Sunrise—Oil Burners. Kais Sunrise Works, Detroit, Mich.

Super-Fans. Holtum Mfg. Co., Freeport, Ill.

Super—Hangers and Fittings. Roys Apex Mfg. Corp., Brooklyn, N. Y.

Super-Roof Flashing.
Lead Co., Cincinnati, O. Eagle-Picher

Super Metal—Steel Sheets. Superior Sheet Steel Co., Div. Continental Steel Corp., Canton, O.

Superfex—Oil Burners, Furnaces, Heaters. Perfection Stove Co., Cleveland.
Super Firma—Gravity Roof Ventilators.
W. F. Hirschman Co., Inc., Buffalo.

Superior—Air Conditioning Units, Furnaces. Pacific Gas Radiator Co., Los Angeles, Cal.

Superior—Filters, Ventilators. American Foundry & Furnace Co., Bloomington, Ill.

Superior—Furnaces. Richardson & Boynton Co., New York, N. Y.

Super Red Streak—Furnace Vacuum Cleaners. National Super Service Co., Toledo, O.

Super Suction-Furnace Vacuum Clean-National Super Service Co., Toledo, O.

-Stucco for refractory Super - Thermomaintenance (Refractory Lining Chicago Fire Brick Co., Chi-Mix). Ch cago, Ill.

Super-X—Metal Shingles. Gulf States Steel Co., Birmingham, Ala.

Supreme—Furnaces. American I & Foundry Co., Milan, Mich. American Furnace

Supreme-Furnaces, Heaters. Agricola Furnace Co., Inc., Gadsden, Ala

Suredrane—Roofing. Reev Mfg. Co., Dover, Ohio. Reeves Steel &

Surelok—Furnace and Stove Pipe. Reeves Steel & Mfg. Co., Dover,

Furnace & Mfg. Co., St. Louis, Mo.

Surfaceol — Waterproofing Compound. Gerard Chemical Co., Elizabeth, Co., N. J.

Symonds-Registers. Liberty Foundry Co., St. Louis, Mo.

Synchron — Stoker Controls, Relays, Switches, Timers. Industrial Engineering Corp., Evansville, Ind.

Syox-Registers. Liberty Foundry Co., St. Louis, Mo.

Syphon-Air-Ventilators. F. Meyer & Bro. Co., Peoria, Ill.

Tafco-Air Filters. Tuttle Air Filter Co., Inc., Louisville, Ky.

Tag-Psychrometers, Recorders, Tim Switches, Thermometers, Themostats, Valves. C. J. Tagliabue Mfg. Co., Brooklyn, N. Y.

Tag-Mono-Flue Gas Analyzers. C. J. Tagliabue Mfg. Co., Brooklyn, N. Y. Tag Snapon-Thermostats. C. J. Taglia-

bue Mfg. Co., Brooklyn, N. Y. Tamco-Ventilators, Wood Faces. Tiffin Art Metal Co., Tiffin, O.

Tanco-Sound Deadening Paint. Thomp-

son & Co., Pittsburgh, Pa. Tannate-Flat Belts. J. E. Rhoads &

Sons, Philadelphia, Pa. Tatroweld—Arc Welders. Tatro Brothers,

Inc., Decorah, Iowa. Taylor-Stokers. Advanced Engineering

Co., Philadelphia, Pa. Technotrol-Electric Clock Thermostat. White Mfg. Co., St. Paul, Minn.

Temlok-Insulation. Amstrong Products Co., Lancaster, Pa.

Tempered-Aire—Furnaces. Gar Wood Industries, Inc., Detroit, Mich.

Temtrol-Thermostats. Penn Electric

Switch Co., Goshen, Ind.

Texrope—V-Belts. Allis-Chalmers Mfg.
Co., Milwaukee, Wis.

-Furnace Cement. strong Company, Detroit, Mich.

Themair—Furnaces. New York Blower Co., Chicago, Ill.

Thermidaire-Air Conditioning E. K. Campbell Heating Co., Kansas City, Mo.

rmo-Drip — Humidifiers. Automatic Humidifier Co., Cedar Falls, Ia. Thermo-Drip -

Thermofil-Insulation. United States Gypsum Co., Chicago, Ill.

Thermogas—Air Conditioning Units. Beck Engineering Combustion Kompany, St. Louis, Mo.

Thermogrip-Soldering Coppers. Ideal Commutator Dresser Co., Sycamore,

rmolator—Heaters, Pacific Gas Radiator Co., Los Angeles, Cal.

Thermolier—Air Conditioning Units.
Grinnell Co., Inc., Providence, R. I.

"The Pacific"-Furnaces. W. W. Rosebraugh Co., Salem, Ore.

Thermo—Stoker-Fired Furnace. American Furnace Co., St. Louis, Mo.

Thermopaste—Plastic Fire Brick. Ch cago Fire Brick Co., Chicago, Ill.

Thermofuel—Air Conditioning Units.

Beck Engineering Combustion Kompany, St. Louis, Mo.

Thermus—Gravity Furnaces. McPherson Furnace & Supply Co., Portland,

Thor—Arc Welders. Commonwealth Mfg. Corp., Cincinnati, O.

370—Paints. Thompson & Co., Pitts-burgh, Pa.

Threplex—Flashing. Chase Brass & Copper Co., Inc., Waterbury, Conn. Thriftsteel-Furnaces. Round Oak Co., Dowagiac, Mich.

Throway—Filters. American Air Filter Co., Inc., Louisville, Ky.

Tik Wheat—Pipe Covering Paste. Stak-O Corp., Rochester, N. Y.

Tillers - all - Welded - Furnaces. Iowa

Foundry Co., Sioux City, Iowa. Timercoid-Time Clock. Mercoid Corp., Chicago, Ill.

Timetrol-Switches. Penn Electric Switch Co., Goshen, Ind.

Tin-Ezy—Soldering Flux, Alumaweld Co. of America, Chicago, Ill.

Tin Loy-Tinning Compounds. E Picher Lead Co., Cincinnati, O.

Tinol-Compounds and Soldering Flux. American Solder & Flux Co., Philadelphia, Pa.

Titan—Furnaces. Standard Fdry. & Furnace Co., DeKalb, Ill.

Titelock—Fittings and Accessories for Conductor, Eaves Trough and Gut-ter, Furnace Pipe; Stove Pipe; Cop-per Roofing; Metal Shingles and Tile. Milcor Steel Co., Milwaukee.

Tobin Bronze—Welding Rod. American Brass Co., Waterbury, Conn.

Tomb Brand-Insulation. Barrett Co., New York City.

Toncan—Plates, Ridge Rolls and Ridg-ing, Roofing, Sheets. Republic Steel Corp., Cleveland, O.

Toolweld—Arc Welding Electrodes. Lin-coln Electric Co., Cleveland, O.

Toridheet—Oil Burners. Cleveland Steel Products Corp., Cleveland, O.

Tornado—Furnace Vacuum Cleaners. Breuer Electric Mfg. Co., Chicago.

Torpedo—Skylights. Milcor Steel Co., Milwaukee, Wis.

Torrid-Soldering Furnaces and Torches.

Geo. W. Diener Mfg. Co., Chicago. rid.—Furnaces. Beck Engineering Combustion Kompany, St. Louis, Mo. Torrid-Furnaces. Engineering Torrid Zone-Furnaces, Heaters. Lennox

Furnace Co., Marshalltown, Ia. Townley—Cabinet Heaters. Independence Stove & Furnace Co., Independence,

Mo. Torrid-Zone Aire-Flo—Stoker-Fired Air Conditioning Furnace. Lennox Fur-nace Co., The, Marshalltown, Iowa. Triple Drain—Channel Roofing. Republic

Steel Corp., Cleveland, Ohio.

Triplex—Furnaces. Home Furnace Co., Holland, Mich.

Tripl-ife—Furnaces. Williamson Heater Co., Cincinnati, O.

Tropico—Humidifiers. Roberts-Hamilton Co., Minneapolis, Minn.

Tungar—Arc Welder. General Electric Co., Schenectady, N. Y.

Turtle-Roofing. Samuel Cabot, Inc., Boston, Mass.

Century—Fan Bearings. Roller Bearing Co. of America, Trenton, N. J.

Twin-Pyre-Oil Peoria, Ill. Oil Burners. Aldrich Co.,

Twin Zephyr—Humidifier. Maid-O'Mist, Inc., Chicago, Ill.

Tymit-Time Switches. Tork Clock Co., Inc., Mt. Vernon, N. Y.

U. S. -Blowers, Ventilators. -Blowers, Skylights and Roof Fan J. K. Mohler Co., Ephrata, Pa.

U. S. G.—Roofing. United States Gyp-sum Co., Chicago, Ill.

-Roofing, Sheets. Carnegie-Illinois Steel Corp., Pittsburgh, Pa.

U-Loy-Sheets. Republic Steel Corp., Cleveland, O.

Uniblade-Blowers blade—Blowers. Autovent Fan & Blower Co., Chicago, Ill.

Unit Air Cooler Co., Kansas City.

Unified-Air Conditioning Units. Hugo Mfg. Co., Duluth, Minn.

Uni-Fin-Warm 'Air Registers. Barber-Colman Co., Rockford, Ill.

Unilectric—Fans. Midwest Ventilating Works, Milwaukee, Wis.

Unimatio—Air Filters. American Filter Co., Inc., Louisville, Ky. American Air

Unishear—Power Shears. Stanley Elec-tric Tool Div., The Stanley Works, New Britain, Conn.

UniStoker-Stokers, Detroit Stoker Co., Detroit, Mich.

tor—Cabinet Heaters. American Gas Products Cerp., New York, N. Y.

Universal—Air Filters. Hugo Mfg. Co., Duluth, Minn.

Universal—Blowers, Fans. Ilg Electric Ventilating Co., Chicago, Ill. Universal—Dial Damper. Parker-Kalon Corp., New York City.

Universal—Hand Snips and Shears. Rupp Forge & Shear Co., Cleveland.

Universal—Pillow Blocks. Randall Graphite Products Corp., Chicago. Unzid-Damper Quadrants. Parker-Kalon Corp., New York, N. Y.

**Upson**—Rivets. Republic Steel Corp., Cleveland, O.

S. E. Columbia—Roofing, Sheets. Co-lumbia Steel Co., San Francisco. U. S. S. Columbia-

Utilus—Kitchen Exhaust and Ventilat-ing Fans. W. F. Hirschman Co., Inc., Buffalo, N. Y.

"V" Grimp—Roofing. W. R. Ames Co., San Francisco, Cal.

alox—Damper Regulators. Y Regulator Co., Cleveland, Ohio. Young

Vacu-Draft-Blowers. Muncie Gear Works, Inc., Muncie, Ind.

Valley Forge—Cement. Ehret Magnesia Mfg. Co., Valley Forge, Pa. Vaporator-Humidifiers. Rudy Furnace

Co., Dowagiac, Mich. Varipitch—Fans. Torrington Mfg. Co., Torrington, Conn.

Velometer—Anemometers. Illinois Test-ing Laboratories, Inc., Chicago, Ill. Ventura-Fans, Ventilators. American

Blower Corp., Detroit, Mich. Vernalloy-Furnace Metal. Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill.

Vernois—Furnaces. Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill.

Verson-Brakes, Punches. Allsteel Press

Co., Inc., Chicago, Ill.

Vibracork—Bases. Armstrong Cork Products Co., Lancaster, Pa.

Victor—Air Conditioning Units, Blower-Filter Units, Furnaces, Humidifiers, Stokers. Hall-Neal Furnace Co., Indianapolis, Ind.

Victor—Portable Electric Drills. Stan-ley Electric Tool Div., Stanley Works, New Britain, Conn.

Victor—Regulators. Safe Automatic Heat Control Co., Detroit, Mich.

Victoraire—Air Conditioning Furnaces, Units, Furnaces. Hall-Neal Fur-nace Co., Indianapolis, Ind.

Victory-Oil Burners. Caloroil Burner Corp., Hartford, Conn.

Wik-Air—Air Conditioning Units, Blowers and Blower Units, Humidifiers.
Viking Air Conditioning Corp.,
Cleveland, O.

-Belts, E. F. Houghton & Co., Philadelphia, Pa.

Vim Tred—Belts, E. F. Houghton & Co., Philadelphia, Pa.

Vortex — Furnace Vacuum Cleaners. B. F. Sturtevant Co., Hyde Park, Boston, Mass.

Vulcanite - Roofing, Roofing Cement. Certain-teed Products Corp., New York, N. Y.

Vulcatex—Caulking and Glazing Com-pounds. A. C. Horn Co., Long Is-land City, N. Y.

Vulco-V-type Belts. Gates Rubber Co., Denver, Colo.

Wafer-Filters. American Air Filter Co., Inc., Louisville, Ky.

Warco-Refractories. Walsh tories Corp., St. Louis, Mo. Walsh Refrac-

Waterbase-Furnaces, Heaters. Furnace Co., Springfield, Ill.

Water-Boy-Humidifier Valves. Maid-O'-Mist, Inc., Chicago, Ill.

Waterseal—Cement, Paint. Thompson & Co., Pittsburgh, Pa.

Watertender-Humidifier Valve. J. L. Skuttle Co., Detroit, Mich.

Watson-Furnaces, Heaters. Floral City Co., Monroe, Mich.

arweld — Arc Welding Electrodes. Lincoln Electric Co., Cleveland, O. Wearwell—Paint. Thompson & Co., Pittsburgh, Pa.

Weathermaker—Air Conditioning Units. Carrier Corp., Syracuse, N. Y.

Weathermaster—Air Conditioning Units, Boiler Type, Carrier Corp., Syra-cuse, N. Y.

Weather Master—Air Conditioning Units. U. S. Pressed Steel Prod-ucts Co., Kalamazoo, Mich.

Weatherseal-Insulation. Sprayo-Flake Co., Chicago, Ill.

Weather Stabiliser—Air Conditioning Units, Furnaces, Heaters. Des Moines Steel Furnace Co., Des Moines, Is.

Weatherwood-Insulation. United States Gypsum Co., Chicago, Ill.

Wedgbelt—Pulleys. American Pulley Co., Philadelphia, Pa.

Weir-Air Conditioning Units, Furnaces, Heaters, Stokers. Meyer Furnace Co., Peoria, Ill.

Weisco-Skylight Lifts. H. Weiss & Co., New York, N. Y.

Weldit—Torches, Oxy-Acetylene Welding Equipment. Welding Apparaing Equipment. Welctus Co., Chicago, Ill.

Weldite-Electrodes and Welding Rod. Chicago Steel & Wire Co., Chicago.

Weldon—Air Conditioning Coal Furnaces. McPherson Furnace & Supply Co., Portland, Ore.

Wellsville Savage—Fire Brick. Chicago Fire Brick Co., Chicago, Ill.

Wesco-Furnaces. John Westwick & Son, Inc., Galena, Ill.

Western King-Furnaces. Independence Stove & Furnace Co., Independence, Mo.

totherm — Thermometers. Weston Electrical Instrument Corp., New-Westotherm ark, N. J.

Westrite—Furnaces. Western Furnaces, Inc., Tacoma, Wash.

Wheco-Oil Burners. Westchester Home Equipment Co., Inc., Bronx, N. Y.

Whirlator—Oil Burners. Norge Heating & Conditioning Div., Borg-Warner Corp., Detroit, Mich.

White Flash—Electrodes. Central Steel & Wire Co., Chicago, Ill.

Whitney-Stokers. Apex Tool Co., Inc., Bridgeport, Conn.

Wiechert-Furnaces, Heaters. St. Clair Foundry Corp., Centralia, Ill.

Wildergloss-Smoke and Stove Pipe and Fittings. Wilder Mfg. Co., Niles,

son-Arc Welders. Air Reduction Sales Co., New York, N. Y. Wilson-Arc Welders.

Winair—Fans. W. F. Hirschman Co., Inc., Buffalo, N. Y.

Wind Electric—Roof Ventilators. W. F. Hirschman Co., Inc., Buffalo, N. Y.

Windowstat—Condensation Control. Ju-lien P. Friez & Sons, Inc., Baltimore.

Wind-O-Vane Jr.—Kitchen Exhaust Fans. B. F. Sturtevant Co., Hyde Park, Mass.

Winner-Registers. Auer Register Co.

Winter-Ghaser—Air Conditioning Units, Furnaces, Heaters. Campbell Heat-ing Co., Des Moines, Ia.

Winter Xing - Furnaces, McPherson Furnace & Supply Co., Portland, Ore.

Wissoo—Grilles. Wickwire Spencer Steel Co., New York City.

Co., Inc., Gadsden, Als. Wizard-Furnaces.

Wolverine — Fans, Blades, Ventilators and Washers. Belanger Fan & Blower Co., Detroit, Mich.

Wolverine Weather Strips. American Metal Weather Strip Co., Grand Rapids, Mich.

XL — Metal Windows. Herrn Grace Co., Brooklyn, N. Y. Herrmann &

X-L-All — Coils, Furnaces. Deshler Foundry & Machine Works, Deshler,

Xit-Ventilators. Iona Ventilator Co., Inc., Philadelphia, Pa.

## Y

Yager's—Flux. Alex R. Benson Co., Inc., Hudson, N. Y.

Yankee—Damper Clips and Tips. S. M. Howes Co., Charlestown, Boston.

Yoloy-Alloy Plates and Sheets. Youngs-town Sheet & Tube Co., Youngs-town, O.

#### Z

Zeph-O-Lator — Air Conditioning Furnaces. Century Engineering Corp., Cedar Rapids, Ia.

Zephyr-aire-Fans. Gas City Glass Co., Gas City, Ind.

Zero—Furnace Cement and Refractories. Standard Fuel Engineering Co., Detroit, Mich.

Zincoat-Sheets. Tennessee Coal, Iron & Railroad Co., Birmingham, Ala.

Z-Bo King-Furnaces. Oakland Foundry Co., Belleville, Ill.

#### Section of

# American Artisan

# 1938 DIRECTORY OF WARM AIR HEATING, RESIDENTIAL AIR CONDITIONING AND SHEET METAL PRODUCTS

Section 3 - MANUFACTURERS' ADDRESSES

A-C Mfg. Co., Inc., 417 Sherman Ave., Pontiac, Ill.
Abbott Mfg. Co., Box 150, Painesville, O.
Accurate Mfg. Works, 2432 Milwaukee Ave., Chicago, Ill.
Accurate Metal Weather Strip Co., 216 E. 26th St., New York City.

Ace Engineering Co., 1735 W. 31st St., Chicago, Ill. Acer & Whedon, Inc., Commercial St., Medina, N. Y. Acme Asbestos Covering & Flooring Co., 218 Elizabeth St.,

Chicago, Ill.

•Acme Electric Welder Co., 5619 Pacific Blvd., Huntington Park, Cal.

•Acme Heating & Ventilating Co., 4224 S. Lowe Ave., Chi-

cago, Ill. Acme Oil Burner Co., Inc., 210 Third Ave., S. W., Cedar Rapids, Ia.

Rapids, Ia.

Acme Refining Co., W. 56th & W. & L. E. Ry., Cleveland, O. Acme Tin Plate & Roofing Supply Co., 10th & York St., Philadelphia, Pa.

Acorn Refining Co., 8001 Franklin Blvd., Cleveland, Ohio. Adams Co., E. 4th St. Ext., Dubuque, Ia. Adjustable Bearing Plate Co., 11 Rutger St., St. Louis, Mo. Advance Aluminum Castings Corp., 2742 W. 36th Pl., Chicago, Ill.

cago, 111.
Advance Appliance Co., 808-810 Washington St., Peoria, Ill.
Advance Fan & Blower Co., 3428 Bagley, Detroit, Mich.
Advanced Engineering Co., Aramingo Ave. & Cumberland

St., Philadelphia, Pa.

Advanced Refrigerating Systems Co., 33rd & Arch Sts.,
Philadelphia, Pa.

Aeolus Dickinson, 3332-52 S. Artesian Ave., Chicago, Ill.

Aerofin Corp., 306 S. Geddes St., Syracuse, N. Y.

Aeroin Corp., 306 S. Geddes St., Syracuse, N. Y.
Aeroil Burner Co., Inc., Park Ave. at 13th St., West New
York, N. J.
Aerovent Fan Co., 710 E. Ash St., Piqua, O.
Agnew Electric Welder Co., 64 Thomas St., Milford, Mich.
Agricola Furnace Co., Inc., North 12th St., Gadsden, Ala.
Ahlberg Bearing Co., 3025 W. 47th St., Chicago, Ill.
Air Conditioning Equipment Co., 301 N. Seventh St., Min-

neapolis, Minn.

• Air Conditioning Products Co., 1230 Eighteenth St., Detroit, Mich.

Air Conditioning Supply Co., 1893 E. 55th St., Cleveland, O.
Air Controls, Inc., 1935 W. 114th St., Cleveland, O.
Aircraft Mfg. Co., 418 E. First St., Dayton, Ohio.
Air Devices Corp., 70 Britannia St., Meriden, Conn.
Airccon Industries, 2648-2654 Botsford Ave., Detroit, Mich.
Aire-Folle Fan & Blower Co., 4737 W. Vernor Highway,
Detroit Mich.

Aire-Foile Fan & Detroit, Mich.

Aire-Foile Fan & Blower Co., 4737 W. Vernor Highway, Detroit, Mich.
Airgard Manufacturing Co., 609 N. La Salle St., Chicago, Ill.
Airmaster Corp., 140 S. Dearborn St., Chicago, Ill.
Air-Maze Corp., 812 Huron Road, Cleveland, O.
Air Reduction Sales Co., 60 E. 42nd St., New York City.
Airtemp, Inc., Leo St., Dayton, O.
Airtherm Mfg. Co., 1474 S. Vandeventer Ave., St. Louis, Mo.
Aladdin Heating Corp., 5107 Broadway, Oakland, Cal.
Alco Valve Co., Inc., 2628 Big Bend Blvd., St. Louis, Mo.
Aldrich Co., 209 Hamilton St., Peoria, Ill.
Aldrich Pump Co., Foot of Pine St., Allentown, Pa.
Alexander Bros., 406 N. 3rd St., Philadelphis, Pa.
Alfol Insulation Co., 155 E. 44th St., New York City.
Allegheny Steel Co., Brackenridge, Pa.
Allen-Bradley Co., 1325 S. First St., Milwaukee, Wis.
Allen Corp., 9752 Erwin, Detroit, Mich.
Allen Co., L. B., 6719 Bryn Mawr Ave., Chicago, Ill.
Allis-Chalmers Mfg. Co., Milwaukee, Wis.
Allis Co., Louis, 427 E. Stewart St., Milwaukee, Wis.
Allmetal Weatherstrip Co., 229 W. Illinois St., Chicago, Ill.
All States Roofers Equipment & Material Co., 2107 W. Lake
St., Chicago, Ill.
Allsteel Press Co., Inc., 93rd & Kenwood Ave., Chicago, Ill.
Alter-Arc Mfg. Co., 209 B St., Lawton, Okla.
Alton Mineral Wool Co., P. O. Box 268, Alton, Ill.
Alumnaweld Co. of America, 2442-44 South Parkway, Chicago, Ill.
Aluminum Company of America, 801 Gulf Bldg., Pitts-burgh, Pa.

Aluminum Company of America, 801 Gulf Bldg., Pittsburgh, Pa.

American Air Conditioning Co., 2831 Thirteenth Ave., Minne-apolis, Minn. American Air Conditioning Corp., P. O. Box 29, Sebastopol,

Cal. American Air Filter Co., Inc., 113 Central Ave., Louisville,

American Barlock Co., Inc., 36-32 38th St., Long Island City.

American Blower Corp., 6000 Russell St., Detroit, Mich.

American Brass Co., 414 Meadow St., Waterbury, Conn.

American Chemical Paint Co., Brookside Ave., Ambler, Pa.

American Chain Co., Inc., 929 Connecticut Ave., Bridgeport,

American Coal Burner Co., 155 E. Superior St., Chicago, Ill. American Coolair Corp., 3604 Mayflower St., Jacksonville,

American Coppercote, Inc., 132 Classon Ave., Brooklyn, N. Y. American Flange & Mfg. Co., Inc., 1901 R. C. A. Bldg., Radio

American Fiange & Mig. Co., Inc., 1991 R. C. & Loug, 1880.
City, New York City.

•American Foundry & Furnace Co., 915 E. Washington St.,
Bloomington, Ill.
American Furnace Co., 2719-31 Delmar Blvd., St. Louis, Mo.
American Furnace & Foundry Co., Milan, Mich.

•American Gas Products Corp., 40 W. 40th St., New York

City.

American Hair & Felt Co., 222 N. Bank Dr., Chicago, Ill.

American Instrument Co., Silver Springs, Md.

American-Larson Ventilating Co., 1004 Keystone Bank Bldg.,

Pittsburgh, Pa.

American Machine Products Co., 207-11 Market St., Mar-shalltown, Ia. American-Marsh Pumps, Inc., 60 Capital Ave., N. E. Battle

American-Marsh Pumps, Inc., 60 Capital Ave., N. E. Battle Creek, Mich. American Metal Weather Strip Co., 144 N. Division Ave., Grand Rapids, Mich. American Nickeloid Co., 1505 Second St., Peru, Ill. American Oil Burners & Heating Utilities, 4511 Fourth Ave., Brooklyn, N. Y. American Pulley Co., 4200 Wissahickon Ave., Philadelphia,

Pa.
American Radiator Co., 40 W. 40th St., New York City.

•American Rolling Mill Co., 780 Curtis St., Middletown, O.
American Screw Co., 1934 Thurston Ave., Providence, R. I.
American Solder & Flux Co., 4519 Wayne Ave., Philadelphia, Pa.
American Sheet Metal Works, 331 N. Alexander, New Orleans, La.
American Steel Co., 1330 Park Bldg., Pittsburgh, Pa.
American Steel & Wire Co., 208 S. La Salle St., Chicago, Ill.

American Transformer Co., 192 Emmet St., Newark, N. J. American Warming & Ventilating Co., Toledo, Ohio. American Wood Register Co., Novelty & Walnut Sts., Ply-

American wood Register Co., Novelty & Wainut Sts., Plymouth, Ind.
American Zinc Products Co., Greencastle, Ind.
Ames Co., W. R., 150 Hooper St., San Francisco, Cal.
Amirton Co., 60 E. 42nd St., New York City.
Anchor Post Fence Co., Eastern Ave. & Kane St., Balti-

B

B • B B

Be Be

Anchor Post Fence Co., Eastern Ave. & Kane St., Baltimore, Md.

Anchor Stove and Range Co., Third & Culbertson, New Albany, Ind.

Anderson Mfg. Co., 511 3rd, Des Moines, Ia.

Anderson Products, Inc., 17 Tudor St., Cambridge, Mass.

Andes Range & Furnace Corp., 117 Evans St., Geneva, N. Y.

Andrews Lead Co., Inc., 30-48 Greenpoint Ave., Long Island City, N. Y.

Anemostat Corporation of America, 10 East 39th St., New York City.

York City.

Angell Nail & Chaplet Co., 4580 E. 71st St., Cleveland, O. Annis, Emmett F., 1515 Gardena St., Glendale, Cal.

Anthracite Industries, Inc., Chrysler Building, New York

Anti-Corrosive Metal Products Co., Inc., Castleton-on-Hud-

son, N. Y.
Antigo Building Supply Co., Antigo, Wis.
Apex Rotarex Corp., 1070 E. 152nd St., Cleveland, Ohio.
Apex Tool Co., Inc., 50 Remer St., Bridgeport, Conn.

7.

k

le

**y**-

Apollo Steel Co., 609-617 Warren Ave., Apollo, Pa. Arco Vacuum Corp., 40 W. 40th St., New York City. Arcweld Mfg. Co., Inc., 3469 Third Ave. W., Seattle, Wash. Arex Co., 333 N. Michigan Ave., Chicago, Ill. Armstrong-Blum Mfg. Co., 5700 Bloomingdale Rd., Chicago,

Armstrong Co., South & Post St., Detroit, Mich.
Armstrong Cork Products Co., 992 Concord St., Lancaster,

Armstrong Furnace Co., 1649 Olentangy River Rd., Columbus, O.
Asphalt Products Co., Eastwood Sta., Syracuse, N. Y.
Associated Air Conditioning Corp., 3339 Lindell, St. Louis,

Associated Heater Parts Co., 3101 Wentworth Ave., Chicago,

Associated Heater Parts Co., 3101 Wentworth Ave., Chicago, Ill.

Atcheson Glass Co., T. J., 951 Main St., Buffalo, N. Y.
Athens Plow Co., Athens, Tenn.
Athey Co., 1923 S. Calumet, Chicago, Ill.
Atlas Bolt & Screw Co., 1130 Ivanhoe Rd., Cleveland, O.
Atlas Heating & Ventilating Co., Ltd., 557 4th St., San
Francisco, Cal.
Atlas Valve Co., 282 South St., Newark, N. J.
Auburn Burner Corp., Auburn, Ind.
Auburn Automobile Co., Air Cond. Div., Sales Office, 2426
Michigan Ave., Chicago, Ill. Factory, Connersville, Ind.
Auburn Stoker Co., 3608 Payne Ave., Cleveland, O.
Autocrat Oll Burner Corp., 100 East Ave., N. W., Cedar
Rapids, Ia.
Auto-Heat Corporation, 3111 W. 66th St., New York City.
Automatic Burner Corp., 1823 Carroll Ave., Chicago, Ill.

Automatic Burner Corp., 1823 Carroll Ave., Chicago, Ill.

Automatic Products Co., 2452 N. 32nd St., Milwaukee, Wis.
Automatic Switch Co., 154 Grand St., New York City.
Automatic Switch Co., 154 Grand St., New York City.
Autowent Fan & Blower Co., 1807-19 N. Kostner Ave., Chicago, Ill.

cago, Ill.

#### B

Bacharach Industrial Instrument Co., 7000 Bennett St., Pittsburgh, Pa. ne Co., Semon, Greenwich & Morton Sts., New York

Bache Co., Semon, Green, City.
City.
Badger Mfg. Co., 106 N. Frances St., Madison, Wis.
Bailey Meter Co., 1050 Ivanhoe Rd., Cleveland, O.
Baker Furnace & Cleaner Mfg. Co., 2505 Albion St., To-

edo, O.

Baldor Electric Co., 4858 Duncan Ave., St. Louis, Mo.
Ballard, Inc., Arthur H., 585 Commonwealth Ave., Boston,

Balloffett Dies & Nozzle Co., Inc., 45-51 Adams St., Gutten-

Mass.
Balloffett Dies & Nozzle Co., Inc., 45-51 Adams St., Guttenberg, N. J.
Bangor-Washington Slate Co., Bangor, Pa.
Banner Repair Parts Co., 103 E. Indianola Ave., Youngstown, Ohio.
Barber Co., Inc., 1600 Arch St., Philadelphia, Pa.
Barber-Colman Co., River & Loomis Sts., Rockford, Ill.
Barber Gas Burner Co., 3704 Superior Ave., Cleveland, O.
Barclay, Inc., Robt., 128 N. Peoria St., Chicago, Ill.
Bard Mfg. Co., Evansport Road, Bryan, Ohio.
Bardes Range & Foundry Co., E. H., 2613 Colerain Ave.,
Cincinnati, O.
Barnes Metal Products Co., 4425 W. 16th St., Chicago, Ill.
Barrett Co., 40 Rector St., New York City.
Barrett Mfg. Co., 308 S. West Blvd., Kansas City, Mo.
Barrett Engineers, 1322 Warrensville Center Rd., Cleveland Heights, O.
Barry Furnace Co., 208 N. B St., Hamilton, O.
Bartlett Mfg. Co., 3003 E. Grand Blvd., Detroit, Mich.
Bastian-Blessing Co., 240 E. Ontario St., Chicago, Ill.
Bayer Co., A. J., Slauson & Santa Fe Aves., Los Angeles,
Cal.

Bayley Blower Co., 1817 S. 66th St., Milwaukee, Wis. Beacon-Morris Corp., Boston, Mass. • Bead Chain Mfg. Co., 110 Mountain Grove St., Bridgeport,

Conn.
Beatrice Steel Tank Mfg. Co., 700-710 S. 7th St., Beatrice, Nebr

Nebr.

Beatrice Steel Tank Mrg. Co., 700-710 S. 7th St., Beatrice, Nebr.

Beatty Machine & Mfg. Co., 933 150th St., Hammond, Ind. Beck Engineering Combustion Kompany, 3033 Adams St., St. Louis, Mo.

Beckley Perforating Co., 315 North Ave., Garwood, N. J. Bedard Mfg. Co., 1647 Hennepin Ave., Minneapolis, Minn. Belanger Fan & Blower Co., 1230 18th St., Detroit, Mich. Bell & Gossett Co., 3000 Wallace St., Chicago, Ill. Belmont Smelting & Refining Works, Inc., 341 Belmont Ave., Brooklyn, N. Y.

Bender Warrick Corp., 131 Pierce, Birmingham, Mich. Benjamin Elec. Mfg. Co., Des Plaines, Ill. Bennett Corp., W. M., 1109 Harney St., Omaha, Nebr. Benson Co., Inc., Alex R., 1040 S. Bay Rd., Hudson, N. Y.

Berger Bros. Co., 229-237 Arch St., Philadelphia, Pa. Berger Mfg. Co., Div of Republic Steel Corp., 1038 Belden Ave., N. E., Canton, O.

Bergstrom Mfg. Corp., Neenah, Wis.

Berns Specialty Company, 1015 W. Lake St., Chicago, Ill.

Berns Co., Inc., Otto, 230 Lyell Ave., Rochester, N. Y. Berryman Oil Burner Co., 1304 Washington Blvd., Chicago,

IIL
Bersted Co., Martin, 20 E. Jackson Blvd., Chicago, Ill.
Berry, Jr., F. E. & Co., Inc. Little Bldg., Boston, Mass.
Bertram Mfg. Co., 646 N. Michigan Ave., Chicago, Ill.
Bertsch & Co., Church St., Cambridge City, Ind.
Best Register Co., 2005 W. Oklahoma Ave., Milwaukee,

Wis. Bethlehem Foundry & Machine Co., W. Second St., Beth-

lehem, Pa.
Bethlehem Steel Co., Bethlehem, Pa.
Betz Unit Air Cooler Co., & W. Ninth St., Kansas City, Mo.

Beverly Throatless Shear Co., 3009 W. 110th Pl., Chicago,

Ill.

Biersach & Niedermeyer Co., 1937 N. Hubbard St., Milwaukes, Wis.

Bignall Co., 621-623 Main St., Medina, N. Y.

Binks Mfg. Co., 3114 Carroll Ave., Chicago, Ill.

Bird & Son, Inc., 163 Washington St., East Walpole, Mass.

Bishop & Babcock Sales Co., 4901 Hamilton Ave., Cleveland, O.

Bishop Humidifier Co., 8011 Dexter Blvd., Detroit, Mich. Black & Decker Mfg. Co., Pennsylvania Ave., Towson, Md. Bliss Co., E. W., 1420 Hastings St.; Toledo, O. Bluffton Mfg. Co., 433 W. Main Cross St., Findlay, O. Blower Application Company, 918 N. Fourth St., Milwaukee,

Wis.

Bodine Electric Co., 2272 W. Ohio St., Chicago, Ill.

Bollaert, M., 3936 Rhoda Ave., Oakland, Cal.

Bossert Corp., 1800 Lenox Ave Utica, N. Y.

Bostwick-Goodell Co., Norwalk, O.

Braden Engineering, Inc., 896 Elmwood Ave., Providence, R. I.

Braden Mfg. Co., 431 N. 14th St., Terre Haute, Ind.

Brasco Mfg. Co., Harvey, Ill.

Brauer Supply Co., A. G., 316 N. Third St., St. Louis, Mo.

Bremil Mfg. Co., Box 1030, Erie Pa.

Briedesburg Foundry Co., 365 Blackhawk St., Chicago, Ill.

Bridgeport Brass Co., E. Main St., Bridgeport, Conn.

Bridgeport Chain & Mfg. Co., 364 Crescent Ave., Bridgeport, Conn.

Bridgeport Screw Co., Bridgeport, Conn.
Brigham Oil Burner Co., 2915 Clark Ave., St. Louis, Mo.
Brillion Furnace Co., Brillion, Wis.
Bristol Co., Waterbury, Conn.
Brooklyn Metal Ceiling Co., 283-89 Greene Ave., Brook-

lyn, N. Y. s Boiler & Mfg. Co., Wm., Nicollet Island, Minneapolis. Bros Bo. Minn. Brown-Brockmeyer Co., Inc., 1098 Smithville Rd., Day-

Brown-Brockmeyer Co., Inc., 1098 Smithville Rd., Dayton O.,

Brown Corp., 213 Bellevue Ave., Syracuse, N. Y.

Brown Instrument Co., Div. Minneapolis-Honeywell Regulator Co., Wayne & Roberts Aves., Philadelphia, Pa.

Brown Oil Burning Equipment Co., 312-314 Massachusetts Ave., Cambridge, Mass.

Brownell Co., N. Findlay St., Dayton, O.

Brumme Mfg. Co., 314 S. Artesian Ave., Chicago, Ill.

Brunner Mfg. Co., 1821 Broad St., Utica, N. Y.

Bryant Steam Corp., P. O. Box 337, Peru, Ind.

Bryant Corp., C. L., 4610 St. Clair Ave., Cleveland, O.

Bryant Heater Co., 17325 St. Clair Ave., Cleveland, O.

Bubar, Hudson H., 15 Park Row, New York City

Buckeye Products Co., 7024 Vine St., Cincinnati, O.

Budke Stamping Co., P. O. Box 96, Canonsburg, Pa.

Buffalo Forge Co., 497 Broadway, Buffalo, N. Y.

Builders Iron Foundry, 11 Codding St., Providence, R. I.

Burgess Battery Co., 111 W. Monroe St., Chicago, Ill.

Burgess Soldering Furnace Co., 292 E. Long St., Columbus, O.

Burke Electric Co., 1201 W. 12th St., Erie, Pa.

Burke Electric Co., 1201 W. 12th St., Erie, Pa. Burmester Gas Furnace Mfg. Co., 2117 Cuming St., Omaha,

Nebr.
Burnham Boiler Corp., 1 Main St., Irvington, N. Y.
Burnham Stoker Co., 505 Columbia St., Vancouver, Wash.
e Burnley Battery & Mfg. Co., Clay St., North East, Pa.
Burnwell Corp., 125 N. Church St., Allentown, Pa.
Burt Air Filter Corp., Grand Central Terminal, New York

City.

Burt Mfg. Co., 44 E. South St., Akron, O.

Bush Mfg. Co., 100 Wellington St., Hartford, Conn.

Butler Mfg. Co., 13th & Eastern, Kansas City, Mo.

Butler Street Foundry & Iron Co., 3422 Normal Ave., Chicago, Ill.

Butterworth, Jr., B. T., Oak Street, New Canaan, Conn.

Byers Co., A. M., Clark Bldg., Pittsburgh, Pa.

Cabot, Inc., Samuel, 141 Milk St., Boston, Mass. Calbar Paint & Varnish Co., 2620 N. Martha St., Philadelphia, Pa.
Caldwell, Farley M., 6th & Harrison Sts., Fort Wayne, Ind.
California Cornice, Steel and Supply Corp., 1620 N. Spring
St., Los Angeles, Cal. California Wire Cloth Co., 1001 22nd Ave., Oakland, Cal. Calkins & Pearce, 203-205 E. Long St., Columbus, O. Callahan Can Machine Co., Inc., 80 Richard St., Brooklyn, N. Y.
Callite Product Co., 540 39th St., Union City, N. J.
Caloroll Burner Corp., 1477 Park St., Hartford, Conn.
Campbell, Andrew C., Division of American Chain & Cable Co., Inc., Bridgeport, Conn.
Campbell Heating Co., 31st and Dean, Des Moines, Ia.
Campbell Heating Co., E. K., 2445 Charlotte St., Kansas City, Mo.
Canton Steel Ceiling Mfg. Co., 2280 Winfield Way, S. E., Canton. O.

Canton, O.
Canton Stoker Corp., 507 Andrews Pl., S. W., Canton, O.

Capitol Furnace & Stove Repair, 229 S. Meridian St., Indianapolis, Ind.
Carbondale Division, Worthington Pump & Machinery Corp.,

Carbondale Division, Worthington Pump & Machinery Corp.,
Harrison, N. J.
Carbo-Oxygen Co., 221-223 Fourth Ave., Pittsburgh, Pa.
Carey Co., Philip, Wayne Ave., Cincinnati, O.
Carnegie-Illinois Steel Co., Carnegie Bldg., Pittsburgh, Pa.
Carnes, Inc., John R., Greenlawn Ave. & Erie R. R., Lima, O.
Carraway-Byrd Corp., 613 N. Pearl St., Dallas, Tex.
Carrier Corp., 302 S. Geddes St., Syracuse, N. Y.
Carter Paint Co., 310 N. Main St., Liberty, Ind.
Cary Mfg. Co., Waupaca, Wis.
Celotex Corp., 919 N. Michigan Ave., Chicago, Ill.
Central Furnace & Stove Repair Co., 3937 Olive St., St.
Louis, Mo.

Louis. Mo. Central Steel & Wire Co., 4545 S. Western Blvd., Chicago, Ill.

Central Wire & Iron Works, 621 E. Locust St., Des Moines,

Ia.
◆Century Electric Co., 1806 Pine St., St. Louis, Mo.
◆Century Engineering Corp., Cor. Fourth Ave. & Third St., Cedar Rapids, Ia.
Century Fan & Ventilator Corp., 500 E. 134th St., New York City.
Certain-teed Products Corp., 100 E. 42nd St., New York City.
Chace Co., W. M., 1606 Beard Ave., Detroit, Mich.
Chain Products Co., 3910 Cooper Ave., Cleveland, O.
Chalmers Oil Burner Co., 1234 Central Ave., Minneapolis, Minn.

Minn. Chamberlin Metal Weather Strip Co., 1254 La Brosse, De-

troit. Mich.

troit, Mich.
Champion Blower & Forge Co., Harrisburg Ave. & Charlotte
St., Lancaster, Pa.
Champion Furnace Pipe Co., 918 S. Adams St., Peoria, Ill.
Champion Tool Co., 356 W. 91st St., Los Angeles, Cal.
Chapman Clay Co., Zanesville, O.
Chapman Clay Co., Zanesville, O.
Chapman Slate Co., 546 Main St., Bethlehem, Pa.
Char-Gale Mfg. Co., 2945 Harriet Ave., S., Minneapoiis, Minn.
Chase Brass & Copper Co., Inc., 236 Grand St., Waterbury,
Conn.
Cheney Co., 1200 Architects Bldg., 17th & Sansom Sts.,
Philadelphia, Pa.

Cheney Co., 1200 Architects Bldg., 17th & Sansom Sts., Philadelphia, Pa. Chicago Automatic Stoker Co., Not Inc., 14 N. Clinton St.,

Chicago, Ill.
Chicago Die Casting Co., 2512 W. Monroe St., Chicago, Ill.
Chicago Fire Brick Co., 1467 N. Elston Ave., Chicago, Ill.
Chicago Furnace Supply Co., 1278 Clybourn Ave., Chicago,

III.
Chicago Metal Mfg. Co., 3720 S. Rockwell St., Chicago, III.
Chicago Perforating Co., 2445 W. 24th Pl., Chicago, III.
Chicago Pump Co., 2336 Wolfram St., Chicago, III.
Chicago Rawhide Mfg. Co., 1312 Elston Ave., Chicago, III.
Chicago Rivet & Mach. Co., 1830 S. 54th Ave., Cicero P. O.,
Chicago, III.
Chicago Steel & Wire Co., 103rd St. & Torrence Ave., Chicago, III.
Chicago Steel & Wire Co., 7934 S. Chicago Ave., Chicago, III.
Chicago Technical College, 118 E. 26th St., Chicago, III.
Chicago Venetian Blind Co., 1210 S. Morgan St., Chicago, III.
Chicago Venetian Blind Co., 1210 S. Morgan St., Chicago, III.
Chicago Technical College, 118 E. 26th St., Chicago, III.
Chicago Venetian Blind Co., 1210 S. Morgan St., Chicago, III.
Chinook, Inc., 111 Endicott-Arcade Bldg., St. Paul, Minn.
Christensen Machine Co., 1975 S. Second West St., Salt
Lake City, Utah.

Lake City, Utah.
Christie Cleaner Co., Div. of Cincinnati Sheet Metal & Roofing Co., 226-30 E. Front St., Cincinnati, O. Cincinnati Mfg. Co., Gest & Evans Sts., Cincinnati, O. Cincinnati Shaper Co., Hopple, Garrard & Elam, Cincinnati

nati, O. Cincinnati Sheet Metal & Roofing Co., 230 E. Front St., Cincinnati, O.

Cincinnati, O.
Cincinnati Stamping Co., 28-34 W. McMicken, Cincinnati, O.
Clarage Fan Co., North & Porter Sts., Kalamazoo, Mich.
Clark Bros. Bolt Co., Milldale, Conn.
Clark Controller Co., 1146 E. 152nd St., Cleveland, O.
Clark, Jr., Electric Co., Jas., 600 Bergman St., Louisville, Ky.
Clark Stek-O Corp., 1681 Dewey Ave., Rochester, N. Y.
Clarm Mechanical Devices Co., 410 S. Elizabeth St., Lima, O.
Clauss Shear Co., Fremont, O.
Clay Equipment Corp., Cedar Falls, Ia.
Clayton & Lambert Mfg. Co., 11111 French Rd., Detroit,
Mich.

Mich

Cleveland Brush Factory, Inc., 7115 Dearborn Ave., S. W., Cleveland, O.

Cleveland, O. Cleveland Cooperative Stove Co., 2323 E. 67th St., Cleveland, O. Cleveland Fire Brick Co., 1740 E. 12th St., Cleveland, O. Cleveland Punch & Shear Works Co., E. 40th & St. Clair Ave., Cleveland, O.

Cleveland Steel Products Corp., 7306 Madison Ave., Cleveland, O.
Clifford Mfg. Co., 564 E. First St., Boston, Mass.
Climax Machinery Co., 143 E. Morris St., Indianapolis, Ind.
Clinton Metallic Paint Co., P. O. Box 278, Clinton, N. Y.
Clough, A. W., 28 S. Broad St., Meriden, Conn.
Coal Carburetor Co., Woodbridge Ave. & Thomas St., New
Brunswick, N. J.
Cocking, Geo. J., 1336 W. 5th St., Santa Ana, Cal.
Cole Draft Governor Sales Co., 533 N. La Salle St., Chicago,
Ill.

Ill.

Cole Hot Blast Mfg. Co., 3108 W. 51st St., Chicago, Ill.

Cole-Sullivan Engineering Company, 1316 Third St., North, Minneapolis, Minn.

Coleman Lamp & Stove Co., 2nd & St. Francis, Wichita, Kan.

Colonial Stove Co., Specialties Division, 2154 E. Somerset St., Philadelphia, Pa.

Columbia Burner Co., 729 Ewing St., Toledo, O.

Columbia Mills, Inc., Saglnaw, Mich.

Columbia Steel Co. (Sub. United States Steel Corp.), Russ Bldg., 235 Montgomery St., San Francisco, Cal.

Columbian Enameling & Stamping Co., 1536 Beech St., Terre Haute, Ind.

Columbus Heating & Ventilating Co., 182 N. Yale Ave., Columbus, O.

Columbus Heating & Ventilating Co., 182 N. Yale Ave., Columbus, O.
 Columbus Metal Products, Inc., 767 N. 4th St., Columbus, O.
 Combustion Engineering Co., Inc., 200 Madison Ave., New York City.
 Commonwealth Mfg. Corp., 4208 Davis Lane, Cincinnati, O.
 Condensation Engineering Corp., 335 S. Western Ave., Chicago, Ill.
 Concernment Stoken Corp., Mandata Ill.

cago, Ill.
Conco-Sampsel Stoker Corp., Mendota, Ill.
Congress Tool & Die Co., 9034 Lumkin Ave., Detroit, Mich.
Connors Paint Mfg. Co., Wm., 669-683 River St., Troy, N. Y.
Consolidated Air Conditioning Corp., 114 E. 32nd St., New
York City.
Continental Machine Specialties, Inc., 1301 Washington Ave.,

South, Minneapolis, Minn. Consolidated Metals Corp., 5531 Woodward Ave., Detroit,

Mich.

Consolidated Metals Corp., 5531 Woodward Ave., Detroit, Mich.
Continental Electric Co., Inc., 323 Ferry St., Newark, N. J. Continental Products Co., 1150 E. 222nd St., Euclid, O. Continental Rubber Works, 1900 Liberty Parkway, Erie, Pa. Continental Steve Co., Mt. Pleasant, New Bedford, Mass. Continental Steve Corp., 1108 S. Main St., Kokomo, Ind. Continental Stove Corp., Front & Walnut, Ironton, O. Cook Electric Co., 2700 Southport Ave., Chicago, Ill. Cooper & Cooper, Inc., 37 Fenn St., Pittsfield, Mass. Cooper Oven Thermometer Co., Pequabuck, Conn. Copeland Refrigeration Corp., Sidney, Ohio. Copperweld Steel Co., Glassport, Pa. Coppus Engineering Corp., 344 Park Ave., Worcester, Mass. Corbin Screw Corp., 300 High St., New Britain, Conn. Corbman Bros., Inc., 1205 N. Fourth St., Philadelphia, Pa. Cork Import Corp., 330 W. 42nd St., New York City. Cork Insulation Co., Inc., 155 E. 44th St., New York City. Cornell Iron Works, Inc., 36-20 13th St., Long Island City, N. Y.

N. Y. Cornell Wood Products Co., 230 N. Michigan Ave., Chicago, Ill.

III.

Corozone Air Conditioning Corp., 1422 Euclid Ave., 1110

Hanna Bldg., Cleveland, O.

Crane Co., 836 S. Michigan Ave., Chicago, Ill.

Crary Mfg. Co., 396 N. Second St., Middleport, O.

Crescent Tool Co., 230 Harrison St., Jamestown, N. Y.

Crise Electric Mfg. Co., 316-320 S. Main St., Mt. Vernon, O.

Crocker-Wheeler Electric Mfg. Co., Ampere, N. J.

Cross Engineering Co., 160-178 Dundaff St., Carbondale, Pa.

Crown Fuel Saver Co., Richmond, Ind.

Crucible Steel Co. of America, 405 Lexington Ave., New York

City. City.

Crystal Refrigerator Co., Fremont, Nebr. Curtis Refrigerating Machine Co., 1905 Kienlen Ave., St. Louis, Mo. Cutler-Hammer, Inc., N. 12th St. and W. St. Paul Ave., Mil-waukee, Wis.

Dail Steel Products Co., 1050 Main St., Lansing, Mich. Daniels Mfg. Co., Inc., Sam, Daniels Rd., Hardwick, Vt. Danville Stove & Mfg. Co., Beaver St., Danville, Pa. Danzer Metal Works Co., 101 W. Lee St., Hagerstown, Md. Davenport Mfg. Co., 301 W. College St., Meadville, Pa. Davies Air Filter Corp., 390 4th Ave., New York City. Day Co., The, 2938 Pillsbury Ave., Minneapolis, Minn. Dayton Greenhouse Mfg. Co., P. O. Box 801, Dayton, O. Dayton Punip & Mfg. Co., Dayton, O.
Dayton Rogers Mfg. Co., 2830 13th Ave., So., Minneapolis, Minn.

Minn.

Minn.
Dayton Rubber Mfg. Co., 2345 W. Riverview Ave., Dayton, O.
Debevoise Co., 968 Grand St., Brooklyn, N. Y.
De Bothezat Ventilating Equipment Division, American Machine and Metals, Inc., 100 Sixth Ave., New York City.
Decatur Iron & Steel Co., Decatur, Ala.
Decatur Pump Co., 2750 Nelson Park Rd., Decatur, Ill.
De Laval Steam Turbine Co., 300 Nottingham Way, Trenton,
N. J.

N. J.

De La Vergne Engine Co. (Sales Agent for Baldwin-Southwark Corp.), Paschall P. O., Philadelphia, Pa.

D'Elia Oll Burner Co., Inc., 145 Stratford Ave., Bridgeport,

Delco-Frigidaire Conditioning Div., General Motors Sales Corporation, 1420 Wisconsin Bivd., Dayton, O. Delco Products Division, General Motors Corp., 329 E. First

St., Dayton, O.
Delta Stoker Co., Foot of Commonwealth, North Chicago, Ill.
Deming Co., 148 Actna St., Salem, O.
Deniston Co., 4856 S. Western Ave., Chicago, Ill.
Densmore-Quinlan Co., 910 74th St., Kenosha, Wis.
Deshler Foundry & Machine Works, 140-142 S. East Ave.,

Deshler Foundry & Machine Works, 140-142 S. East Ave., Deshler, O. Des Moines Steel Furnace Co., 509 University Ave., Des Moines, Ia. Des Moines Stove Repair Co., 107 S. W. Second St., Des

Moines, Ia.
Detroit Air Meter Co., Box 1473, Detroit, Mich.
Detroit Lubricator Co., 5900 Trumbull Ave., Detroit, Mich.
Detroit Michigan Stove Co., 6900 E. Jefferson Ave., Detroit, Mich.

Detroit Safety Furnace Pipe Co., 5960 Second Blvd., Detroit, Mich.

Detroit Steel Products Co., 2250 E. Grand Blvd., Detroit,

Mich.

Detroit Stoker Co., General Motors Bldg., Detroit, Mich.

(Sales & Engineering); Monroe, Mich. (Main Office & Works).

Detroit Torch & Mfg. Co., 12057 Cardoni Ave., Detroit, Mich.

Detroit Torch & Mfg. Co., 12057 Cardoni Ave., Detroit, Mich. De Vilbiss Co., 300 Phillips Ave., Toledo, O. Devlin Mfg. Co., Thos., Burlington, N. J. Diamond Castings Co., Terra Cotta Rd., Johnsonburg, Pa. Diamond Mfg. Co., 243 W. 3th St., Wyoming, Pa. Diamond Metal Weather Strip Co., 650 N. 4th St., Columbus, O. Dick Co., Inc., R. & J., Passaic, N. J. Dickson & Eddy, 17 Battery Pl., New York City. Dickson Weatherproof Nail Co., P. O. Box 334, Evanston, III. Dieckmann Co., Ferdinand. 1182 Harrison St., Cincinnati, O.

ton, III.

Dieckmann Co., Ferdinand, 1182 Harrison St., Cincinnati, O.
Diehl Mfg. Co., Trumbull St., Elizabeth, N. J.

Diener Mfg. Co., Geo. W., 400 N. Monticello Ave., Chicago,
III.

Dodge Mfg. Corp., 500 S. Union St., Mishawaka, Ind.
Donley Brothers Co., 13900 Miles Ave., Cleveland, O.
Domestic Stoker Co., 7 Dey St., New York City.
Dowagiac Steel Furnace Co., Beeson St., Dowagiac, Mich.
Downs-Smith Brass & Copper Co., 304-320 E. 45th St., New York City.

York City.

Dracco Corp., 4057 E. 116th St., Cleveland, O.

Dreis & Krump Mfg. Co., 7404 Loomis Blvd., Chicago, Ill.

Drouve Co., G., 2082 Kings Highway, Fairfield, Conn.

Dunham Co., C. A., 450 E. Ohio St., Chicago, Ill.

Dunn, Inc., Struthers, 139 N. Juniper St., Philadelphia, Pa.

du Pont de Nemours & Co., E. I., R. & H. Chemicals Dept.,

Wilmington, Del.

Duriron Co., Inc., 411 N. Findlay St., Dayton, O.

Duro Co., 537 E. Monument Ave., Dayton, O.

Duro Metal Products Co., 2649 N. Kildare Ave., Chicago, Ill.

Dutcher Heating Co., 1292 Washington St., Canton, Mass.

Eagle-Picher Lead Co., Temple Bar Bldg., Cincinnati, O. Eaglesfield Ventilator Co., 920 Dorman St., Indianapolis, Ind. Easternoll, Inc., 133 Marginal Way, Portland, Me.

Eckenroth Register Co., 445 Sutter St. (Pac. G. & E. Bldg.), San Francisco, Cal.

Eclipse Metal Mfg. Co., Main St., Eden, N. Y.

Econocol Stoker Division of Cotta Transmission Corp., 2340 11th St., Rockford, Ill.

Economy Baler Co., 1020 N. Main St., Ann Arbor, Mich. Economy Electric Co., 4634 W. 21st Pl., Cicero, Ill. Economy Pumping Machinery Co., Inc., 3431 W. 48th Pl., Chicago, Ill.

Economy Pumping Machinery Co., Inc., 3431 W. 48th Pl., Chicago, Ill.
Eddy Stoker Corp., 4717 W. North Ave., Chicago, Ill.
Eddison Electrical Controls Division, Thos. A. Edison, Inc.,
Lakeside Ave., West Orange, N. J.
Edwards Furnace Co., 25 East Ave., Wellsboro, Pa.
Edwards Mfg. Co., Inc., 337 Eggleston Ave., Cincinnati, O.
Ehret Magnesia Mfg. Co., Valley Forge, Pa.
Eiermann Floor Scraper Co., 1971 Fulton St., Brooklyn,
N. Y.

Eiker Mfg. Company, Ogallala, Nebr.

Eisler Engineering Co., 760 S. 13th St., Newark, N. J.

Electric Arc Cutting & Welding Co., 152 Jelliff Ave., Newark, N. J.

Electric Controller & Mfg. Co., 2700 E. 79th St., Cleveland, O. Electric Materials Co., Clay & Washington Sts., North East,

Electric Soldering Iron Co., Inc., 342 W. 14th St., New York

Electric Soldering Iron Co., Inc., 342 W. 14th St., New York City.

Electric Sprayit Co., 224 N. Broadway, Milwaukee, Wis.

Electric Vacuum Cleaner Co., Inc., 1734 Ivanhoe Rd., Cleveland, O.

Electric Valve Mfg. Co., Inc., 68 Murray St., New York City. Electrimatic Corp., 2100 S. Indiana, Chicago, Ill. Electrogas Furnace & Mfg. Co., 2576 Bayshore Blvd., San Francisco, Cal.

Electrol, Inc., 934 Main Ave., Clifton, N. J.

Electrol, Inc., 934 Main Ave., Clifton, N. J.

Elec-Tro-Matic Oil Burner Co., 487 Central Ave., Cedarhurst, L. I., N. Y.

Electrovent Corp., 5402 Western Ave., Detroit, Mich. Electrovent Fan & Mfg. Co., 812 W. Lake St, Chicago, Ill.

• Elgo Shutter & Mfg. Co., 634 W. Warren Ave., Detroit, Mich

Ellison Draft Gage Co., 214 W. Kinzie St., Chicago, Ill. Elsey Metal Specialties Co., 1535 Spruce St., Detroit, Mich. Emerson Electric Mfg. Co., 1843 Washington Ave., St. Louis,

Mo.

Empire Door Co., Inc., 226 E. 144th St., New York City.

Empire Metal Co., 820 E. Water St., Syracuse, N. Y.

Empire Sheet & Tin Plate Co., N. Bowman St., Mansfield, O.

Emrich Co., C., 312 Broad St., Columbus, O.

Enterprise Boiler & Tank Works, Inc., 1955 N. Long Ave.,

Chicago, Ill.

Enterprise Foundry Co., E. "B" St., Belleville, Ill.

Enterprise Foundry Co., E. "B" St., Belleville, Ill.

Enterprise Oil Burner Co., 2949 13th St., San Francisco, Cal.

Erdle Perforating Co., 171 York St., Rochester, N. Y.

Estate Stove Co., Hamilton, O.

Evans Corp., George, 121 37th St., Moline, Ill.

Everhot Mfg. Co., 57 S. 19th Ave., Maywood, Ill.

Every-Use Products, Inc., 260 Canal St., New York City.

Excelsior Steel Furnace Co., 113 S. Clinton St., Chicago, Ill.

Excelsior Stove & Mfg. Co., 504-630 S. Front St., Quincy, Ill.

Excelsior Tool and Machine Co., 31st & Ridge Ave., East St. Louis, Ill. St. Louis, Ill. Excelso Products Corp., 65 Clyde Ave., Buffalo, N. Y.

Fabling Co., W. D., 722 N. Broadway, Los Angeles, Cal. Fafnir Bearing Co., 37 Booth St., New Britain, Conn. Fairbanks, Morse & Co., 900 S. Wabash Ave., Chicago, Ill. Fairfield Oil Heating Co., Inc., Mason St., Greenwich, Conn. Fairmont Aluminum Co., Fairmont, W. Va. Falstrom Co., Main Ave. & D. L. & W. R. R., Passaic, N. J. Fargo Foundry Co., 92 N. P. Ave., Fargo, N. D. Farquhar Furnace Co., 150 Owens Ave., Wilmington, O. Farris Furnace Co., 220-930 Enos Ave., Springfield, Ill. Faultless Castings Co., 222 Lora Ave., Youngstown, O. Faultless Heater Corp., 10402 St. Clair Ave., Cleveland, O. Favorite Mfg. Co., Young & Weber Sts., Piqua, O. Fedders Mfg. Co., 57 Tonawanda St., Buffalo, N. Y. Federal Machine & Welder Co., 2120 Dana St., Warren, O. Fee and Stemwedel, Inc., 4949 N. Pulaski Rd., Chicago, Ill. Felt Products Mfg. Co., 1523 Carroll Ave., Chicago, Ill. Felters Co., Inc., 210 S. State St., Boston, Mass. Field Mfg. Co., 2328 Nelson St., Chicago, Ill. Fingles, Inc., W. A., Reistertown Road at Elgin Ave., Baltimore, Md. Fireline Stove & Furnace Lining Co., 1800 Kingsbury St., Chicago, Ill. Firestone Tire & Rubber Co., 1400 S. Main St., Akron, O.

Fineline Stove & Furnace Lining Co., 1800 Kingsbury St., Chicago, Ill.

Firestone Tire & Rubber Co., 1400 S. Main St., Akron, O.

Fisher Governor Co., 102-07 S. First St., Marshalltown, Ia.

Fitzgibbons Boiler Co., Inc., 101 Park Ave., New York City.

Flemm Lead Co., Inc., Bradley Ave., Long Island City, N. Y.

Flintkote Co., 50 W. 50th St., New York City.

Floral City Co., 402 S. Monroe St., Monroe, Mich.

Floyd-Wells Co., Royersford, Pa.

Flynn & Emrich Co., 301 Holliday St., Baltimore, Md.

Follansbee Brothers Co., 3rd & Liberty Aves., Pittsburgh, Pa.

Folsom Snow Guard Co., 80 Boylston St., Boston, Mass.

Foote Foundry Co., J. B., N. Main St., Fredericktown, O.

Forct-Air Co., 840 Cedar St., Rockford, Ill.

Forest City Foundries Co., 2500 W. 27th St., Cleveland, O.

Foss Heating & Engineering Co., 12 S. Chester Ave., Pasadena, Cal.

Fowler Pem Co., 5317 Horton St., Emeryville, Cal.

Gena, Cal.

Fowler Pem Co., 5317 Horton St., Emeryville, Cal.

Fox Engineering Co., 36 Portland St., Boston, Mass.

Fox Furnace Co., Elyria, O.

Foxboro Co., Neponset Ave., Foxboro, Mass.

Franklin Gas Appliance Co., 221-223 E. Eighth St., Cincinnati. O. Fraser Furnace Co., Inc., 445 S. San Joaquin St., Stockton, Cal.

Cal.
Frederick Iron & Steel Co., E. 7th & East Sts., Frederick, Md.
Fresh'nd-Aire Co., 430 W. Erie St., Chicago, Ill.
Frick Co., Inc., Waynesboro, Pa.
Friedley-Voshardt Co., 761 Mather St., Chicago, Ill.
Friez & Sons, Inc., Julien P., 4 N. Central Ave., Baltimore,
Md.

MG.
Fuel Savers, Inc., 15th & Herr Sts., Harrisburg, Pa.
Fuller-Warren Co., 2506 N. 32nd St., Milwaukee, Wis.
Fulton-Sylphon Co., Knoxville, Tenn.
• Furblo Co., 100 Main St., Hermansville, Mich.
Furnaceslave, Inc., 1080 E. 52nd St., Indianapolis, Ind.

#### G

 G & O Mfg. Co., 138 Winchester Ave., New Haven, Conn.
 G. & S. Tool Co., 8790 Grinnell, Detroit, Mich.
 G. D. S. Machinery & Supply Co., 101 Walker St., New York City Galva Heater Co., Galva, Ill.
Gammeter Co., W. F., Lincoln Ave. Extension, Cadiz, O.
Garber Lumber & Construction Co., Strasburg, O.
Garden City Fan Co., 332 S. Michigan Blvd., Chicago, Ill.
Gardiner Metal Co., 2504 W. 48th Pl., Chicago, Ill.

Jan

1

I

I

I I

•I

Gas City Glass Co., Gas City, Ind.
Gasoroil Furnace Co., 30 N. LaSalle St., Chicago, Ill.
Gasweld & Airway, Inc., 625 W. Jackson Blvd., Chicago, Ill.
Gates Rubber Co., 999 S. Broadway, Denver, Colo.
Gehl Bros. Mfg. Co., West Bend, Wis.
Gehri Co., 1117 Tacoma Ave., Tacoma, Wash.
Gem City Stove Co., 508 Linden Ave., Dayton, O.
General Air Conditioning Corp., 4411 Appleton St., Cincinnati, O.
General Blower Co., 2402 Market St., Philadelphia, Pa.
General Blower Co., 2402 Market St., Philadelphia, Pa.
General Controls Co., 1370 Harrison St., San Francisco, Cal.;
Broadway & E. 15th St., Cleveland, O.

General Electric Co., 1 River Rd., Schenectady, N. Y.
General Equipment Co., 311-15-19 S. Wichita St., Wichita,
Kan. General Insulating Products Co., 8821 Fifteenth St., Brooklyn, N. Y. General Insulating & Mfg. Co., 125 Fairview Ave., Alexan dria, Ind. General Metal Products Co., 3883 Delor St., St. Louis, Mo. General Machine Co., Inc., 816-826 E. 140th St., New Y Oil Heating Corp., 528 Jefferson St., West New York, General Oil Heating Corp., 528 Jefferson St., West New York, N. J.
General Refrigeration Corporation, Shirland Ave., Beloit, Wis.
General Regulator Corp., 2608 Arthington St., Chicago, Ill.
General Sheet Metal Works, Inc., 120 Silliman Ave., Bridgeport, Conn.
Gerard Chemical Co., 87 Front St., Elizabeth, N. J.
Gerhardt, W. F., 2007 W. Broad St., Richmond, Va.
Germer Stove Co., Erie, Pa.
Gerstein & Cooper, South Boston, Mass.
Geuder, Paeschke & Frey Co., W. St. Paul Ave. and N. 15th St., Milwaukee, Wis.
Giant Grip Mfg. Co., 31 Osceola St., Oshkosh, Wis.
Giant Mfg. Co., South Ave., Council Bluffs, Ia.
Gilbert & Barker Mfg. Co., Springfield, Mass.
Gillian Mfg. Co., 650 E. Troy St., Ferndale, Mich.
Gilmer Co., L. H., Cottman & Keystone Sts., Tacony, Philadelphia, Pa.
Glascock Bros. Mfg. Co., Muncie, Ind.
Glesson-Avery, Inc., 27 Clark St., Auburn, N. Y.
Glidden Co., 11001 Madison Ave., Cleveland, O.
Globe Iron Roofing & Corrugating Co., P. O. Box 734, Cincinnati, O.
Globe Machine & Stamping Co., 1250 W. 76th St., Cleveland, O.
Globe Machinery & Supply Co., 205-211 W. Court Ave., Des Globe Machine & Standard Co., 205-211 W. Court Ave., Des Moines, Ia.
Globe Ventilator Co., 205 River St., Troy, N. Y.
G. M. Mfg. Co., Box 151, Madison Square Station, New York City
Goese Mfg. Co., 2548 N. 18th St., Milwaukee, Wis.
Goethel Co., Alfred C., 2337 N. 31st St., Milwaukee, Wis.
Goethel Sheet Metal Works, Alfred, 1912 N. Killian Pl., Milwaukee, Wis. Goldens' Foundry & Machine Co., Columbus, Ga.
Gold Seal Furnace Co., 234 S. Fourth St., Minneapolis, Minn.
Gold Star Oil Burner Mfg. Co., Inc., 146 Warburton Ave., Yonkers, N. Y.
Goodrich Co., B. F., 500 S. Main St, Akron, O
Goodyear Tire & Rubber Co., E. Market St., Akron, O.
Goulds Pumps, Inc., Fall St., Seneca Falls, N. Y.
Graff Furnace Co., Scranton, Pa. (See Faultless Heater
Corp., Cleveland, O.)
Graham & Co. Inc., John H., 113 Chambers St., New York City.
Grand Rapids Blow Pipe and Dust Arrester Co., 525 Monroe Ave., Grand Rapids, Mich.
Grand Rapids Die & Tool Co., 113-117 Michigan St., Grand Rapids, Mich.
Grand Rapids Furnace Cleaner Co., 225 Stevens St., S. W., Grand Rapids, Mich.
Grand Rapids Wire Products Co., 503 Front Ave., N. W., Grand Rapids, Mich.
Granite City Steel Co., 20th & Madison Ave., Granite City, Ill.

Graton & Knight Co., 356 Franklin St., Worcester, Mass. Gray Metal Products, Inc., 36 Carlton St., Rochester, N. Y. Green Foundry & Furnace Works, Third & Elm Sts., Des

Moines, Ia.

Greene Tweed Co., 109 Duane St., New York City.

Grinnell Co., Inc., 260 W. Exchange St., Providence, R. I.

Grinnell Washing Machine Corp., 723-35 Main St., Grinnell,

• Griswold Mfg. Co., 1001-1065 W. 12th St., Erle, Pa. Grob Brothers, Grafton, Wis. Grobet File Corp. of America, 3 Park Place, New York City. Guardian Electric Mfg. Co., 1621 W. Walnut St., Chicago, Gulf States Steel Co., Brown-Marx Bldg., Birmingham, Ala.

Hague & Co., Inc., Alfred, 227 34th St., Brooklyn, N. Y.

Halectric Laboratories, 1793 Lakeview Rd., Cleveland, O.
Hall Metal Products Co., 1285 Wilmington Blvd., Long
Beach, Cal.

Hall-Neal Furnace Co., 1324 N. Capitol Ave., Indianapolis,

Hamilton Automatic Stoker Corp., 1687 Dixle Highway, Hamilton, O.

Halsted Iron Foundry, Halsted, Pa.
Hammett Mfg. Co., 1907 Holmes St., Kansas City, Mo.
Hampton Elec. Tool Co., 700 Walnut St., Edgewood, Pittsburgh, Pa.

Hampden Cornice Works, 300 Birnie Ave., Springfield, Mass. Handelan Washed Air Co., 305 Fifth St., S., Minneapolis, Minn.

Minn.

Handy & Harmon, \$2 Fulton St., New York City.

Hansen Mfg. Co., Princeton, Ind.

Hardinge Oll Burner Co., 1770 Berteau St. at Ravenswood, Chicago, Ill.

Hardy Mfg. Co., 100 Davis Ave., Dayton, O.

Hare Stoker Corp., 4853 Rivard St., Detroit, Mich.

Harnischfeger Corp., 4400 W. National Ave., Milwaukee, Wis.

Harold Furnace Mfg. Co., 3310 Sprague Ave., Spokane, Wash.

Harrington & King Perforating Co., 5649 Filimore St., Chicago, Ill.

cago, Ill.

Harris Calorific Co., 5501 Cass Ave., N. W., Cleveland, O. Harsch Co., Inc., H., 230 Tuscan Rd., Maplewood, N. J. Hart & Cooley Mfg. Co., 61 W. Kinzie St., Chicago, Ill. Hart & Crouse Co., Inc., 301 Turner St., Utica, N. Y. Hart Mfg. Co., Bartholomew & Hamilton Sts., Hartford, Conp.

Conn.

Hart Mfg. Co., 2006 N. Western Parkway, Louisville, Ky.

Hart Mfg. Co., 2006 N. Western Parkway, Louisville, Ky.

Hart Oil Burner Corp., 2200 N. Adams St., Peoria, Ill.

Hartzell Propeller Fan Co., 1025 Roosevelt Ave., Piqua, O.

Harvey-Whipple, Inc., 55 Emery St., Springfield, Mass.

Hassall, Inc., John, Clay & Oakland Sts., Brooklyn, N. Y.

Hayes Custer Stove Co., 1202 N. Linden St., Bloomington, Ill.

Haynes Furnace Fan Co., 614 Prospect St., Kansas City, Mo.

Hays Mfg. Co., 801 W. 12th St., Erie, Pa.

H-B Instrument Co., Inc., 2518 N. Broad St., Philadelphia,

Pa.

Health-O-Mist Humidifier Mfg. Co., James St., Columbus,

Health-O-Mist Humidifier Mfg. Co., James St., Columbus, Wis.

Heartley Machine & Tool Co., 900-8 Summit St., Toledo, O. Heath & Milligan Mfg. Co., Div. of The Glidden Co., 1833 S. Normal Ave., Chicago, Ill.

Heating Assurance, Inc., 124 E. Augusta, Spokane, Wash. Heating Equipment Corp., 22 Tudor St., Cambridge, Mass. Heckler Bros., 965 Liberty Ave., Pittsburgh, Pa.

Hegeler Zinc Co., P. O. Box 599, Danville, Ill.

Hell Co., 3000 W. Montana St., Milwaukee, Wis.

Hendley & Whittemore Co., 6 Blackhawk Blvd., Beloit, Wis. Hendley & Wright Mfg. Co., 760 Windsor St., Hartford, Conn.

Henry Eurnace & Foundry Co., 3473 E. 49th St., Cleveland, O. Her-Born Eng. & Mfg. Co., Box 666, Sandusky, O. Hercules Chemical Co., Inc., 332 Canal St., New York City. Heritage Stoker Sales, Inc., 105 E. 63rd St., Chicago, Ill. Herrmann & Grace Co., 671 Bergen St., Brooklyn, N. Y. Herron-Zimmers Moulding Co., 3654 Beaufait, Detroit, Mich. Hess-Snyder Co., Massillon, O.

Hess Warming & Ventilating Co., 1211 S. Western Ave., Chicago, Ill.

Hetzel Roofing Products Co., 67 Main St., Newark, N. J. Hexcel Radiator Co., 2500 Flett Ave., Racine, Wis. Higgin Mfg. Co., Newport, Ky.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Chicago, Ill.

Hill Co., E. Vernon, 179 W. Washington St., Lagidon, N. Y. Hinde & Dauch Paper Co., Sandusky, O.

Hipoint Corp., Water, Elm & Arnold Sts., Bellefontaine, O.

Hirschman Co., Inc., W. F., 220 Delaware Ave., Buffalo, N. Y. Hobart Brothers Co., Canal Lock Square, Troy, O.

Holcomb & Hoke Mfg.

Ind.
Holland Furnace Co., Columbia Ave., Holland, Mich.
Hollup Corp., 3357 W. 47th Pl., Chicago, Ill.
Holtum Mfg. Co., Freeport, Ill.
Holtzer-Cabot Electric Co., 125 Amory St., Boston, Mass.
"Home Comfort" Furnace & Mfg. Co., 2901-11 Elliot Ave.,
St. Louis, Mo.
Home Furnace Co., 6th St. & P. M. R.R., Holland, Mich.
Home Oil Burner Corp., 236 Main St., Hempstead, N. Y.
Home Stove Co., 501 Kentucky Ave., Indianapolis, Ind.
Hones, Inc., Charles A., 122 S. Grand Ave., Baldwin, N. Y.
Hood Co., B. Mifflin, Daisy, Tenn.
Horn Co., A. C., 43-36 Tenth St., Long Island City, N. Y.
Horton Mfg. Co., 3008 University Ave., S. E., Minneapolis,
Minn.

Hotentot Co., Inc., 1708 Howard St., Omaha, Nebr. Hotstream Heater Co., 8007 Grand Ave., Cleveland, O. Hough Co., Janesville, Wis. Houghton & Co., E. F., 240 W. Somerset St., Philadelphia,

Pa. Howe & Bassett Co., Inc., 840 University Ave., Rochester, N. Y.

N. Y.
Howell Electric Motors Co., Howell, Mich.
Howell Mfg. Co., 1625 Cleveland Ave., Kansas City, Mo.
Howes Co., S. M., 511 Medford St., Charlestown District,
Boston, Mass.
Hubbard Co., 1614 Marquette Ave., Minneapolis, Minn.
Hub Specialty Co., 84 Governor Winthrop Rd., Somerville,
Mass.

Hudson Equipment Corp., 324 Third Ave., N., Minneapelis, Minn.

Hugo Mfg. Co., 49th Ave. W. & Superior St., West Duluth, Minn. Humidi-Cooler Corp., New Haven, Conn. Hupp Oil Burner Co., Inc., 251 Prospect Ave., Brooklyn, N. Y. • Hussey & Co., C. G., 2850 Second Ave., Pittsburgh, Pa.

Ideal Commutator Dresser Co., 1084 Park Ave., Sycamore,

Ideal Electric & Mfg. Co., E. First & Oak Sts., Mansfield, O. Ideal Furnace Co., 2995 E. Grand Blvd., Detroit, Mich. Ideal Metal Weather Strip Co., 1015 Walnut, Box 461, Boul-

Ideal Metal Weather Strip Co., 1015 Walnut, Box 461, Boulder, Colo.

Ilg Electric Ventilating Co., 2850 N. Crawford Ave., Chicago, Ill.

Illinois Iron & Bolt Co., 918 S. Michigan Ave., Chicago, Ill.

Illinois Testing Laboratories, Inc., 412 N. LaSalle St., Chicago, Ill.

Illinois Zinc Co., Peru, Ill.

Imperial Brass Mfg. Co., 1200 W. Harrison St., Chicago, Ill.

Imperial Electric Co., Ira Ave., Akron, O.

Independence Stove & Furnace Co., Cor. Hayward & Cottage, Independence, Mo.

Independent Air Filter Co., Inc., 228 N. LaSalle St., Chicago, Ill.

III.

Independent Pneumatic Tool Co., 600 W. Jackson Blvd.,
Chicago, Ill.

Independent Register Co., 3741 E. 93rd St., Cleveland, O.
Indian Trailer Corp., Koolroom Division, 2338 Indiana Ave.,

Indian Trailer Corp., Koolroom Division, 2333 Indiana Ave., Chicago, Ill.
Industrial Sheet Metal Works, Inc., Detroit, Mich.
Industrial Engineering Co., Evansville, Ind.
Ingersoll-Rand, 11 Broadway, New York City.
Ingersoll Steel & Disc Div. Borg-Warner Corp., 310 S. Michigan Ave., Chicago, Ill.
Ingle Mfg. Co., Atlantic & Grape Sts., San Diego, Cal.
Inland Steel Co., 38 S. Dearborn St., Chicago, Ill.
Insulite Co., 1100 Builders Exchange Bldg., Minneapolis.
Minn.

Minn

International Engineering, Inc., 1145 Bolander, Dayton, O. International Heater Co., 101 Park Ave., Utica, N. Y.
International Nickel Co., Inc., 67 Wall St., New York City. International Steel Co., Edge St., Evansville, Ind.
Interstate Machinery Co., Inc., 130 S. Clinton St., Chicago,

Iona Ventilator Co., Inc., 2821-29 W. Dauphin St., Philadel-

phia, Pa.
Iowa Foundry Co., W. 2nd & Cook, Sioux City, Ia.
Iowa Paint Mfg. Co., 118-20 Eighth St., Des Moines, Ia.
Iron Fireman Mfg. Co., 3170 W. 106th St., Cleveland, O.
Iwan Brothers, 1503 Prairie Ave., South Bend, Ind.

Jackson-Bangor Slate Co., Pen Argyl, Pa. Jackson Sheet Metal Works, 3012 Washington Ave., Ogden, Utah.

Utah.

Jackson & Church Co., 321 N. Hamilton Ave., Saginaw, Mich. Jacobs Co., B. & J., 1725 Johns St., Cincinnati, O. Jacobsen Mfg. Co., Washington at 8th, Racine, Wis. Jacobson Machine Works, Inc., A. E., 1090 Tenth Ave., S. E., Minneapolis, Minn.

Jaden Mfg. Co., Inc., F., 1601 2nd St., Hastings, Nebr., Jamar Co., Walker, 367 S. First Ave., E., Duluth, Minn. James Regulator Co., Inc., Peacock St., Pottsville, Pa. Janette Mfg. Co., 556 W. Monroe St., Chicago, Ill. Jefferson Electric Co., 25th & Madison St., Bellwood, Ill. Jelliff Mfg. Corp., C. O., Southport, Conn. Jessop Steel Co., Washington, Pa. Jewett Stove & Foundry Corp., Military Rd., Buffalo, N. Y. Johns-Manville, 22 E. 40th St., New York City.

Johnson Co., S. T., 940 Arlington St., Oakland, Cal., and 401 N. Broad St., Philadelphia, Pa. Johnson Fan & Blower Corp., 1319 W. Lake St., Chicago, Ill.

Johnson Gas Appliance Co., 520 "E" Ave., N. W., Cedar Rapids, Ia.

Rapids, Ia.

Johnson, Inc., William, Brenner & Kent Sts., Newark, N. J.

Johnson, Inc., William, Brenner & Kent Sts., Newark, N. J.

Johnson Mfg. Co., Tenth & Sycamore, Waterloo, Ia.

Johnson Mfg. Co., Urbana, O.

Johnson Metal Products Co., Erie, Pa.

Johnson Service Co., 507 E. Michigan St., Milwaukee, Wis.

Johnson Tool Co., Inc., 65 Massasoit Ave., East Providence,

Johnston & Chapman Co., 2925 Carroll Ave., Chicago, Ill. Johnston & Jennings Co., 877 Addison Rd., Cleveland, O. Johnston Co., Wm. W., 115 Bayard St., Dayton, O. Johnston Gas Furnace Corp., 5367 W. Washington St., Los

Angeles, Cal.

Johnston Mfg. Co., 2825 E. Hennepin Ave., Minneapolis,
Minn.

Johnston Tin Foil & Metal Co., 6106 S. Broadway, St. Louis,

Mo.
Joliet Heating Corp., 2101 Herkimer St., Joliet, Ill.
Jones & Laughlin Steel Corp., Third Ave. & Ross St., Pitts-burgh, Pa.
Jones Foundry & Machine Co., W. A., 4401 W. Roosevelt Rd., Chicago, Ill.

e Jordan & Co., Paul R., 630 S. Delaware St., Indianapolis, Ind.

Kais Sunrise Works, 5659 Linwood Ave., Detroit, Mich. Kaiseraire Products Sales Co., 3336 Franklin Blvd., Chicago, Iil.

Kalamazoo Stove Co., Kalamazoo, Mich. Kane Mfg. Corporation, Kane, Pa. Kansas City Furnace Co., 624 Prospect, Kansas City, Mo. Kauffman Air Conditioning Corp., 4336 W. Pine St., St. Louis,

Kauffman Air Conditioning Corp., 4336 W. Fine St., St. 2000.

Mo.

Kaybar Burner Corp., 4545 Cottage Grove Ave., Chicago, Ill.

Keasbey & Mattison Co., Butler Ave., Ambler, Pa.

Keith Furnace Co., Dean Ave. at E. 26th, Des Moines, Ia.

Kellogg Compressor & Mfg. Corp., \$7 Humboldt St., Rochester, N. Y.

Kelsey Heating Co., 277 James St., Syracuse, N. Y.

Kelvinator Corp., 14250 Plymouth Rd., Detroit, Mich.

Kent Co., Inc., 103 Canal St., Rome, N. Y.

Kernchen Co., 103 E. Wacker Dr., Chicago, Ill.

Kester Solder Co., 4201 Wrightwood Ave., Chicago, Ill.

Ke-Ti Products Co., 1757 Franklin Ave., Columbus, O.

Kewanee Boiler Corp., Kewanee, Ill.

Skidder Mfg. Co., Inc., J. F., 426 Colchester Ave., Burlington, Vt.

Kewanee Boiler Corp., Kewanee, Ill.

Kidder Mfg. Co., Inc., J. F., 426 Colchester Ave., Burlington, Vt.

King Ventilating Co., Box 178, Owatonna, Minn.

Kinnear Mfg. Co., P. O. Box 1407, Columbus, O.

Kirk & Blum Mfg. Co., 2850 Spring Grove Ave., Cincinnati, O.

Kisco Co., Inc., 4414-18 W. Papin St., St. Louis, Mo.

Kitson Co., Westmoreland & Stokley Sts., Philadelphia, Pa.

Klauer Mfg. Co., 9th & Washington Sts., Dubuque, Ia.

Kleenaire Corp., 409 Jefferson St., Stevens Point, Wis.

Kleen-Heet, Inc., 1823 Carroll Ave., Chicago, Ill.

Klein Stove Co., Trenton Ave. & Tioga St., Philadelphia, Pa.

Knowles Mushroom Ventilator Co., 41 N. Moore St., New

York City.

Knox Stove Works, Knoxville, Tenn.

•Kol-Master Corp., Oregon, Ill.

Koons Furnace Co., 219 W. Van Buren, Danville, Ill.

Koppers Co., Tar and Chemical Div., Koppers Bldg., Pittsburgh, Pa.

Korfund Co., Inc., 48-15 32nd Pl., Long Island City, N. Y.

Kor-Lok Co., Union Trust Bldg., Cleveland, O.

Korth Oil Burner Corp., 123 Hawthorne St., Roselle Park,

N. J.

Kraker, Henry, 54 W. 14th St., Holland, Mich.

Krenbiel, J. H., 425 N. Crawford Ave., Chicago, Ill.

Kruse & Dewenter Co., 427-429 E. Washington St., Indianapolis, Ind.

• Laclede-Christy Clay Products Co., 411 N. Seventh St., St.

Laclede-Christy Clay Products Co., 411 N. Seventh St., St. Louis, Mo.
Laclede Steel Co., Arcade Bidg., St. Louis, Mo.
Laco Oil Burner Co., 238 Union St., Griswold, Ia.
La Crosse Steel Roofing & Corrugating Co., 300 S. Third St., La Crosse, Wis.
LaCrosse Tractor Co., Wood & Clinton Sts., LaCrosse, Wis.
Lamb & Ritchie Co., 250 Albany St., Cambridge, Mass.
Laminated Metals Corp., Providence, R. I.
Lamneck Products, Inc., 414 Dublin Ave., Columbus, O.
Landwehr Heating Corp., 6th & Cayuga Sts., Philadelphia, Pa.

• Langsenkamp Co., F. H., 229 E. South St., Indianapolis,

Ind. Lastik Products Co., Inc., 603 American Bank Bldg., Pitts-

Lastik Products Co., Inc., 603 American Bank Bldg., Pittsburgh, Pa.

Lau Blower Co., 954-72 E. Monument Ave., Dayton, O. Leach Co., 412 S. Main St., Oshkosh, Wis.
Leahy Mfg. Co., 1804 E. 8th St., Los Angeles, Cal.
Lecourtenay Co., 5 Main St., Newark, N. J.
Ledkote Products Co., 26-29 23rd St., Long Island City, N. Y.
Lee & Son Co., K. O., Aberdeen, S. D.
Lee & Son Co., Thomas, 128-132 W. Second St., Cincinnati, O.
Lee Heating Systems, 810 Union National Bank Bldg.,
Youngstown, O.
Leeds & Northrup Co., 4953 Stenton Ave., Philadelphia, Pa.
Leeson Co., T. F., 14631 Meyers Rd., Detroit, Mich.
Lehigh Fan & Blower Co., Front & Linden Sts., Allentown,
Pa.

Lehigh Fan & Blower Co., Front & Linden Sts., Allentown, Pa..

Leland Electric Co., 1501 Webster St., Dayton, O.

Lennox Furnace Co., 200 Lincoln Highway, Marshalltown, Ia., and Syracuse, N. Y.

Levow, David, 308 W. 20th St., New York City.

Lewis & Co., Inc., Chas. S., 2207 Pine St., St. Louis, Mo.

Libert Machine Co., 324 N. Roosevelt St., Green Bay, Wis

Liberty Coal Burner Co., 4363 Duncan St., St. Louis, Mo.

Liberty Foundry Co., Sidney & Ohio Sts., St. Louis, Mo.

Lincoln Electric Co., 12818 Coit Rd., Cleveland, O.

Linde Air Products Co., 30 E. 42nd St., New York City.

Link-Belt Co., Stoker Div., 2410 W. 18th St., Chicago, Ill.

Liquefied Gas Appliance Co., Mars, Pa.

Lissberger & Son, Inc., Marks, 23-01 Borden Ave., Long

Island City, N. Y.

Little Burner Co., Inc., H. C., 2nd & Lincoln, San Rafael, Cal.

Littleford Bros., 457 E. Pearl St., Cincinnati, O.

Lochinvar Corp., 14247 Tireman Ave., Dearborn, Mich.

Logan-Long Co., 37 W. Van Buren St., Chicago, Ill.

Lookout Furnace Co., Manufacturer's Rd. & Compress St.,

Chattanooga, Tenn.

Lord Mfg. Co., 1316 Holland St., Erie, Pa.

Lovejoy Flexible Coupling Co., 5001 W. Lake St., Chicago,

Ill.

Ludlow-Saylor Wire Co., Newstead Ava, & Wahash R. R.

Ludlow-Saylor Wire Co., Newstead Ave. & Wabash R. R., St. Louis, Mo.

Ludlum Steel Co., Watervliet, N. Y. Ludowici-Celadon Co., 104 S. Mchigan Ave., Chicago, Ill. Lukens Metal Co., Thos. F., 1105 Fairmount Ave., Philadel-

phia, Pa.

Lukens Steel Co., 104 S. First Ave., Coatesville, Pa.

Lustro Coated Sheets Co., 1220 Ridge Ave., Pittsburgh, Pa.

Lyman Co., H. B., Southampton, Mass.

Lynn Products Co., 7 Willow St., Lynn, Mass.

Lyon, Conklin & Co., Inc., Race & McComas Sts., Baltimore,

Md.

Maas & Waldstein Co., 438 Riverside Ave., Newark, N. J. McClave-Brooks Co., W. Poplar St., Scranton, Pa. McClave Builders' Supply Co., 68 E. Clark St., East Pales-

tine, O.
McCord Radiator & Mfg. Co., 2587 E. Grand Blvd., Detroit,

Mich.

McCorkle Co., D. H., Sixth & Bancroft Way, Berkeley, Cal.

McDonnell & Miller, 400 N. Michigan Ave., Chicago, Ill.

McGee-Parry Machine Works, 465 W. 8th S., Salt Lake City,

Utah.

Mack Ventilator Co., 28 Ash St., Saugus, Mass.

McPherson Furnace & Supply Co., 1805 N. E. 2nd Ave.,

Portland, Ore.

McQuay, Inc., 1600 Broadway, N. E., Minneapolis, Minn.

MaGirl Foundry & Furnace Works, P. H., 401-413 E. Oakland Ave., Bloomington, Ill.

Mahan Oil Burner & Furnace Co., Lake & Church, Elmhurst,

Ill.

III.

Mahon Co., R. C., 8650 Mt. Elliott Ave., Detroit, Mich.
Mahoning Valley Steel Co., McKees Lane, Niles, O.
Mahr Mfg. Co., 1728 N. 2nd St., Minneapolis, Minn.

Maid-O'-Mist, Inc., 180 N. Wacker Dr., Chicago, Ill.
Majestic Co., 733 Erle St., Huntington, Ind.
Majestic Furnace Co., 1723 Westlake Ave., N., Seattle, Wash.
Mall Tool Company, 7740 South Chicago Ave., Chicago, Ill.
Malleable Iron Fittings Co., Branford, Conn.
Manhattan Perforated Metal Co., Inc., 43-17 37th St., Long
Island City, N. Y.

Manhattan Rubber Mfg. Division of Raybestos-Manhattan,
Inc., 61 Willett St., Passaic, N. J.
Manley Products Corp., State & Hay Sts., York, Pa.
Manning, Maxwell & Moore, Inc., 11 Ellias St., Bridgport,
Conn.

Conn

Conn.

Maple City Furnace Co., 605 S. Main St., Monmouth, Ill.

Maple Valley Mfg. Co., First St., Mapleton, Ia.

Maplewood Machinery Co., Inc., 2634 Fullerton Ave., and
561 W. Washington Blvd., Chicago, Ill.

Marathon Electric Mfg. Corp., Wausau, Wis.

Marion Machine, Foundry & Supply Co., P. O. Box 685,

Marion, Ind.

Marley Co., 1915 Walnut St., Kansas City, Mo.

Marlo Coil Co., 6135 Manchester Ave., St. Louis, Mo.

Marquette Mfg. Co., Inc., 401-409 Johnson St., N. E., Minneapolis, Minn.

Marsh Lumber Co., 535-611 Tuscarawas Ave., N. W., Dover, O.

ver, O. Marshall Furnace Co., Marshall, Mich. Marshall Heating Co., 1647 Hennepin Ave., Minneapolis,

Minn.

Marshaltown Mfg. Co., 901 E. Nevada St., Marshaltown, Ia. Martin Bros., 52 Mt. Hope Ave., Rochester, N. Y. Martin Metal Mfg. Co., 900 E. 2nd St., Wichita, Kan. Martin-Parry Corp., W. Market St., York, Pa. Martocello & Co., Jos. A., 229 N. 13th St., Philadelphia, Pa. Marvelaire Corp., 1827 Pontius Ave., West Los Angeles, Calif.

Calif.

Masonite Corp., 111 W. Washington St., Chicago, Ill.

Master Electric Co., 100 Davis Ave., Dayton, O.

Master Welders, 2524 Holmes St., Kansas City, Mo.

Matthlessen & Hegeler Zinc Co., Ninth St., LaSalle, Ill.

Maurath, Inc., 7809 Union Ave., Cleveland, O.

Maurey Mfg. Corp., Wabash at 29th, Chicago, Ill.

May-Flebeger Co., S. 21st St., Newark, O.

Mayflower Oil Burner Corp., 5002 Hudson Blvd., West New

York. N. J. Calif.

York, N. J. Mayflower-Lewis Corp., Duluth Ave. & E. Seventh St., St.

Mayflower-Lewis Corp., Duluth Ave. & E. Seventh St., St. Paul, Minn.
May Oil Burner Corp., Maryland Ave. & Oliver St., Baltimore, Md.
Maysteel Products, Inc., Horicon St., Maysville, Wis.
Maze Co., W. H., 1207 Water St., Peru, Ill.
Mechanical Air, 801 Thomas St., Little Rock, Ark.
Medart Co., 3500 DeKalb St., St. Louis, Mo.
Meier Electric & Machine Co., 3525 E. Washington St., Indianapolis, Inc., 3204 N. Oakley Ave., Chicago, Ill.

Indianapolis, Ind.

Melbye Bros., Inc., 3204 N. Oakley Ave., Chicago, Ill.

Mellish & Murray Co., 1715 Carroll Ave., Chicago, Ill.

Mellish & Murray Co., 2035 Washington Ave., Philadelphia, Pa.

Mercold Corp., 4201 Belmont Ave., Chicago, Ill.

Merrill Co., Inc., 98 Granite St., Boston, Mass.

Mesker & Co., Geo. L., 400 N. W. First St., Evansville, Ind.

Metal Door & Trim Co., La Porte, Ind.

Metal Door & Trim Co., La Porte, Ind.

Metal Products Co., 1811 Linn St., Cincinnati, O.

Metalace Corp., 60 K St., South Boston, Mass.

Metals Coating Co. of America, 495 N. Third St., Philadelphia, Pa.

delphia, Pa.

Metropolitan Refining Co., 23 50th Ave., Long Island City, N. Y.

Metzner Stove Repair Co., 515 Wyandotte, Kansas City, Mo.

Meyer & Bro. Co., F., 1311-13 S. Adams St., Peoria, Ill.

Meyer Furnace Co., 1300 S. Washington St., Peoria, Ill.

Meyers Fuel Saver Co., Inc., Janesville, Wis.

Michigan Tank & Furnace Corp., 14101 Prairie Ave., Detroit, Mich.

Michigan Wire Cloth Co., 2100 Howard St., Detroit, Mich.

Micro Products Co.., Peoria, Ill.

Micro Switch Corp., 1 E. Spring St., Freeport, Ill.

Micro-Westco, Inc., Bettendorf, Ia.

Midwest Aluminum Products, Inc., 123 E. Pittsburgh Ave.,

Milwaukee, Wis.

Milwaukee, Wis.

Milwaukee, Wis.

Milburn Co., Alexander, 1424 W. Baltimore St., Baltimore,

Md.

Milcor Steel Co., 4117 W. Burnham St., Milwaukee, Wis.

Miller & Connell Co., 1454-56 N. Claremont Ave., Chicago,

Ill.

Miller & Doing Inc., 60 York St. Brooklyn, N. V.

III.

Miller & Doing, Inc., 60 York St., Brooklyn, N. Y.

Miller & Son, C. Arthur, 202-204 S. Main St., Elmira, N. Y.

Miller Electric Mfg. Co., 905 N. Meade St., Appleton, Wis.

Miller Equipment Co., 120 Opera Pl., Cincinnati, O.

Miller Floor Furnace Co., 741 E, 14th St., Oakland, Cal.

Miller Range & Furnace Co., Wm., 810-812 Main St., Cincinnati, O.

Miller Range & Furnace Co., Wm., 810-812 Main St., Cincinnati, O.
Miller Rubber Co., Inc., 1247 S. High St., Akron, O.
Mill-Rose Co., 2498 E. 79th St., Cleveland, O.
Mills Novelty Co., 4110 W. Fullerton Ave., Chicago, Ill.
Milwaukee Brush Mfg. Co., 2236 N. 30th St., Milwaukee, Wis.
Mineral Felt Co., 2284-92 Albion St., Toledo, O.
Mineral Insulation Co., 103rd & S. West Highway, Chicago
Ridge, Ill.
Minneapolis Automatic Draft Regulator Co., 506 Produce

Minneapolis Automatic Draft Regulator Co., 506 Produce Exchange Bldg., Minneapolis, Minn.

Minneapolis-Honeywell Regulator Co., 2726 Fourth Ave., S., Minneapolis, Minn.

Minn-Kota Foundry & Mfg. Co., 201 Second St., N., Fargo,

N. D.

N. D.

Minster Machine Co., Minster, O.

Misener Mfg. Co., Inc., 326 E. Washington St., Syracuse, N. Y.

Mitchell Moulding Co., 1501 Circle Ave., Forest Park, Ill.

Model Mfg. Co., 316 E. Main St., Richmond, Va.

Modern Engineering Co., 3411 Pine Blvd., St. Louis, Mo.

Modern Heat Regulator Co., E. 55th St., at Utica Ave.,

Cleveland, O.

Modine Mfg. Co., 17th St., Racine, Wis.

Moeller Instrument Co., 132nd St. & 89th Ave., Richmond

Hill, N. Y.

Mohler Co., J. K., The, 151 Church Ave., Ephrata, Pa.

Hill, N. Y.

Mohler Co., J. K., The, 151 Church Ave., Ephrata, Pa.

Mohr-Air Co., 422 Huber Bldg., Marion, O.

Moloch Foundry & Machine Co., Kaukauna, Wis.

Monarch Furnace Fittings Manufacturers, 2240 W. 49th St.,

Chicago, Ill.

Monarch Mfg. Works, Inc., Salmon & Westmoreland Sts.,

Philadelphia, Pa.

Monarch Metal Weatherstrip Corp., 6333 Etzel Ave., St.

Louis, Mo.

Moncrief Furnace Co., P. O. Box 1673, Atlanta, Ga.

Monitor Controller Co., 51 S. Gay St., Baltimore, Md.

Monmouth Products Co., 1929-41 East 61st St., Cleveland, O. • Monmouth land, O. tag Stove & Furnace Works, 2011 N. Columbia Blvd.,

Montag Stove & Furnace Works, 2011 N. Columbia Blvd.,
Portland, Ore.

Montgomery Brothers, 61 Fremont St., San Francisco, Cal.
Moore Corp., Benton St., Joliet, Ill.
Morris Machine Works, 20 E. Genesee St., Baldwinsville,
N. Y.

Morrissey & Co., 325 W. Huron St., Chicago, Ill.
Morse Chain Co., Turner Pl., Ithaca, N. Y.
Mortell Co., J. W., 310 S. Michigan Ave., Chicago, Ill.
Motorstokor Div., Hershey Machine & Foundry Co., Manheim, Pa. heim, Pa. or Wheel Corp., Heater Division, E. May St., Lansing,

Motor w. Mich.

Mich.

Mountain States Equipment Co., 1238 Speer St., Denver, Colo.

Mt. Vernon Furnace & Mfg. Co., Mt. Vernon, Ill.

Mueller Furnace Co., L. J., 2005 W. Oklahoma Ave., Milwaukee, Wis.

Mullins Mfg. Corp., 1021 Mill St., Salem, O.

Muncie Gear Works, Inc., N. Vine St., Muncie, Ind.

Mundet Cork Corp., 450 7th Ave., New York City.

Mundt & Sons, Charles, 53 Fairmount Ave., Jersey City,

N. J.

Murray Tile Co., Cloverport, Ky.

Myers & Bro. Co., The F. E., Ashland, O.

Myers Electric Co., 410 Third Ave., Pittsburgh, Pa.

#### N

Nash Engineering Co., South Norwalk, Conn. Nash Refrigeration Co., Inc., Summit, New & Bleecker Sts., Newark, N. J. National Air Conditioning, Inc., 101 Park Ave., New York City. National Air Conditioning Engineering Corp., Kansas City, Mo. National Airoil Burner Co., 1327 Girard Ave., Philadelphia, National Brass & Copper Co., Inc., 518 Grant Bldg., Pitts-

burgh, Pa.
National Fan & Blower Corp., Subsidiary U. S. Air Conditioning Corp., 2105 Kennedy St., N. E., Minneapolis,

Minn.

National Fireproofing Corp., Fulton Bldg., Pittsburgh, Pa.

National Foundry & Furnace Co., Station "B." Dayton, O.

National Gypsum Co., Delaware Ave., Buffalo, N. Y.

National Lead Co., 111 Broadway, New York City.

National Machine Tool Co., 1536 Clark St., Racine, Wis.

National Machine Works, 122 S. Michigan Ave., Chicago, Ill.

National Mfg. Corp., 153 Fillmore Ave., Tonawanda, N. Y.

National Manufacturing & Engineering Co., 628 E. Forest

Ave. Detroit Mich.

Ave., Detroit, Mich.
National Regulator Co., 2301 N. Knox Ave., Chicago, Ill.
National Screw & Mfg. Co., 2440 E. 75th St., Cleveland, O.
National Sheet Metal Co., 1617-1629 Water St., Peru, Ill.
National Steam Pump Co., 701 W. Johnson St., Upper Sandyukur O.

National Steam Pump Co., 701 W. Johnson St., Upper Sandusky, O.

National Super Service Co., 1944 N. 13th St., Toledo, O.

Naylor Pipe Co., 1230 E. 92nd St., Chicago, Ill.

Neemes Foundry, Inc., 286 First St., Troy, N. Y.

Nelson Co., 2604 4th Ave., Detroit, Mich.

Nelson Corp., Herman, 1824 Third Ave., Moline, Ill.

Nelson Mfg. Co., B. F., Cor. Main & Marshall Sts., N. E., Minneapolis, Minn.

Nesbitt, Inc., John J., State Rd. & Rhawn St., Philadelphia, Pa.

New Albany Machine Mfg. Co., E. 10th & Water Sts., New

New Albany Machine Mfg. Co., E. 10th & Water Sts., New Albany, Ind.

New Delphos Mfg. Co., 102-124 S. Pierce St., Delphos, O.

New Departure Mfg. Co., Bristol, Conn.

New Haven Copper Co., Seymour, Conn.

New Jersey Zinc Sales Co., 160 Front St., New York City.

Newman Brothers, Inc., 662-670 W. Fourth St., Cincinnati, O.

Newport Rolling Mill Co., The, 9th & Lowell Sts., Newport,

Ky.

New York Blower Co., 2155 Shields Ave., Chicago, Ill.

Niagara Blower Co., 6 E. 45th St., New York City.

Niagara Machine & Tool Works, 637-697 Northland Ave.,

Buffalo, N. Y.

Niles Rolling Mill Co., Niles, O.

Nomis Corp., 410-420 Lingle Ave., Lafayette, Ind.

Norge Heating & Conditioning Div., Borg-Warner Corp., 670

E. Woodbridge St., Detroit, Mich.

Norma-Hoffman Bearings Corp., Stamford, Conn.

Norman Sheet Metal Mfg. Co., W. F., 212-236 N. Cedar St.,

Nevada, Mo.

Norristown Magnesia & Asbestos Co., Washington St., Below

Ford St., Norristown, Pa.

Ford St., Norristown, Pa.

North Bangor Slate Co., Bangor, Pa.

Northern Blower Co., 6409 Barberton Ave., Cleveland, O.

Northern Weatherstrip Co., 367 S. 1st Ave. E., Duluth, Minn.

Northwestern Stove Repair Co., 662 W. Roosevelt Rd., Chi-

cago, Ill.
Northwestern Stave Repair Co., 2740 S. 32nd St., Milwaukee, Wis.
Norwin Co., East Album St., Freeport, Ill.
Novy Ventilator Mfg. Co., 207 E. Broadway, Muskogee, Okla.
Nugent Sons, Inc., Thos., 223 E. 80th St., New York City.
Nu-Way Corp., 2416 Fourth Ave., Rock Island, Ill.

#### 0

Oakland Foundry Co., Avenue A & L. & N. Tracks, Belle-

ville, Ill.
Odin Stove Mfg. Co., Erie, Pa.
Ohio Electric Mfg. Co., 5910 Maurice Ave., Cleveland, O.
Ohio Pattern Wks. & Fdry. Co., 2735 Colerain Ave., Cincinnati, O.

cinnati, O.
Ohio Products Co., 4158 Rustic Rd., Cleveland, O.
Ohio Welder Co., Middlefield, O.
Ohio Wire Products Co., Public Square, Dover, O.
Ohl & Co., Geo. A., 151-161 Oraton St., Newark, N. J.
Ohmlac Paint & Refining Co., 6540 S. Central Ave., Chicago, 111.

Ill.
Oil Burner Builders, Inc., Bellevue, Ia.
Orbon Stove Co., L. & N. and Sycamore St., Belleville, Ill.
"Original" Metal Forming Machine Co., 332 17th Ave., Seattle, Wash.
Ormsby-Gray Combustion Service, Inc., 6625 Delmar Blvd.,
St. Louis, Mo.
Osborn Co., J. M. & L. A., 1541 E. 38th St., Cleveland, O.
Osborn Mfg. Co., 5401 Hamilton Ave., Cleveland, O.
Otis Steel Co., 3341 Jennings Rd., Cleveland, O.
OverSpred Stoker Co., Fulton, Jackson & Jefferson Sts., Ottawa, Ill.

tawa, III.
Owen-Dyneto Corp., Syracuse, N. Y.
Owens-Illinois Glass Co., Ohio Bldg., Toledo, O.

• Pacific Gas Radiator Co., 1740 W. Washington St., Los Angeles, Cal.
Pacific Lumber Co., 102 Bush St., San Francisco, Cal.
Pacific States Felt & Mfg. Co., Inc., 845 Howard St., San
Francisco, Cal. Packham Crimper Co., Mechanicsburg, O.

Page Steel & Wire Div. of American Chain Co., Inc., Mones-

Page Steel & W. S. S. See, Pa. See, Pa. Palmer Electric Co., 20 Sproat St., Detroit, Mich. "Pamco" Conditionaire Co., 4223 W. Lake St., Chicago, Ill. Pan American Engineering Corp., Ltd., 820 Parker St.,

Paragon Electric Co., 37 W. Van Buren St., Chicago, Ill. Park City Cornice Works, Inc., 56 McKinley Ave., Bridgeport,

Conn.

Parker-Kalon Corp., 190 Varick St., New York City.
Parkersburg Iron & Steel Co., Parkersburg, W. Va.
Parks-Cramer Co., 970 Main St., Fitchburg, Mass.
Patent Novelty Co., 312 Eighth St., Fulton, Ill.
Patten Co., J. V., 500 DeKalb Ave., Sycamore, Ill.
Patterson Foundry & Machine Co., East Liverpool, O.
Patterson Shade Co., 1525 N. Meridian St., Indianapolis, Ind.

Payne Furnace & Supply Co., 338 N. Foothill Rd., Beverly Hills, Cal.

Hills, Cal.

Peck, Stow & Wilcox Co., Center St., Southington, Conn. Pecora Paint Co., 4th St. & Erie Ave., Philadelphia, Pa.

Peerless Electric Co., 1401 W. Market St., Warren, O.

Peerless Foundry Co., 1853 Ludlow Ave., Indianapolis, Ind. Peerless of America, Inc., 515 W. 35th St., Chicago, Ill. Peerless Oil Burner Co., Inc., 3926 Main St., Kansas City, Mo. Pels & Co., Inc., Henry, 90 West St., New York City. Pencilsharp Awl & Tool Co., 1423-25 E. Illinois St., Evanswille Ind. ville, Ind.

Peninsular Stove Co., 2699 Gratiot Ave., Detroit, Mich.

Penn Electric Switch Co., Box 556, Goshen, Ind.
 Pennsylvania Engineering Works, 526 S. Jefferson St., New

Castle, Pa. Pennsylvania Furnace & Iron Co., Pine St., Warren, Pa. Penn Ventilating Co., 2812 Richmond St., Philadelphia, Pa. Pentecost & Craft Co., 429 Wabash Ave., Terre Haute, Ind.

Pentecost & Craft Co., 429 Wabash Ave., Terre Haute, Ind. Peoples Oil Burner Co., 466 W. Superior St., Chicago, Ill. Perfect Burner Co., 294 Broad St., Lynn, Mass. Perfectaire Corp., 1102 N. Charles St., Baltimore, Md. Perfection Grate & Stoker Co., 4 Fisk Ave., Springfield, Mass. Perfection Stove Co., 7609 Platt Ave., Cleveland, O. Perfex Corp., 415 W. Oklahoma Pl., Milwaukee, Wis. Perkins Machine Co., 4 Perkins Ave., Warren, Mass. Perkinson & Brown, 412 N. Lincoln St., Chicago, Ill. Perrin Co., Edward C., 3rd & Grant Sts., Camden, N. J. Petroleum Heat & Power Co., 110 Davenport St., Stamford, Conn.

Conn.

Pfanstiehl Chemical Co., 104 Lakeview Ave., Waukegan, Ill.

Pfeiffer, Wm., 416 Greenwich St., New York City.

Phillips Heating, Ventilating & Mfg. Co., 1710 W. Washington St., Los Angeles, Cal.

Piatt Products Corp., 1149 S. Pennsylvania Ave., Lansing,

Pierce & Stevens, Inc., 710 Ohio St., Buffalo, N. Y.
Pier Equipment Mfg. Co., 1440 Milton St., Benton Harbor,
Mich.

Pilley Packing and Flue Brush Mfg. Co., 606 S. 3rd St., St. Louis, Mo.
Pioneer Air Conditioning Corp., 4300 Stevens Ave., Minne-

apolis, Minn.
Pioneer Heat Regulator Division, Master Electric Co., 100

Daytis Ave., Dayton, Ohio.
Pioneer Oil Burner Co., 714 Oakland N. E., Cedar Rapids, Ia.
Pittsburgh Equitable Meter Co., 400 N. Lexington Ave.,

Pittsburgh, Pa. Pittsburgh Furnace Parts Co., 1235 Pennsylvania Ave., N. S.,

Pittsburgh, Pa.
Pittston Stove Co., P. O. Box 29, Pittston, Pa. Plastic Products Co., 6475 Georgia Ave., Detroit, Mich. Plibrico Jointless Firebrick Co., 1800 Kingsbury St., Chi-

Plibrico Jointless Firebrick Co., 1800 Kingsbury St., Chicago, III.

Plymouth Cordage Co., Court St., North Plymouth, Mass.

Plymouth Industries, Inc., 1932 Harrison Ave., Plymouth, Ind.

Poe, Ralph W., 44 White Ct., Canton, III.

Polar Air, Inc., 100 N. Ewing, Dallas, Texas.

Polk Mfg. Co., 2021-23 Winnebago St., Madison, Wis.

Pomona Pump Co., 206 E. Commercial St., Pomona, Cal.

Portland Stove Fdry Co., Portland, Me.

Potomac Mfg. Co., 316 S. 10th St., Philadelphia, Pa.

Power King Tool Corp., 310 E. Market St., Warsaw, Ind.

Powers Regulator Co., 2720 Greenview Ave., Chicago, III.

Practical Instrument Co., 2713 N. Ashland Ave., Chicago, III.

Precision Thermometer & Instrument Co., 1434 Brandywine St., Philadelphia, Pa.
Preferred Utilities Manufacturing Corp., 33 W. 60th St., New York City.

New York City.

•Premier Division, Electric Vacuum Cleaner Co., Inc., 1734
Ivanhoe Rd., Cleveland, O.

•Premier Furnace Co., Box 150, Dowagiac, Mich.
Presstite Engineering Co., 3900 Chouteau St., St. Louis, Mo.
Pressure Oil Burners, Inc., 55 N. Broad St., York, Pa.
Propellair, Inc., 1345 Lagonda Ave., Springfield, O.
Providence Cornice Co., 309 Canal St., Providence, R. I.
Pryne & Co., Inc., 1245 E. 33rd St., Los Angeles, Cal.
Publ. & Hopper Mfg. Co. Inc., 6400 W. Floriseant Ave. St. Pryne & Co., Inc., 1245 E. 33rd St., Los Angeles, Cal.
Puhl & Hepper Mfg. Co., Inc., 6400 W. Florissant Ave., St.
Louis, Mo.
Pulvokol, Inc., 406 S. Second Ave., Minneapolis, Minn.
Pyott Foundry & Machine Co., 328 N. Sangamon St., Chicago,

Pyrolite Products Co., 1221-31 W. 74th St., Cleveland, O.

Quaker Mfg. Co., 223 W. Erie St., Chicago, Ill. Quickwork Co., 900 N. Spaulding Ave., Chicago, Ill. Quimby Pump Co., Inc., 340 Thomas St., Newark, N. J.

R-S Products Corp., 4530 Germantown Ave., Philadelphia, Pa. Racine Sheet Metal Works, Olive & Lathrop Sts., Racine,

Wis.
Racine Stoker Mfg. Co., 1014 Eighth St., Racine, Wis.
Ranco, Inc., 601 W. Fifth Ave., Columbus, Ohio.
Rafter Machine Co., 259 Stephen St., Belleville, N. J.
Ramey Mfg. Co., 243 N. 5th St., Columbus, O.
Ramtite Co., Division of S. Obermayer Co., 2563 W. 18th St.,
Chicago, Ill.
Randall Graphite Products Corp., 609 W. Lake St., Chicago,

111.

III.
Ravenna Furnace & Heating Co., Ravenna, O.
Rawlplug Co., Inc., The, 98 Lafayette St., New York City.
Ray Oil Burner Co., 401-499 Bernal Ave., San Francisco, Cal.
Reading Iron Co., 401 N. Broad St., Philadelphia, Pa.
Red Jacket Mfg. Co., Davenport, Ia.
Redi Automatic Coal Burners, Inc., N. 107 Freya St., Spokana Wash.

kane, Wash. Reed Unit-Fans, Inc., 811 St. Charles St., New Orleans,

Reeves Steel & Mfg. Co., Dover, O. Refrigeration Appliances, Inc., 923 W. Lake St., Chicago, Ill. • Refrigeration & Air Conditioning Institute, 2130-58 Lawrence

Ave., Chicago, Ill.

Rega Mfg. Co., 79 Mt. Hope Ave., Rochester, N. Y.

\*Register & Grille Mfg. Co., Inc., 70 Berry St., Brooklyn, N. Y.

Reichert Float & Mfg. Co., 2238 Smead Ave., Toledo, O.

Reif-Rexoil, Inc., 37 Carroll St., Buffalo, N. Y.

Reilly Tar & Chemical Co., 1615 Merchants Bank Bldg.,

Indianapolis, Ind.

Indianapolis, Ind.
Reliable Perforating Co., 2047 N. Wood St., Chicago, Ill.
Reliance Electric & Engineering Co., 1088 Ivanhoe Rd.,
Cleveland, O. Reliance Refrigeration Machine Co., 3401 N. Kedzie Ave.,

Chicago, Ill.

Rempe Coil Co., 340 N. Sacramento Ave., Chicago, Ill.

Republic Flow Meters Co., 2253 Diversey Ave., Chicago, Ill.

Republic Steel Corp., Republic Bldg., Cleveland, O.

Research Corp., 405 Lexington Ave., New York City.

Revere Copper and Brass Incorporated, 230 Park Ave., New

York City.
Reynolds Corp., 19 Rector St., New York City.
Reynolds Manufacturing Co., 412 Prospect N. E., Grand

Rapids, Mich. Rex Clay Products Company, 14414 Dexter Blvd., Detroit, Mich.

Mich.
Reznor Mfg. Co., Mercer, Pa.
Rhoads & Sons, J. E., 11th & B. & O. R. R., Wilmington, Del.
Rhoads & Sons, J. E., 11th & B. & O. R. R., Wilmington, Del.
Rhodes, Inc., M. H., 30 Bartholomew Ave., Hartford, Conn.
Ribside Furnace Co., 119½ Clinton St., Wausau, Wis.
Richards-Wilcox Mfg. Co., Third St., Aurora, Ill.
Richardson & Boynton Co., 244 Madison Ave., New York City.
Richmond Fireproof Door Co., Richmond, Ind.
Ripley Co., W. R., 318 N. "E" St., Tacoma, Wash.
Risdon Stoker Corp., 6355 Rainier Ave., Seattle, Wash.
Risdon Stoker Corp., 6355 Rainier Ave., Seattle, Wash.
Rising & Nelson Slate Co., West Pawlet, Vt.
Roan Mfg. Co., 1220 Washington Ave., Racine, Wis.
Robbins & Myers, Inc., 1345 Lagonda Ave., Springfield, O.
Roberts-Gordon Appliance Corp., 137 Arthur St., Buffalo,
N. Y.

N. Y.
Roberts-Hamilton Co., 707-715 S. Third St., Minneapolis, Minn.

Robertshaw Thermostat Co., Youngwood, Pa. Robertson Co., H. H., Grant Bldg., Pittsburgh, Pa. Robertson Machine & Fdry. Co., W., 58 Rano St., Buffalo,

Robeson Engineering Co., 290 Sanford St., East Orange, N. J. Robinson Furnace Co., 213 W. Austin Ave., Chicago, Ill. Robinson Heating & Ventilating Corp., 632-646 Erie St., S., Massillon, O.
Rochester Lead Works, Inc., 380 Exchange St., Rochester,

Rochester Lead Works, Inc., 380 Exchange St., Rochester, N. Y.

Roch Island Register Co., 2435 Fifth Ave., Rock Island, Ill. Rock Island Stove Co., 200 Fourth St., Rock Island, Ill. Rock River Machine Co., Inc., N. Main St., Janesville, Wis. Rockwood Mfg. Co., 1801 English Ave., Indianapolis, Ind. Rock Wool Products Co., Inc., P. O. Box 276, Wabash, Ind. Roebling's Sons Co., John A., 640 S. Broad St., Trenton, N. J. Roller Bearing Co. of America, Whitehead Rd., Trenton, N. J. Rome-Turney Radiator Co., Canal St., Rome, N. Y. Root-Connersville Blower Corp., Connersville, Ind. Roper Corp., Geo. D. Blackhawk Ave., Rockford, Ill. Rosebraugh Co., W. W., 680 S. 17th St., Salem, Ore. Rosedale Foundry & Machine Co., Columbus Ave., N. S., Pittsburgh, Pa.

Rotary Mfg. Co., 5718 Long Beach Ave., Los Angeles, Cal.

Round Oak Co., Dowagiac, Mich.

Roxalin Flexible Lacquer Co., 800 Magnolia Ave., Elizabeth, N. J.

N. J. Royal Air Conditioning Equipment, 1900 Alameda Blvd.,

Royal-Apex Mfg. Corp., 62 Schenectady Ave., Brooklyn, N. Y.

Ryal Ventilator Co., 415 Locust St., Philadelphia, Pa.

Ruberoid Co., The, 500 Fifth Ave., New York City.

Ruby Chemical Co., 66 McDowell St., Columbus, O.

Rudy Furnace Co., Dowagiae, Mich.

Rupp Forge & Shear Co., 10312 Meech Ave., Cleveland, O.

Russell Electric Co., 342 W. Huron St., Chicago, Ill.

Russell Insulation Co., F. C., 3925 S. Hanover St., Baltimers

more, Md.
Russell Mfg. Co., John M., Naugatuck, Conn.
Rutland Fire Clay Co., Curtis Ave., Rutland, Vt.

Rybolt Heater Co., Miller St., Ashland, O.

Ryerson & Son, Inc., Joseph T., 2558 W. 16th St., Chicago,

111. Ryniker Sheet Metal Works, Inc., 122-124 N. 25th St., Billings, Mont.

S K F Industries, Inc., Front St. & Erie Ave., Philadelphia,

Safe Automatic Heat Control Co., 16512 Wark Ave., Detroit, Mich Saino Mfg. Co., Inc., F. L., 70 W. Colorado Ave., Memphis,

Tenn.

St. Clair Foundry Corp., Beech & Wilson Sts., Centralia, Ill.

St. Louis Technical Institute, 4541 Clayton Ave., St. Louis, Mo.

St. Paul Corrugating Co., Wabash & Water Sts., St. Paul, Minn.

Minn.
Sall Mountain Co., 176 W. Adams St., Chicago, Ill.
Sallada Mfg. Co., 3816 Grand Ave., S., Minneapolis, Minn.
Sangamo Electric Co., 1301 N. 11th St., Springfield, Ill.
Sauereisen Cements Co., 2308 Main St., Sharpsburg Station,

Sauereisen Cements Co., 2308 Main St., Sharpsburg Station, Pittsburgh, Pa.
Savage Co., W. J., 912 W. Clinch Ave., Knoxville, Tenn.
Schaefer Brush Mfg. Co., 117 W. Walker St., Milwaukee, Wis. Schats Mfg. Co., Fairview, Poughkeepsie, N. Y. Schats Venetian Blinds, Los Angeles, Cal.
Schecter Brothers Co., Front & Cumberland Sts., Philadelphia, Pa.
Schill Mfg. Co., Mansfield St., Crestline, O.
Schoedinger Co., F. O., 322-358 Mt. Vernon Ave., Columbus, O.

O.
Schundler & Co., Inc., F. E., 45-15 Vernon Blvd., Long
Island City, N. Y.
Schwab Furnace & Mfg. Co., 193 S. Second St., Milwaukee;

Wis.

Wis.
Schwitzer-Cummins Co., Fan St., Indianapolis, Ind.
Scott-Newcomb, Inc., 1929 Pine St., St. Louis, Mo.
Scovill Mfg. Co., Morency-Van Buren Div., Prairie Ave.,
Sturgis, Mich.
Sealkote Corp., 40 S. Clinton St., Chicago, Ill.
Security Stove & Mfg. Co., 1630 Oakland, Kansas City, Mo.
Seep-Lok Flashing Co., Inc., 63 Hawthorne Ave., Yonkers,

Self-Vulcanizing Rubber Co., Inc., 605 W. Washington

Bivd., Chicago, III.
Sentry Mfg. Co., 505 Baum Bldg., Omaha, Nebr.
Servel, Inc., 119 Morton Ave., Evansville, Ind.
Service Machine Co., 750-760 Broadway, Elizabeth, N. J.
Shamblen Furnace Parts Co., 231-39 First Ave., Pittsburgh,

Shakeproof Lock Washer Co., 2501 N. Keeler Ave., Chicago, T11. Sharon Steel Corp., Sharon, Pa. Shedlov Oil Burners, Inc., 717 Third Ave., S., Minneapolis,

Sharon Steel Corp., Sharon, Pa.
Sharon Steel Corp., Sharon, Pa.
Shedlov Oil Burners, Inc., 717 Third Ave., S., Minneapolis, Minn.
Sheer Co., H. M., 2nd & Hampshire Sts., Quincy, Ill.
Sheer Metal Products Co., 320 S. Commercial St., Peoria, Ill.
Sheldon Slate Co., F. C., Granville, N. Y.
Sight Feed Generator Co., 14 N. Tenth St., Richmond, Ind.
Signal Electric Mfg. Co., Menominee, Mich.
Silent Glow Oil Burner Corp., 1477 Park St., Hartford, Conn.
Silent Sloux Oil Burner Corp., Orange City, Ia.
Simplex Manufacturing Co., 200 North Main St., Fond du
Lac, Wisc.
Simplex Manufacturing Corp., 36 Church St., New York City.
Sinker-Davis Co., 230 S. Missouri St., Indianapolis, Ind.
Sioux City Foundry and Boiler Co., East 8th & Division Sts.,
Sloux City, Iowa.
Skilbeck Mfg. Co., 6721 26th Ave., Kenosha, Wis.
Skilsaw, Inc., 3302 Elston Ave., Chicago, Ill.
Skinner Co., E. W., 402 Pearl St., Fitchburg, Mass.
Skuttet Co., J. L., 999 Franklin St., Detroit, Mich.
Sly Mfg. Co., W. W., 4700 Train Ave., Cleveland, O.
Smidth & Co., F. L., 225 Broadway, New York City.
Smith & Kanzler, Inc., 516 Lidgerwood Ave., Elizabeth, N. J.
Smith, Inc., Winfield H., Eaton St., Springville, N. Y.
Smith Heater Co., Peter, 6209 Hamilton St., Detroit, Mich.
Smith Welding Equipment Corp., 2619-33 Fourth St., S. E.,
Minneapolis, Minn.
Smuck-Thiele Co., 410 W. Tenth St., Indianapolis, Ind.
Snap-On Mfg. Co., 1028 Blue Island Ave., Chicago, Ill.
Somers, Inc., H. J., 6063 Wabash Ave., Detroit, Mich.
Sonner Burner Co., 6th & Andrews, Winfield, Kan.
Southbridge Roofing Co., Inc., Hartwell & Chapin Sts., Southbridge, Mass.
Southern States Iron Roofing Co., Stiles Ave., Savannah, Ga.

Southworth Machine Co., 30 Warren Ave., Portland, Maine. Spear Stove & Heating Co., James, 1823 Market St., Phila-delphia, Pa.

Specialty Converters, Inc., 161 E. Eric St., Chicago, Ill. Specdway Mfg. Co., 1854 S. 52nd Ave., Cicero, Ill. Spencer Air Conditioning Service, 1237 Acoma St., Denver,

Spencer Air Conditioning Service, 1237 Acoma St., Denver, Colo.

Spencer Heater Division, Ft. Park St., Williamsport, Pa. Spencer Thermostat Co., 34 Forest St., Attleboro, Mass. Spencer Turbine Co., 484 New Park Ave., Hartford, Conn. Spray Engineering Co., 114 Central St., Somerville, Mass. Sprayo-Flake Co., 2715 Irving Park Blvd., Chicago, Ill. Spray-Wheel Air Conditioners, Inc., 1320 19th St., Denver, Colo.

Springman Metal Specialty Co., 424 Bellevue Ave., Detroit, Mich.

Spun Steel Corp., 2037 Dueber Ave., S. W., Canton, O. Square D Co., 6060 Rivard St., Detroit, Mich. Standard Air Conditioning, Inc., 40 W. 40th St., New York

City. Standard Asbestos Mfg. Co., 820-22 W. Lake St., Chicago, Ill. Standard Engineering Works, 289 Roosevelt Ave., Pawtucket, R. I.

Standard Foundry & Furnace Co., 1801 Pleasant St., De Kalb, Ill.

Standard Fuel Engineering Co., 667 Post Ave., South, Detroit,

Mich. Standard Furnace & Supply Co., 407-13 S. 10th St., Omaha, Nebr.

Standard Galvanizing Co., 2619 W. Van Buren St., Chicago, 111.

Standard Heating & Radiator Co., 704 Second Ave., Pittsburgh, Pa.

Standard Lime & Stone Co., 2004 First National Bank Bldg., Baltimore, Md.

Standard Rolling Mills, Inc., 143 Jewell St., Brooklyn, N. Y. Standard Stamping & Perforating Co., 3131 W. 49th Pl., Chi-

Standard Stamping & Perforating Co., 3131 W. 49th Pl., Chicago, Ill.

Standard Ventilator Co., Lewisburg, Pa.

Stanley Electric Tool Div., The Stanley Works, Elm St., New Britain, Conn.

Stanley Rule & Level Plant, New Britain, Conn.

Stanton Heater Co., Martins Ferry, O.

Star Electric Motor Co., 197 Grove St., Bloomfield, N. J.

Star Radiator Co., 649 Ceres Ave., Los Angeles, Cal.

Staynew Filter Corp., 25 Leighton Ave., Rochester, N. Y.

Steel and Tubes, Inc., 224 E. 131st St., Cleveland, O.

Steel Products Engineering Co., Columbia St. at Dakota Ave.,

Springfield, O.

Steelweld Machinery Co., E. 70th & Machinery Ave., Cleve-

Steelweld Machinery Co., E. 70th & Machinery Ave., Cleve-

Steelweld Machinery Co., E. 70th & Machinery Ave., Cleveland, O.
Steen-Dyer Mfg. Co., 5204 E. 15th St., Kansas City, Mo.
Sterling Foundry Co., Sterling, Ill.
Ster-Na-Man Fdry Co., 441 Williams St., Springfield, Ill.
Stewart Foundry, O. S., 887 E. 67th St., Cleveland, O.
Stewart Furnace Co., 2250 Oliver Bldg., Pittsburgh, Pa.
Stewart Ice Machine Co., 1046 East 22nd St., Los Angeles,

Stiglitz Furnace & Foundry Co., 2007-23 Portland Ave., Louisville, Ky. Stilphen Engineering & Mfg. Co., C. A., 1129 Eighteenth St.,

Stilphen Engineering & Mfg. Co., C. A., 1129 Eighteenth St., Denver, Colo.

Sto-Coke Incorporated, 1511 E. Michigan, Indianapolis, Ind. Stok-A-Fire Co., 900 S. 23rd St., St. Louis, Mo.

Stokerette Mfg. Co., 4540 Ravenswood Ave., Chicago, Ill. Stokermatic Co., 1415 S. State St., Salt Lake City, Utah. Stoker Products, Inc., 221 W. Prairie Ave., Decatur, Ill. Stokers, Inc., 10821 E. Jefferson Ave., Detroit, Mich. Stover Mfg. & Engine Co., N. Henderson Ave., Freeport, Ill. Stran-Steel Division, Great Lakes Steel Corp., 6100 McGraw Ave., Detroit, Mich. (Ecorse Plant)

Stratton & Terstegge Co., 15th & Main St., Louisville, Ky. Streamline Pipe & Fittings Div., Mueller Brass Co., Port Huron, Mich.

Structural Slate Co., Robinson Ave., Pen Argyl, Pa.

Huron, Mich.

Structural Slate Co., Robinson Ave., Pen Argyl, Pa.

Sturtevant Co., B. F., Damon St., Hyde Park, Boston, Mass.

Summerheat Co., 406 S. Columbia, South Bend, Ind.

Sundstrand Engineering Co., 1327 Seventh St., Rockford, Ill.

Sun-Ray Oil Burner Corp., 114-02 Beach Channel Dr., Rockaway Park, N. Y.

Superior Sheet Steel Co., The, Division of Continental Steel

Corp., Canton & Louisville Rd., Canton, O.

Superior Steel Corp., Grant Bldg., Pittsburgh, Pa.

Superstat Co., 38 Walter St., Springfield, Mass.

Supreme Electric Products Corp., 103 Mt. Hope Ave., Rochester, N. Y.

Supreme Heater & Vantilating Corp., 1311 N. Marchester.

Supreme Heater & Ventilating Corp., 1911 N. Market St., St. Louis, Mo.

Surface Combustion Corp., 2375 Dorr St., Toledo, O.
Swaby Mfg. Co., 2010-2014 Marshall Blvd., Chicago, Ill.
Swaine Mfg. Co., Fred J., 1300 N. Seventh St., St. Louis, Mo.

Swartwout Co., 18615 Euclid Ave., Cleveland, O.
Swedish Venetian Blind Co., 601 W. 26th St., New York

City.

Swift Corp., Carl E., North Side, Holland, Mich.

Swift Mfg. Company, 247 McDougall Ave., Detroit, Mich.

Syncro-Flame Burner Corp., 1200 Park St., Hartford, Conn.

Syncromatic Air Conditioning Corp., 3373 N. Holton St., Milwaukee, Wis.

Syracuse Fire Door Corp., 900 Canal St., Syracuse, N. Y.

Taco Heaters, Inc., 342 Madison Ave., New York City. Tagliabue Mfg. Co., C. J., Park & Nostrand Aves., Brooklyn, N. Y.

Tamms Silica Co., 228 N. La Salle St., Chicago, Ill. Tannewitz Works, 315 Front Ave., N. W., Grand Rapids,

Mich.
Tatro Brothers, Inc., 218 Washington St., Decorah, Ia.
Taylor Co., N. & G., Div. Republic Steel Co., Cumberland,

Taylor-Hall Welding Corp., 99 Hope Ave., Worcester, Mass. Taylor Instrument Companies, 95 Ames St., Rochester, N. Y. Taylor-Winfield Corp., 1052 Mahoning Ave., N. W., War-

ren, O.
Technical Coatings, Inc., 9-15 Park Place, New York City.
Tecumseh Products Co., Tecumseh, Mich.
Teesdale Mfg. Co., 427 Market St., Grand Rapids, Mich.
Tem Products Co., 12 Hogue St., Youngstown, O.
Tennessee Coal, Iron & Railroad Co., Brown-Marx Bldg., Birmingham, Ala.
Texo Sales & Mfg. Co., 47 Walnut St., Cincinnati, O.
Thatcher Furnace Company, 39 St. Francis St., Newark, N. J.
Thermal Units Mfg. Co., Meriden, Conn.
Therminsul Corp., 1603 Fulford St., Kalamazoo, Mich.
Thermoid Rubber, Div. of Thermoid Co., Whitehead Rd.,
Trenton, N. J.
Thompson & Company, Box 6757, Pittsburgh, Pa.
Thompson Mfg. Co., 30th & Larimer Sts., Denver, Colo.
Thomson-Gibb Electric Welding Co., 161 Pleasant St., Lynn,
Mass.

Mass.

Mass.
ThruBond Flashing Corp., 525 E. 136th St., New York City.
Tidewater Engineering Co., Gloucester, Mass.
Tierney Rotor Ventilator Co., 239 4th Ave., S., Minneapolis,
Minn.
Tiffin Art Metal Co., Broad & Second Ave., Tiffin, O.
Tillery's Little Janitor Clock Co., 55-57 Orchard St., Newark, N. J.
Timken Silent Autometic Div. Timken Detroit Ayle Co., 100

Timken Silent Automatic Div., Timken-Detroit Axle Co., 100 Clark Ave., Detroit, Mich. Todd Combustion Equipment, Inc., Ft. of 23rd St., Brooklyn,

N. Y.
Torchweld Equipment Co., 1035 W. Lake St., Chicago, Ill.
Tork Clock Co., Inc., 31 South St., Mt. Vernon, N. Y.
Torrington Mfg. Co., 70 Franklin St., Torrington, Conn.
Townsend Co., New Brighton, Pa.

Trane Co., The, La Crosse, Wis.
 Trenton Auto Radiator Wks., 630 Brunswick Ave., Trenton,
 N. J.

Trimount Rotary Power Co., 296 Whiting Ave., East Dedham, Mass. Triox Engineering Co., 207 Board of Education Bldg., St.

Louis, Mo.
Tropic-Air Stoker Co., 401 Schroyer Ave., S. W., Canton, Ohio.

Ohio.
Tropical Paint & Oil Co., 1244-86 W. 70th St., Cleveland, O. Trumbull Electric Mfg. Co., Woodford Ave., Plainville, Conn. Truscon Laboratories, 1710 Caniff Ave., Detroit, Mich. Truscon Steel Co., Albert St., Youngstown, O. Turner & Seymour Mfg. Co., Lawton St., Torrington, Conn. Turner Brass Works, 822 Park Ave., Sycamore, Ill.

Turney Corp., Muskegon, Mich.
Tuttle Air Filter Co., Inc., 1014 W. Main St., Louisville, Ky.

Tuttle & Bailey, Inc., Corbin Ave., New Britain, Conn.

Twentieth Century Heating & Ventilating Co., Ira & Edison Ave., Akron, O.

Uehling Instrument Co., 473 Getty Ave., Paterson, N. J. Una Welding, Inc., 1615 Collamer Ave., Cleveland, O. Unified Air Conditioner Co., 322 W. Michigan St., Duluth,

Minn.
Uniflow Mfg. Co., East Lake Road, Erie, Pa.
Union Fibre Co., Inc., Winona, Minn.
Union Steam Pump Co., Jefferson Ave., Battle Creek, Mich.
Unit Heater & Cooler Co., '1002-1024 Third St., Wausau, Wis.
United American Bosch Corp., 3664 Main St., Springfield,

United Cork Companies, Central Ave. & N. J. Central R. R.,

United Cork Companies, Central Ave. & N. J. Central A. S. Kearny, N. J.
United Electric Controls Co., 69 "A" St., South Boston, Mass. United Motors Service, Detroit, Mich.
U. S. Air Conditioning Corp., 2105 Kennedy St., N. E., Minneapolis, Minn.
United States Brass & Copper Co., Hyde Park Ave., Hyde Park, Mass. United States Burner Corp., 191 Franklin Ave., Hartford,

Conn

U. S. Cistern Filter Mfg. Co., The, 509 S. McClun St., Bloomington, Ill. (Strainers)
United States Gypsum Co., 300 W. Adams St., Chicago, Ill.
U. S. Mineral Wool Co., 280 Madison Ave., New York City.
United States Radiator Corp., 1056 National Bank Bldg., Detection of the control of the con

troit, Mich.

• United States Register Co., Burnham St., Battle Creek, Mich.

• United States Steel Corp., Pittsburgh, Pa.

Uni-Therm, Inc., P. O. Box 83, Elyria, O.

Universal Air Filter Corp., 332 W. Michigan St., Duluth,

Universal Blower Co., 124 S. Woodward Ave., Birmingham,

Universal Cooler Corp., 7214 Melville St., Detroit, Mich.
 Universal-Cyclops Steel Corp., Bridgeville, Pa. and Titusville, Pa.

ville, Pa.
Universal Power Corp., 4300 Euclid, Cleveland, O.
Uno Ventilator Co., 339 Lincoln Ave., Cliftondale, Mass.
Upson Co., The, Upson Point, Lockport, N. Y.
Utica Radiator Corp., 2201 Dwyer Ave., Utica, N. Y.

Ottility Fan & Mfg. Co., 2528 Santa Fe Ave., Los Angeles,
Cal.

Vail Mfg. Co., 1017 Columbia Ave., Fort Wayne, Ind. Valley Mfg. Co., Fryeville, Athol, Mass.
Van Noorden Co., E., 100 Magazine St., Boston, Mass.
Van Osdol Mfg. Co., N. K., 133 W. 46th St., Indianapolis, Ind. Vendor Slate Co., Inc., P. O. Box 204, Nazareth, Pa. Vent-O-Lite Co., 4230 W. Taylor St., Chicago, Ill. Vento Steel Sash Co., Muskegon, Mich. Vibration Eliminator Co., 2508-37th Ave., Long Island City, N. Y.

Vibration Eliminator Co., 2508-37th Ave., Long Island City, N. Y.

• Victor Electric Products, Inc., 737 Reading Rd., Cincinnati, O. Victor Equipment Co., Kimball-Krogh Pump Div., 1010 E. 62nd St., Los Angeles, Cal.
Victor Oil Burner Mfg. Co., 45 Allyn St., Hartford, Conn. Vigor-Aire Corp., 127 S. Fifth St., Philadelphia, Pa. Viking Air Conditioning Corp., Main & Center Sts., N. W., Cleveland, O.
Viking Mfg. Co., 600 S. High St., Akron, Ohio.
Viking Pump Co., 404 State St., Cedar Falls, Ia.

• Viking Shear Co., Raspberry St. and Nickel Plate R. R., Erie, Pa.

Pa.

Vilter Mfg. Co., 2217 S. First St., Milwaukee, Wis.

Volcano Burner Corp., 575 E. 184th St., New York City.

Von Seebeck, G., 50 Pine St., New York City.

Voorhees, G. A., 633 S. Delaware, Indianapolis, Ind.

Vulcan Elec. Mfg. Co., 2001 Obear St., St. Louis, Mo.

Waddell, Bruce, 2829 Northwestern Ave., Indianapolis, Ind. Wagner, C. DeWitt, 1000 2nd St., S. E., Cedar Rapids, Ia. Wagner Electric Corp., 6400 Plymouth Ave., St. Louis, Mo. Walker & Pratt Mfg. Co., 31-35 Union St., Boston, Mass. Walker Mfg. & Sales Corp., 1711-1717 Penn St., St. Joseph,

Wall Mfg. Supply Co., P., 3126 Preble Ave., Pittsburgh, Pa. Walsh Refractories Corp., 4430 N. First St., St. Louis, Mo. Ward Co., H. H., Chester, Pa. Ward Heater Co., Ltd., 1800 W. Washington Blvd., Los Angeles Col.

Ward Heater Co., Eds., 1800 W. Heater Co., 27 South St., Mt. Vernon, N. Y. Ward Leonard Electric Co., 37 South St., Mt. Vernon, N. Y. Ward Machinery Co., 564 W. Washington Blvd., Chicago, Ill. Ward Mfg. Co., 107-11 E. Milwaukee Ave., Detroit, Mich. Warren Shade Co., Inc., 2905 E. Hennepin Ave., Minneapolis,

Washington Stove Works, 3402-22 Smith Ave., Everett, Wash. Waterfilm Boilers, Inc., 154 Ogden Ave., Jersey City, N. J. Waterloo Register Co., Waterloo, Ia. Waterman-Waterbury Co., 1123 Jackson St., N. E., Minne-

apolis, Minn.
Watson Co., Inc., Jas. H., Bradley, Ill.
Wattenamel Co., 7400 Archer Ave., Summit, Ill.
Wattenamel Co., 10 Embankment St., Lawrence, Mass.
Wayne Oil Burner Corp., 800 Glasgow Ave., Fort Wayne, Ind. Wayne Pattern & Foundry Co., 236 Murray St., Fort Wayne,

Ind.

Weatherhead Co., 620 Frankfort St., Cleveland, O.

Webster Electric Co., Dekoven Ave. & Clark St., Racine, Wis.

Weil Pump Co., 215 W. Superior St., Chicago, Ill.

Weinman Pump Co., 290 Spruce St., Columbus, O.

Weirton Steel Co., Weirton, W. Va.

Weiskittel Co., Inc., Harry C., 4901 Philadelphia Rd., Baltimore, Md.

Weiss & Co., H., 113-115 Mercer St., New York City.

Welded Steel Products Co., 534 N. 9th St., Milwaukee, Wis.

Welded, Inc., 9666 E. Jefferson St., Detroit, Mich.

Welding Apparatus Co., 4309 Ogden Ave., Chicago, Ill.

Welding Timer Mfg. Co., 251 Ogden St., Newark, N. J.

Wells Mfg. Corp., 315 Seventh Ave., Three Rivers, Mich.

Westchester Home Equipment Co., Inc., 432 Austin Pl.,

Bronz, N. Y.

Bronx, N. Y.
Western Blower Co., 1800 Airport Way, Seattle, Wash.
Western Felt Works, 4027 Ogden Ave., Chicago, Ill.
Western Furnaces, Inc., 3002-18 S. Chandler St., Tacoma,

Western Rotary Ventilator Co., Inc., 1720 E. 14th St., Los Angeles, Cal. Western Venetian Blind Co., 601 W. 26th St., New York

City. Western Wire & Iron Works, Inc., 945 W. 18th Pl., Chicago,

Westinghouse Electric & Manufacturing Company, East

Pittsburgh, Pa.
Westinghouse Electric & Mfg. Co., 246 East Fourth St.,
Mansfield, Ohio.

Weston Electrical Instrument Corp., 614 Frelinghuysen Ave.,

Newark, N. J. Westwick & Son, Inc., John, Claude & Meeker Sts., Galena,

Wheeling Corrugating Co., Wheeling Steel Bldg., Wheeling, W. Va.
Wheeling Metal & Mfg. Co., Box 56, Wheeling, W. Va.
Wheeling Steel Corp., Wheeling Steel Bldg., Wheeling, W. Va.
White Co., Kelvin & Wilfred B., 90 State St., Boston, Mass.
White Mfg. Co., 2362 University Ave., St. Paul, Minn.
White & Company, Haydn F., 1740 E. 12th St., Cleveland,
Ohio.

White-Rodgers Electric Co., 1209 Cass Ave., St. Louis, Mo.

White-Rodgers Electric Co., 1209 Cass Ave., St. Louis, Mo. Whiting Corp., Harvey, Ill. Whitlock Coil Pipe Co., 100 South St., Hartford, Conn. Whitney Mfg. Co., W. A., 636 Race St., Rockford, Ill. Whitney Metal Tool Co., 91 Forbes St., Rockford, Ill. Wickwire Spencer Steel Co., 41 E. 42nd St., New York City. Wiedemann Machine Co., 1815 Sedgley Ave., Philadelphia, Pa.

Wilcolator Co., 17 Nevada St., Newark,

Wilder Mfg. Co., P. O. Box 189, Niles, Ohio.
Wilhelm Co., A., 3rd & Bern Sts., Reading, Pa.
Willard Metallic Crypt Co., Air Conditioning Div., Willard,

Ohio.
Will-Burt Co., Orrville, O.
Williams Oil-O-Matic Heating Corp., 1201 E. Bell, Bloomington, Ill.
Williamson Heater Co., 337 W. Fifth St., Cincinnati, O.
Willis Mfg. Co., 156 N. Academy St., Galesburg, Ill.
Will-Weld Mfg. Co., Inc., 600-620 S. 15th St., Omaha, Nebr.
Wilson & Co., Inc., 4100 S. Ashland Ave., Chicago, Ill.
Wilson Co., H. A., 97 Chestnut St., Newark, N. J.
Wilson, Inc., Grant, 4101 W. Taylor St., Chicago, Ill.
Wilson Welder & Metals Co., Inc., 956 38th St., North Bergen, N. J.

gen, N. J.
Winchester Repeating Arms Co., 275 Winchester Ave., New

Winchester Repeating Arms Co., 210 Windows Haven, Conn.
Windshield Scupper Co., Div. Sargent Bldg. Specialties Co., 16 Warren St., New York City.
Wing Mfg. Co., L. J., 154 W. 14th St., New York City.
Winkler Mfg. Corp., Lebanon, Ind.
Wisconsin Humidifier Co., 3231 N. Richards St., Milwaukee,

Wis.

Wise Furnace Co., 101 Lincoln St., Akron, O.

Wiss & Sons Co., J., 33 Littleton Ave., Newark, N. J.

Wittenmeier Machinery Co., 850 N. Spaulding Ave., Chicago, Ill.

Wodack Electric Tool Corp., 4627 W. Huron St., Chicago,

Wolfe Engineering & Mfg. Co., 1136 Market St., Harrisburg,

Wolff Coal Saver Co., 1330 W. Congress St., Chicago, Ill. Wolverine Blower Works, 412 Prospect Ave., Grand Rapids, Mich. Wolverine Tube Co., 1419 Central Ave., Detroit, Mich. Wood Conversion Co., First National Bank Bldg., St. Paul,

Wood Cor Minn.

Wood Industries, Inc., Gar, 7924 Riopelle St., Detroit, Mich. Wood Steel Co., Alan, Conshohocken, Pa. Wood's Sons Co., T. B., Fifth Ave., Chambersburg, Pa. Woodard & Co., Thos. S., 846 Clinton Ave., South, Rochester,

Woolery Machine Co., 2919 Como Ave., S. E., Minneapolis, Minn. Woolwine Metal Products Co., Atlantic Blvd. & S. Riverside

Dr., Los Angeles, Cal.
Wooster Art Wood, Inc., P. O. Box 198, Wooster, O.
Worcester Brush & Scraper Co., Div. Mason Worcester Co.,
38 Austin St., Worcester, Mass.
World Kalamein Sash & Door Corp., 448 Tiffany St., New

York City.
Worthington Pump & Machinery Corp., Worthington Ave.,
Harrison, N. J.
Wrought Washer Mfg. Co., 2227 South Bay St., Milwaukee,
Wis.

XL Refrigerating Co., Inc., 1834 W. 59th St., Chicago, Ill. •XXth Century Heating & Ventilating Co., Ira & Edison Ave., Akron, O.

Yardly Screen & Weather Strip Co., 142 Parsons Ave., Columbus, O.
Yeomans Bros. Co., 1433 Dayton St., Chicago, Ill.
Yoder Co., 5500 Walworth Ave., Cleveland, O.
York Corrugating Co., Adams St. & WM RR., York, Pa.
York Ice Machinery Corp., Roosevelt Ave., York, Pa.
York Oll Burner Co., Inc., Jessop Blace & P. R. R., York,

Pa.
Young & Bertke Co., 1004-1014 Hulbert Ave., Cincinnati, O.
Young Radiator Co., 709 Mead St., Racine, Wis.
Young Regulator Co., 4500 Euclid Ave., Cleveland, O.
Youngstown Pressed Steel Co., Warren, O.
Youngstown Sheet & Tube Co., Stambaugh Bldg., Youngs-

town, O.

Zapon-Brevolite Division Atlas Powder Co., North Chicago,

Zeh & Hahnemann Co., 182-200 Vanderpool St., Newark, N J. Zenith Electric Company, Inc., 607. S. Dearborn St., Chicago, Zonolite Corp. of Montana, 5905 Second Blvd., Detroit, Mich.

# Play This WIN!



If you want to take the gamble out of your air conditioning, heating, piping, and home cooling installations,—if you want every customer to become an enthusiastic booster—if you want the benefit of over 50 years of specialization in building efficient equipment for this kind of work—then why not do as so many other contractors are doing—install "Bulfalo" Units.

The "Buffalo" name plate is your assurance of units that are thoroughly tested, accurately rated, carefully designed, and built to rigid specifications. That's why in operation they are so quiet, so efficient year after year.

For literature and complete information on this unbeatable combination write—

# UFFALO FORGE COMPANY

497 BROADWAY, BUFFALO, N. Y.

Branch Engineering Offices in Principal Cities

IN CANADA: CANADIAN BLOWER & FORGE CO., LTD., KITCHENER, ONT.

